

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Letting: CT180523 Call Order: 023 Proposal: T7406 District:07
 Counties: HILLSBOROUGH
 Road Name: SR 93A (I-75) SB OFF-RAMP
 Limits: FROM EB/WB I-4 TO S OF BYPASS CANAL
 Project(s): 42895715201(*) Federal Aid No: D717064B
 Total Roadway Length: 2.568 Miles Contract Days: 500
 Total Bridge Length: 0.044 Miles Letting Date: 05/23/18
 Total Proposal Length: 2.612 Miles Contract Execution Days: 10
 Special Start Date: N/A
 Aquis/Flexible Start Time: 15 Calendar Days
 Proposal Budget Estimate: \$18,507,847.00

Please read the full advertisement

Description:

Advertisement of this contract is contingent upon receipt of the United States Army Corps of Engineers Permit prior to the Letting Date.

THERE WILL BE A MANDATORY PRE-BID MEETING FOR THIS PROJECT AT 9:00 AM EST ON MONDAY, MARCH 26, 2018 AT THE FLORIDA DEPARTMENT OF TRANSPORTATION, DISTRICT SEVEN OFFICE, EXECUTIVE CONFERENCE ROOM, 11201 N MCKINLEY DR, TAMPA, FL 33612. IF YOU HAVE ANY QUESTIONS CONCERNING THIS MATTER, PLEASE CONTACT CHARLIE XIE, P.E. AT (813) 975-6287.

THIS PRE-BID MEETING IS MANDATORY BECAUSE OF THE COMPLEXITY OF THE PROJECT. ONLY PLANS AND SPECIFICATIONS WILL BE AVAILABLE PRIOR TO THE PRE-BID MEETING. THE PROSPECTIVE BIDDER SHALL BE PREQUALIFIED ACCORDING TO THE REQUIREMENTS OF FDOT RULE CHAPTER 14-22 AND SECTION 2-1 OF THE 2017 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION.

PROPOSALS (BIDDING DOCUMENTS) WILL BE ISSUED ONLY TO THE PROSPECTIVE BIDDERS WHO HAVE ATTENDED THE PRE-BID MEETING AND MET THE FLORIDA DEPARTMENT OF TRANSPORTATION QUALIFICATIONS FOR THIS PROJECT.

PROSPECTIVE BIDDERS ORDERING BID DOCUMENTS PRIOR TO THE PRE-BID MEETING WILL BE GIVEN ACCESS TO DOWNLOAD THE BID DOCUMENTS WITHIN 24 HOURS AFTER THE PRE-BID MEETING. THOSE PROSPECTIVE BIDDERS ORDERING THE DOCUMENTS AFTER THE PRE-BID MEETING WILL NEED TO CONTACT THE OFFICE ADVERTISING THE PROJECT TO CONFIRM ATTENDANCE AND RECEIVE ACCESS TO DOWNLOAD THE BID DOCUMENTS. PLEASE CONTACT THE OFFICE AT LEAST TWO WORKING DAYS PRIOR TO THE DEADLINE FOR OBTAINING BID DOCUMENTS TO ALLOW TIME FOR PROCESSING.

The improvements under this contract consist of SR 93A (I-75) SB Off-Ramp, including interchange improvements for I-75 (Roadway ID 10075000 and Ramp Number 10075346) and the addition of a new auxiliary lane for SB I-75 and widening from one lane to a two lane ramp from SB I-75 to EB/WB I-4. The proposed widening of the SB I-75 Ramp will include bridge widening for Bridge Number 100430 over Sligh Ave.

Call Order: 003 Proposal: T7406

ALT	Item	Description	Unit	Quantity
Section 0001 Structures				
	0110- 3-	REMOVAL OF EXISTING STRUCTURES/BRIDGES (42895715201 Bridge # 100430)	LS	1.000
	0400- 2- 4	CONC CLASS II, BRIDGE SUPERSTRUCTURE	CY	138.000
	0400- 2- 5	CONCRETE CLASS II, BRIDGE SUBSTRUCTURE	CY	79.000
	0400- 2- 10	CONCRETE CLASS II, APPROACH SLABS	CY	193.000
	0400- 2- 25	CONCRETE CLASS II, MASS, BRIDGE SUBSTRUCTURE	CY	135.000
	0400- 4- 1	CONCRETE CLASS IV, CULVERTS (Structure #100418)	CY	323.900

Call Order: 003 Proposal: T7406

ALT	Item	Description	Unit	Quantity
	0400- 7-	BRIDGE DECK GROOVING, LESS THAN 8.5"	SY	542.000
	0400-143-	CLEANING & COATING CONCRETE SURFACE, CLASS 5	SF	5,722.000
	0400-147-	COMPOSITE NEOPRENE PADS	CF	4.300
	0415- 1- 1	REINFORCING STEEL- ROADWAY	LB	109,390.000
	0415- 1- 4	REINFORCING STEEL - BRIDGE SUPERSTRUCTURE	LB	40,963.000
	0415- 1- 5	REINFORCING STEEL- BRIDGE SUBSTRUCTURE	LB	39,987.000
	0415- 1- 9	REINFORCING STEEL- APPROACH SLABS	LB	38,759.000
	0450- 2- 54	PREST BEAMS: FLORIDA-I BEAM 54"	LF	455.000
	0455- 35-101	STEEL PILING, PROJECT 428957-1-52-01, 20" DIA. PIPE WITH 100% DYNAMIC TESTING	LF	2,045.000
	0455-120- 6	PILE POINT PROTECTION, 20" ROUND	EA	23.000
	0455-133- 2	SHEET PILING STEEL, TEMPORARY-CRITICAL	SF	15,615.000
	0455-144- 21	TEST PILES - STEEL, 20" DIA PIPE	LF	530.000
	0458- 1- 11	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD	LF	155.000
	0458- 1- 21	BRIDGE DECK EXPANSION JOINT, REHABILITATION, POURED JOINT WITH BACKER ROD	LF	190.000
	0521- 5- 1	CONCRETE TRAFFIC RAILING- BRIDGE, 32" F - SHAPE	LF	418.000
	0524- 2- 2	CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4"	SY	525.000
Section 0002 Roadway				
	0101- 1-	MOBILIZATION (42895715201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (42895715201)	LS	1.000
	0102- 2- 1	SPECIAL DETOUR 1 (42895715201)	LS	1.000
	0102- 2- 2	SPECIAL DETOUR 2 (42895715201)	LS	1.000
	0102- 2- 3	SPECIAL DETOUR 3 (42895715201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	288.000
	0102- 60-	WORK ZONE SIGN	ED	120,619.000
	0102- 71- 14	TEMPORARY BARRIER, F&I, TYPE K	LF	11,450.000
	0102- 71- 24	TEMPORARY BARRIER, RELOCATE, TYPE K	LF	5,049.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	85,370.000
	0102- 74- 2	CHANNELIZING DEVICE, TYPE III, 6'	ED	4,500.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	833.000
	0102- 78-	TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	EA	1,535.000
	0102- 89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	12.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	5,573.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	1,434.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	1,516.000
	0102-911- 1	PAVEMENT MARKING REMOVABLE TAPE, WHITE OR BLACK, SKIP	LF	8,079.000
	0102-911- 2	PAVEMENT MARKING REMOVABLE TAPE, WHITE OR BLACK, SOLID	LF	19,895.000
	0102-912- 2	PAVEMENT MARKING REMOVABLE TAPE, YELLOW, SOLID	LF	13,541.000
	0104- 1-	ARTIFICIAL COVERINGS /ROLLED EROSION CONTROL PRODUCTS	SY	1.000
	0104- 6-	TEMPORARY SLOPE DRAIN / RUNOFF CONTROL STRUCTURE	LF	1.000
	0104- 10- 3	SEDIMENT BARRIER	LF	13,490.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	628.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	609.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	2.000

Call Order: 003 Proposal: T7406

ALT	Item	Description	Unit	Quantity
	0104- 18-	INLET PROTECTION SYSTEM	EA	67.000
	0107- 1-	LITTER REMOVAL	AC	433.000
	0107- 2-	MOWING	AC	240.500
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (42895715201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (42895715201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	4,862.000
	0120- 1-	REGULAR EXCAVATION	CY	62,006.000
	0120- 4-	SUBSOIL EXCAVATION	CY	31,644.000
	0120- 6-	EMBANKMENT	CY	92,430.000
	0160- 4-	TYPE B STABILIZATION	SY	38,521.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	12,829.000
	0285-704-	OPTIONAL BASE, BASE GROUP 04	SY	11,188.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	13,974.000
	0327- 70- 5	MILLING EXIST ASPH PAVT, 2" AVG DEPTH	SY	4,872.000
	0327- 70- 6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	1,339.000
	0327- 70- 11	MILLING EXIST ASPH PAVT, 2 1/4" AVG DEPTH	SY	5,713.000
	0327- 70- 20	MILLING EXIST ASPH PAVT, 3 3/4" AVG DEPTH	SY	881.000
	0334- 1- 14	SUPERPAVE ASPHALTIC CONC, TRAFFIC D	TN	2,221.000
	0334- 1- 58	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC D, HIGH POLYMER	TN	2,839.300
	0337- 7- 26	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, HIGH POLYMER	TN	1,366.400
	0337- 7- 81	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-12.5, PG 76-22	TN	530.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	850.500
	0350- 3- 13	PLAIN CEMENT CONCRETE PAVEMENT, 12"	SY	12,380.000
	0350- 5-	CLEANING & SEALING JOINTS- CONCRETE PAVEMENT:	LF	1.000
	0352- 70-	GRINDING CONCRETE PAVEMENT	SY	1.000
	0400- 1- 2	CONCRETE CLASS I, ENDWALLS	CY	45.600
	0425- 1-501	INLETS, DT BOT, TYPE A, <10'	EA	23.000
	0425- 1-503	INLETS, DT BOT, TYPE A, J BOT, <10'	EA	2.000
	0425- 1-504	INLETS, DT BOT, TYPE A, J BOT, >10'	EA	1.000
	0425- 1-519	INLETS, DT BOT, TYPE B, MODIFY	EA	3.000
	0425- 1-549	INLETS, DT BOT, TYPE D, MODIFY	EA	4.000
	0425- 1-581	INLETS, DT BOT, TYPE H, <10'	EA	1.000
	0425- 1-701	INLETS, GUTTER, TYPE S, <10'	EA	5.000
	0425- 1-891	INLETS, BARRIER WALL, <10'	EA	15.000
	0425- 1-893	INLETS, BARRIER WALL, J BOT, <10'	EA	9.000
	0425- 1-894	INLETS, BARRIER WALL, J BOT, >10'	EA	1.000
	0425- 2- 61	MANHOLES, P-8, <10'	EA	4.000
	0425- 2- 62	MANHOLES, P-8, >10'	EA	1.000
	0425- 2- 71	MANHOLES, J-7, <10'	EA	4.000
	0425- 2- 91	MANHOLES, J-8, <10'	EA	2.000
	0430- 94- 1	DESILTING PIPE, 0 - 24"	LF	875.000
	0430- 94- 2	DESILTING PIPE, 25 - 36"	LF	155.000
	0430- 94- 3	DESILTING PIPE, 37 - 48"	LF	1,940.000

Call Order: 003 Proposal: T7406

ALT	Item	Description	Unit	Quantity
	0430-173-118	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 18", GUTTER DRAIN	LF	43.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	2,823.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	719.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	973.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	809.000
	0430-175-142	PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD	LF	347.000
	0430-175-148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	775.000
	0430-175-260	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 60"S/CD	LF	12.000
	0430-185-130	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 30", STORM AND CROSS DRAIN	LF	169.000
	0430-611-125	U-ENDWALL WITH BAFFLES, STD 261, 1:4 SLOPE, 18"PIPE	EA	1.000
	0430-611-129	U-ENDWALL WITH BAFFLES, STD 261, 1:4 SLOPE, 24"PIPE	EA	2.000
	0430-611-225	U-ENDWALL WITH BAFFLES, STD 261, 1:3 SLOPE, 18"PIPE	EA	1.000
	0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE	CY	20.600
	0430-950-	DESILTING CONCRETE BOX CULVERT	CY	556.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	4.000
	0430-982-129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	4.000
	0430-982-133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	2.000
	0440- 1- 20	UNDERDRAIN, TYPE II	LF	3,682.000
	0440- 1- 50	UNDERDRAIN, TYPE V	LF	1,000.000
	0440- 73- 2	UNDERDRAIN OUTLET PIPE, 6"	LF	52.000
	0446- 1- 1	EDGEDRAIN DRAINCRETE, STANDARD	LF	3,796.000
	0446- 71- 1	EDGEDRAIN OUTLET PIPE, 4"	LF	159.000
	0520- 6-	SHOULDER GUTTER- CONCRETE	LF	1,164.000
	0521- 1- 1	MEDIAN BARRIER WALL CONC, PRECAST	LF	4,450.000
	0521- 72- 3	SHOULDER CONCRETE BARRIER, RIGID-SHOULDER	LF	87.000
	0521- 72- 11	SHOULDER CONCRETE BARRIER WALL, RIGID SHOULDER 54"	LF	127.000
	0524- 1- 2	CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	SY	4,993.000
	0524- 3-	CONC CORE DITCH BLOCKS	CY	7.400
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	202.000
	0530- 74-	BEDDING STONE	TN	145.200
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	11,859.000
	0536- 1- 3	GUARDRAIL- ROADWAY, DOUBLE FACE	LF	4,143.000
	0536- 5- 1	RUB RAIL FOR GUARDRAIL, SINGLE SIDED RUB RAIL	LF	3,990.000
	0536- 5- 2	RUBRAIL FOR GUARDRAIL, DOUBLE SIDED RUB RAIL	LF	567.000
	0536- 7- 3	SPECIAL GUARDRAIL POST- ENCASED POST FOR SHALLOW MOUNT	EA	5.000
	0536- 8- 11	APPROACH TRANSITION TO RIGID BARRIER- BRIDGE ANCHORAGE ASSEMBLY CONNECTION, FURNISH & INSTALL	EA	4.000
	0536- 8- 13	APPROACH TRANSITION CONNECTION TO RIGID BARRIER, FURNISH AND INSTALL, TL-3	EA	1.000
	0536- 73-	GUARDRAIL REMOVAL	LF	6,344.000
	0536- 85- 22	GUARDRAIL END ANCHORAGE ASSEMBLY/END TREATMENT- FLARED	EA	2.000
	0536- 85- 25	GUARDRAIL END ANCHORAGE ASSEMBLY/END TREATMENT- TYPE II	EA	7.000
	0538- 1-	GUARDRAIL RESET	LF	236.000

Call Order: 003 Proposal: T7406

ALT	Item	Description	Unit	Quantity
	0544- 75- 1	CRASH CUSHION	EA	1.000
	0550- 10-120	FENCING, TYPE A, 5.1-6.0, STANDARD	LF	145.000
	0550- 10-220	FENCING, TYPE B, 5.1-6.0', STANDARD	LF	4,551.000
	0550- 60-223	FENCE GATE, TYPE B, DOUBLE, 12.1-18.0' OPENING	EA	1.000
	0550- 60-225	FENCE GATE , TYPE B, DOUBLE, 20.1-24' OPENING	EA	1.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	96,734.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	1.420
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.044
	0710- 11-103	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE MARKINGS, 12"	GM	0.227
	0710- 12-101	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, WHITE, SOLID, 6" MAINTENANCE USE	GM	1.233
	0999- 16-	PARTNERING, DO NOT BID (42895715201)	LS	1.000
	0999- 20- 1	DISPUTES REVIEW BOARD, MEETING- DO NOT BID	DA	15.000
	0999- 20- 2	DISPUTES REVIEW BOARD, HEARING- DO NOT BID	EA	2.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (42895715201)	LS	1.000
Section 0003 Signing				
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	3.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	8.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	2.000
	0700- 2- 14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	1.000
	0700- 2- 15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	1.000
	0700- 2- 16	MULTI- POST SIGN, F&I GROUND MOUNT, 101-200 SF	AS	1.000
	0700- 2- 50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	4.000
	0700- 2- 60	MULTI- POST SIGN, REMOVE	AS	3.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	6.000
	0700- 3-203	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF	EA	4.000
	0700- 3-206	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF	EA	4.000
	0700- 3-207	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF	EA	2.000
	0700- 3-211	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 601 SF AND GREATER	EA	2.000
	0700- 3-603	SIGN PANEL, REMOVE, 21-30 SF	EA	1.000
	0700- 3-606	SIGN PANEL, REMOVE, 101-200 SF	EA	2.000
	0700- 3-607	SIGN PANEL, REMOVE, 201-300 SF	EA	2.000
	0700- 4-114	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 41-50 FT	EA	3.000
	0700- 4-125	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, SPAN, 51-100 FT	EA	1.000
	0700- 4-126	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, SPAN, 101-150 FT	EA	2.000
	0700- 4-610	OVERHEAD STATIC SIGN STRUCTURE, REMOVE CANTILEVER	EA	2.000
	0700- 4-620	OVERHEAD STATIC SIGN STRUCTURE, REMOVE SPAN	EA	1.000
	0705- 10- 2	OBJECT MARKER, TYPE 2	EA	3.000
	0706- 3-	RETRO-REFLECTIVE PAVEMENT MARKERS	EA	1,202.000
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	0.320

Call Order: 003 Proposal: T7406

ALT	Item	Description	Unit	Quantity
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	44.000
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	23.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	6.000
	0711- 14-660	THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	EA	22.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	3.354
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.210
	0711- 16-131	THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	1.456
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	3.257
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.150
	0713-103-131	PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	1.890
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.150
Section 0004 Lighting				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	10,778.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	110.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	40.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	1.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	165.000
	0715- 1- 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	4,647.000
	0715- 1- 15	LIGHTING CONDUCTORS, F&I, NO.1/0 - 3/0 (0 to 000)	LF	45,790.000
	0715- 1- 60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	1,095.000
	0715- 4- 13	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT	EA	48.000
	0715- 7- 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	1.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL	EA	19.000
	0715-500- 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	29.000
Section 0005 Intelligent Transportation System				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	21,289.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	1,122.000
	0630- 2- 14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	17,774.000
	0633- 1-121	FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS	LF	943.000
	0633- 1-122	FIBER OPTIC CABLE, F&I, UNDERGROUND,13-48 FIBERS	LF	11,742.000
	0633- 1-123	FIBER OPTIC CABLE, F&I, UNDERGROUND,49-96 FIBERS	LF	24,411.000
	0633- 1-620	FIBER OPTIC CABLE, REMOVE, UNDERGROUND	LF	24,316.000
	0633- 2- 31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	44.000
	0633- 2- 32	FIBER OPTIC CONNECTION, INSTALL, TERMINATION	EA	168.000
	0633- 3- 11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	5.000
	0633- 3- 12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	5.000
	0633- 8- 1	MULTI-CONDUCTOR COMMUNICATION CABLE, FURNISH & INSTALL	LF	625.000
	0633- 8- 6	MULTI-CONDUCTOR COMMUNICATION CABLE, REMOVE	LF	584.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	40.000
	0635- 2- 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	14.000

Call Order: 003 Proposal: T7406

ALT	Item	Description	Unit	Quantity
	0635- 2- 13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	4.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	15,646.000
	0639- 3- 11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	3.000
	0639- 3- 60	ELECTRICAL SERVICE DISCONNECT, REMOVE- POLE OR CABINET TO REMAIN	EA	3.000
	0639- 6- 1	ELECTRICAL POWER SERVICE- TRANSFORMER FURNISH & INSTALL	EA	3.000
	0641- 2- 11	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II PEDESTAL	EA	3.000
	0641- 2- 13	PRESTRESSED CONCRETE POLE, F&I, TYPE P-III	EA	1.000
	0641- 2- 60	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE	EA	3.000
	0660- 3- 12	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	1.000
	0660- 3- 60	VEHICLE DETECTION SYSTEM - MICROWAVE, REMOVE, COMPLETE SYSTEM	EA	1.000
	0676- 2-400	ITS CABINET, RELOCATE	EA	3.000
	0676- 3- 10	SMALL EQUIPMENT ENCLOSURE, FURNISH AND INSTALL, LESS THAN 10"W X 13"H X 11" D	EA	1.000