

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Letting: CT190424 Call Order: 002 Proposal: T6424 District:06
 Counties: MIAMI-DADE
 Road Name: SR 997 (KROME AVE)
 Limits: FROM SW 312RD ST TO SW 296TH ST AND FROM SW 296TH ST TO S OF SW 232ND ST
 Project(s): 40557595201 Federal Aid No: N/A
 Project(s): 42736915201(*) Federal Aid No: D618066B
 Project(s): 42736915601 Federal Aid No: N/A
 Total Roadway Length: 3.644 Miles Contract Days: 1000
 Total Bridge Length: 0.009 Miles Letting Date: 04/24/19
 Total Proposal Length: 3.653 Miles Contract Execution Days: 10
 Special Start Date: N/A
 Aquis/Flexible Start Time: 120 Calendar Days
 Proposal Budget Estimate: \$36,754,266.00

Please read the full advertisement

Description: A+B Bidding/Incentive-Disincentive

THERE WILL BE A MANDATORY PRE-BID MEETING FOR THIS PROJECT AT 1:30 PM EST ON THURSDAY, MARCH 21, 2019 AT THE FLORIDA DEPARTMENT OF TRANSPORTATION, DISTRICT SIX AUDITORIUM, 1000 NW 111TH AVE., MIAMI, FL 33172. IF YOU HAVE ANY QUESTIONS CONCERNING THIS MATTER, PLEASE CONTACT LUIS TEJADA AT (305) 470-5461.

THIS PRE-BID MEETING IS MANDATORY BECAUSE OF THE COMPLEXITY OF THE PROJECT. ONLY PLANS AND SPECIFICATIONS WILL BE AVAILABLE PRIOR TO THE PRE-BID MEETING. THE PROSPECTIVE BIDDER SHALL BE PREQUALIFIED ACCORDING TO THE REQUIREMENTS OF FDOT RULE CHAPTER 14-22 AND SECTION 2-1 OF THE 2019 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION.

PROPOSALS (BIDDING DOCUMENTS) WILL BE ISSUED ONLY TO THE PROSPECTIVE BIDDERS WHO HAVE ATTENDED THE PRE-BID MEETING AND MET THE FLORIDA DEPARTMENT OF TRANSPORTATION QUALIFICATIONS FOR THIS PROJECT.

PROSPECTIVE BIDDERS ORDERING BID DOCUMENTS PRIOR TO THE PRE-BID MEETING WILL BE GIVEN ACCESS TO DOWNLOAD THE BID DOCUMENTS WITHIN 24 HOURS AFTER THE PRE-BID MEETING. THOSE PROSPECTIVE BIDDERS ORDERING THE DOCUMENTS AFTER THE PRE-BID MEETING WILL NEED TO CONTACT THE OFFICE ADVERTISING THE PROJECT TO CONFIRM ATTENDANCE AND RECEIVE ACCESS TO DOWNLOAD THE BID DOCUMENTS. PLEASE CONTACT THE OFFICE AT LEAST TWO WORKING DAYS PRIOR TO THE DEADLINE FOR OBTAINING BID DOCUMENTS TO ALLOW TIME FOR PROCESSING.

The improvements under this contract consist of adding lanes, reconstructing and rehabilitating pavement along SR 997 (Krome Ave.).

NOTE: This is a cost plus time proposal(A+B). The following sites are cost plus time sites.

Site	Description	Road Cost Per Day	Maximum Days
00	Contract Time	10000.00	1000

Call Order: 002 Proposal: T6424

ALT	Item	Description	Unit	Quantity
Section 0001 Structures				
	0110- 3-	REMOVAL OF EXISTING STRUCTURES/BRIDGES (42736915201 871180)	LS	1.000
	0400- 2- 4	CONC CLASS II, BRIDGE SUPERSTRUCTURE	CY	161.400
	0400- 2- 10	CONCRETE CLASS II, APPROACH SLABS	CY	273.600
	0400- 4- 5	CONCRETE CLASS IV, BRIDGE SUBSTRUCTURE	CY	319.300
	0400- 4- 11	CONC CLASS IV, RETAINING WALLS	CY	41.100

Call Order: 002 Proposal: T6424

ALT	Item	Description	Unit	Quantity
	0400- 7-	BRIDGE DECK GROOVING, LESS THAN 8.5"	SY	550.000
	0400-147-	COMPOSITE NEOPRENE PADS	CF	6.300
	0415- 1- 3	REINFORCING STEEL- RETAINING WALL	LB	3,735.000
	0415- 1- 4	REINFORCING STEEL - BRIDGE SUPERSTRUCTURE	LB	48,089.000
	0415- 1- 5	REINFORCING STEEL- BRIDGE SUBSTRUCTURE	LB	35,684.000
	0415- 1- 9	REINFORCING STEEL- APPROACH SLABS	LB	51,716.000
	0450- 2- 36	PREST BEAMS: FLORIDA-I BEAM 36"	LF	548.000
	0458- 1- 11	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD	LF	229.000
	0515- 4- 2	BULLET RAIL, DOUBLE RAIL	LF	220.000
	0521- 5- 13	CONCRETE TRAFFIC RAILING- BRIDGE, 36" SINGLE-SLOPE	LF	440.000
	0521- 6- 11	CONCRETE PARAPET, PEDESTRIAN/BICYCLE, 27" HEIGHT	LF	110.000
	0630- 2- 16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	660.000
	0635- 3- 13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	4.000
Section 0002 Roadway				
	0101- 1-	MOBILIZATION (40557595201)	LS	1.000
	0101- 1-	MOBILIZATION (42736915201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (40557595201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (42736915201)	LS	1.000
	0102- 2- 1	SPECIAL DETOUR 1 (42736915201)	LS	1.000
	0102- 2- 2	SPECIAL DETOUR 2 (42736915201)	LS	1.000
	0102- 2- 3	SPECIAL DETOUR 3 (42736915201)	LS	1.000
	0102- 2- 4	SPECIAL DETOUR 4 (42736915201)	LS	1.000
	0102- 2- 5	SPECIAL DETOUR 5 (42736915201)	LS	1.000
	0102- 2- 6	SPECIAL DETOUR 6 (42736915201)	LS	1.000
	0102- 2- 7	SPECIAL DETOUR 7 (42736915201)	LS	1.000
	0102- 2- 8	SPECIAL DETOUR 8 (42736915201)	LS	1.000
	0102- 2- 9	SPECIAL DETOUR 9 (42736915201)	LS	1.000
	0102- 2- 10	SPECIAL DETOUR 10 (42736915201)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	183.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	2,316.000
	0102- 30- 4	TEMPORARY HIGHWAY LIGHTING, PROJECT 427369-1-52-01 (42736915201)	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	272,100.000
	0102- 61-	BUSINESS SIGN	EA	84.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	11,108.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING	LF	2,553.000
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	14,084.000
	0102- 71- 26	TEMPORARY BARRIER, RELOCATE, FREE STANDING	LF	980.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	906,700.000
	0102- 74- 2	CHANNELIZING DEVICE, TYPE III, 6'	ED	23,945.000
	0102- 74- 7	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	LF	11,293.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	100.000

Call Order: 002 Proposal: T6424

ALT	Item	Description	Unit	Quantity
	0102- 78-	TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	EA	14,989.000
	0102- 89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	180.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	5,398.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	6,000.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	6,000.000
	0104- 10- 3	SEDIMENT BARRIER	LF	53,996.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	666.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	494.000
	0107- 1-	LITTER REMOVAL	AC	2,965.720
	0107- 2-	MOWING	AC	2,203.710
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (40557595201)	LS	1.000
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (42736915201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (40557595201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (42736915201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (40557595201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (42736915201)	LS	1.000
	0110- 2- 2	SELECTIVE CLEARING AND GRUBBING, AREAS WITH TREES TO REMAIN	AC	0.670
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	4,817.000
	0110- 7- 1	MAILBOX, F&I SINGLE	EA	39.000
	0120- 1-	REGULAR EXCAVATION	CY	49,948.000
	0120- 4-	SUBSOIL EXCAVATION	CY	757.000
	0120- 5-	CHANNEL EXCAVATION	CY	638.000
	0120- 6-	EMBANKMENT	CY	77,397.000
	0160- 4-	TYPE B STABILIZATION	SY	287,380.000
	0162- 1- 11	PREPARED SOIL LAYER, FINISH SOIL LAYER, 6"	SY	16,868.000
	0210- 1- 1	REWORKING LIMEROCK BASE, 6"	SY	6,067.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	23,796.000
	0285-702-	OPTIONAL BASE, BASE GROUP 02	SY	44,306.000
	0285-703-	OPTIONAL BASE, BASE GROUP 03	SY	5,740.000
	0285-706-	OPTIONAL BASE, BASE GROUP 06	SY	17,623.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	2,479.000
	0285-710-	OPTIONAL BASE, BASE GROUP 10	SY	153,255.000
	0327- 70- 1	MILLING EXIST ASPH PAVT, 1" AVG DEPTH	SY	5,743.000
	0327- 70- 4	MILLING EXIST ASPH PAVT, 3" AVG DEPTH	SY	6,066.000
	0327- 70- 5	MILLING EXIST ASPH PAVT, 2" AVG DEPTH	SY	16,783.000
	0327- 70- 6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	16,340.000
	0334- 1- 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	5,553.100
	0334- 1- 14	SUPERPAVE ASPHALTIC CONC, TRAFFIC D	TN	13,859.400
	0334- 1- 54	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC D, PG76-22	TN	16,624.600
	0337- 7- 25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	7,435.200

Call Order: 002 Proposal: T6424

ALT	Item	Description	Unit	Quantity
	0337- 7- 82	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-9.5, PG 76-22	TN	1,754.600
	0337- 7- 83	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76-22	TN	2,938.500
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	918.900
	0400- 1- 2	CONCRETE CLASS I, ENDWALLS	CY	12.200
	0400- 4- 4	CONCRETE CLASS IV, SUPERSTRUCTURE	CY	81.300
	0400- 4- 11	CONC CLASS IV, RETAINING WALLS	CY	144.800
	0415- 1- 3	REINFORCING STEEL- RETAINING WALL	LB	12,573.000
	0415- 1- 6	REINFORCING STEEL- MISCELLANEOUS	LB	150.000
	0425- 1-201	INLETS, CURB, TYPE 9, <10'	EA	20.000
	0425- 1-203	INLETS, CURB, TYPE 9, J BOT, <10'	EA	9.000
	0425- 1-204	INLETS, CURB, TYPE 9, J BOT, >10'	EA	2.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	6.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	10.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10'	EA	1.000
	0425- 1-452	INLETS, CURB, TYPE J-5, >10'	EA	1.000
	0425- 1-461	INLETS, CURB, TYPE J-6, <10'	EA	5.000
	0425- 1-462	INLETS, CURB, TYPE J-6, >10'	EA	4.000
	0425- 1-469	INLETS, CURB, TYPE J-6, MODIFY	EA	3.000
	0425- 1-521	INLETS, DT BOT, TYPE C,<10'	EA	56.000
	0425- 1-522	INLETS, DT BOT, TYPE C,>10'	EA	3.000
	0425- 1-523	INLETS, DT BOT, TYPE C,JBOT, <10'	EA	1.000
	0425- 1-561	INLETS, DT BOT, TYPE F, <10'	EA	3.000
	0425- 1-562	INLETS, DT BOT, TYPE F, >10'	EA	3.000
	0425- 1-563	INLETS, DITCH BOTTOM, TYPE F, J BOT, <10'	EA	5.000
	0425- 1-564	INLETS, DITCH BOTTOM, TYPE F, J BOT, >10'	EA	1.000
	0425- 1-571	INLETS, DITCH BOTTOM, TYPE G, <10'	EA	86.000
	0425- 1-572	INLETS, DITCH BOTTOM, TYPE G, >10'	EA	10.000
	0425- 1-573	INLETS, DITCH BOTTOM, TYPE G, J BOT, <10'	EA	4.000
	0425- 1-701	INLETS, GUTTER, TYPE S, <10'	EA	82.000
	0425- 1-702	INLETS, GUTTER, TYPE S, >10'	EA	29.000
	0425- 1-703	INLETS, GUTTER, TYPE S, J BOTTOM <10'	EA	1.000
	0425- 1-704	INLETS, GUTTER, TYPE S, J BOTTOM, >10'	EA	2.000
	0425- 1-711	INLETS, GUTTER, TYPE V, <10'	EA	42.000
	0425- 1-712	INLETS, GUTTER, TYPE V, >10'	EA	11.000
	0425- 1-781	INLETS, MEDIAN BARRIER, TYPE 1, <=10'	EA	3.000
	0425- 1-892	INLETS, BARRIER WALL, >10'	EA	2.000
	0425- 2- 43	MANHOLES, P-7, PARTIAL	EA	37.000
	0425- 2- 61	MANHOLES, P-8, <10'	EA	8.000
	0425- 2- 62	MANHOLES, P-8, >10'	EA	11.000
	0425- 2- 63	MANHOLES, P-8, PARTIAL	EA	3.000
	0425- 2- 71	MANHOLES, J-7, <10'	EA	2.000
	0425- 2- 91	MANHOLES, J-8, <10'	EA	2.000
	0425- 2- 92	MANHOLES, J-8, >10'	EA	3.000

Call Order: 002 Proposal: T6424

ALT	Item	Description	Unit	Quantity
	0425- 2-120	DRAINAGE MANHOLE, PROJECT 427369-1-52-01, J-8 WITH ADDITIONAL RISER AND WALL	EA	2.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	16,181.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	5,436.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	345.000
	0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE	CY	0.200
	0436- 1- 1	TRENCH DRAIN, STANDARD	LF	19.000
	0443- 70- 4	FRENCH DRAIN, 24"	LF	16,731.000
	0515- 1- 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	39.000
	0515- 4- 2	BULLET RAIL, DOUBLE RAIL	LF	911.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	5,859.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	9,617.000
	0520- 5- 11	TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE	LF	1,947.000
	0520- 6-	SHOULDER GUTTER- CONCRETE	LF	469.000
	0521- 6- 31	CONCRETE PARAPET, RETAINING WALL SYSTEM MOUNTED W/SIDEWALK, 27" HEIGHT	LF	324.000
	0521- 72- 40	SHOULDER CONCRETE BARRIER, 38" OR 44" HEIGHT	LF	358.000
	0521- 72- 41	SHOULDER CONCRETE BARRIER, RETAINING SECTION	LF	587.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	3,698.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	1,236.000
	0524- 1- 2	CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	SY	62.000
	0527- 2-	DETECTABLE WARNINGS	SF	3,751.000
	0530- 4- 9	ARTICULATING CONCRETE BLOCK REVETMENT SYSTEM, THICKNESS 9"	SY	2,100.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	20,738.000
	0536- 1- 3	GUARDRAIL- ROADWAY, DOUBLE FACE	LF	3,626.000
	0536- 5- 1	RUB RAIL FOR GUARDRAIL, SINGLE SIDED RUB RAIL	LF	20,738.000
	0536- 5- 2	RUBRAIL FOR GUARDRAIL, DOUBLE SIDED RUB RAIL	LF	3,626.000
	0536- 7- 1	SPECIAL GUARDRAIL POST- DEEP POST FOR SLOPE BREAK CONDITION- TIMBER OR STEEL	EA	2,170.000
	0536- 7- 3	SPECIAL GUARDRAIL POST- ENCASED POST FOR SHALLOW MOUNT	EA	6.000
	0536- 8- 11	APPROACH TRANSITION TO RIGID BARRIER CONNECTION, FURNISH & INSTALL	EA	1.000
	0536- 8- 13	APPROACH TRANSITION CONNECTION TO RIGID BARRIER, FURNISH AND INSTALL, TL-3	EA	3.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	23.000
	0536- 85- 25	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE TYPE II	EA	10.000
	0544- 75- 1	CRASH CUSHION	EA	29.000
	0550- 10-210	FENCING, TYPE B, 0.0-5.0', STANDARD FEATURES	LF	275.000
	0550- 10-218	FENCING, TYPE B, 0.0-5.0', RESET EXISTING	LF	245.000
	0550- 60-400	FENCE GATE, RESET EXISTING GATE- WITHOUT RESETTING FENCE	EA	1.000
	0550- 60-513	FENCE GATE, TUBULAR METAL PIPE, SINGLE, 12.1-18.0' OPENING	EA	4.000
	0570- 1- 1	PERFORMANCE TURF	SY	129,211.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	28,575.000
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	190.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	70.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	3.000

Call Order: 002 Proposal: T6424

ALT	Item	Description	Unit	Quantity
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	8.000
	0695- 6- 12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	8.000
	0695- 7-132	TRAFFIC MONITORING SITE CABINET, FURNISH & INSTALL, TYPE 3, PEDESTAL MOUNT	EA	1.000
	0695- 7-141	TRAFFIC MONITORING SITE CABINET, FURNISH & INSTALL, TYPE 4, BASE MOUNT	EA	1.000
	0705- 11- 5	DELINEATOR, FLEXIBLE HIGH PERFORMANCE 36" MANAGED LANES- EXPRESS LANE MARKER	EA	5,258.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	61.379
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	2.747
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	5,546.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	4,564.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	4,762.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	7.035
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	2.056
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	181.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	564.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	54.982
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	3,857.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	1.040
	0999- 16-	PARTNERING, DO NOT BID (42736915201)	LS	1.000
	0999- 20- 1	DISPUTES REVIEW BOARD, MEETING- DO NOT BID	DA	20.000
	0999- 20- 2	DISPUTES REVIEW BOARD, HEARING- DO NOT BID	EA	2.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (40557595201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (42736915201)	LS	1.000
Section 0003 Signing				
	0546- 72- 2	GROUND-IN RUMBLE STRIPS, 8" CYLINDRICAL	GM	10.035
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	153.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	56.000
	0700- 1- 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	35.000
	0700- 1- 21	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF	AS	2.000
	0700- 1- 31	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF	AS	1.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	16.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	231.000
	0700- 2- 15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	9.000
	0700- 2- 50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	3.000
	0700- 2- 60	MULTI- POST SIGN, REMOVE	AS	7.000

Call Order: 002 Proposal: T6424

ALT	Item	Description	Unit	Quantity
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	36.000
	0700- 11-600	ELECTRONIC DISPLAY SIGN, REMOVE- GROUND MOUNT	AS	1.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	3.000
	0705- 11- 2	DELINEATOR, NON-FLEXIBLE	EA	19.000
	0705- 11- 4	DELINEATOR, FLEXIBLE HIGH PERFORMANCE 48"	EA	28.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	0.199
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	0.240
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	0.157
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (40557595201)	LS	1.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (42736915201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	7,051.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	4,275.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	3,099.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.130
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	12.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	205.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	1,537.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.019
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	360.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	125.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	84.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	7.072
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	2.537
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	7.249
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	7.052
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	5.403
	0711- 16-131	THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	1.873
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	6.286
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	4.440
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.125
	0713-103-131	PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.038
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.042
	0713-103-231	PERMANENT TAPE, YELLOW, 10-30 SKIP/ 3-9 DOTTED, 6" FOR CONCRETE SURFACES	GM	0.021

Call Order: 002 Proposal: T6424

ALT	Item	Description	Unit	Quantity
Section 0004 Lighting				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	2,685.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	38,095.000
	0630- 2- 16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	1,035.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	203.000
	0635- 3- 13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	5.000
	0715- 1- 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	111,516.000
	0715- 1- 13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	19,048.000
	0715- 1- 60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	16,380.000
	0715- 4- 15	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 50' MOUNTING HEIGHT	EA	179.000
	0715- 4- 70	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	30.000
	0715- 7- 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	4.000
	0715- 7- 41	LOAD CENTER, REMOVE, SECONDARY VOLTAGE	EA	4.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL	EA	179.000
Section 0005 Signalization				
	0455-107- 8	DRILLED SHAFT CASING, 54" DIAMETER	LF	12.000
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	82.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	9,296.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	6.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	5.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	142.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	6.000
	0639- 1-610	ELECTRICAL POWER SERVICE, REMOVE OVERHEAD	AS	4.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	791.000
	0639- 2- 6	ELECTRICAL SERVICE WIRE, REMOVE	LF	400.000
	0639- 3- 60	ELECTRICAL SERVICE DISCONNECT, REMOVE- POLE OR CABINET TO REMAIN	EA	4.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	6.000
	0646- 1- 11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	11.000
	0646- 1- 60	ALUMINUM SIGNALS POLE, REMOVE	EA	1.000
	0649- 21- 3	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 40'	EA	4.000
	0649- 21- 6	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50'	EA	3.000
	0649- 21- 10	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 60'	EA	3.000
	0649- 21- 15	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 70'	EA	2.000
	0649- 21- 17	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, DOUBLE ARM 70'-40'	EA	1.000
	0649- 21- 21	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78'	EA	10.000
	0649- 26- 3	STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION- BOLT ON ATTACHMENT	EA	20.000

Call Order: 002 Proposal: T6424

ALT	Item	Description	Unit	Quantity
	0650- 1- 14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	33.000
	0650- 1- 18	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION STRAIGHT, 1 WAY	AS	29.000
	0653- 1- 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	14.000
	0653- 1- 12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	AS	4.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	EA	30.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	31.000
	0660- 4- 11	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET EQUIPMENT	EA	4.000
	0660- 4- 12	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT	EA	4.000
	0665- 1- 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	8.000
	0670- 5-140	TRAFFIC CONTROLLER ASSEMBLY, FURNISH & INSTALL MODEL 207	AS	6.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	5.000
	0700- 5- 21	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	20.000
	0700- 5- 22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	4.000
Section 0006 Landscape / Peripheral				
	0581- 1- 1	RELOCATE TREES AND PALMS, PALM, <14' OF CLEAR TRUNK	EA	118.000
	0581- 1- 2	RELOCATE TREES AND PALMS, PALM, >=14' OF CLEAR TRUNK	EA	369.000
	0581- 1- 3	RELOCATE TREES AND PALMS,MULTI-TRUNK OR CLUSTERING	EA	112.000
	0581- 1- 4	RELOCATE TREES AND PALMS,TREES, <5" DIAMETER AT BREAST HEIGHT	EA	4.000
	0581- 1- 5	RELOCATE TREES AND PALMS,TREES, TREES, >=5" DIAMETER AT BREAST HEIGHT	EA	7.000
	0581- 1- 8	RELOCATE TREES AND PALMS, >=14' OF CLEAR TRUNK, SABAL PALM ONLY	EA	2.000
Section 0007 Utilities				
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (42736915201)	LS	1.000
	1080- 21-500	UTILITY FIXTURE, VALVE/METER BOX, ADJUST	EA	16.000
Section 0008 Intelligent Transportation System				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	19,410.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	5,171.000
	0630- 2- 15	CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT	LF	113.000
	0633- 1-114	FIBER OPTIC CABLE, F&I, OVERHEAD,97-144 FIBERS	LF	113.000
	0633- 1-121	FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS	LF	75.000
	0633- 1-124	FIBER OPTIC CABLE, F&I, UNDERGROUND, 97 - 144 FIBERS	LF	25,972.000
	0633- 2- 31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	144.000
	0633- 3- 11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	1.000
	0633- 3- 12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	12.000
	0635- 2- 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	25.000
	0635- 2- 13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	4.000