

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: CT190612 Call Order: 007 Proposal: T6450 District:06  
 Counties: MIAMI-DADE  
 Road Name: SR 998 (CAMPBELL DR), SW 336 ST (DAVIS PKWY) AND SR 9336 (PALM DR)  
 Limits: FROM SR 997 (KROME AVE) TO SR 5 (US 1) (TRUCK BYPASS)  
 Project(s): 40557565201(\*) Federal Aid No: D618064B  
 Project(s): 40557565601 Federal Aid No: N/A  
 Project(s): 40557575201 Federal Aid No: D618065B  
 Project(s): 40557585201 Federal Aid No: N/A  
 Total Roadway Length: 1.142 Miles Contract Days: 900  
 Total Bridge Length: 0.000 Miles Letting Date: 06/12/19  
 Total Proposal Length: 1.142 Miles Contract Execution Days: 10  
 Special Start Date: N/A  
 Aquis/Flexible Start Time: 120 Calendar Days  
 Proposal Budget Estimate: \$18,277,306.00

Please read the full advertisement

Description: A+B Bidding/Incentive-Disincentive

The improvements under this contract consist of reconstruction of SR 998 (Campbell Dr.) and SW 336 St. (Davis Pkwy.) milling and resurfacing along SR 9336 (Palm Dr.).

**NOTE: This is a cost plus time proposal(A+B). The following sites are cost plus time sites.**

Site	Description	Road Cost Per Day	Maximum Days
00	Contract Time	8000.00	900

**Call Order: 007 Proposal: T6450**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Roadway</b>				
	0101- 1-	MOBILIZATION (40557565201)	LS	1.000
	0101- 1-	MOBILIZATION (40557575201)	LS	1.000
	0101- 1-	MOBILIZATION (40557585201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (40557565201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (40557575201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (40557585201)	LS	1.000
	0102- 2- 1	SPECIAL DETOUR 1 (40557565201)	LS	1.000
	0102- 2- 1	SPECIAL DETOUR 1 (40557575201)	LS	1.000
	0102- 2- 2	SPECIAL DETOUR 2 (40557565201)	LS	1.000
	0102- 2- 3	SPECIAL DETOUR 3 (40557565201)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	489.900
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	2,092.000
	0102- 30- 2	TEMPORARY HIGHWAY LIGHTING, PROJECT 405575-6-52-01	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	102,590.000
	0102- 61-	BUSINESS SIGN	EA	59.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	12,555.000
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	16,265.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	211,993.000

**Call Order: 007 Proposal: T6450**

ALT	Item	Description	Unit	Quantity
	0102- 74- 2	CHANNELIZING DEVICE, TYPE III, 6'	ED	5,393.000
	0102- 74- 7	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	LF	24,927.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	3,570.000
	0102- 78-	TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	EA	2,686.000
	0102- 89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	121.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	5,646.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	5,600.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	5,600.000
	0104- 10- 3	SEDIMENT BARRIER	LF	13,217.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	195.000
	0107- 1-	LITTER REMOVAL	AC	179.970
	0107- 2-	MOWING	AC	77.280
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (40557565201)	LS	1.000
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (40557575201)	LS	1.000
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (40557585201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (40557565201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (40557575201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (40557585201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (40557565201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (40557575201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (40557585201)	LS	1.000
	0110- 2- 2	SELECTIVE CLEARING AND GRUBBING, AREAS WITH TREES TO REMAIN	AC	0.180
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	12,912.000
	0120- 1-	REGULAR EXCAVATION	CY	24,614.700
	0120- 4-	SUBSOIL EXCAVATION	CY	4,673.000
	0120- 6-	EMBANKMENT	CY	15,853.500
	0145- 2-	GEOSYNTHETIC REINFORCED FOUNDATION OVER SOFT SOIL	SY	11,873.000
	0160- 4-	TYPE B STABILIZATION	SY	60,948.000
	0162- 1- 11	PREPARED SOIL LAYER, FINISH SOIL LAYER, 6"	SY	15,688.000
	0285-703-	OPTIONAL BASE, BASE GROUP 03	SY	1,152.000
	0285-705-	OPTIONAL BASE, BASE GROUP 05	SY	1,109.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	53,013.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	5,487.000
	0327- 70- 1	MILLING EXIST ASPH PAVT, 1" AVG DEPTH	SY	541.000
	0327- 70- 5	MILLING EXIST ASPH PAVT, 2" AVG DEPTH	SY	31,375.000
	0327- 70- 6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	10,946.000
	0334- 1- 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	5,190.600
	0334- 1- 14	SUPERPAVE ASPHALTIC CONC, TRAFFIC D	TN	7,145.200
	0334- 1- 53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	1,742.300

**Call Order: 007 Proposal: T6450**

ALT	Item	Description	Unit	Quantity
	0334- 1- 54	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC D, PG76-22	TN	2,679.500
	0337- 7- 82	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-9.5, PG 76-22	TN	4,421.400
	0337- 7- 85	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC D, FC-12.5, PG 76-22	TN	2,679.500
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	11.300
	0425- 1-201	INLETS, CURB, TYPE 9, <10'	EA	5.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	42.000
	0425- 1-352	INLETS, CURB, TYPE P-5, >10'	EA	3.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	19.000
	0425- 1-362	INLETS, CURB, TYPE P-6, >10'	EA	1.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10'	EA	8.000
	0425- 1-452	INLETS, CURB, TYPE J-5, >10'	EA	19.000
	0425- 1-461	INLETS, CURB, TYPE J-6, <10'	EA	3.000
	0425- 1-462	INLETS, CURB, TYPE J-6, >10'	EA	7.000
	0425- 1-521	INLETS, DT BOT, TYPE C,<10'	EA	15.000
	0425- 1-523	INLETS, DT BOT, TYPE C,JBOT, <10'	EA	2.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	1.000
	0425- 1-551	INLETS, DT BOT, TYPE E, <10'	EA	1.000
	0425- 1-554	INLETS, DT BOT, TYPE E, J BOT, >10'	EA	1.000
	0425- 1-555	INLETS, DT BOT, TYPE E, PARTIAL	EA	1.000
	0425- 1-561	INLETS, DT BOT, TYPE F, <10'	EA	1.000
	0425- 1-563	INLETS, DITCH BOTTOM, TYPE F, J BOT, <10'	EA	1.000
	0425- 1-564	INLETS, DITCH BOTTOM, TYPE F, J BOT, >10'	EA	2.000
	0425- 1-571	INLETS, DITCH BOTTOM, TYPE G, <10'	EA	4.000
	0425- 1-572	INLETS, DITCH BOTTOM, TYPE G, >10'	EA	1.000
	0425- 1-575	INLETS, DITCH BOTTOM, TYPE G, PARTIAL	EA	1.000
	0425- 1-701	INLETS, GUTTER, TYPE S, <10'	EA	2.000
	0425- 1-711	INLETS, GUTTER, TYPE V, <10'	EA	5.000
	0425- 1-714	INLETS, GUTTER, TYPE V, J BOTTOM, >10'	EA	1.000
	0425- 2- 41	MANHOLES, P-7, <10'	EA	2.000
	0425- 2- 43	MANHOLES, P-7, PARTIAL	EA	3.000
	0425- 2- 61	MANHOLES, P-8, <10'	EA	12.000
	0425- 2- 63	MANHOLES, P-8, PARTIAL	EA	1.000
	0425- 2- 91	MANHOLES, J-8, <10'	EA	4.000
	0425- 2- 92	MANHOLES, J-8, >10'	EA	4.000
	0425- 5-	MANHOLE, ADJUST	EA	21.000
	0425- 74- 1	MANHOLES & INLETS CLEANING & SEALING, <10'	EA	10.000
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	74.000
	0430-175-112	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 12"S/CD	LF	20.000
	0430-175-115	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD	LF	22.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	2,889.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	2,616.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	233.000
	0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE	CY	103.600
	0443- 70- 4	FRENCH DRAIN, 24"	LF	4,056.000

**Call Order: 007 Proposal: T6450**

ALT	Item	Description	Unit	Quantity
	0443- 70- 6	FRENCH DRAIN, 36"	LF	2,130.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	8.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	22,204.000
	0520- 2- 1	CONCRETE CURB, TYPE A	LF	179.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	992.000
	0520- 3-	VALLEY GUTTER- CONCRETE	LF	158.000
	0520- 6-	SHOULDER GUTTER- CONCRETE	LF	359.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	569.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	7,813.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	3,056.000
	0527- 2-	DETECTABLE WARNINGS	SF	1,132.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	326.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	1.000
	0536- 85- 26	GUARDRAIL END TREATMENT- TYPE CRT	EA	1.000
	0550- 10-240	FENCING, TYPE B, 7.1-8.0', STANDARD	LF	49.000
	0550- 10-248	FENCING, TYPE B, 7.1-8.0, RESET EXISTING	LF	857.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	16,054.000
	0580- 1- 2	LANDSCAPE COMPLETE- LARGE PLANTS (40557575201)	LS	1.000
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	128.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	91.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	4.000
	0695- 1- 1	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL	EA	9.000
	0695- 6- 12	TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS	EA	9.000
	0695- 7-141	TRAFFIC MONITORING SITE CABINET, FURNISH & INSTALL, TYPE 4, BASE MOUNT	EA	2.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	8.331
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.029
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	949.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	87.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	2,215.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	0.085
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	21.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	476.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	8.804
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	1,488.000
	0710- 11-231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	0.212
	0999- 16-	PARTNERING, DO NOT BID (40557565201)	LS	1.000
	0999- 20- 1	DISPUTES REVIEW BOARD, MEETING- DO NOT BID	DA	20.000
	0999- 20- 2	DISPUTES REVIEW BOARD, HEARING- DO NOT BID	EA	2.000

**Call Order: 007 Proposal: T6450**

ALT	Item	Description	Unit	Quantity
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (40557565201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (40557575201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (40557585201)	LS	1.000
<b>Section 0002 Signing</b>				
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	107.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	10.000
	0700- 1- 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	7.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	9.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	65.000
	0700- 2- 13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	4.000
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	2.000
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	1.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	35.000
	0700- 3-502	SIGN PANEL, RELOCATE, 12-20 SF	EA	2.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	2.000
	0700- 3-603	SIGN PANEL, REMOVE, 21-30 SF	EA	1.000
	0705- 11- 3	DELINEATOR, FLEXIBLE HIGH VISABILITY MEDIAN	EA	28.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (40557565201)	LS	1.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (40557575201)	LS	1.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (40557585201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	5,568.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	1,101.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	1,590.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.626
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	20.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	147.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	57.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	1,085.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.133
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	4,561.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	50.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	15.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	7.129
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.379
	0711- 16-131	THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	3.517
	0711- 16-133	THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.253
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	5.040

**Call Order: 007 Proposal: T6450**

ALT	Item	Description	Unit	Quantity
	0711- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	0.023
	0711- 16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	0.167
<b>Section 0003 Lighting</b>				
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	9,674.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	81.000
	0639- 2- 6	ELECTRICAL SERVICE WIRE, REMOVE	LF	140.000
	0639- 3- 11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	1.000
	0715- 1- 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	29,996.000
	0715- 1- 13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	9,985.000
	0715- 1- 60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	20,235.000
	0715- 4- 11	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 30' MOUNTING HEIGHT	EA	4.000
	0715- 4- 13	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT	EA	3.000
	0715- 4- 14	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT	EA	30.000
	0715- 4- 24	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE SPECIAL FOUNDATION, 45' MOUNTING HEIGHT	EA	24.000
	0715- 4- 60	LIGHT POLE COMPLETE, RELOCATE	EA	3.000
	0715- 4- 70	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	10.000
	0715- 7- 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	2.000
	0715- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	20.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	64.000
<b>Section 0004 Signalization</b>				
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	7,081.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	7.000
	0632- 7- 2	SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL	LF	505.000
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	9.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	282.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	7.000
	0639- 1-610	ELECTRICAL POWER SERVICE, REMOVE OVERHEAD	AS	2.000
	0639- 1-620	ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND	AS	2.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	1,577.000
	0639- 2- 6	ELECTRICAL SERVICE WIRE, REMOVE	LF	1,569.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	7.000
	0646- 1- 11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	36.000
	0646- 1- 12	ALUMINUM SIGNALS POLE, FURNISH & INSTALL PEDESTRIAN DETECTOR POST	EA	4.000
	0646- 1- 60	ALUMINUM SIGNALS POLE, REMOVE	EA	15.000
	0649- 21- 1	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 30'	EA	1.000
	0649- 21- 3	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 40'	EA	12.000

**Call Order: 007 Proposal: T6450**

ALT	Item	Description	Unit	Quantity
	0649- 21- 6	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50'	EA	9.000
	0649- 21- 10	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 60'	EA	5.000
	0649- 26- 3	STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION-BOLT ON ATTACHMENT	EA	26.000
	0650- 1- 14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	39.000
	0650- 1- 16	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	AS	2.000
	0650- 1- 18	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION STRAIGHT, 1 WAY	AS	22.000
	0650- 1- 44	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL PROGRAMMABLE, 3 SECTION, 1 WAY	AS	4.000
	0650- 1- 48	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL PROGRAMMABLE, 5 SECTION- STRAIGHT, 1 WAY	AS	2.000
	0650- 1- 60	VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN	AS	4.000
	0653- 1- 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	34.000
	0653- 1- 12	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	AS	9.000
	0653- 1- 60	PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	AS	5.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	EA	4.000
	0660- 1-600	LOOP DETECTOR INDUCTIVE, REMOVE- CABINET TO REMAIN	EA	11.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	4.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	7.000
	0660- 4- 11	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET EQUIPMENT	EA	31.000
	0660- 4- 12	VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT	EA	37.000
	0660- 4- 42	VEHICLE DETECTION SYSTEM- VIDEO, RELOCATE ABOVE GROUND EQUIPMENT	EA	1.000
	0660- 6-121	VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, CABINET EQUIPMENT	EA	1.000
	0660- 6-122	VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	1.000
	0665- 1- 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	59.000
	0665- 1- 12	PEDESTRIAN DETECTOR, FURNISH & INSTALL, ACCESSIBLE	EA	2.000
	0665- 1- 60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	4.000
	0670- 5-140	TRAFFIC CONTROLLER ASSEMBLY, FURNISH & INSTALL MODEL 207C	AS	7.000
	0670- 5-400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	AS	2.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	7.000
	0682- 1-400	ITS CCTV CAMERA, RELOCATE	EA	1.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	1.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	12.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	1.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	3.000

**Call Order: 007 Proposal: T6450**

ALT	Item	Description	Unit	Quantity
	0700- 5- 21	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	6.000
	0700- 5- 22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	21.000
	0715- 5- 31	LUMINAIRE & BRACKET ARM- ALUMINUM, FURNISH & INSTALL NEW LUMINAIRE AND ARM ON NEW/EXISTING POLE	EA	11.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	11.000
<b>Section 0005 Landscape / Peripheral</b>				
	0580- 2- 1	LANDSCAPE- RELOCATE TREE, PALMS <14' OF CLEAR TRUNK	EA	2.000
	0580- 2- 2	LANDSCAPE- RELOCATE TREE, PALMS >14' OF CLEAR TRUNK	EA	12.000
	0580- 2- 4	LANDSCAPE- RELOCATE TREE, TREES <5" CALIPER	EA	13.000
	0580- 2- 5	LANDSCAPE- RELOCATE TREE, TREES >5" CALIPER	EA	39.000
<b>Section 0006 Utilities</b>				
	0110- 1- 1	CLEARING & GRUBBING (40557565601)	LS	1.000
	0160- 4-	TYPE B STABILIZATION	SY	101.000
	0285-704-	OPTIONAL BASE, BASE GROUP 04	SY	86.000
	0334- 1- 14	SUPERPAVE ASPHALTIC CONC, TRAFFIC D	TN	4.700
	0519- 78-	BOLLARDS	EA	13.000
	0550- 10-221	FENCING, TYPE B, 5.1-6.0', W/ BARB WIRE ATTMT	LF	180.000
	0550- 60-222	FENCE GATE, TYPE B, DOUBLE, 6.1-12.0' OPENING	EA	1.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	90.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (40557565601)	LS	1.000
	1050- 16-003	UTILITY PIPE,REMOVE & DISPOSE, 5-7.9"	LF	80.000
	1050- 18-004	UTILITY PIPE,PLUG & PLACE OUT OF SERVICE, 8-19.9"	LF	18.000
	1050- 41-201	UTILITY PIPE- POLYETHYLENE, FURNISH & INSTALL, WATER/SEWER, 1"	LF	57.000
	1050- 51-206	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 6"	LF	45.000
	1050- 51-210	UTILITY PIPE- DUCTILE IRON/CAST IRON, FURNISH & INSTALL, WATER/SEWER, 10"	LF	45.000
	1060- 11-213	UTILITY STRUCTURE, BELOW GROUND, F&I, WATER/SEWER, 0 - 80 FT3, >12'	EA	1.000
	1060- 16-	UTILITY STRUCTURE, BELOW GROUND, REMOVE&DISPOSE CONTRACTOR TAKES OWNERSHIP	EA	1.000
	1080- 21-100	UTILITY FIXTURE, VALVE/METER BOX, FURNISH & INSTALL, 1"	EA	1.000
	1080- 21-600	UTILITY FIXTURE, VALVE/METER BOX, REMOVE	EA	1.000
	1080- 22-101	UTILITY FIXTURE- BACKFLOW ASSMB, FURN & INSTALL, 1"	EA	1.000
	1080- 23-106	UTILITY FIXTURE- TAPPING SADDLE/SLEEVE, FURNISH & INSTALL, 6"	EA	1.000
	1080- 33-106	UTILITY FIXTURE, PLUG VALVE, FURNISH AND INSTALL 6"	EA	3.000
	1501- 1-	LIFT STATION, SANITARY SEWER	EA	1.000
<b>Section 0007 Intelligent Transportation System</b>				
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	21,200.000
	0633- 1-124	FIBER OPTIC CABLE, F&I, UNDERGROUND, 97 - 144 FIBERS	LF	4,871.000
	0635- 2- 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	7.000
	0635- 2- 13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	4.000