

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

| | | | | |
|------------------------|--|----------------------------|------------------|-------------|
| Letting: | CT200729 | Call Order: 023 | Proposal: T7455 | District:07 |
| Counties: | HILLSBOROUGH | | | |
| Road Name: | SR 93A (I-75) | | | |
| Limits: | FROM CR 672 TO S OF PROGRESS BLVD, INCLUDING THE GIBSONTON DR INTERCHANGE RAMP | | | |
| Project(s): | 44140315201(*) | Federal Aid No: | D720016B | |
| Project(s): | 44140315202 | Federal Aid No: | N/A | |
| Total Roadway Length: | 6.022 Miles | Contract Days: | 225 | |
| Total Bridge Length: | 0.434 Miles | Letting Date: | 07/29/20 | |
| Total Proposal Length: | 6.456 Miles | Contract Execution Days: | 10 | |
| | | Special Start Date: | N/A | |
| | | Aquis/Flexible Start Time: | 60 Calendar Days | |

Proposal Budget Estimate: \$14,460,600.00

Please read the full advertisement

Description:

The improvements under this contract consist of milling and resurfacing of the existing SR 93A (I-75) mainline including the interchange ramps at the Gibsonton Drive Interchange. Other improvements include replacing the existing limited access right-of-way fencing, implementing guardrail upgrades, signing and pavement marking upgrades and the eradication of Brazilian Pepper Trees.

Call Order: 023 Proposal: T7455

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|-------------|---|------|------------|
| Section 0001 Roadway | | | | |
| | 0101- 1- | MOBILIZATION (44140315201) | LS | 1.000 |
| | 0101- 1- | MOBILIZATION (44140315202) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (44140315201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (44140315202) | LS | 1.000 |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 290.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 9,753.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 33,675.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 297.000 |
| | 0102- 78- | TEMPORARY RETROREFLECTIVE PAVEMENT MARKER | EA | 4,065.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 642.000 |
| | 0102-107- 1 | TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION | ED | 217.000 |
| | 0102-115- | TYPE III BARRICADE | ED | 102.000 |
| | 0102-150- 1 | PORTABLE REGULATORY, SIGN | ED | 460.000 |
| | 0102-150- 2 | RADAR SPEED DISPLAY UNIT | ED | 460.000 |
| | 0104- 10- 3 | SEDIMENT BARRIER | LF | 12,975.000 |
| | 0104- 12- | STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC | LF | 390.000 |
| | 0104- 15- | SOIL TRACKING PREVENTION DEVICE | EA | 10.000 |
| | 0104- 18- | INLET PROTECTION SYSTEM | EA | 38.000 |
| | 0107- 1- | LITTER REMOVAL | AC | 2,072.800 |
| | 0107- 2- | MOWING | AC | 1,390.060 |
| | 0110- 1- 1 | CLEARING & GRUBBING (44140315201) | LS | 1.000 |

Call Order: 023 Proposal: T7455

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|-------------|
| | 0110- 2- 2 | SELECTIVE CLEARING AND GRUBBING, AREAS WITH TREES TO REMAIN | AC | 20.430 |
| | 0120- 6- | EMBANKMENT | CY | 67.100 |
| | 0120- 71- | REGULAR EXCAVATION (3-R PROJECTS ONLY) (44140315201) | LS | 1.000 |
| | 0327- 70- 4 | MILLING EXIST ASPH PAVT, 3" AVG DEPTH | SY | 17,834.000 |
| | 0327- 70- 6 | MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH | SY | 137,867.000 |
| | 0327- 70- 8 | MILLING EXIST ASPH PAVT, 2 1/2" AVG DEPTH | SY | 3,117.000 |
| | 0327- 70- 11 | MILLING EXIST ASPH PAVT, 2 1/4" AVG DEPTH | SY | 141,573.000 |
| | 0327- 70- 15 | MILLING EXIST ASPH PAVT, 2 3/4" AVG DEPTH | SY | 143,250.000 |
| | 0327- 70- 19 | MILLING EXIST ASPH PAVT, 3/4" AVG DEPTH | SY | 6,132.000 |
| | 0334- 1- 12 | SUPERPAVE ASPHALTIC CONC, TRAFFIC B | TN | 11,373.200 |
| | 0334- 1- 13 | SUPERPAVE ASPHALTIC CONC, TRAFFIC C | TN | 1,471.300 |
| | 0334- 1- 54 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC D, PG76-22 | TN | 27,737.400 |
| | 0337- 7- 25 | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 | TN | 11,856.100 |
| | 0337- 7- 83 | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22 | TN | 1,976.700 |
| | 0339- 1- | MISCELLANEOUS ASPHALT PAVEMENT | TN | 406.200 |
| | 0536- 1- 1 | GUARDRAIL -ROADWAY, GENERAL TL-3 | LF | 11,635.000 |
| | 0536- 73- | GUARDRAIL REMOVAL | LF | 10,795.000 |
| | 0536- 85- 20 | GUARDRAIL END TREATMENT- TRAILING ANCHORAGE | EA | 4.000 |
| | 0536- 85- 24 | GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL | EA | 6.000 |
| | 0546- 72- 1 | GROUND-IN RUMBLE STRIPS, 16" | GM | 23.503 |
| | 0550- 10-110 | FENCING, TYPE A, 0.0-5.0', STANDARD | LF | 37,644.000 |
| | 0550- 10-220 | FENCING, TYPE B, 5.1-6.0', STANDARD | LF | 29,124.000 |
| | 0550- 60-212 | FENCE GATE, TYPE B, SINGLE, 6.1 - 12.0' OPENING | EA | 1.000 |
| | 0550- 60-222 | FENCE GATE, TYPE B, DOUBLE, 6.1-12.0' OPENING | EA | 2.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 94,933.000 |
| | 0570- 1- 3 | PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010 | SY | 47,366.000 |
| | 0571- 1- 12 | PLASTIC EROSION MAT, TRM, TYPE 2 | SY | 11,439.000 |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 42.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 434.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 2.000 |
| | 0695- 1- 1 | TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL | EA | 4.000 |
| | 0695- 6- 12 | TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS | EA | 8.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 14.181 |
| | 0710- 11-102 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 0.032 |
| | 0710- 11-103 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE MARKINGS, 12" | GM | 0.611 |
| | 0710- 11-124 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 198.000 |
| | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" | LF | 87.000 |
| | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE | GM | 27.778 |

Call Order: 023 Proposal: T7455

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|---|------|----------|
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 41.000 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 13.461 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (44140315201) | LS | 1.000 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (44140315202) | LS | 1.000 |
| Section 0002 Signing | | | | |
| | 0660- 2-106 | LOOP ASSEMBLY, F&I, TYPE F | AS | 3.000 |
| | 0660- 7- 11 | VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 1 OR 2 LANES | EA | 1.000 |
| | 0660- 7- 12 | VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 3 OR MORE LANES | EA | 1.000 |
| | 0700- 1- 12 | SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 18.000 |
| | 0700- 1- 60 | SINGLE POST SIGN, REMOVE | AS | 19.000 |
| | 0700- 2- 14 | MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF | AS | 4.000 |
| | 0700- 2- 15 | MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF | AS | 10.000 |
| | 0700- 2- 16 | MULTI- POST SIGN, F&I GROUND MOUNT, 101-200 SF | AS | 3.000 |
| | 0700- 2- 17 | MULTI- POST SIGN, F&I GROUND MOUNT, 201-300 SF | AS | 2.000 |
| | 0700- 2- 60 | MULTI- POST SIGN, REMOVE | AS | 16.000 |
| | 0700- 3-203 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF | EA | 5.000 |
| | 0700- 3-206 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF | EA | 7.000 |
| | 0700- 3-603 | SIGN PANEL, REMOVE, 21-30 SF | EA | 4.000 |
| | 0700- 3-606 | SIGN PANEL, REMOVE, 101-200 SF | EA | 4.000 |
| | 0700- 3-626 | SIGN PANEL, REMOVE, 101-200 SF WITH LIGHTING | EA | 2.000 |
| | 0700- 4-114 | OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 41-50 FT | EA | 1.000 |
| | 0700- 6- 21 | HIGHLIGHTED SIGN, F&I GROUND MOUNT- SOLAR POWERED, UP TO 12 SF | AS | 4.000 |
| | 0705- 11- 2 | DELINEATOR, NON-FLEXIBLE | EA | 297.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44140315201) | LS | 1.000 |
| | 0711- 11-103 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS | GM | 0.611 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 198.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 87.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 41.000 |
| | 0711- 14-560 | THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST ON CONCRETE PAVEMENT, MESSAGE OR SYMBOL | EA | 2.000 |
| | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6" | GM | 14.181 |
| | 0711- 15-102 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8" | GM | 0.032 |
| | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 27.778 |
| | 0711- 15-133 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP | GM | 0.244 |
| | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 13.461 |
| | 0713-103-101 | PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES | GM | 0.682 |

Call Order: 023 Proposal: T7455

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|------------|
| | 0713-103-103 | PERMANENT TAPE, WHITE, SOLID LANE DROP MARKING, 12" FOR CONCRETE BRIDGES | GM | 0.034 |
| | 0713-103-131 | PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES | GM | 2.344 |
| | 0713-103-201 | PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES | GM | 0.868 |
| | 0713-103-331 | PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES | GM | 2.341 |
| | 0713-107- | PREFORMED/PERMANENT TAPE, REMOVE | SF | 10,162.000 |