

Call Order: 001 Proposal: T1754

ALT	Item	Description	Unit	Quantity
	0630- 2- 16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	2,592.000
	0635- 3- 12	JUNCTION BOX, FURNISH & INSTALL, MOUNTED	EA	10.000
	0635- 3- 13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	10.000
Section 0002 Roadway				
	0101- 1-	MOBILIZATION (41924345201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (41924345201)	LS	1.000
	0102- 2- 1	SPECIAL DETOUR 1 (41924345201)	LS	1.000
	0102- 2- 2	SPECIAL DETOUR 2 (41924345201)	LS	1.000
	0102- 2- 3	SPECIAL DETOUR 3 (41924345201)	LS	1.000
	0102- 2- 4	SPECIAL DETOUR 4 (41924345201)	LS	1.000
	0102- 2- 5	SPECIAL DETOUR 5 (41924345201)	LS	1.000
	0102- 2- 6	SPECIAL DETOUR 6 (41924345201)	LS	1.000
	0102- 2- 7	SPECIAL DETOUR 7 (41924345201)	LS	1.000
	0102- 2- 8	SPECIAL DETOUR 8 (41924345201)	LS	1.000
	0102- 2- 9	SPECIAL DETOUR 9 (41924345201)	LS	1.000
	0102- 2- 10	SPECIAL DETOUR 10 (41924345201)	LS	1.000
	0102- 2-117	SPECIAL DETOUR 11, PROJECT 419243-4-52-01 (41924345201)	LS	1.000
	0102- 2-118	SPECIAL DETOUR 12, PROJECT 419243-4-52-01 (41924345201)	LS	1.000
	0102- 2-119	SPECIAL DETOUR 13, PROJECT 419243-4-52-01 (41924345201)	LS	1.000
	0102- 2-120	SPECIAL DETOUR 14, PROJECT 419243-4-52-01 (41924345201)	LS	1.000
	0102- 2-121	SPECIAL DETOUR 15, PROJECT 419243-4-52-01 (41924345201)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	819.000
	0102- 4-	PEDESTRIAN SPECIAL DETOUR (41924345201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	1,180.000
	0102- 30- 10	TEMPORARY HIGHWAY LIGHTING, PROJECT 419243-4-52-01	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	499,298.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	8,916.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	7,163.000
	0102- 71- 23	TEMPORARY BARRIER, RELOCATE, LOW PROFILE CONCRETE	LF	19,860.000
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	13,338.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	1,348,241.000
	0102- 74- 2	CHANNELIZING DEVICE, TYPE III, 6'	ED	28,694.000
	0102- 74- 7	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	LF	1,149.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	5,997.000
	0102- 78-	TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	EA	28,748.000
	0102- 89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	30.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	11,332.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	2,914.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	3,078.000
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6"	GM	6.310
	0102-913- 22	REMOVABLE TAPE, WHITE, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP, 6" WIDE	GM	1.644
	0102-913- 23	REMOVABLE TAPE, WHITE, 24" STOP BAR	LF	535.000

Call Order: 001 Proposal: T1754

ALT	Item	Description	Unit	Quantity
	0102-913- 29	REMOVABLE TAPE, WHITE, MESSAGE, SYMBOL OR ARROW	EA	144.000
	0102-913- 31	REMOVABLE TAPE, YELLOW, SOLID, 6"	GM	4.552
	0102-913- 32	REMOVABLE TAPE, YELLOW, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP	GM	1.161
	0104- 10- 3	SEDIMENT BARRIER	LF	6,756.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	665.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	3.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	203.000
	0107- 1-	LITTER REMOVAL	AC	1,715.430
	0107- 2-	MOWING	AC	1,021.390
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (41924345201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (41924345201)	LS	1.000
	0108- 3-	MONITOR EXISTING STRUCTURES- GROUNDWATER MONITORING (41924345201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (41924345201)	LS	1.000
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	9,585.000
	0110- 7- 1	MAILBOX, F&I SINGLE	EA	4.000
	0120- 1-	REGULAR EXCAVATION	CY	120,661.400
	0120- 4-	SUBSOIL EXCAVATION	CY	19,543.300
	0120- 6-	EMBANKMENT	CY	114,886.800
	0160- 4-	TYPE B STABILIZATION	SY	145,769.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	55,428.000
	0285-702-	OPTIONAL BASE, BASE GROUP 02	SY	580.000
	0285-706-	OPTIONAL BASE, BASE GROUP 06	SY	2,149.000
	0285-707-	OPTIONAL BASE, BASE GROUP 07	SY	1,653.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	5,644.000
	0285-710-	OPTIONAL BASE, BASE GROUP 10	SY	13,149.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	48,182.000
	0285-712-	OPTIONAL BASE, BASE GROUP 12	SY	11,520.000
	0327- 70- 1	MILLING EXIST ASPH PAVT, 1" AVG DEPTH	SY	458.000
	0327- 70- 6	MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	SY	20,465.000
	0327- 70- 8	MILLING EXIST ASPH PAVT, 2 1/2" AVG DEPTH	SY	30.000
	0327- 70- 11	MILLING EXIST ASPH PAVT, 2 1/4" AVG DEPTH	SY	5,689.000
	0334- 1- 11	SUPERPAVE ASPHALTIC CONC, TRAFFIC A	TN	641.100
	0334- 1- 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	1,084.800
	0334- 1- 14	SUPERPAVE ASPHALTIC CONC, TRAFFIC D	TN	12,882.400
	0334- 1- 53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	1,234.300
	0334- 1- 54	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC D, PG76-22	TN	6,120.700
	0337- 7- 25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	830.700
	0337- 7- 83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22	TN	1,614.100
	0337- 7- 85	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC D, FC-12.5, PG 76-22	TN	5,014.000
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	82.300
	0350- 3- 6	PLAIN CEMENT CONCRETE PAVEMENT, 8.5"	SY	6,805.000

Call Order: 001 Proposal: T1754

ALT	Item	Description	Unit	Quantity
	0350- 3- 7	PLAIN CEMENT CONCRETE PAVEMENT, 9"	SY	46,481.000
	0350- 5-	CLEANING & SEALING JOINTS- CONCRETE PAVEMENT	LF	84,963.000
	0352- 70-	GRINDING CONCRETE PAVEMENT	SY	53,244.000
	0400- 0- 11	CONCRETE CLASS NS, GRAVITY WALL	CY	70.900
	0400- 1- 2	CONCRETE CLASS I, ENDWALLS	CY	69.500
	0400- 2- 8	CONCRETE CLASS II, BULKHEAD	CY	196.500
	0415- 1- 8	REINFORCING STEEL- BULKHEAD	LB	18,047.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	76.000
	0425- 1-352	INLETS, CURB, TYPE P-5, >10'	EA	3.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	16.000
	0425- 1-451	INLETS, CURB, TYPE J-5, <10'	EA	13.000
	0425- 1-452	INLETS, CURB, TYPE J-5, >10'	EA	6.000
	0425- 1-461	INLETS, CURB, TYPE J-6, <10'	EA	3.000
	0425- 1-471	INLETS, CURB, TYPE 7, <10'	EA	27.000
	0425- 1-473	INLETS, CURB, TYPE 7, J BOT , <10'	EA	1.000
	0425- 1-521	INLETS, DT BOT, TYPE C,<10'	EA	12.000
	0425- 1-529	INLETS, DT BOT, TYPE C, MODIFY	EA	1.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	3.000
	0425- 1-549	INLETS, DT BOT, TYPE D, MODIFY	EA	1.000
	0425- 1-551	INLETS, DT BOT, TYPE E, <10'	EA	7.000
	0425- 1-571	INLETS, DITCH BOTTOM, TYPE G, <10'	EA	2.000
	0425- 1-575	INLETS, DITCH BOTTOM, TYPE G, PARTIAL	EA	1.000
	0425- 1-581	INLETS, DT BOT, TYPE H, <10'	EA	1.000
	0425- 1-583	INLETS, DT BOT, TYPE H, J BOTTOM <10'	EA	1.000
	0425- 1-589	INLETS, DT BOT, TYPE H, MODIFY	EA	1.000
	0425- 1-701	INLETS, GUTTER, TYPE S, <10'	EA	10.000
	0425- 1-891	INLETS, BARRIER WALL, <=10'	EA	11.000
	0425- 1-892	INLETS, BARRIER WALL, >10'	EA	2.000
	0425- 1-893	INLETS, BARRIER WALL, J BOT, <10'	EA	3.000
	0425- 2- 41	MANHOLES, P-7, <10'	EA	3.000
	0425- 2- 61	MANHOLES, P-8, <10'	EA	5.000
	0425- 2- 63	MANHOLES, P-8, PARTIAL	EA	3.000
	0425- 2- 71	MANHOLES, J-7, <10'	EA	1.000
	0425- 2- 91	MANHOLES, J-8, <10'	EA	2.000
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	278.000
	0430-174-142	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 42"SD	LF	107.000
	0430-174-242	PIPE CULVERT, OPTIONAL MATERIAL, ELLIP/OTHER, 42"SD	LF	134.000
	0430-175-115	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD	LF	12.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	12,615.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	3,882.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	2,094.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	860.000
	0430-175-142	PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD	LF	362.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	559.000

Call Order: 001 Proposal: T1754

ALT	Item	Description	Unit	Quantity
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD	LF	148.000
	0430-175-230	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 30"S/C	LF	226.000
	0430-175-236	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 36"S/C	LF	264.000
	0430-175-242	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 42"S/C	LF	70.000
	0430-185-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 18" , STORM AND CROSS DRAIN	LF	383.000
	0430-185-130	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 30", STORM AND CROSS DRAIN	LF	386.000
	0430-185-136	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 36", STORM AND CROSS DRAIN	LF	312.000
	0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE	CY	93.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	6.000
	0430-982-129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	2.000
	0430-982-133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	4.000
	0430-982-138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	1.000
	0430-982-140	MITERED END SECTION, OPTIONAL ROUND, 42" CD	EA	1.000
	0430-982-625	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 18" CD	EA	2.000
	0430-982-629	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 24" CD	EA	1.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	12.000
	0440- 1- 50	UNDERDRAIN, TYPE V	LF	1,627.000
	0440- 70-	UNDERDRAIN INSPECTION BOX	EA	7.000
	0440- 73- 2	UNDERDRAIN OUTLET PIPE, 6"	LF	95.000
	0446- 1- 1	EDGEDRAIN DRAINCRETE, STANDARD	LF	9,168.000
	0446- 71- 1	EDGEDRAIN OUTLET PIPE, 4"	LF	751.000
	0455-133- 2	SHEET PILING STEEL, TEMPORARY-CRITICAL	SF	70,348.000
	0455-133- 3	SHEET PILING STEEL, F&I PERMANENT	SF	29,389.000
	0460- 2- 1	STRUCT STEEL, CARBON (41924345201)	LS	1.000
	0515- 2-311	PEDESTRIAN/ BICYCLE RAILING, ALUMINUM ONLY,42" TYPE 1	LF	1,442.000
	0515- 4- 1	BULLET RAIL, SINGLE RAIL	LF	2,646.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	9,228.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	13,483.000
	0520- 2- 4	CONCRETE CURB, TYPE D	LF	23.000
	0520- 5- 11	TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE	LF	2,327.000
	0520- 5- 21	TRAFFIC SEPARATOR - CONCRETE, TYPE II, 4' WIDE	LF	1,900.000
	0520- 6-	SHOULDER GUTTER- CONCRETE	LF	724.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	629.000
	0521- 1- 11	MEDIAN CONCRETE BARRIER, 38" HEIGHT	LF	817.000
	0521- 1- 12	MEDIAN CONCRETE BARRIER, SHORT GRADE-SEPARATED	LF	1,384.000
	0521- 1- 13	MEDIAN CONCRETE BARRIER, TALL GRADE-SEPARATED	LF	1,461.000
	0521- 8- 3	CONCRETE TRAFFIC RAILING BARRIER, WITH JUNCTION SLAB, 32" VERTICAL FACE	LF	515.000
	0521- 8- 7	CONCRETE BARRIER, WITH JUNCTION SLAB, 36" SINGLE SLOPE	LF	2,131.000
	0521- 72- 40	SHOULDER CONCRETE BARRIER, 38" OR 44" HEIGHT	LF	79.000
	0521- 72- 43	SHOULDER CONCRETE BARRIER, CURB AND GUTTER BARRIER	LF	30.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	8,881.000

Call Order: 001 Proposal: T1754

ALT	Item	Description	Unit	Quantity
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	1,883.000
	0524- 1- 19	CONCRETE DITCH PAVT, 3", REINFORCED	SY	25.000
	0527- 2-	DETECTABLE WARNINGS	SF	682.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	1,811.100
	0531- 1- 6	IMPERMEABLE POND LINER, PROJECT NUMBER 419243-4-52-01	SY	1,755.000
	0534- 72-101	SOUND/NOISE BARRIER-INC FOUNDATION, PERMANENT	SF	10,030.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	2,700.000
	0536- 6-	PIPE RAIL FOR GUARDRAIL	LF	1,117.000
	0536- 7- 2	SPECIAL GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE STRUCTURE MOUNT	EA	13.000
	0536- 8- 13	APPROACH TRANSITION CONNECTION TO RIGID BARRIER, FURNISH AND INSTALL, TL-3	EA	3.000
	0536- 73-	GUARDRAIL REMOVAL	LF	3,692.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	5.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	6.000
	0544- 2- 1	CRASH CUSHION, TL-2, NARROW	EA	3.000
	0548- 12-	RETAINING WALL SYSTEM, PERMANENT, EXCLUDING BARRIER	SF	56,037.000
	0548- 13-	RETAINING WALL SYSTEM,TEMPORARY, EXCLUDING BARRIER	SF	12,981.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	84,188.000
	0571- 1- 11	PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 1	SY	14,902.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	31.842
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	1,014.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	1,871.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	6.190
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	1.329
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	10.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	262.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	18.881
	0710- 11-231	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	0.741
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	1.624
	0999- 16-	PARTNERING, DO NOT BID (41924345201)	LS	1.000
	0999- 20- 1	DISPUTES REVIEW BOARD, MEETING- DO NOT BID	DA	39.000
	0999- 20- 2	DISPUTES REVIEW BOARD, HEARING- DO NOT BID	EA	2.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (41924345201)	LS	1.000
Section 0003 Signing				
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	87.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	22.000
	0700- 1- 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	2.000
	0700- 1- 21	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF	AS	9.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	7.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	137.000

Call Order: 001 Proposal: T1754

ALT	Item	Description	Unit	Quantity
	0700- 2- 12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	4.000
	0700- 2- 13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	1.000
	0700- 2- 14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	3.000
	0700- 2- 60	MULTI- POST SIGN, REMOVE	AS	9.000
	0700- 3-206	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF	EA	10.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	1.000
	0700- 3-606	SIGN PANEL, REMOVE, 101-200 SF	EA	5.000
	0700- 3-626	SIGN PANEL, REMOVE, 101-200 SF WITH LIGHTING	EA	6.000
	0700- 4-112	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 21-30 FT	EA	1.000
	0700- 4-125	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, SPAN, 51-100 FT	EA	2.000
	0700- 4-127	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, SPAN, 151-200 FT	EA	3.000
	0700- 4-610	OVERHEAD STATIC SIGN STRUCTURE, REMOVE CANTILEVER	EA	7.000
	0700- 4-640	OVERHEAD STATIC SIGN STRUCTURE, REMOVE BRIDGE MOUNT	EA	2.000
	0700- 13- 12	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2'	EA	12.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	20.000
	0710- 11-190	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	SF	38.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	99.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (41924345201)	LS	1.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.915
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	0.350
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	1,361.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	1,961.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	697.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.830
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	268.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.066
	0711- 14-123	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK	LF	1,319.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	1,189.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	41.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	81.000
	0711- 14-560	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST ON CONCRETE PAVEMENT, MESSAGE OR SYMBOL	EA	28.000
	0711- 14-570	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST, ARROW ON CONCRETE SURFACE	EA	115.000
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	5.801

Call Order: 001 Proposal: T1754

ALT	Item	Description	Unit	Quantity
	0711- 16-131	THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	4.756
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	3.941
	0711- 16-202	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8"	GM	0.126
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	4.647
	0713-103-102	PERMANENT TAPE, WHITE, SOLID, 8" EXIT LANE AT INTERCHANGE ON CONCRETE PAVEMENT	GM	0.748
	0713-103-131	PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	3.034
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	1.609
	0713-103-231	PERMANENT TAPE, YELLOW, 10-30 SKIP/ 3-9 DOTTED, 6" FOR CONCRETE SURFACES	GM	0.014
	0713-103-331	PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	3.034
Section 0004 Lighting				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	9,018.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	2,602.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	98.000
	0639- 1-112	ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY	AS	1.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	60.000
	0639- 3- 11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	2.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	1.000
	0715- 1- 11	LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <	LF	1,596.000
	0715- 1- 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	46,350.000
	0715- 1- 60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	25,218.000
	0715- 4- 13	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT	EA	68.000
	0715- 4- 23	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE SPECIAL FOUNDATION, 40' MOUNTING HEIGHT	EA	7.000
	0715- 4- 70	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	56.000
	0715- 7- 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	1.000
	0715- 7- 41	LOAD CENTER, REMOVE, SECONDARY VOLTAGE	EA	1.000
	0715- 11- 20	LUMINAIRE- UNDERDECK PENDANT, FURNISH & INSTALL, PROJECT 419243-4-52-01	EA	6.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	76.000
	0715-500- 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	4.000
	0715-540-000	LIGHT POLE COMPLETE- SPECIAL DESIGN, RELOCATE	EA	4.000
Section 0005 Signalization				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	2,081.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	3,007.000
	0630- 2- 14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	72.000
	0630- 2- 15	CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT	LF	267.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	2.000

Call Order: 001 Proposal: T1754

ALT	Item	Description	Unit	Quantity
	0632- 7- 6	SIGNAL CABLE, REMOVE- INTERSECTION	PI	2.000
	0633- 1-121	FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS	LF	1,220.000
	0633- 2- 32	FIBER OPTIC CONNECTION, INSTALL, TERMINATION	EA	24.000
	0633- 3- 14	FIBER OPTIC CONNECTION HARDWARE, F&I, BUFFER TUBE FAN OUT KIT	EA	2.000
	0633- 3- 16	FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED	EA	2.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	83.000
	0635- 2- 13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	2.000
	0635- 3- 11	JUNCTION BOX, FURNISH & INSTALL, AERIAL	EA	16.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	2.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	266.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	2.000
	0641- 2- 60	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE	EA	1.000
	0641- 2- 80	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- POLE 30' AND GREATER	EA	2.000
	0646- 1- 11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	24.000
	0646- 1- 60	ALUMINUM SIGNALS POLE, REMOVE	EA	9.000
	0649- 21- 3	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 40'	EA	1.000
	0649- 21- 15	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 70'	EA	1.000
	0649- 21- 21	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78'	EA	3.000
	0649- 26- 3	STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION- BOLT ON ATTACHMENT	EA	4.000
	0650- 1- 14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	43.000
	0650- 1- 16	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	AS	2.000
	0653- 1- 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	18.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	EA	27.000
	0660- 1-110	LOOP DETECTOR INDUCTIVE, F&I, TYPE 10	EA	2.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	36.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	20.000
	0663- 1-111	SIGNAL PRIORITY AND PREEMPTION SYSTEM, F&I, OPTICAL, CABINET ELECTRONICS	EA	2.000
	0663- 1-112	SIGNAL PRIORITY AND PREEMPTION SYSTEM, F&I, OPTICAL, DETECTOR	EA	5.000
	0665- 1- 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	18.000
	0670- 5-111	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA, 1 PREEMPTION	AS	2.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	2.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	2.000
	0685- 1- 13	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE WITH CABINET	EA	2.000

Call Order: 001 Proposal: T1754

ALT	Item	Description	Unit	Quantity
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	1.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	1.000
	0700- 4-140	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, OVERPASS BRIDGE MOUNT	EA	1.000
	0700- 5- 21	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	2.000
	0700- 5- 22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	2.000