

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: CT200520 Call Order: 002 Proposal: T3618 District:03  
 Counties: WASHINGTON  
 Road Name: SR 77  
 Limits: FROM THE BAY CO LINE TO N OF CR 279  
 Project(s): 21790935201(\*) Federal Aid No: D319075B  
 Total Roadway Length: 6.056 Miles Contract Days: 1300  
 Total Bridge Length: 0.000 Miles Letting Date: 05/20/20  
 Total Proposal Length: 6.056 Miles Contract Execution Days: 10  
 Special Start Date: N/A  
 Aquis/Flexible Start Time: 15 days standard

Proposal Budget Estimate: \$34,782,537.00

Please read the full advertisement

Description: A + B Bidding

The improvements under this contract consist of four-lane construction of SR 77 from the Bay County Line to North of CR 279 (6.056 miles) located in Washington County, FL, including drainage, signalization and signing and pavement marking.

**NOTE: This is a cost plus time proposal(A+B). The following sites are cost plus time sites.**

Site	Description	Road Cost Per Day	Maximum Days
00	Contract Time	10000.00	1300

**Call Order: 002 Proposal: T3618**

ALT	Item	Description	Unit	Quantity
<b>Section 0001 Roadway</b>				
	0101- 1-	MOBILIZATION (21790935201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (21790935201)	LS	1.000
	0102- 2- 1	SPECIAL DETOUR 1 (21790935201)	LS	1.000
	0102- 2- 2	SPECIAL DETOUR 2 (21790935201)	LS	1.000
	0102- 2- 3	SPECIAL DETOUR 3 (21790935201)	LS	1.000
	0102- 2- 4	SPECIAL DETOUR 4 (21790935201)	LS	1.000
	0102- 2- 5	SPECIAL DETOUR 5 (21790935201)	LS	1.000
	0102- 2- 6	SPECIAL DETOUR 6 (21790935201)	LS	1.000
	0102- 2- 7	SPECIAL DETOUR 7 (21790935201)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	1,904.000
	0102- 4-	PEDESTRIAN SPECIAL DETOUR (21790935201)	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	205,920.000
	0102- 61-	BUSINESS SIGN	EA	13.000
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	1,150.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	100.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING	LF	575.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	1,990,820.000
	0102- 74- 2	CHANNELIZING DEVICE, TYPE III, 6'	ED	132,600.000
	0102- 74- 7	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	LF	2,030.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	195.000
	0102- 78-	TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	EA	6,810.000

**Call Order: 002 Proposal: T3618**

ALT	Item	Description	Unit	Quantity
	0102- 89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	1.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	2,650.000
	0104- 1-	ARTIFICIAL COVERINGS /ROLLED EROSION CONTROL PRODUCTS	SY	9,600.000
	0104- 6-	TEMPORARY SLOPE DRAIN / RUNOFF CONTROL STRUCTURE	LF	5,985.000
	0104- 10- 3	SEDIMENT BARRIER	LF	40,038.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	139.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	9.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	168.000
	0107- 1-	LITTER REMOVAL	AC	6,534.670
	0107- 2-	MOWING	AC	6,075.330
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (21790935201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (21790935201)	LS	1.000
	0110- 3-	REMOVAL OF EXISTING STRUCTURES/BRIDGES (21790935201)	LS	1.000
	0110- 7- 1	MAILBOX, F&I SINGLE	EA	115.000
	0120- 1-	REGULAR EXCAVATION	CY	509,075.300
	0120- 4-	SUBSOIL EXCAVATION	CY	2,526.000
	0120- 6-	EMBANKMENT	CY	257,181.100
	0160- 4-	TYPE B STABILIZATION	SY	382,062.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	65,331.000
	0285-706-	OPTIONAL BASE, BASE GROUP 06	SY	13,770.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	215,631.000
	0286- 1-	TURNOUT CONSTRUCTION/DRIVEWAY BASE- OPTIONAL MATERIALS	SY	5,906.000
	0327- 70- 13	MILLING EXIST ASPH PAVT, 1 3/4" AVG DEPTH	SY	5,839.000
	0327- 70- 19	MILLING EXIST ASPH PAVT, 3/4" AVG DEPTH	SY	5,360.000
	0334- 1- 52	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22	TN	1,558.000
	0334- 1- 53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	40,280.600
	0337- 7- 25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	7,211.500
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	101.300
	0400- 1- 2	CONCRETE CLASS I, ENDWALLS	CY	64.100
	0415- 1- 6	REINFORCING STEEL- MISCELLANEOUS	LB	2,144.000
	0425- 1-361	INLETS, CURB, TYPE P-6, <10'	EA	2.000
	0425- 1-471	INLETS, CURB, TYPE 7, <10'	EA	1.000
	0425- 1-521	INLETS, DT BOT, TYPE C,<10'	EA	14.000
	0425- 1-523	INLETS, DT BOT, TYPE C,JBOT, <10'	EA	2.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	15.000
	0425- 1-549	INLETS, DT BOT, TYPE D, MODIFY	EA	3.000
	0425- 1-551	INLETS, DT BOT, TYPE E, <10'	EA	63.000
	0425- 1-553	INLETS, DT BOT, TYPE E, J BOT, <10'	EA	9.000
	0425- 1-589	INLETS, DT BOT, TYPE H, MODIFY	EA	3.000
	0425- 1-701	INLETS, GUTTER, TYPE S, <10'	EA	45.000
	0425- 1-702	INLETS, GUTTER, TYPE S, >10'	EA	1.000
	0425- 1-703	INLETS, GUTTER, TYPE S, J BOTTOM <10'	EA	3.000
	0425- 1-711	INLETS, GUTTER, TYPE V, <10'	EA	21.000
	0425- 1-891	INLETS, BARRIER WALL, <=10'	EA	2.000

**Call Order: 002 Proposal: T3618**

ALT	Item	Description	Unit	Quantity
	0425- 2- 61	MANHOLES, P-8, <10'	EA	19.000
	0425- 2- 62	MANHOLES, P-8, >10'	EA	1.000
	0425- 2- 71	MANHOLES, J-7, <10'	EA	1.000
	0425- 2- 91	MANHOLES, J-8, <10'	EA	5.000
	0425- 2- 92	MANHOLES, J-8, >10'	EA	4.000
	0430-173-130	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 30", GUTTER DRAIN	LF	129.000
	0430-174-115	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 15"SD	LF	23.000
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	3,508.000
	0430-174-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD	LF	617.000
	0430-174-136	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 36"SD	LF	188.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	13,014.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	9,954.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	3,977.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	1,705.000
	0430-175-142	PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD	LF	71.000
	0430-175-148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	388.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	292.000
	0430-175-236	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 36"S/C	LF	151.000
	0430-185-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 18" , STORM AND CROSS DRAIN	LF	87.000
	0430-185-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 24", STORM AND CROSS DRAIN	LF	525.000
	0430-185-130	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 30", STORM AND CROSS DRAIN	LF	200.000
	0430-611-129	U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:4 SLOPE, 24"PIPE	EA	2.000
	0430-611-133	U-ENDWALL WITH BAFFLES, INDEX 261/430-011,1:4 SLOPE,30"PIPE	EA	1.000
	0430-611-229	U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:3 SLOPE, 24"PIPE	EA	1.000
	0430-611-233	U-ENDWALL, INDEX 261/430-011, BAFFLES, 1:3 SLOPE, 30"PIPE	EA	2.000
	0430-611-329	U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:2 SLOPE, 24"PIPE	EA	1.000
	0430-611-333	U-ENDWALL, BAFFLES, INDEX 261/430-011, 1:2 SLOPE, 30"PIPE	EA	1.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	33.000
	0430-982-129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	4.000
	0430-982-133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	7.000
	0430-982-138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	3.000
	0430-982-140	MITERED END SECTION, OPTIONAL ROUND, 42" CD	EA	1.000
	0430-982-625	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 18" CD	EA	4.000
	0430-982-638	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 36" CD	EA	1.000
	0430-984-123	MITERED END SECTION, OPTIONAL ROUND, 15" SD	EA	2.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	126.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	24.000
	0430-984-133	MITERED END SECTION , OPTIONAL ROUND, 30" SD	EA	1.000
	0430-984-138	MITERED END SECTION , OPTIONAL ROUND, 36" SIDE DRAIN	EA	9.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	3,074.000
	0520- 3-	VALLEY GUTTER- CONCRETE	LF	519.000
	0520- 5- 11	TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE	LF	108.000
	0520- 6-	SHOULDER GUTTER- CONCRETE	LF	6,294.000

**Call Order: 002 Proposal: T3618**

ALT	Item	Description	Unit	Quantity
	0521- 8- 7	CONCRETE BARRIER, WITH JUNCTION SLAB, 36" SINGLE SLOPE	LF	679.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	1,181.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	90.000
	0524- 1- 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	1,001.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	389.300
	0530- 5- 1	GABION, UP TO 1 FOOT THICKNESS	SY	11,740.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	2,313.000
	0536- 8- 13	APPROACH TRANSITION CONNECTION TO RIGID BARRIER, FURNISH AND INSTALL, TL-3	EA	1.000
	0536- 73-	GUARDRAIL REMOVAL	LF	1,433.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	3.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	6.000
	0548- 12-	RETAINING WALL SYSTEM, PERMANENT, EXCLUDING BARRIER	SF	14,200.000
	0570- 1- 1	PERFORMANCE TURF	SY	449,407.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	510,586.000
	0571- 1- 11	PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 1	SY	33,135.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	36.008
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	1.660
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	2,778.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	512.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	14.337
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.433
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	5.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	162.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	45.276
	0710- 11-202	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.024
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	1,126.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.816
	0751- 35- 11	BUS SHELTER, F&I, UP TO 50 SF	EA	4.000
	0999- 20- 1	DISPUTES REVIEW BOARD, MEETING- DO NOT BID	DA	14.000
	0999- 20- 2	DISPUTES REVIEW BOARD, HEARING- DO NOT BID	EA	2.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (21790935201)	LS	1.000
<b>Section 0002 Signing</b>				
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	55.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	20.000
	0700- 1- 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	8.000
	0700- 1- 50	SINGLE POST SIGN, RELOCATE	AS	12.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	60.000
	0700- 2- 13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	3.000

**Call Order: 002 Proposal: T3618**

ALT	Item	Description	Unit	Quantity
	0700- 2- 15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	3.000
	0700- 2- 50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	1.000
	0700- 2- 60	MULTI- POST SIGN, REMOVE	AS	7.000
	0700- 3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	20.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	1.000
	0701- 18-101	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, WHITE, SOLID,6"	GM	12.675
	0701- 18-201	PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SOLID,6"	GM	10.043
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	18.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	29.000
	0705- 11- 2	DELINEATOR, NON-FLEXIBLE	EA	28.000
	0710- 11-190	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	SF	35.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	313.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (21790935201)	LS	1.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	2,725.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	416.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.365
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	1.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	126.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	128.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.842
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	5.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	5.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	2.847
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	1.578
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	13.609
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	4.418
	0711- 15-202	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8"	GM	0.024
<b>Section 0003 Signalization</b>				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	180.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	2.000
	0634- 4-152	SPAN WIRE ASSEMBLY, F&I, TWO POINT, DIAGONAL	PI	1.000
	0634- 4-153	SPAN WIRE ASSEMBLY, F&I, TWO POINT, BOX OR DROP BOX	PI	1.000
	0634- 4-600	SPAN WIRE ASSEMBLY, REMOVE- POLES REMAIN	PI	1.000
	0639- 1-112	ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY	AS	1.000

**Call Order: 002 Proposal: T3618**

ALT	Item	Description	Unit	Quantity
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	1.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	167.000
	0641- 2- 11	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II PEDESTAL	EA	1.000
	0641- 2- 17	PRESTRESSED CONCRETE POLE, F&I, TYPE P-VII	EA	2.000
	0641- 2- 18	PRESTRESSED CONCRETE POLE, F&I, TYPE P-VIII	EA	3.000
	0641- 2- 80	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- POLE 30' AND GREATER	EA	2.000
	0650- 1- 11	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 1 WAY	AS	6.000
	0650- 1- 14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	6.000
	0650- 1- 60	VEHICULAR TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN	AS	6.000
	0670- 4- 1	INTERSECTION CONTROL BEACON CONTROLLER ASSEMBLY, FURNISH & INSTALL	AS	1.000
	0670- 5-112	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA, 2 PREEMPTION	AS	1.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	1.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	2.000