

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Letting: CT210609 Call Order: 008 Proposal: T2813 District:02
 Counties: COLUMBIA
 Road Name: SR 25 (US 41)
 Limits: FROM SR 10 (US 90) TO I-10 AND AT NW BASCOM NORRIS DR
 Project(s): 43617815201(*) Federal Aid No: D219141B
 Project(s): 44629515201 Federal Aid No: D220111B
 Total Roadway Length: 4.006 Miles Contract Days: 350
 Total Bridge Length: 0.117 Miles Letting Date: 06/09/21
 Total Proposal Length: 4.123 Miles Contract Execution Days: 10
 Special Start Date: N/A
 Aquis/Flexible Start Time: 15 Days (Acq. time)
 Proposal Budget Estimate: \$4,782,973.00

Please read the full advertisement

Description:

Railroad insurance is required for this Proposal at time of contract execution. Please see the Specifications Package for more information.

The improvements under this contract consist of milling and resurfacing, base work, shoulder treatment, drainage improvements, curb and gutters, lighting, highway signing, sidewalks, sheet pile wall and other incidental construction on SR 25/US 41 from SR 10/US 90 to I-10 and SR 25/US 41 at NW Bascom Norris Drive in Columbia County.

Call Order: 008 Proposal: T2813

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|--|------|------------|
| Section 0001 Roadway | | | | |
| | 0101- 1- | MOBILIZATION (43617815201) | LS | 1.000 |
| | 0101- 1- | MOBILIZATION (44629515201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (43617815201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (44629515201) | LS | 1.000 |
| | 0102- 2-200 | SPECIAL DETOUR- TEMPORARY PAVEMENT (44629515201) | LS | 1.000 |
| | 0102- 2-300 | SPECIAL DETOUR- TEMPORARY EARTHWORK/BASE (44629515201) | LS | 1.000 |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 230.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 53,060.000 |
| | 0102- 61- | BUSINESS SIGN | EA | 3.000 |
| | 0102- 71- 15 | TEMPORARY BARRIER, F&I, ANCHORED | LF | 1,312.000 |
| | 0102- 71- 25 | TEMPORARY BARRIER, RELOCATE, ANCHORED | LF | 1,030.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 98,760.000 |
| | 0102- 74- 8 | CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) | FD | 20,330.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 700.000 |
| | 0102- 78- | TEMPORARY RAISED/RETROREFLECTIVE PAVEMENT MARKER | EA | 6,014.000 |
| | 0102- 89- 1 | TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION | LO | 6.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 1,792.000 |
| | 0102-104- | TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION | ED | 700.000 |
| | 0102-107- 1 | TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION | ED | 700.000 |
| | 0102-115- | TYPE III BARRICADE | ED | 1,220.000 |

Call Order: 008 Proposal: T2813

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|------------|
| | 0102-909- | TEMPORARY RAISED RUMBLE STRIPS- PER DAY, INCLUDES ALL SETS AND RELOCATIONS | DA | 700.000 |
| | 0104- 1- | ARTIFICIAL COVERINGS /ROLLED EROSION CONTROL PRODUCTS | SY | 177.000 |
| | 0104- 10- 3 | SEDIMENT BARRIER | LF | 6,845.000 |
| | 0104- 15- | SOIL TRACKING PREVENTION DEVICE | EA | 2.000 |
| | 0104- 18- | INLET PROTECTION SYSTEM | EA | 50.000 |
| | 0107- 1- | LITTER REMOVAL | AC | 792.060 |
| | 0107- 2- | MOWING | AC | 702.650 |
| | 0110- 1- 1 | CLEARING & GRUBBING (43617815201) | LS | 1.000 |
| | 0110- 1- 1 | CLEARING & GRUBBING (44629515201) | LS | 1.000 |
| | 0110- 4- 10 | REMOVAL OF EXISTING CONCRETE | SY | 1,349.000 |
| | 0120- 1- | REGULAR EXCAVATION | CY | 10,752.000 |
| | 0120- 2- 2 | BORROW EXCAVATION, TRUCK MEASURE | CY | 1,470.000 |
| | 0120- 6- | EMBANKMENT | CY | 5,189.000 |
| | 0120- 71- | REGULAR EXCAVATION (3-R PROJECTS ONLY) (43617815201) | LS | 1.000 |
| | 0160- 4- | TYPE B STABILIZATION | SY | 6,356.000 |
| | 0285-701- | OPTIONAL BASE, BASE GROUP 01 | SY | 342.000 |
| | 0285-709- | OPTIONAL BASE, BASE GROUP 09 | SY | 4,501.000 |
| | 0285-713- | OPTIONAL BASE, BASE GROUP 13 | SY | 2,350.000 |
| | 0327- 70- 4 | MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH | SY | 60,651.000 |
| | 0327- 70- 5 | MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH | SY | 26,463.000 |
| | 0327- 70- 6 | MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH | SY | 12,567.000 |
| | 0327- 70- 16 | MILLING EXISTING ASPHALT PAVEMENT, 1/2" AVG DEPTH | SY | 11,964.000 |
| | 0334- 1- 53 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 | TN | 8,994.200 |
| | 0337- 7- 83 | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22 | TN | 10,491.000 |
| | 0350- 30- 13 | CONCRETE PAVEMENT FOR ROUNDABOUT APRON, 12" DEPTH | SY | 566.000 |
| | 0400- 4- 8 | CONC CLASS IV, BULKHEAD | CY | 16.300 |
| | 0415- 1- 8 | REINFORCING STEEL- BULKHEAD | LB | 1,760.000 |
| | 0425- 1-311 | INLETS, CURB, TYPE P-1, <10' | EA | 1.000 |
| | 0425- 1-315 | INLETS, CURB TYPE P-1, PARTIAL | EA | 2.000 |
| | 0425- 1-321 | INLETS, CURB, TYPE P-2, <10' | EA | 1.000 |
| | 0425- 1-341 | INLETS, CURB, TYPE P-4, <10' | EA | 1.000 |
| | 0425- 1-361 | INLETS, CURB, TYPE P-6, <10' | EA | 1.000 |
| | 0425- 1-411 | INLETS, CURB TYPE J-1, <10' | EA | 1.000 |
| | 0425- 1-589 | INLETS, DT BOT, TYPE H, MODIFY | EA | 1.000 |
| | 0425- 1-910 | INLETS, CLOSED FLUME | EA | 1.000 |
| | 0425- 2- 61 | MANHOLES, P-8, <10' | EA | 1.000 |
| | 0425- 2- 91 | MANHOLES, J-8, <10' | EA | 3.000 |
| | 0425- 3- 43 | JUNCTION BOX, DRAINAGE, P-7, PARTIAL | EA | 1.000 |
| | 0425- 3- 63 | JUNCTION BOXES, DRAINAGE, J-7, PARTIAL | EA | 2.000 |
| | 0425- 5- | MANHOLE, ADJUST | EA | 3.000 |
| | 0425- 5- 1 | MANHOLE, ADJUST, UTILITIES | EA | 6.000 |
| | 0425- 6- | VALVE BOXES, ADJUST | EA | 1.000 |
| | 0425- 11- | MODIFY EXISTING DRAINAGE STRUCTURE | EA | 3.000 |
| | 0430-174-118 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD | LF | 44.000 |

Call Order: 008 Proposal: T2813

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|------------|
| | 0430-174-124 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD | LF | 66.000 |
| | 0430-174-224 | PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 24"SD | LF | 702.000 |
| | 0430-174-236 | PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 36"SD | LF | 222.000 |
| | 0430-175-115 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD | LF | 28.000 |
| | 0430-175-118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD | LF | 24.000 |
| | 0430-175-124 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD | LF | 692.000 |
| | 0430-175-136 | PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD | LF | 93.000 |
| | 0430-175-242 | PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 42"S/CD | LF | 286.000 |
| | 0430-524-300 | STRAIGHT CONCRETE ENDWALLS, 24", TRIPLE, 0 DEGREES, ROUND | EA | 2.000 |
| | 0430-536-300 | STRAIGHT CONCRETE ENDWALLS, 36", TRIPLE, 0 DEGREES, ROUND | EA | 2.000 |
| | 0430-982-129 | MITERED END SECTION, OPTIONAL ROUND, 24" CD | EA | 4.000 |
| | 0430-982-640 | MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 42" CD | EA | 2.000 |
| | 0430-984-125 | MITERED END SECTION, OPTIONAL ROUND, 18" SD | EA | 9.000 |
| | 0430-984-129 | MITERED END SECTION, OPTIONAL ROUND, 24" SD | EA | 4.000 |
| | 0430-984-629 | MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 24" SD | EA | 22.000 |
| | 0430-984-638 | MITERED END SECT, OPTIONAL /ELLIP/ARCH, 36" SD | EA | 12.000 |
| | 0455-133- 3 | SHEET PILING STEEL, F&I PERMANENT | SF | 3,565.000 |
| | 0515- 2-111 | PEDESTRIAN / BICYCLE RAILING, NS, 42" TYPE 1 | LF | 122.000 |
| | 0520- 1- 7 | CONCRETE CURB & GUTTER, TYPE E | LF | 3,367.000 |
| | 0520- 1- 10 | CONCRETE CURB & GUTTER, TYPE F | LF | 1,936.000 |
| | 0520- 2- 4 | CONCRETE CURB, TYPE D | LF | 184.000 |
| | 0520- 2- 8 | CONCRETE CURB, TYPE RA | LF | 670.000 |
| | 0520- 3- | VALLEY GUTTER- CONCRETE | LF | 64.000 |
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 2,609.000 |
| | 0524- 1- 1 | CONCRETE DITCH PAVT, NON REINFORCED, 3" | SY | 33.000 |
| | 0527- 2- | DETECTABLE WARNINGS | SF | 566.000 |
| | 0530- 3- 4 | RIPRAP, RUBBLE, F&I, DITCH LINING | TN | 84.900 |
| | 0530- 74- | BEDDING STONE | TN | 60.900 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 25,114.000 |
| | 0570- 1- 3 | PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010 | SY | 17,101.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 23.835 |
| | 0710- 11-102 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 1.102 |
| | 0710- 11-123 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" | LF | 4,108.000 |
| | 0710- 11-124 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 3,370.000 |
| | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" | LF | 1,575.000 |
| | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE | GM | 3.120 |
| | 0710- 11-141 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6" | GM | 0.470 |
| | 0710- 11-144 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-2 DOTTED EXTENSION LINE FOR ROUNDABOUT, 12" | GM | 0.009 |

Call Order: 008 Proposal: T2813

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|---|------|-----------|
| | 0710- 11-160 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 23.000 |
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 130.000 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 19.348 |
| | 0710- 11-224 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18" | LF | 1,603.000 |
| | 0710- 11-231 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6" | GM | 1.887 |
| | 0710- 11-241 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6" | GM | 0.043 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (43617815201) | LS | 1.000 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (44629515201) | LS | 1.000 |
| Section 0002 Signing | | | | |
| | 0700- 1- 11 | SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF | AS | 55.000 |
| | 0700- 1- 12 | SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 4.000 |
| | 0700- 1- 50 | SINGLE POST SIGN, RELOCATE | AS | 4.000 |
| | 0700- 1- 60 | SINGLE POST SIGN, REMOVE | AS | 50.000 |
| | 0700- 2- 14 | MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF | AS | 3.000 |
| | 0701- 18-101 | PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, WHITE, SOLID,6" | GM | 4.409 |
| | 0701- 18-201 | PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SOLID,6" | GM | 1.919 |
| | 0701- 18-221 | PROFILED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SKIP,6" | GM | 0.629 |
| | 0705- 10- 1 | OBJECT MARKER, TYPE 1 | EA | 4.000 |
| | 0710- 11-290 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE | SF | 124.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43617815201) | LS | 1.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44629515201) | LS | 1.000 |
| | 0711- 11-102 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND | GM | 0.446 |
| | 0711- 11-103 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS | GM | 0.052 |
| | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT | LF | 2,054.000 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 2,275.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 722.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 0.248 |
| | 0711- 11-144 | THERMOPLASTIC, STANDARD, WHITE, 2-2 DOTTED EXTENSION LINE, 12" FOR ROUNDABOUT | GM | 0.014 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 9.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 58.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 834.000 |
| | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 0.039 |
| | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK | LF | 1,255.000 |

Call Order: 008 Proposal: T2813

| ALT | Item | Description | Unit | Quantity |
|-----------------------------------|--------------|---|------|-----------|
| | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE | EA | 6.000 |
| | 0711- 14-170 | THERMOPLASTIC, PREFORMED, WHITE, ARROW | EA | 6.000 |
| | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 3.308 |
| | 0711- 16-102 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8" | GM | 0.105 |
| | 0711- 16-131 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",1C -30 SKIP OR 3-9 LANE DROP | GM | 1.041 |
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 4.259 |
| | 0713-103-101 | PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES | GM | 0.265 |
| | 0713-103-131 | PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES | GM | 0.258 |
| | 0713-103-201 | PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES | GM | 0.265 |
| | 0713-103-331 | PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES | GM | 0.258 |
| Section 0003 Lighting | | | | |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 20.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 90.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 2.000 |
| | 0639- 1-112 | ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY | AS | 1.000 |
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 120.000 |
| | 0639- 3- 11 | ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT | EA | 1.000 |
| | 0641- 2- 12 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE | EA | 1.000 |
| | 0715- 1- 12 | LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 | LF | 3,900.000 |
| Section 0004 Signalization | | | | |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 217.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 546.000 |
| | 0632- 7- 1 | SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL | PI | 2.000 |
| | 0633- 1-420 | FIBER OPTIC CABLE, RELOCATE, UNDERGROUND | LF | 100.000 |
| | 0633- 3- 16 | FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED | EA | 1.000 |
| | 0634- 4-153 | SPAN WIRE ASSEMBLY, F&I, TWO POINT, BOX OR DROP BOX | PI | 2.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 24.000 |
| | 0639- 1-122 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR | AS | 2.000 |
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 120.000 |
| | 0641- 2- 11 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II PEDESTAL | EA | 2.000 |
| | 0641- 2- 17 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-VII | EA | 4.000 |
| | 0641- 2- 18 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-VIII | EA | 4.000 |
| | 0641- 2- 70 | PRESTRESSED CONCRETE POLE, SHALLOW POLE REMOVAL- POLE 30' AND GREATER | EA | 8.000 |
| | 0646- 1- 11 | ALUMINUM SIGNALS POLE, PEDESTAL | EA | 7.000 |
| | 0650- 1- 14 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY | AS | 16.000 |
| | 0650- 1- 16 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY | AS | 6.000 |

Call Order: 008 Proposal: T2813

| ALT | Item | Description | Unit | Quantity |
|-----|-------------|--|------|----------|
| | 0653- 1- 11 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY | AS | 4.000 |
| | 0653- 1- 12 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS | AS | 5.000 |
| | 0660- 1-110 | LOOP DETECTOR INDUCTIVE, F&I, TYPE 10 | EA | 12.000 |
| | 0660- 2-106 | LOOP ASSEMBLY, F&I, TYPE F | AS | 18.000 |
| | 0665- 1- 11 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD | EA | 14.000 |
| | 0670- 5-111 | TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA, 1 PREEMPTION | AS | 2.000 |
| | 0670- 5-600 | TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET | AS | 2.000 |
| | 0684- 1- 1 | MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL | EA | 1.000 |
| | 0684- 6- 11 | WIRELESS COMMUNICATION DEVICE, FURNISH & INSTALL ETHERNET ACCESS POINT | EA | 1.000 |
| | 0700- 3-202 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF | EA | 8.000 |