## BID SOLICITATION NOTICE – Turnpike FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

Ocoee, FL February 04, 2022 Advertisement No. 2

Florida Turnpike Headquarters FL Turnpike MP 263, Building 5315 Ocoee, FL 34761

All bids must be completed using **Project Bids** software available on the Bid Express website at https://bidx.com/fl/main.

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <a href="http://www.fdot.gov/contracts/">http://www.fdot.gov/contracts/</a> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <a href="http://www.bidx.com">http://www.bidx.com</a>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 02:30 PM Local Time on **Tuesday**, **March 08, 2022**.

Bid totals for each bid submitted will be read aloud for those present and will be available at 02:30 PM March 08, 2022 in the Turnpike Headquarters, Building 5315, Ocoee, Florida.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: <a href="mailto:contracts.admin@dot.state.fl.us">contracts.admin@dot.state.fl.us</a> or call telephone number (407)264-3885. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: <a href="https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain">https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain</a>, select district then click on appropriate date.

### DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/tp, click "Letting and Project Information" and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

#### ----NOTE-----

Proposals will not be issued after 02:30 PM Local Time on Monday, March 07, 2022 .

# **Document Ordering Information**

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at <a href="https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/">https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/</a>. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

#### To Place An Order

- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the
  Department of Transportation at <a href="https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/">https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/</a>.
  Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

#### **PREQUALIFICATION**

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of

qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

#### PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) <a href="http://www.fdot.gov/contracts/PreQual\_Info/prequalified.shtm">http://www.fdot.gov/contracts/PreQual\_Info/prequalified.shtm</a> to the Department every 30 calendar days.

#### **CONFLICT OF INTEREST**

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

### **SCRUTINIZED COMPANIES**

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

#### **BID REJECTION**

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

### **PROTEST RIGHTS**

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid solicitation</u> shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid rejection or contract award</u> shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street,

Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <a href="http://www.fdot.gov/contracts/">http://www.fdot.gov/contracts/</a>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

### **IDENTICAL BIDS**

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

#### **INSURANCE**

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

#### **ADDENDA**

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/tp, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda shall be acknowledged when submitting bids.

#### **BID QUESTIONS**

All work is to be done in accordance with the Plans, Specifications, and Special Provisions of State of Florida Department of Transportation. Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal.

#### PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of \$150,000.00. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or SurePath electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit <a href="http://www.surety2000.com">http://www.insurevision.com</a> for SurePath. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic

proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

#### **EXECUTION OF CONTRACT**

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

**Important Note:** Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

#### **DBE PARTICIPATION**

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance** (**EOC**) system no later than 3 business days of submission of the bid. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: <a href="https://www.fdot.gov/equalopportunity/eoc.shtm">https://www.fdot.gov/equalopportunity/eoc.shtm</a>

#### **DEBARMENT/SUSPENSION**

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

### **MANDATORY PRE-BID CONFERENCE**

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

### LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

#### FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: <a href="https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae">https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae</a> 2

## **POSTING NOTICE**

The bid tabulation and intent to award will be posted on March 22, 2022 or April 05, 2022 at www.fdot.gov/contracts/tp, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be

posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

#### AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link <a href="https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm">https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm</a>, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

#### **MINIMUM WAGE**

The minimum wage for all hours worked in Florida is available at <a href="http://www.floridajobs.org">http://www.floridajobs.org</a>.

#### **EMAIL SUBSCRIPTION LIST**

To get on the e-mail subscription list, go to <a href="http://fdotwp1.dot.state.fl.us/reportsubscriptions/">http://fdotwp1.dot.state.fl.us/reportsubscriptions/</a> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <a href="http://www.fdot.gov/contracts/distco.shtm">http://www.fdot.gov/contracts/distco.shtm</a>.

## **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5). Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

# Florida Department of Transportation Notice to Contractors Index

Published: February 04, 2022

Letting ID: 08220308

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the March 08, 2022 letting.

Page Number	Proposal Id	<b>Proposal Notes</b>	Fin Proj Numbers	County
7	E8T42		43799015201(*) 43799035201	BROWARD
12	E8T43		44029515201(*) 44029525201	LAKE
15	E8T69		44942917201(*)	LAKE, ORANGE, OSCEOLA, SEMINOLE, SUMTER, TURNPIKE
16	E8T70		19077855229(*)	BROWARD, MIAMI- DADE, TURNPIKE
17	E8T71		40609675201(*)	MIAMI-DADE
19	E8T72		43661915203(*)	HERNANDO, HILLSBOROUGH, PASCO, POLK, TURNPIKE
21	E8T75		44591315201(*)	HERNANDO

# **Proposal Note Codes:**

Letting: 08220308 Call Order: 006 Proposal: E8T42 District:08

Counties: BROWARD

Road Name: RESURFACE SR91 AND SR821/SR91 RAMPS IN BROWARD COUNTY

Limits: 86470000

Project(s): 43799015201(\*) Federal Aid No: N/A
Project(s): 43799035201 Federal Aid No: N/A

Total Roadway Length:2.528 MilesContract Days:321Total Bridge Length:0.049 MilesLetting Date:03/08/22Total Proposal Length:2.577 MilesContract Execution Days:10

Special Start Date: N/A
Aquis/Flexible Start Time: 60

Proposal Budget Estimate: \$3,918,349.00

Please read the full advertisement

#### Description:

Work consists of providing all labor, materials, equipment and incidentals necessary for milling and resurfacing SR 91 (Florida's Turnpike) and the HEFT interchange from MM 47.230 to MM 47.900, in Broward County (86470-000), with roadside improvements, signing and pavement markings, ITS, lighting, and structures. No Pre-Bid Conference. Contractor must be pregualified.

The summary of pay items for this project is listed in the Plans.

ALT	Item	Description	Unit	Quantity
Section	on 0001 Structure	s		
	0401- 70-111	RESTORE SPALLED AREAS, LATEX MODIFIED MORTAR - ACRYLIC, PROJECTS 437990-1-52-01, 437990-3-52-01	CF	10.000
	0411- 1-	EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB	GA	4.000
	0411- 2-	CRACKS INJECT & SEAL- STRUCTURES REHAB	LF	35.000
	0458- 1-21	BRIDGE DECK EXPANSION JOINT, REHABILITATION, POURED JOINT WITH BACKER ROD	LF	238.000
	0458- 2-	POLYMER NOSING FOR BRIDGE DECK EXPANSION JOINT	CF	2.000
Section	n 0002 Roadway			
	0101- 1-	MOBILIZATION (43799015201)	LS	1.000
	0101- 1-	MOBILIZATION (43799035201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (43799015201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (43799035201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	504.000
	0102- 60-	WORK ZONE SIGN	ED	5,724.000
	0102- 62- 13	BARRIER MOUNTED WORK ZONE SIGN- INDEX 700-013	ED	3,293.000
	0102-71-15	TEMPORARY BARRIER, F&I, ANCHORED	LF	4,883.000
	0102-74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	12,849.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	133.000
	0102-89-1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	5.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	826.000
	0102- 99-102	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY- SMART WORK ZONE, PROJECT 437990-1-52-01 AND 437990-3	ED	230.000

A	1.	Call Order: 000 Troposal: L0142	11.2	0 "
ALT	Item	Description	Unit	Quantity
	0102-115-	TYPE III BARRICADE	ED	16.000
	0102-125-102	PORTABLE TRAFFIC SENSOR- SMART WORK ZONE, PROJECT 437990-1-52-01 AND 437990-3	ED	240.000
	0102-126-102	NAVIGATION APPLICATION SENSOR- SMART WORK ZONE, PROJECT 437990-1-52-01 AND 437990-3	ED	339.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	113.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	113.000
	0104- 10- 3	SEDIMENT BARRIER	LF	3,479.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	114.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	12.000
	0107- 1-	LITTER REMOVAL	AC	514.040
	0107- 2-	MOWING	AC	530.410
	0110- 1- 1	CLEARING & GRUBBING (43799035201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	162.000
	0120- 1-	REGULAR EXCAVATION	CY	79.100
	0120- 6-	EMBANKMENT	CY	365.700
	0327-70-3	MILLING EXISTING ASPHALT PAVEMENT, 4 1/2" AVG DEPTH	SY	3,590.000
	0327-70-4	MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH	SY	6,080.000
	0327-70-5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	11,952.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	16,051.000
	0327-70-8	MILLING EXISTING ASPHALT PAVEMENT, 2 1/2" AVG DEPTH	SY	1,153.000
	0327- 70- 11	MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH	SY	50,632.000
	0327- 70- 15	MILLING EXISTING ASPHALT PAVEMENT, 2 3/4" AVG DEPTH	SY	789.000
	0327- 70- 17	MILLING EXISTING ASPHALT PAVEMENT, 3 1/4" AVG DEPTH	SY	2,942.000
	0327- 70- 20	MILLING EXISTING ASPHALT PAVEMENT, 3 3/4" AVG DEPTH	SY	8,790.000
	0334- 1-12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	2,561.500
	0334- 1-15	SUPERPAVE ASPHALTIC CONC, TRAFFIC E	TN	1,245.700
	0334- 1-55	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22	TN	6,236.200
	0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	2,659.300
	0337- 7-88	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC E, FC-12.5, PG 76-22	TN	630.400
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	189.800
	0425- 1-701	INLETS, GUTTER, TYPE S, <10'	EA	1.000
	0425- 2-41	MANHOLES, P-7, <10'	EA	4.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	12.000
	0430-613-325	U-ENDWALL, WITH BAFFLES & GRATE, INDEX 261/430-011,1:2 SLOPE,18"PIPE	EA	1.000
	0430-886- 60	MANATEE GRATE FOR 60" OR GREATER PIPE, UNHINGED	EA	3.000
	0520- 6-	SHOULDER GUTTER- CONCRETE	LF	204.000
	0524- 1-29	CONCRETE DITCH PAVEMENT, 4", REINFORCED	SY	103.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	35.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	4,313.000
	0536- 7- 3	SPECIAL GUARDRAIL POST- ENCASED POST FOR SHALLOW MOUNT	EA	6.000
	0536- 8-122	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I-INDEX 536-002, APPROACH TL-3	EA	1.000
	0536- 8-123	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I-INDEX 536-002, TRAILING	EA	1.000

		Can Order. 000 Troposal. E0142		
ALT	Item	Description	Unit	Quantity
	0536- 73-	GUARDRAIL REMOVAL	LF	3,404.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	2.000
	0544- 3- 1	CRASH CUSHION, TL-3, NARROW	EA	1.000
	0546- 72- 1	GROUND-IN RUMBLE STRIPS, 16"	GM	1.932
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	2,352.000
	0639- 8-55	ELECTRICAL POWER SERVICE- CONTRIBUTION IN AID OF CONSTRUCTION (CIAC), PROJECT 437990-1-52-01, 437990-3 (DO NOT BID) (43799035201)	LS	1.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	894.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	3.562
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.980
	0710- 11-103	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE MARKINGS, 12"	GM	0.321
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	2,115.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	4.365
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	2.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	1.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	3.282
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	1,223.000
	0908-333- 19	HIGH FRICTION SURFACE COURSE, PROJECTS 437990-1-52-01, 437990-3-52-01	SY	3,514.000
	0999- 16-	PARTNERING, DO NOT BID (43799015201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43799015201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (43799035201)	LS	1.000
Sectio	on 0003 Signing			
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	9.000
	0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	1.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	24.000
	0700- 2-13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	1.000
	0700- 2-14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	1.000
	0700- 2-60	MULTI- POST SIGN, REMOVE	AS	2.000
	0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	2.000
	0700- 3-104	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 31-50 SF	EA	1.000
	0700- 3-105	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 51-100 SF	EA	1.000
	0700- 3-106	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 101-200 SF	EA	1.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	3.000
	0700- 3-206	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF	EA	1.000
	0700- 3-207	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF	EA	4.000
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	5.000
	0700- 3-604	SIGN PANEL, REMOVE, 31-50 SF	EA	1.000
	0700- 3-605	SIGN PANEL, REMOVE, 51-100 SF	EA	1.000
	0700- 3-606	SIGN PANEL, REMOVE, 101-200 SF	EA	1.000
	0700- 3-606	SIGN PANEL, REMOVE, 101-200 SF WITH LIGHTING	EA	1.000
	0100- 3-020	SIGIVE AIVEL, INLIVIOVE, 101-200 SE VVITTI LIGITIING		1.000

	Call Order: 006 Proposal: E6142		
Item	Description	Unit	Quantity
0700- 3-627	SIGN PANEL, REMOVE PANEL, 201-300 SF WITH LIGHTING	EA	4.000
0700- 4-114	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 41-50 FT	EA	1.000
0700- 6-22	HIGHLIGHTED SIGN, F&I GROUND MOUNT- SOLAR POWERED, 12-20 SF	AS	18.000
0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	316.000
0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	1,090.000
0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43799015201)	LS	1.000
0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	0.321
0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	2,115.000
0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	2.000
0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	1.000
0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	660.000
0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	3.240
0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	0.980
0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	3.702
0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	2.978
0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.281
0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.779
0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.274
0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	449.000
0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.055
0713-103-131	PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.053
0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.053
0713-103-331	PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.053
n 0004 Lighting			
0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	60.000
0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	9.000
0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	1.000
0639- 1-610	ELECTRICAL POWER SERVICE, REMOVE OVERHEAD	AS	1.000
0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	70.000
0639- 2- 6	ELECTRICAL SERVICE WIRE, REMOVE	LF	70.000
0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	2.000
0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	1.000
0641- 2-60	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE	EA	1.000
0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	204.000
	0700- 3-627 0700- 4-114 0700- 6- 22 0705- 11- 1 0706- 1- 3 0710- 90- 0711- 11-103 0711- 11-124 0711- 11-170 0711- 11-224 0711- 15-101 0711- 15-101 0711- 15-101 0711- 15-131 0711- 15-131 0711- 16-131 0711- 16-131 0711- 16-201 0711- 17- 1 0713-103-101 0713-103-131 0713-103-331 1 0004 Lighting 0630- 2- 11 0639- 1-122 0639- 1-610 0639- 2- 6 0639- 3- 11 0641- 2- 12 0641- 2- 60	Item	Item

ALT	Item	Description	Unit	Quantity
	0715- 4-13	LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT	EA	2.000
	0715- 4-70	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	2.000
	0715- 7-11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	1.000
	0715- 7-41	LOAD CENTER, REMOVE, SECONDARY VOLTAGE	EA	1.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	8.000
	0715-500- 2	POLE CABLE DISTRIBUTION SYSTEM, FURNISH & INSTALL, HIGH MAST	EA	11.000
Sectio	n 0005 Intelligent	Transportation System		
	0630- 3- 1	REPLACE ROUTE MARKER FOR EXISTING CONDUIT	EA	6.000

Letting: 08220308 Call Order: 007 Proposal: E8T43 District:08

Counties: LAKE

Road Name: RECONSTRUCT & SAFETY IMPRV TPK ML LAKE CTY MP 289-297

Limits: 11470000

Project(s): 44029515201(\*) Federal Aid No: N/A
Project(s): 44029525201 Federal Aid No: N/A

Total Roadway Length:17.200 MilesContract Days:250Total Bridge Length:0.158 MilesLetting Date:03/08/22Total Proposal Length:17.358 MilesContract Execution Days:10

Special Start Date: N/A
Aquis/Flexible Start Time: 60

Proposal Budget Estimate: \$7,065,467.00

Please read the full advertisement

#### Description:

Work consists of providing all labor, materials, equipment and incidentals necessary for Reconstruct & Safety Improvements Turnpike Mainline in Lake County MP 289.3 - 297.9 SB Only. No Pre-Bid Conference. Contractor must be prequalified.

The summary of pay items for this project is listed in the Plans.

		• • • • • • • • • • • • • • • • • • •		
ALT	Item	Description	Unit	Quantity
Sectio	n 0001 Structures	S		
	0401- 70-114	RESTORE SPALLED AREAS, LATEX MODIFIED MORTAR - STYRENE-BUTADIENE, PROJECT 440295-1-52-01 AND 440295-2	CF	10.000
	0458- 1-21	BRIDGE DECK EXPANSION JOINT, REHABILITATION, POURED JOINT WITH BACKER ROD	LF	380.000
	0458- 2-	POLYMER NOSING FOR BRIDGE DECK EXPANSION JOINT	CF	28.100
Sectio	n 0002 Roadway			
	0101- 1-	MOBILIZATION (44029515201)	LS	1.000
	0101- 1-	MOBILIZATION (44029525201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44029515201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44029525201)	LS	1.000
	0102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (44029515201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	2,772.000
	0102- 60-	WORK ZONE SIGN	ED	68,492.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	1,379.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	128,283.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	1,700.000
	0102-89-1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	2.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	2,565.000
	0102- 99-101	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY- SMART WORK ZONE, PROJECT 440295-1-52-01 AND 440295-2	ED	238.000
	0102-115-	TYPE III BARRICADE	ED	90.000
	0102-125-101	PORTABLE TRAFFIC SENSOR- SMART WORK ZONE, PROJECT 440295-1-52-01 AND 440295-2	ED	80.000

ALT	Item	Description	Unit	Quantity
	0102-126-101	NAVIGATION APPLICATION SENSOR- SMART WORK ZONE, PROJECT 440295-1-52-01 AND 440295-2	ED	40.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	500.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	500.000
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6"	GM	0.279
	0102-913- 31	REMOVABLE TAPE, YELLOW, SOLID, 6"	GM	0.409
	0104- 10- 3	SEDIMENT BARRIER	LF	43,811.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	610.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	8.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	19.000
	0107- 1-	LITTER REMOVAL	AC	2,089.530
	0107- 2-	MOWING	AC	2,089.530
	0110- 1- 1	CLEARING & GRUBBING (44029525201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	17.000
	0120- 1-	REGULAR EXCAVATION	CY	10.000
	0120- 6-	EMBANKMENT	CY	25.500
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	2,170.000
	0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	26,815.000
	0327- 70- 8	MILLING EXISTING ASPHALT PAVEMENT, 2 1/2" AVG DEPTH	SY	85.000
	0327- 70- 11	MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH	SY	130,729.000
	0327- 70- 12	MILLING EXISTING ASPHALT PAVEMENT, 1 1/4" AVG DEPTH	SY	47,583.000
	0327- 70- 16	MILLING EXISTING ASPHALT PAVEMENT, 1/2" AVG DEPTH	SY	4,582.000
	0327- 70-103	MILLING EXIST ASPHALT PAVEMENT AND LIMEROCK 11", PROJECTS 440295-1-52-01 AND 440295-2-52-01	SY	2,170.000
	0334- 1-12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	3,411.500
	0334- 1-55	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22	TN	13,221.000
	0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	5,593.100
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	263.400
	0401-70-7	RESTORE SPALLED AREAS, SHOTCRETE	CF	2,795.900
	0411- 1-	EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB	GA	14.000
	0411- 2-	CRACKS INJECT & SEAL- STRUCTURES REHAB	LF	690.000
	0520- 6-	SHOULDER GUTTER- CONCRETE	LF	5.000
	0524- 1- 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	16.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	139.400
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	4,368.000
	0536- 7- 3	SPECIAL GUARDRAIL POST- ENCASED POST FOR SHALLOW MOUNT	EA	17.000
	0536- 8-122	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I-INDEX 536-002, APPROACH TL-3	EA	1.000
	0536- 8-123	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I-INDEX 536-002, TRAILING	EA	2.000
	0536- 73-	GUARDRAIL REMOVAL	LF	3,868.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	8.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	5.000
	0546- 72- 1	GROUND-IN RUMBLE STRIPS, 16"	GM	15.817
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	9,705.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	1,584.000

		Call Order: 007 Proposal: E8143		
ALT	Item	Description	Unit	Quantity
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	8.730
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.203
	0710- 11-103	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE MARKINGS, 12"	GM	1.036
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	1,100.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	8.947
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	2.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	8.453
	0999- 16-	PARTNERING, DO NOT BID (44029515201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44029515201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44029525201)	LS	1.000
Sectio	n 0003 Signing			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	17.000
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	2.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	19.000
	0700- 2-14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	1.000
	0700- 2-15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	1.000
	0700- 2-16	MULTI- POST SIGN, F&I GROUND MOUNT, 101-200 SF	AS	5.000
	0700- 2-17	MULTI- POST SIGN, F&I GROUND MOUNT, 201-300 SF	AS	4.000
	0700- 2-60	MULTI- POST SIGN, REMOVE	AS	11.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	12.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	1,584.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44029515201)	LS	1.000
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	1.042
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	1,099.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	2.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	8.354
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	0.203
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	8.570
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	8.356
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.082
	0713-103-131	PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.082
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.082
	0713-103-331	PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.082

Letting: 08220308 Call Order: 002 Proposal: E8T69 District:08

Counties: LAKE, ORANGE, OSCEOLA, SEMINOLE, SUMTER, TURNPIKE
Road Name: VEHICLE DETECTION SYSTEM INSTALLATION - MP 198 TO 309

Limits: Midpoint

Project(s): 44942917201(\*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 90

Total Bridge Length: 0.000 Miles Letting Date: 03/08/22

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$315,000.00

Please read the full advertisement

#### Description:

The work specified in this contract consists of providing all labor, materials, equipment and incidentals necessary to furnish and install thirty-five (35) new vehicle detection systems (VDS), mounting equipment, connectivity cabling and network device configuration, including the removal of existing VDS systems at various locations on Florida's Turnpike (SR-91) from Milepost (MP) 198.0 to 309.0, Southern Connector Extension (SR-417) MP 0.0 to 6.0 and Seminole Expressway (SR-417) MP 38.0 to 55.0, and Western Beltway (SR-429) MP 9 to 11.

Prior to beginning work under this Contract, the Contractor shall submit to the Engineer for approval, two copies of the Contractor's proposed plan and methods for performing the work, including a listing of equipment and personnel anticipated for use.

The Contractor shall have staff available that hold the Wavetronix Smart Sensor HD certification.

The Contractor shall perform all work during day hours in accordance with the Turnpike Lane Closure Policy.

No U-turns shall be permitted as a condition of this Contract, except at Service Plazas.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS PROJECT.

CONTRACTOR EXPERIENCE DOCUMENTATION: Expertise and Experience is required in the performance of ITS Maintenance. The Experience in ITS Maintenance Form (850-070-10) must be filled out and submitted to be reviewed by the Department. If a Contractor is presently prequalified with the Department in Intelligent Transportation Systems, it is not necessary to submit the form.

ALT	Item	Description	Unit	Quantity	
Section 0001 MAINTENANCE SUPPORT SERVICES (MH)					
	0660- 3-12	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	35.000	

Letting: 08220308 Call Order: 003 Proposal: E8T70 District:08

Counties: BROWARD, MIAMI-DADE, TURNPIKE

Road Name: TREE RELOCATION - BROWARD & MIAMI-DADE

Limits: Midpoint

Project(s): 19077855229(\*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:410Total Bridge Length:0.000 MilesLetting Date:03/08/22

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$260,000.00

Please read the full advertisement

#### Description:

The work specified in this contract consists of providing all labor, materials, equipment, and all incidentals necessary to relocate palms and trees in accordance with the plans and the specifications. Relocate and maintain trees and palms at various sites along Sawgrass Expressway (SR 869) from Milepost (MP) 7.5 to 9.5 to the new location at the Homestead Extension of Florida's Turnpike (SR 821) from Milepost (MP) 39.0 to 40.0.

The post installation period is a period of one year from the date of final installation.

The removal and protection of palms and trees indicated in the plans are not included in this contract.

Prior to beginning work under this Contract, the Contractor shall submit to the Engineer for approval, two copies of the Contractor's proposed plan and methods for performing the work, including a listing of equipment and personnel anticipated for use.

The Contractor shall perform all work during day in accordance with the Turnpike Lane Closure Policy.

No U-turns shall be permitted as a condition of this Contract, except at Service Plazas.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS PROJECT.

CONTRACTOR EXPERIENCE DOCUMENTATION: Expertise and Experience is required in the performance of Landscaping. The Experience in Landscaping Form (850-070-09) must be filled out and submitted to be reviewed by the Department. If a Contractor is presently pregualified with the Department in landscaping, it is not necessary to submit the form.

ALT	Item	Description	Unit	Quantity			
Section	Section 0001 MAINTENANCE SUPPORT SERVICES (MH)						
	0581- 1- 1	RELOCATE TREES AND PALMS, PALM, <14' OF CLEAR TRUNK	EA	39.000			
	0581- 1- 2	RELOCATE TREES AND PALMS, PALM, >=14' OF CLEAR TRUNK	EA	46.000			
	0581- 1- 3	RELOCATE TREES AND PALMS, MULTI-TRUNK OR CLUSTERING	EA	13.000			
	0581- 1- 8	RELOCATE TREES AND PALMS, >=14' OF CLEAR TRUNK, SABAL PALM ONLY	EA	91.000			

Letting: 08220308 Call Order: 004 Proposal: E8T71 District:08

Counties: MIAMI-DADE

Road Name: RAMP IMPROVEMENTS - HEFT - MP 17.4 TO MP 17.9

Limits: 87471000

Project(s): 40609675201(\*) Federal Aid No: N/A

Total Roadway Length:0.100 MilesContract Days:75Total Bridge Length:0.000 MilesLetting Date:03/08/22

Total Proposal Length: 0.100 Miles Contract Execution Days: 10

Special Start Date: N/A
Aguis/Flexible Start Time: 14

Proposal Budget Estimate: \$260,000.00

Please read the full advertisement

#### Description:

The work specified in this contract consists of providing all labor, materials, equipment, and incidentals necessary to perform ramp improvements for the SR 821/SR 873 Interchange consisting of lengthening the ramp gap acceptance between the South Bound (SB) SR 821 Express Ramp with the SB SR 874 Express Ramp including milling and resurfacing, miscellaneous asphalt pavement and barrier wall improvements on the Homestead Extension Florida's Turnpike (SR 821), Milepost (MP) 17.4 to 17.9.

The Contractor shall perform all work during day and night hours in accordance with the Turnpike Lane Closure Policy.

No U-turns shall be permitted as a condition of this Contract, except at Service Plazas.

Night work shall be performed between the hours of 9:00 PM to 5:00 AM, Monday through Friday Morning.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS PROJECT.

CONTRACTOR EXPERIENCE DOCUMENTATION: Expertise and Experience is required in the performance of Asphalt Paving and Pavement Markings. The Experience in Asphalt Paving Form (850-070-01) and the Experience in Pavement Markings Form (850-070-06) must be filled out and submitted to be reviewed by the Department. If a Contractor is presently prequalified with the Department in Hot Plant Bituminous Course, and pavement marking it is not necessary to submit the forms.

		•		
ALT	Item	Description	Unit	Quantity
Sectio	n 0001 MAINTEN	IANCE SUPPORT SERVICES (MH)		
	0101- 1-	MOBILIZATION	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	2,930.000
	0102- 62- 13	BARRIER MOUNTED WORK ZONE SIGN- INDEX 700-013	ED	40.000
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	425.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	20,960.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	320.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	187.000
	0102-115-	TYPE III BARRICADE	ED	550.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	200.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	200.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	10.000
	0107- 1-	LITTER REMOVAL	AC	2.230
	0107- 2-	MOWING	AC	0.790
	0120- 1-	REGULAR EXCAVATION	CY	140.000

ALT	Item	Description	Unit	Quantity
	0120- 6-	EMBANKMENT	CY	150.000
	0160- 4-	TYPE B STABILIZATION	SY	119.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	416.000
	0327- 70- 1	MILLING EXISTING ASPHALT PAVEMENT, 1" AVG DEPTH	SY	70.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	208.000
	0327- 70- 11	MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH	SY	98.000
	0327- 70- 19	MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH	SY	6,381.000
	0334- 1-12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	29.400
	0334- 1-53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	70.900
	0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	265.200
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	7.900
	0521- 72- 60	SHOULDER CONCRETE BARRIER, 38" WALL SHIELDING BARRIER	LF	300.000
	0544- 2- 1	CRASH CUSHION, TL-2, NARROW	EA	1.000
	0546- 72- 1	GROUND-IN RUMBLE STRIPS, 16"	GM	0.033
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	540.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	703.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	0.100
	0710- 11-103	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE MARKINGS, 12"	GM	0.127
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE	LS	1.000
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	0.190
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	1.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	1.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	0.100
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	0.380
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.290
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	0.230
	E110- 2-	CLEARING & GRUBBING	AC	0.270

Letting: 08220308 Call Order: 005 Proposal: E8T72 District:08

Counties: HERNANDO, HILLSBOROUGH, PASCO, POLK, TURNPIKE

Road Name: THERMOPLASTIC PAVEMENT MARKINGS - ZONE 4

Limits: 08470000

Project(s): 43661915203(\*) Federal Aid No: N/A

Total Roadway Length: 17.731 Miles Contract Days: 365

Total Bridge Length: 0.000 Miles Letting Date: 03/08/22

Total Proposal Length: 17.731 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$150,000.00

Please read the full advertisement

#### Description:

The work specified in this contract consists of providing all labor, materials, equipment and incidentals necessary to provide thermoplastic pavement markings at various locations on the Polk Parkway (SR 570), Veterans Spur (SR 589), Veterans Expressway/Suncoast Parkway (SR 589).

Prior to beginning work under this Contract, the Contractor shall submit to the Engineer for approval, two copies of the Contractor's proposed plan and methods for performing the work, including a listing of equipment and personnel anticipated for use.

No U-turns shall be permitted as a condition of this Contract, except at Service Plazas.

The Contractor shall perform all work night hours in accordance with the Turnpike Lane Closure Policy.

All lane closures shall be during the hours of 9:00 P.M to 5:00 A.M. and in one direction for one lane only.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS PROJECT.

CONTRACTOR EXPERIENCE DOCUMENTATION: Expertise and Experience is required in the performance of Pavement Markings. The Experience in Pavement Markings Form (850-070-06) must be filled out and submitted to be reviewed by the Department. If a Contractor is presently prequalified with the Department in pavement marking, it is not necessary to submit the form.

		Call Order: 005 Proposal: E8T72			
ALT	Item	Description	Unit	Quantity	
Sectio	Section 0001 MAINTENANCE SUPPORT SERVICES (MH)				
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	275.000	
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	300.000	
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	475.000	
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.015	
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	22.000	
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	40.000	
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	7,800.000	
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	8.000	
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	1.100	
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	3.500	
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	7.600	
	0711- 15-202	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8"	GM	1.700	
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	300.000	
	E102- 10-	OFF-DUTY LAW ENFORCEMENT OFFICER	MH	90.000	
	E710- 17-	REMOVAL OF NON-CONFLICTING PAINT/LONGLINE STRIPE PRIOR TO REFURBISH	SF	50.000	

Letting: 08220308 Call Order: 008 Proposal: E8T75 District:08

Counties: HERNANDO

Road Name: RESURFACE SUNCOAST (SR 589) IN HERNANDO COUNTY, MP 44.5-55.2

Limits: 08470000

Project(s): 44591315201(\*) Federal Aid No: N/A

Total Roadway Length:21.418 MilesContract Days:115Total Bridge Length:0.000 MilesLetting Date:03/08/22Total Proposal Length:21.418 MilesContract Execution Days:10

Special Start Date: N/A

Aquis/Flexible Start Time: 30

Proposal Budget Estimate: \$4,142,378.00

Please read the full advertisement

#### Description:

Work consists of providing all labor, materials, equipment and incidentals necessary for milling and resurfacing of the friction course, replacement of pavement markings and other incidental construction along the Suncoast Parkway (SR 589) from MP 44.500 to MP 55.200 in Hernando County. No Pre-Bid Conference. Contractor must be prequalified.

The summary of pay items for this project is listed in the Plans.

ALT I	Item	Description	Unit	Quantity
Section 0001 R	Roadway			
0101-	1-	MOBILIZATION (44591315201)	LS	1.000
0102-	1-	MAINTENANCE OF TRAFFIC (44591315201)	LS	1.000
0102-	14-	TRAFFIC CONTROL OFFICER	HR	774.000
0102-	60-	WORK ZONE SIGN	ED	7,686.000
0102-	74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	26,612.000
0102-	76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	234.000
0102-	99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	340.000
0102-1	115-	TYPE III BARRICADE	ED	316.000
0102-1	150- 1	PORTABLE REGULATORY, SIGN	ED	230.000
0102-1	150- 2	RADAR SPEED DISPLAY UNIT	ED	230.000
0102-9	913- 21	REMOVABLE TAPE, WHITE, SOLID 6"	GM	0.216
0102-9	913- 22	REMOVABLE TAPE, WHITE, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP, 6" WIDE	GM	0.215
0102-9	913- 31	REMOVABLE TAPE, YELLOW, SOLID, 6"	GM	0.216
0104-	10- 3	SEDIMENT BARRIER	LF	1,190.000
0104-	18-	INLET PROTECTION SYSTEM	EA	150.000
0107-	1-	LITTER REMOVAL	AC	2,769.740
0107-	2-	MOWING	AC	2,614.640
0327-	70- 1	MILLING EXISTING ASPHALT PAVEMENT, 1" AVG DEPTH	SY	299,175.000
0337-	7- 25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	16,005.900
0706-	1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	3,101.000
0710-	11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	18.762
0710-	11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	18.177

em	Description	Unit	Quantity
11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	2.000
11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	7.000
11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	19.041
16-	PARTNERING, DO NOT BID (44591315201)	LS	1.000
25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44591315201)	LS	1.000
gning			
1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	3,101.000
90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44591315201)	LS	1.000
11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	0.216
11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	3,516.000
11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	2.000
11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	7.000
11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	3,389.000
15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	18.762
15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	0.140
15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	18.177
15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	19.041
03-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.216
03-131	PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.190
03-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.216
03-331	PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.190
	fem (1-160 (1-170 (1-201 (6-25- <b>gning</b> (1-103 (1-103 (1-104 (1-1	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL  11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS  11-201 PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"  PARTNERING, DO NOT BID (44591315201)  INITIAL CONTINGENCY AMOUNT, DO NOT BID (44591315201)  9ning  1- 3 RAISED PAVEMENT MARKER, TYPE B  PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44591315201)  11-103 THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS  11-124 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS  11-160 THERMOPLASTIC, STANDARD, WHITE, ARROW  11-224 THERMOPLASTIC, STANDARD, WHITE, ARROW  11-224 THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON  15-101 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"  15-102 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"  15-131 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"  15-201 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 6"  15-201 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 6"  15-201 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 6"  15-201 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 6"  15-201 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"  15-201 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"  15-201 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES  103-131 PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE BRIDGES  103-331 PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE BRIDGES  105-231 PERMANENT TAPE, SELLOW, SOLID, 6" FOR CONCRETE BRIDGES  105-231 PERMANENT TAPE, SELLOW, SOLID, 6" FOR CONCRETE BRIDGES  105-231 PERMANENT TAPE, SELLOW, SOLID, 6" FOR CONCRETE BRIDGES  105-231 PERMANENT TAPE, SELLOW, SOLID, 6" FOR CONCRETE BRIDGES	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL  11-170 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS EA PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" GM PARTNERING, DO NOT BID (44591315201) LS INITIAL CONTINGENCY AMOUNT, DO NOT BID (44591315201) LS gning  1- 3 RAISED PAVEMENT MARKER, TYPE B  20- PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44591315201) LS INITIAL PAVEMENT MARKINGS, FINAL SURFACE (44591315201) LS THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS  11-103 THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS  11-124 THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL EA THERMOPLASTIC, STANDARD, WHITE, ARROW EA THERMOPLASTIC, STANDARD, WHITE, ARROW EA THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL LF OR CHEVRON  15-101 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES GM WHITE, SOLID, 8"  15-102 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, GM WHITE, SOLID, 8"  15-103 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, GM WHITE, SOLID, 6"  15-104 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, GM WHITE, SOLID, 6"  15-105 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, GM WHITE, SOLID, 6"  15-106 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, GM WHITE, SOLID, 6"  15-107 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, GM WHITE, SOLID, 6"  15-108 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, GM WHITE, SOLID, 6"  15-109 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, GM WHITE, SOLID, 6"  15-201 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, GM WHITE, SOLID, 6"  15-201 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, GM WHITE, SKIP, 6", 10-30 SKIP OR 3-9 LANE DROP  15-201 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, GM WHITE, SKIP, 6", 10-30 SKIP OR 3-9 LANE DROP  15-201 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, GM WHITE, SKIP, 6", 10-30 SKIP OR 3-9 LANE DROP  15-201 THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, GM WHITE, SKIP, 6", 10-30 SKIP OR