



**Call Order: 001 Proposal: E8T81**

ALT	Item	Description	Unit	Quantity
	0415- 1- 4	REINFORCING STEEL - BRIDGE SUPERSTRUCTURE	LB	1,422,925.000
	0415- 1- 5	REINFORCING STEEL- BRIDGE SUBSTRUCTURE	LB	683,560.000
	0415- 1- 9	REINFORCING STEEL- APPROACH SLABS	LB	367,530.000
	0450- 2- 36	PREST BEAMS: FLORIDA-I BEAM 36"	LF	276.000
	0450- 2- 45	PREST BEAMS: FLORIDA-I BEAM 45"	LF	3,531.000
	0450- 2- 54	PREST BEAMS: FLORIDA-I BEAM 54"	LF	4,289.000
	0450- 2- 63	PREST BEAMS: FLORIDA-I BEAM 63"	LF	6,291.000
	0450- 2- 72	PREST BEAMS: FLORIDA-I BEAM 72"	LF	3,860.000
	0455- 34- 5	PRESTRESSED CONCRETE PILING, 24" SQ	LF	23,040.000
	0455- 34-338	PRESTRESSED CONCRETE PILING, INCLUDES 100% DYNAMIC TESTING, PROJECT 440897-2-52-01, SIZE 18"	LF	674.000
	0455- 34-339	PRESTRESSED CONCRETE PILING, INCLUDES 100% DYNAMIC TESTING, PROJECT 440897-2-52-01, SIZE 24"	LF	9,527.000
	0455-108-103	STEEL CASING FOR FUTURE PILE, 30", PROJECT 440897-2-52-01	LF	178.000
	0455-143- 5	TEST PILES-PRESTRESSED CONCRETE,24" SQ	LF	5,472.000
	0458- 1- 11	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD	LF	2,026.000
	0459- 71-	PILES, POLYETHYLENE SHEETING	SY	2,353.000
	0460- 2- 20	STRUCT STEEL - NEW/WIDENING, WEATHERING (44089725201 BRIDGE ID 164512)	LS	1.000
	0460- 2- 20	STRUCT STEEL - NEW/WIDENING, WEATHERING (44089725201 BRIDGE ID 164513)	LS	1.000
	0460- 2- 20	STRUCT STEEL - NEW/WIDENING, WEATHERING (44089725201 BRIDGE ID 164514)	LS	1.000
	0460- 2- 20	STRUCT STEEL - NEW/WIDENING, WEATHERING (44089725201 BRIDGE ID 164518)	LS	1.000
	0460- 2- 20	STRUCT STEEL - NEW/WIDENING, WEATHERING (44089725201 BRIDGE ID 164519)	LS	1.000
	0460- 71- 4	METAL TRAFFIC RAILING, RECTANGULAR TUBE RETROFIT	LF	202.000
	0521- 5- 13	CONCRETE TRAFFIC RAILING- BRIDGE, 36" SINGLE-SLOPE	LF	10,935.000
	0521- 5- 14	CONCRETE TRAFFIC RAILING- BRIDGE, 42" SINGLE-SLOPE	LF	2,332.000
	0524- 2- 2	CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4"	SY	493.000
	0630- 2- 16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	39,772.000
	0635- 3- 13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	87.000
<b>Section 0002 Roadway</b>				
	0101- 1-	MOBILIZATION (44089725201)	LS	1.000
	0101- 1-	MOBILIZATION (44089725202)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44089725201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44089725202)	LS	1.000
	0102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (44089725201)	LS	1.000
	0102- 2-300	SPECIAL DETOUR- TEMPORARY EARTHWORK/BASE (44089725201)	LS	1.000
	0102- 3-	COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	CY	41.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	5,716.000
	0102- 30-	TEMPORARY HIGHWAY LIGHTING	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	936,430.000
	0102- 62- 13	BARRIER MOUNTED WORK ZONE SIGN- INDEX 700-013	ED	4,798.000

**Call Order: 001 Proposal: E8T81**

ALT	Item	Description	Unit	Quantity
	0102- 71- 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	LF	761.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	7,210.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING	LF	14,376.000
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	15,633.000
	0102- 71- 26	TEMPORARY BARRIER, RELOCATE, FREE STANDING	LF	18,915.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	1,043,308.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	3,396,785.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	5,222.000
	0102- 89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	37.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	34,509.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	9,028.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	6,771.000
	0102-115-	TYPE III BARRICADE	ED	28,928.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	13,542.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	13,542.000
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6"	GM	0.278
	0102-913- 22	REMOVABLE TAPE, WHITE, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP, 6" WIDE	GM	0.038
	0102-913- 31	REMOVABLE TAPE, YELLOW, SOLID, 6"	GM	0.263
	0104- 10- 3	SEDIMENT BARRIER	LF	86,680.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	4,224.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	14,305.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	14.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	8.000
	0107- 1-	LITTER REMOVAL	AC	4,327.300
	0107- 2-	MOWING	AC	4,046.100
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (44089725201)	LS	1.000
	0108- 2-	MONITOR EXISTING STRUCTURES- VIBRATION MONITORING (44089725201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (44089725201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (44089725202)	LS	1.000
	0110- 2- 2	SELECTIVE CLEARING AND GRUBBING, AREAS WITH TREES TO REMAIN	AC	1.660
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	6,166.000
	0110- 7- 1	MAILBOX, F&I SINGLE	EA	1.000
	0110- 21-	TREE PROTECTION BARRIER	LF	18,030.000
	0120- 1-	REGULAR EXCAVATION	CY	1,170,463.700
	0120- 4-	SUBSOIL EXCAVATION	CY	118,349.000
	0120- 6-	EMBANKMENT	CY	3,361,462.800
	0120- 74-	SURCHARGE EMBANKMENT	CY	431,494.000
	0121- 70-	FLOWABLE FILL	CY	138.100
	0141- 70-	SETTLEMENT PLATE ASSEMBLY	AS	150.000
	0145- 2-	GEOSYNTHETIC REINFORCED FOUNDATION OVER SOFT SOIL	SY	102,857.000
	0160- 4-	TYPE B STABILIZATION	SY	480,082.000

**Call Order: 001 Proposal: E8T81**

ALT	Item	Description	Unit	Quantity
	0285-702-	OPTIONAL BASE, BASE GROUP 02	SY	98,061.000
	0285-703-	OPTIONAL BASE, BASE GROUP 03	SY	12,346.000
	0285-704-	OPTIONAL BASE, BASE GROUP 04	SY	4,651.000
	0285-705-	OPTIONAL BASE, BASE GROUP 05	SY	10,884.000
	0285-706-	OPTIONAL BASE, BASE GROUP 06	SY	3,326.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	14,317.000
	0285-710-	OPTIONAL BASE, BASE GROUP 10	SY	51,716.000
	0285-711-	OPTIONAL BASE, BASE GROUP 11	SY	203,094.000
	0285-714-	OPTIONAL BASE, BASE GROUP 14	SY	2,093.000
	0286- 1-	TURNOUT CONSTRUCTION/DRIVEWAY BASE- OPTIONAL MATERIALS	SY	102.000
	0327- 70- 5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	13,594.000
	0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	600.000
	0327- 70- 11	MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH	SY	20,739.000
	0327- 70- 17	MILLING EXISTING ASPHALT PAVEMENT, 3 1/4" AVG DEPTH	SY	4,050.000
	0327- 70- 19	MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH	SY	9,601.000
	0327- 70- 27	MILLING EXISTING ASPHALT PAVEMENT, 5 3/4" AVG DEPTH	SY	42,068.000
	0334- 1- 12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	9,455.000
	0334- 1- 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	59,832.500
	0334- 1- 52	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22	TN	1,316.900
	0334- 1- 53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	37,417.700
	0337- 7- 25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	11,910.300
	0337- 7- 81	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-12.5, PG 76-22	TN	1,977.100
	0337- 7- 83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22	TN	4,358.800
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	5,002.600
	0400- 4- 1	CONCRETE CLASS IV, CULVERTS	CY	2,640.300
	0415- 1- 1	REINFORCING STEEL- ROADWAY	LB	554,303.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	13.000
	0425- 1-543	INLETS, DITCH BOTTOM, TYPE D, J BOT, <10'	EA	1.000
	0425- 1-549	INLETS, DT BOT, TYPE D, MODIFY	EA	7.000
	0425- 1-551	INLETS, DT BOT, TYPE E, <10'	EA	35.000
	0425- 1-553	INLETS, DT BOT, TYPE E, J BOT, <10'	EA	2.000
	0425- 1-581	INLETS, DT BOT, TYPE H, <10'	EA	1.000
	0425- 1-619	INLETS, DITCH BOTTOM, TYPE K, J BOTTOM, MODIFY	EA	1.000
	0425- 1-701	INLETS, GUTTER, TYPE S, <10'	EA	143.000
	0425- 1-702	INLETS, GUTTER, TYPE S, >10'	EA	3.000
	0425- 1-703	INLETS, GUTTER, TYPE S, J BOTTOM <10'	EA	4.000
	0425- 1-704	INLETS, GUTTER, TYPE S, J BOTTOM, >10'	EA	1.000
	0425- 1-921	INLETS, ADJACENT BARRIER, <=10'	EA	26.000
	0425- 2- 41	MANHOLES, P-7, <10'	EA	8.000
	0425- 2- 61	MANHOLES, P-8, <10'	EA	2.000
	0425- 2- 71	MANHOLES, J-7, <10'	EA	9.000
	0425- 2- 72	MANHOLES, J-7, >10'	EA	1.000
	0425- 2- 91	MANHOLES, J-8, <10'	EA	4.000
	0425- 2- 92	MANHOLES, J-8, >10'	EA	2.000

**Call Order: 001 Proposal: E8T81**

ALT	Item	Description	Unit	Quantity
	0430-173-118	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 18", GUTTER DRAIN	LF	2,393.000
	0430-173-124	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 24", GUTTER DRAIN	LF	339.000
	0430-173-130	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 30", GUTTER DRAIN	LF	60.000
	0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	176.000
	0430-174-124	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD	LF	62.000
	0430-174-130	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 30"SD	LF	74.000
	0430-174-154	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 54"SD	LF	72.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	23,463.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	7,594.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	2,971.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	2,706.000
	0430-175-142	PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD	LF	674.000
	0430-175-148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	888.000
	0430-175-154	PIPE CULVERT, OPT MATERIAL, ROUND, 54"S/CD	LF	1,326.000
	0430-175-166	PIPE CULVERT, OPT MATERIAL, ROUND, 66"S/CD	LF	817.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	486.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD	LF	574.000
	0430-175-230	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 30"S/CD	LF	289.000
	0430-175-236	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 36"S/CD	LF	1,692.000
	0430-524-100	STRAIGHT CONCRETE ENDWALLS, 24", SINGLE, 0 DEGREES, ROUND	EA	4.000
	0430-524-110	STRAIGHT CONCRETE ENDWALLS, 24", SINGLE, 15 DEGREES, ROUND	EA	4.000
	0430-530-100	STRAIGHT CONCRETE ENDWALLS, 30", SINGLE, 0 DEGREES, ROUND	EA	2.000
	0430-530-110	STRAIGHT CONCRETE ENDWALLS, 30", SINGLE, 15 DEGREES, ROUND	EA	2.000
	0430-530-200	STRAIGHT CONCRETE ENDWALLS, 30", DOUBLE, 0 DEGREES, ROUND	EA	1.000
	0430-536-100	STRAIGHT CONCRETE ENDWALLS, 36", SINGLE, 0 DEGREES, ROUND	EA	2.000
	0430-536-110	STRAIGHT CONCRETE ENDWALLS, 36", SINGLE, 15 DEGREES, ROUND	EA	2.000
	0430-536-120	STRAIGHT CONCRETE ENDWALLS, 36", SINGLE, 30 DEGREES, ROUND	EA	3.000
	0430-542-100	STRAIGHT CONCRETE ENDWALLS, 42", SINGLE, 0 DEGREES, ROUND	EA	2.000
	0430-548-100	STRAIGHT CONCRETE ENDWALLS, 48", SINGLE, 0 DEGREES, ROUND	EA	1.000
	0430-554-100	STRAIGHT CONCRETE ENDWALLS, 54", SINGLE, 0 DEGREES, ROUND	EA	2.000
	0430-554-200	STRAIGHT CONCRETE ENDWALLS, 54", DOUBLE, 0 DEGREES, ROUND	EA	4.000
	0430-566-100	STRAIGHT CONCRETE ENDWALLS, 66", SINGLE, 0 DEGREES, ROUND	EA	2.000
	0430-566-200	STRAIGHT CONCRETE ENDWALLS, 66", DOUBLE, 0 DEGREES, ROUND	EA	2.000

**Call Order: 001 Proposal: E8T81**

ALT	Item	Description	Unit	Quantity
	0430-602-125	U-ENDWALL, WITH GRATE, INDEX 260/430-010, 1:4 SLOPE, 18"	EA	1.000
	0430-602-129	U-ENDWALL, WITH GRATE, INDEX 260/430-010, 1:4 SLOPE, 24"	EA	2.000
	0430-602-133	U-ENDWALL, WITH GRATE, INDEX 260/430-010, 1:4 SLOPE, 30"	EA	1.000
	0430-613-025	U-ENDWALL, WITH BAFFLES & GRATE, INDEX 261/430-011, 1:6 SLOPE, 18"	EA	1.000
	0430-613-029	U-ENDWALL, WITH BAFFLES & GRATE, INDEX 261/430-011, 1:6 SLOPE, 24" PIPE	EA	1.000
	0430-613-125	U-ENDWALL, WITH BAFFLES & GRATE, INDEX 261/430-011, 1:4 SLOPE, 18" PIPE	EA	23.000
	0430-613-129	U-ENDWALL, WITH BAFFLES & GRATE, INDEX 261/430-011, 1:4 SLOPE, 24" PIPE	EA	5.000
	0430-613-133	U-ENDWALL, WITH BAFFLES & GRATE, INDEX 261/430-011, 1:4 SLOPE, 30" PIPE	EA	1.000
	0430-613-225	U-ENDWALL, WITH BAFFLES & GRATE, INDEX 261/430-011, 1:3 SLOPE, 18" PIPE	EA	11.000
	0430-613-229	U-ENDWALL, WITH BAFFLES & GRATE, INDEX 261/430-011, 1:3 SLOPE, 24" PIPE	EA	3.000
	0430-613-325	U-ENDWALL, WITH BAFFLES & GRATE, INDEX 261/430-011, 1:2 SLOPE, 18" PIPE	EA	5.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	58.000
	0430-982-129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	43.000
	0430-982-133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	13.000
	0430-982-138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	4.000
	0430-982-140	MITERED END SECTION, OPTIONAL ROUND, 42" CD	EA	3.000
	0430-982-141	MITERED END SECTION, OPTIONAL ROUND, 48" CD	EA	1.000
	0430-982-625	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 18" CD	EA	15.000
	0430-982-629	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 24" CD	EA	4.000
	0430-982-633	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 30" CD	EA	5.000
	0430-982-638	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 36" CD	EA	3.000
	0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	10.000
	0430-984-129	MITERED END SECTION, OPTIONAL ROUND, 24" SD	EA	4.000
	0430-984-133	MITERED END SECTION, OPTIONAL ROUND, 30" SD	EA	2.000
	0430-984-142	MITERED END SECTION, OPTIONAL ROUND, 54" SD	EA	4.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	9,197.000
	0520- 5- 11	TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE	LF	25.000
	0520- 6-	SHOULDER GUTTER- CONCRETE	LF	29,824.000
	0521- 1- 11	MEDIAN CONCRETE BARRIER, 38" HEIGHT	LF	1,069.000
	0521- 8- 7	CONCRETE BARRIER, WITH JUNCTION SLAB, 36" SINGLE SLOPE	LF	4,069.000
	0521- 8- 8	CONCRETE BARRIER, WITH JUNCTION SLAB, 42" SINGLE SLOPE	LF	1,084.000
	0521- 72- 40	SHOULDER CONCRETE BARRIER, 38" OR 44" HEIGHT	LF	596.000
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	226.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	112.000
	0524- 1- 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	1,191.000
	0524- 1- 19	CONCRETE DITCH PAVT, 3", REINFORCED	SY	39.000
	0524- 1- 49	CONCRETE DITCH PAVEMENT, 6", REINFORCED	SY	23.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	275.200
	0530- 74-	BEDDING STONE	TN	200.000

**Call Order: 001 Proposal: E8T81**

ALT	Item	Description	Unit	Quantity
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	29,791.000
	0536- 1- 3	GUARDRAIL- ROADWAY, DOUBLE FACE	LF	27,228.000
	0536- 5- 1	RUB RAIL FOR GUARDRAIL, SINGLE SIDED RUB RAIL	LF	22,544.000
	0536- 5- 2	RUBRAIL FOR GUARDRAIL, DOUBLE SIDED RUB RAIL	LF	1,473.000
	0536- 7- 2	SPECIAL GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE STRUCTURE MOUNT	EA	4.000
	0536- 7- 3	SPECIAL GUARDRAIL POST- ENCASED POST FOR SHALLOW MOUNT	EA	65.000
	0536- 8-112	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, APPROACH TL-3	EA	35.000
	0536- 8-113	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, TRAILING	EA	21.000
	0536- 73-	GUARDRAIL REMOVAL	LF	4,395.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	34.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	21.000
	0538- 1-	GUARDRAIL RESET	LF	8,030.000
	0544- 3- 1	CRASH CUSHION, TL-3, NARROW	EA	4.000
	0546- 72- 1	GROUND-IN RUMBLE STRIPS, 16"	GM	30.627
	0548- 12-	RETAINING WALL SYSTEM, PERMANENT, EXCLUDING BARRIER	SF	221,475.000
	0548- 13-	RETAINING WALL SYSTEM,TEMPORARY, EXCLUDING BARRIER	SF	48,331.000
	0548- 14-	RETAINING WALL SYSTEM, PERMANENT-WIDENING, ATTACHED TO EXISTING WALL	SF	4,578.000
	0550- 10-120	FENCING, TYPE A, 5.1-6.0, STANDARD	LF	98,215.000
	0550- 10-220	FENCING, TYPE B, 5.1-6.0', STANDARD	LF	70.000
	0550- 10-269	FENCING, TYPE B, 10.1-12.0', SPECIAL FEATURES	LF	3,352.000
	0550- 60-112	FENCE GATE, TYPE A, SINGLE, 6.1-12.0' OPENING	EA	1.000
	0550- 60-123	FENCE GATE, TYPE A, DOUBLE, 12.1-18.0' OPENING	EA	5.000
	0550- 60-124	FENCE GATE, TYPE A, DOUBLE, 18.1-20.0' OPENING	EA	6.000
	0550- 60-126	FENCE GATE, TYPE A, DOUBLE, 24.1-30.0' OPENING	EA	1.000
	0550- 60-809	CATTLE GUARD, 12' WIDE, PROJECT 440897-2-52-02	EA	1.000
	0550- 60-810	CATTLE GUARD, 24' WIDE, PROJECT 440897-2-52-02	EA	1.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	1,697,956.000
	0570- 1- 3	PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010	SY	8,918.000
	0571- 1- 11	PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 1	SY	106,481.000
	0630- 2- 16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	15,459.000
	0635- 3- 13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	58.000
	0639- 8- 64	ELECTRICAL POWER SERVICE- CONTRIBUTION IN AID OF CONSTRUCTION (CIAC), PROJECT 440897-2-52-01 (DO NOT BID) (44089725201)	LS	1.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	17,329.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	24.653
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.473
	0710- 11-103	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE MARKINGS, 12"	GM	0.130
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	462.000

**Call Order: 001 Proposal: E8T81**

ALT	Item	Description	Unit	Quantity
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	244.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	8.578
	0710- 11-133	PAINTED PAVEMENT MARKING, STANDARD, WHITE, 3'-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12" WIDE,	GM	0.126
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.211
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	3.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	11.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	22.700
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.098
	0999- 16-	PARTNERING, DO NOT BID (44089725201)	LS	1.000
	0999- 20- 1	DISPUTES REVIEW BOARD, MEETING- DO NOT BID	DA	23.000
	0999- 20- 2	DISPUTES REVIEW BOARD, HEARING- DO NOT BID	EA	2.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44089725201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44089725202)	LS	1.000
<b>Section 0003 Signing</b>				
	0546- 72- 2	GROUND-IN RUMBLE STRIPS, 8" CYLINDRICAL	GM	1.823
	0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	82.000
	0700- 1- 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	38.000
	0700- 1- 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	6.000
	0700- 1- 60	SINGLE POST SIGN, REMOVE	AS	44.000
	0700- 2- 13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	2.000
	0700- 2- 14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	6.000
	0700- 2- 15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	1.000
	0700- 2- 16	MULTI- POST SIGN, F&I GROUND MOUNT, 101-200 SF	AS	10.000
	0700- 2- 17	MULTI- POST SIGN, F&I GROUND MOUNT, 201-300 SF	AS	1.000
	0700- 2- 50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	1.000
	0700- 2- 60	MULTI- POST SIGN, REMOVE	AS	14.000
	0700- 3-203	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF	EA	11.000
	0700- 3-204	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 31-50 SF	EA	3.000
	0700- 3-206	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF	EA	4.000
	0700- 3-207	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF	EA	14.000
	0700- 3-208	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 301-400 SF	EA	3.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	1.000
	0700- 3-607	SIGN PANEL, REMOVE, 201-300 SF	EA	1.000
	0700- 4-112	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 21-30 FT	EA	8.000
	0700- 4-113	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 31-40 FT	EA	3.000
	0700- 4-114	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 41-50 FT	EA	2.000
	0700- 4-125	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, SPAN, 51-100 FT	EA	1.000



**Call Order: 001 Proposal: E8T81**

ALT	Item	Description	Unit	Quantity
	0700- 4-126	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, SPAN, 101-150 FT	EA	2.000
	0700- 4-611	OVERHEAD STATIC SIGN STRUCTURE, SHALLOW FOUNDATION REMOVAL, CANTILEVER	EA	1.000
	0700- 6- 11	HIGHLIGHTED SIGN, F&I GROUND MOUNT- AC POWERED, UP TO 12 SF	AS	6.000
	0700- 13- 12	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2'	EA	18.000
	0701- 18-201	PROFIED THERMOPLASTIC,STANDARD- ASPHALT SURFACES, YELLOW, SOLID,6"	GM	1.486
	0705- 10- 4	OBJECT MARKER, TYPE 4	EA	4.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	11.000
	0705- 11- 2	DELINEATOR, NON-FLEXIBLE	EA	117.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	5,742.000
	0710- 11-190	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	SF	46.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	104.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44089725201)	LS	1.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44089725202)	LS	1.000
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	0.331
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	3,482.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	521.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.119
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	56.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	125.000
	0711- 11-180	THERMOPLASTIC, STANDARD, WHITE, YIELD LINE	LF	44.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	2,079.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.009
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	8.000
	0711- 14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	2.000
	0711- 14-560	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST ON CONCRETE PAVEMENT, MESSAGE OR SYMBOL	EA	2.000
	0711- 14-660	THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	EA	14.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	17.585
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	1.587
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	16.966
	0711- 15-133	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.064
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	15.033
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	5.480
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.495

**Call Order: 001 Proposal: E8T81**

ALT	Item	Description	Unit	Quantity
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",1C -30 SKIP OR 3-9 LANE DROP	GM	0.444
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	4.647
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	1.273
	0713-103-131	PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.811
	0713-103-133	PERMANENT TAPE, WHITE, SKIP, 12" WIDE 3'-9' DROP LANE ON CONCRETE SURFACES	GM	0.078
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	1.278
	0713-103-331	PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.843
	0713-103-333	PERMANENT TAPE, BLACK, 3'-9' DROP LANE, 12" ON CONCRETE SURFACES	GM	0.078
<b>Section 0004 Lighting</b>				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	76,675.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	3,878.000
	0630- 2- 15	CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT	LF	1,813.000
	0630- 2- 16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	2,837.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	500.000
	0635- 3- 12	JUNCTION BOX, FURNISH & INSTALL, MOUNTED	EA	38.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	8.000
	0639- 3- 11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	8.000
	0641- 2- 11	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II PEDESTAL	EA	8.000
	0715- 1- 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	181,259.000
	0715- 1- 13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	308,188.000
	0715- 7- 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	8.000
	0715- 7- 21	LOAD CENTER, REWORK, SECONDARY VOLTAGE	EA	1.000
	0715- 11-125	LUMINAIRE, F&I, UNDER DECK, WALL MOUNT	EA	26.000
	0715- 19- 62	HIGH MAST LIGHT POLE, SHALLOW FOUNDATION REMOVAL	EA	21.000
	0715- 61-300	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT, 0' ARM LENGTH	EA	457.000
	0715- 61-500	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 50' MOUNTING HEIGHT, 0' ARM LENGTH	EA	2.000
	0715- 69-000	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	49.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	459.000
	0715-500- 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	26.000
<b>Section 0005 Signalization</b>				
	0611- 2- 2	ITSFM LOCATION DOCUMENTATION- ITS SITE	EA	5.000
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	3,150.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	1,448.000
	0632- 7- 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	4.000
	0633- 1-122	FIBER OPTIC CABLE, F&I, UNDERGROUND,13-48 FIBERS	LF	1,123.000
	0633- 2- 31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	120.000

**Call Order: 001 Proposal: E8T81**

ALT	Item	Description	Unit	Quantity
	0633- 3- 12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	10.000
	0633- 3- 13	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY	EA	10.000
	0633- 3- 16	FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED	EA	10.000
	0634- 4-151	SPAN WIRE ASSEMBLY, F&I, TWO POINT, PERPENDICULAR	PI	1.000
	0634- 4-153	SPAN WIRE ASSEMBLY, F&I, TWO POINT, BOX OR DROP BOX	PI	3.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	36.000
	0635- 2- 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	7.000
	0639- 1-112	ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY	AS	4.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	85.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	4.000
	0641- 2- 18	PRESTRESSED CONCRETE POLE, F&I, TYPE P-VIII	EA	14.000
	0650- 1- 11	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 1 WAY	AS	2.000
	0650- 1- 14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	33.000
	0650- 1- 16	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	AS	4.000
	0660- 1-109	LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	EA	26.000
	0660- 2-102	LOOP ASSEMBLY, F&I, TYPE B	AS	47.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	10.000
	0663- 1-111	SIGNAL PRIORITY AND PREEMPTION SYSTEM, F&I, OPTICAL, CABINET ELECTRONICS	EA	4.000
	0663- 1-112	SIGNAL PRIORITY AND PREEMPTION SYSTEM, F&I, OPTICAL, DETECTOR	EA	6.000
	0670- 5-112	TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA, 2 PREEMPTION	AS	4.000
	0682- 1-300	ITS CCTV CAMERA, INSTALL	EA	3.000
	0684- 1- 3	MANAGED FIELD ETHERNET SWITCH, INSTALL	EA	5.000
	0685- 1- 13	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE WITH CABINET	EA	4.000
	0700- 5- 21	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	2.000
	0700- 5- 22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	6.000
<b>Section 0006 Landscape / Peripheral</b>				
	0581- 1- 1	RELOCATE TREES AND PALMS, PALM, <14' OF CLEAR TRUNK	EA	15.000
	0581- 1- 8	RELOCATE TREES AND PALMS, >=14' OF CLEAR TRUNK, SABAL PALM ONLY	EA	45.000
<b>Section 0007 Architectural</b>				
	0519- 78-	BOLLARDS	EA	17.000
	0520- 2- 10	CONCRETE CURB, TOLL HEADER CURB	LF	200.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	139.000
	0542- 70-	BUMPER GUARDS, CONCRETE	EA	2.000
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	1,170.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	4.000
	0635- 2-119	PULL & SPLICE BOX, F&I,TOLL SITE, 12" x 12"	EA	2.000

**Call Order: 001 Proposal: E8T81**

ALT	Item	Description	Unit	Quantity
	0635- 2-120	PULL & SPLICE BOX, F&I,TOLL SITE, 24" x 36"	EA	2.000
	0635- 2-121	PULL & SPLICE BOX, F&I,TOLL SITE, 30" x 48"	EA	18.000
	0639- 5- 30	EMERGENCY GENERATOR- PERMANENT WITH FUEL TANK, 80 KW, PROJECT 440897-2-52-01	EA	1.000
	0735- 1- 8	TOLL GANTRY, ACCESSIBLE, FURNISH AND INSTALL, SPAN 162', PROJECT 440897-2-52-01	EA	1.000
	0735- 74-	TOLL PLAZA, SINGLE LOCATION (44089725201)	LS	1.000
	0751- 2-104	ARCHITECTURAL - ELECTRICAL/POWER, TOLL SECONDARY POWER, PROJECT 440897-2-52-01 (44089725201)	LS	1.000

**Section 0008 Intelligent Transportation System**

	0611- 1- 1	ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH	MI	10.300
	0611- 2- 2	ITSFM LOCATION DOCUMENTATION- ITS SITE	EA	22.000
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	46,745.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	8,330.000
	0630- 2- 14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	890.000
	0630- 2- 15	CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT	LF	2,550.000
	0633- 1-121	FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS	LF	2,170.000
	0633- 1-122	FIBER OPTIC CABLE, F&I, UNDERGROUND,13-48 FIBERS	LF	20,460.000
	0633- 1-123	FIBER OPTIC CABLE, F&I, UNDERGROUND,49-96 FIBERS	LF	3,150.000
	0633- 1-124	FIBER OPTIC CABLE, F&I, UNDERGROUND, 97 - 144 FIBERS	LF	46,390.000
	0633- 1-620	FIBER OPTIC CABLE, REMOVE, UNDERGROUND	LF	3,295.000
	0633- 2- 31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	1,276.000
	0633- 3- 11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	20.000
	0633- 3- 12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	122.000
	0633- 3- 13	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY	EA	74.000
	0633- 3- 16	FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED	EA	24.000
	0633- 3- 17	FIBER OPTIC CONNECTION HARDWARE, F&I, CONNECTOR PANEL	EA	70.000
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	2,217.000
	0633- 8- 1	MULTI-CONDUCTOR COMMUNICATION CABLE, FURNISH & INSTALL	LF	1,705.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	90.000
	0635- 2- 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	69.000
	0635- 2- 13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	3.000
	0635- 2-118	PULL & SPLICE BOX, F&I, HS-20 FOR TPE, 54" X 54"	EA	13.000
	0635- 3- 12	JUNCTION BOX, FURNISH & INSTALL, MOUNTED	EA	4.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	15.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	13,995.000
	0639- 3- 11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	29.000
	0639- 3- 12	ELECTRICAL SERVICE DISCONNECT, F&I, CABINET	EA	9.000
	0639- 6- 1	ELECTRICAL POWER SERVICE- TRANSFORMER FURNISH & INSTALL	EA	7.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	18.000
	0641- 2- 13	PRESTRESSED CONCRETE POLE, F&I, TYPE P-III	EA	3.000
	0641- 2- 80	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- POLE 30' AND GREATER	EA	2.000

**Call Order: 001 Proposal: E8T81**

ALT	Item	Description	Unit	Quantity
	0641- 3-163	CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 63'	EA	4.000
	0641- 3-175	CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 75'	EA	4.000
	0641- 3-186	CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 86'	EA	2.000
	0641- 3-904	CONCRETE CCTV POLE, FURNISH & INSTALL, 33' PROJECT 440897-2-52-01	EA	5.000
	0660- 3- 11	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL CABINET EQUIPMENT	EA	14.000
	0660- 3- 12	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	14.000
	0660- 6-121	VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, CABINET EQUIPMENT	EA	7.000
	0660- 6-122	VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	7.000
	0660- 7- 21	VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 1 OR 2 LANES, AC POWERED	EA	1.000
	0660- 7- 22	VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 3 OR MORE LANES, AC POWERED	EA	2.000
	0676- 2-122	ITS CABINET, FURNISH & INSTALL, POLE MOUNT WITH SUNSHIELD, 336S, 24" W X 46" H X 22" D	EA	12.000
	0676- 2-143	ITS CABINET, FURNISH & INSTALL, BASE MOUNT, 334, 24" W X 66" H X 30" D	EA	9.000
	0676- 2-147	ITS CABINET, FURNISH & INSTALL, BASE MOUNT WITH SUNSHIELD, 332D 66" H x 48" W x 30" D	EA	1.000
	0682- 1-133	ITS CCTV CAMERA, F&I, DOME ENCLOSURE - NON-PRESSURIZED, IP, HIGH DEFINITION	EA	16.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	21.000
	0684- 2- 1	DEVICE SERVER, FURNISH & INSTALL	EA	12.000
	0684- 90-101	NETWORK DEVICE, MANAGED HUB ETHERNET SWITCH, LAYER 3	EA	1.000
	0685- 1- 11	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE	EA	25.000
	0685- 2- 1	REMOTE POWER MANAGEMENT UNIT- RPMU, FURNISH AND INSTALL	EA	22.000
	0700- 8-136	FRONT ACCESS DYNAMIC MESSAGE SIGN, FURNISH & INSTALL- W/UPS, FULL COLOR, 101-200 SF	EA	3.000
	0700- 9-137	WALK-IN DYNAMIC MESSAGE SIGN, FURNISH & INSTALL- WITH UPS FULL COLOR, 201-300 SF	EA	3.000
	0700- 10-116	DMS SUPPORT STRUCTURE, FURNISH & INSTALL, SPAN, 101-150 FT	EA	2.000
	0700- 10-124	DMS SUPPORT STRUCTURE, CANTILEVER, 41-50 FT	EA	4.000