

**BID SOLICITATION NOTICE – Turnpike
FLORIDA DEPARTMENT OF TRANSPORTATION
CONSTRUCTION AND MAINTENANCE PROGRAMS**
Florida Turnpike Headquarters
FL Turnpike MP 263, Building 5315
Ocoee, FL 34761

Ocoee, FL
July 15, 2022
Advertisement No. 1

All bids must be completed using **Project Bids** software available on the Bid Express website at <https://bidx.com/fl/main>.

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <http://www.fdot.gov/contracts/> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <http://www.bidx.com>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 02:30 PM Local Time on **Tuesday, September 13, 2022**.

Bid totals for each bid submitted will be read aloud for those present and will be available at 02:30 PM **September 13, 2022** in the Turnpike Headquarters, Building 5315, Ocoee, Florida.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (407)264-3885. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: <https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain>, select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/tp, click “[Letting and Project Information](#)” and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

----NOTE----

Proposals will not be issued after 02:30 PM Local Time on Monday, September 12, 2022 .

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at [CPP.Web \(fdot.gov\)](http://CPP.Web(fdot.gov)). There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit http://dms.myflorida.com/egovernment_tools/myflorida_marketplace for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/>. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department’s budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) http://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <http://www.fdot.gov/contracts/>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

IDENTICAL BIDS

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/tp, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. **All addenda shall be acknowledged when submitting bids.**

BID QUESTIONS

All work is to be done in accordance with the Plans, Specifications, and Special Provisions of State of Florida Department of Transportation. Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: <https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal>.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of **\$150,000.00**. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit <http://www.surety2000.com> for Surety2000 or <http://www.insurevision.com> for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, **a corporation must show proof that it is authorized to do business in the State of Florida.** Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance (EOC)** system no later than 3 business days of submission of the bid. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: <https://www.fdot.gov/equalopportunity/eoc.shtm>

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae_2

POSTING NOTICE

The bid tabulation and intent to award will be posted on **September 27, 2022** or **October 11, 2022** at www.fdot.gov/contracts/tp, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link <https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm>, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at <http://www.floridajobs.org>.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to <http://fdotwp1.dot.state.fl.us/reportsubscriptions/> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <http://www.fdot.gov/contracts/distco.shtm>.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5).Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

**Florida Department of Transportation
Notice to Contractors Index**

Published: July 15, 2022

Letting ID: 08220913

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the September 13, 2022 letting.

| Page Number | Proposal Id | Proposal Notes | Fin Proj Numbers | County |
|--------------------|--------------------|-----------------------|-------------------------|---------------|
| 7 | E8T83 | | 44276415201(*) | CITRUS |

Proposal Note Codes:

Note: () indicates lead project*

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting: 08220913 Call Order: 001 Proposal: E8T83 District:08

Counties: CITRUS

Road Name: SUNCOAST II (SR589) - SR 44 TO CR 486

Limits: 02470000

Project(s): 44276415201(*) Federal Aid No: N/A

Total Roadway Length: 3.000 Miles Contract Days: 1277

Total Bridge Length: 0.242 Miles Letting Date: 09/13/22

Total Proposal Length: 3.242 Miles Contract Execution Days: 10

Special Start Date: N/A

Aquis/Flexible Start Time: 30

Proposal Budget Estimate: \$114,453,297.00

Please read the full advertisement

Description:

Work consists of providing all labor, materials, equipment and incidentals necessary for construction of SR 589 (Suncoast Parkway 2) including roadway, drainage, signing and pavement markings, lighting, signalization, ITS, bridge structures, toll facilities and landscaping, from south of SR 44 to CR 486, milepost 67.227 to milepost 70.276, in Citrus County.

For projects in excess of \$50 million, in addition to meeting all other qualification requirements of Section 337.14, Florida Statutes, and Rule Chapter 14-22, Florida Administrative Code, any Contractor who is not prequalified and in good standing with the Department as of January 1, 2019, must submit evidence which demonstrates satisfactory completion of at least two projects, each in excess of \$15 million, for the Florida Department of Transportation or for any other state department of transportation. Acceptability of the evidence related to the two projects is at the sole discretion of the Department.

No Pre-Bid Conference. Contractor must be prequalified.

Call Order: 001 Proposal: E8T83

| ALT | Item | Description | Unit | Quantity |
|--------------------------------|--------------|--|------|-------------|
| Section 0001 Structures | | | | |
| | 0400- 2- 4 | CONC CLASS II, BRIDGE SUPERSTRUCTURE | CY | 1,567.000 |
| | 0400- 2- 10 | CONCRETE CLASS II, APPROACH SLABS | CY | 493.900 |
| | 0400- 4- 5 | CONCRETE CLASS IV, BRIDGE SUBSTRUCTURE | CY | 316.500 |
| | 0400- 4- 25 | CONCRETE CLASS IV, MASS, SUBSTRUCTURE | CY | 798.600 |
| | 0400- 7- 1 | BRIDGE DECK GROOVING | SY | 5,596.000 |
| | 0400- 9- 1 | BRIDGE DECK PLANING | SY | 5,596.000 |
| | 0400-147- | COMPOSITE NEOPRENE PADS | CF | 33.200 |
| | 0415- 1- 4 | REINFORCING STEEL - BRIDGE SUPERSTRUCTURE | LB | 353,073.000 |
| | 0415- 1- 5 | REINFORCING STEEL- BRIDGE SUBSTRUCTURE | LB | 221,407.000 |
| | 0415- 1- 9 | REINFORCING STEEL- APPROACH SLABS | LB | 95,980.000 |
| | 0450- 2- 54 | PREST BEAMS: FLORIDA-I BEAM 54" | LF | 3,986.000 |
| | 0455- 35- 22 | STEEL PILING, 24" DIA. PIPE | LF | 10,284.000 |
| | 0455-120- 7 | PILE POINT PROTECTION, 24" ROUND | EA | 144.000 |
| | 0455-144- 22 | TEST PILES - STEEL, 24" DIA PIPE | LF | 1,575.000 |
| | 0458- 1- 11 | BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD | LF | 418.000 |
| | 0459- 71- | PILES, POLYETHYLENE SHEETING | SY | 867.000 |
| | 0460- 2- 15 | STRUCT STEEL, MISCELLANEOUS (44276415201 BRIDGE ID 020070) | LS | 1.000 |
| | 0460- 2- 15 | STRUCT STEEL, MISCELLANEOUS (44276415201 BRIDGE ID 020071) | LS | 1.000 |

Call Order: 001 Proposal: E8T83

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|---|------|---------------|
| | 0460- 2- 15 | STRUCT STEEL, MISCELLANEOUS (44276415201 BRIDGE ID 020072) | LS | 1.000 |
| | 0460- 2- 15 | STRUCT STEEL, MISCELLANEOUS (44276415201 BRIDGE ID 020073) | LS | 1.000 |
| | 0460- 2- 15 | STRUCT STEEL, MISCELLANEOUS (44276415201 BRIDGE ID 020074) | LS | 1.000 |
| | 0460- 2- 20 | STRUCT STEEL - NEW/WIDENING, WEATHERING (44276415201 BRIDGE ID 020074) | LS | 1.000 |
| | 0521- 5- 13 | CONCRETE TRAFFIC RAILING- BRIDGE, 36" SINGLE-SLOPE | LF | 2,273.000 |
| | 0521- 5- 14 | CONCRETE TRAFFIC RAILING- BRIDGE, 42" SINGLE-SLOPE | LF | 879.000 |
| | 0524- 2- 2 | CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4" | SY | 2,544.000 |
| | 0630- 2- 16 | CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS | LF | 6,066.000 |
| | 0635- 3- 13 | JUNCTION BOX, FURNISH & INSTALL, EMBEDDED | EA | 30.000 |
| Section 0002 Roadway | | | | |
| | 0101- 1- | MOBILIZATION (44276415201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (44276415201) | LS | 1.000 |
| | 0102- 2-200 | SPECIAL DETOUR- TEMPORARY PAVEMENT (44276415201) | LS | 1.000 |
| | 0102- 2-300 | SPECIAL DETOUR- TEMPORARY EARTHWORK/BASE (44276415201) | LS | 1.000 |
| | 0102- 4- 1 | PEDESTRIAN OR BICYCLE SPECIAL DETOUR (44276415201) | LS | 1.000 |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 312.000 |
| | 0102- 30- | TEMPORARY HIGHWAY LIGHTING | LS | 1.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 58,612.000 |
| | 0102- 61- | BUSINESS SIGN | EA | 20.000 |
| | 0102- 62- 13 | BARRIER MOUNTED WORK ZONE SIGN- INDEX 700-013 | ED | 890.000 |
| | 0102- 71- 13 | TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE | LF | 756.000 |
| | 0102- 71- 15 | TEMPORARY BARRIER, F&I, ANCHORED | LF | 5,544.000 |
| | 0102- 71- 23 | TEMPORARY BARRIER, RELOCATE, LOW PROFILE CONCRETE | LF | 444.000 |
| | 0102- 71- 25 | TEMPORARY BARRIER, RELOCATE, ANCHORED | LF | 3,348.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 206,812.000 |
| | 0102- 74- 8 | CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) | FD | 1,877,561.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 2,998.000 |
| | 0102- 89- 1 | TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION | LO | 16.000 |
| | 0102- 98- 12 | BARRICADE TYPE III -TO REMAIN, 6' PROJECT 442764-1-52-01 | EA | 16.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 4,571.000 |
| | 0102-104- | TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION | ED | 5,108.000 |
| | 0102-107- 1 | TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION | ED | 5,108.000 |
| | 0102-115- | TYPE III BARRICADE | ED | 7,908.000 |
| | 0102-150- 1 | PORTABLE REGULATORY, SIGN | ED | 2,427.000 |
| | 0102-150- 2 | RADAR SPEED DISPLAY UNIT | ED | 910.000 |
| | 0104- 10- 3 | SEDIMENT BARRIER | LF | 70,116.000 |
| | 0104- 11- | FLOATING TURBIDITY BARRIER | LF | 153.000 |
| | 0104- 15- | SOIL TRACKING PREVENTION DEVICE | EA | 12.000 |
| | 0104- 18- | INLET PROTECTION SYSTEM | EA | 279.000 |
| | 0107- 1- | LITTER REMOVAL | AC | 12,950.270 |
| | 0107- 2- | MOWING | AC | 12,862.030 |

Call Order: 001 Proposal: E8T83

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|---------------|
| | 0108- 1- | MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (44276415201) | LS | 1.000 |
| | 0110- 1- 1 | CLEARING & GRUBBING (44276415201) | LS | 1.000 |
| | 0110- 2- 2 | SELECTIVE CLEARING AND GRUBBING, AREAS WITH TREES TO REMAIN | AC | 1.120 |
| | 0110- 4- 10 | REMOVAL OF EXISTING CONCRETE | SY | 1,559.000 |
| | 0110- 7- 1 | MAILBOX, F&I SINGLE | EA | 10.000 |
| | 0110- 21- | TREE PROTECTION BARRIER | LF | 1,195.000 |
| | 0120- 1- | REGULAR EXCAVATION | CY | 2,542,611.000 |
| | 0120- 4- | SUBSOIL EXCAVATION | CY | 105,351.000 |
| | 0120- 6- | EMBANKMENT | CY | 1,617,963.000 |
| | 0120- 6-106 | EMBANKMENT, SPECIFIED A-3 SOIL, PROJECT 442764-1-52-01 | CY | 98,625.000 |
| | 0160- 4- | TYPE B STABILIZATION | SY | 228,430.000 |
| | 0173- 76- | GROUT PIPE INSTALLATION | LF | 1,375.000 |
| | 0173- 77- 1 | SUBSURFACE PRESSURE GROUTING, SAND CEMENT | CY | 415.000 |
| | 0285-701- | OPTIONAL BASE, BASE GROUP 01 | SY | 72,382.000 |
| | 0285-704- | OPTIONAL BASE, BASE GROUP 04 | SY | 2,516.000 |
| | 0285-706- | OPTIONAL BASE, BASE GROUP 06 | SY | 13,622.000 |
| | 0285-709- | OPTIONAL BASE, BASE GROUP 09 | SY | 100,843.000 |
| | 0286- 1- | TURNOUT CONSTRUCTION/DRIVEWAY BASE- OPTIONAL MATERIALS | SY | 912.000 |
| | 0327- 70- 6 | MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH | SY | 10,524.000 |
| | 0327- 70- 11 | MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH | SY | 45,960.000 |
| | 0327- 70- 12 | MILLING EXISTING ASPHALT PAVEMENT, 1 1/4" AVG DEPTH | SY | 7,942.000 |
| | 0327- 70- 13 | MILLING EXISTING ASPHALT PAVEMENT, 1 3/4" AVG DEPTH | SY | 275.000 |
| | 0334- 1- 12 | SUPERPAVE ASPHALTIC CONC, TRAFFIC B | TN | 1,096.200 |
| | 0334- 1- 13 | SUPERPAVE ASPHALTIC CONC, TRAFFIC C | TN | 4,521.500 |
| | 0334- 1- 52 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 | TN | 923.800 |
| | 0334- 1- 53 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 | TN | 8,067.200 |
| | 0337- 7- 25 | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 | TN | 7,827.200 |
| | 0337- 7- 81 | ASPHALT CONCRETE FRICTION COURSE,TRAFFIC B, FC-12.5, PG 76-22 | TN | 496.700 |
| | 0337- 7- 82 | ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-9.5, PG 76-22 | TN | 509.500 |
| | 0337- 7- 83 | ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76-22 | TN | 58.900 |
| | 0339- 1- | MISCELLANEOUS ASPHALT PAVEMENT | TN | 1,255.600 |
| | 0400- 0- 11 | CONCRETE CLASS NS, GRAVITY WALL INDEX 400-011 | CY | 223.900 |
| | 0425- 1-351 | INLETS, CURB, TYPE P-5, <10' | EA | 2.000 |
| | 0425- 1-521 | INLETS, DT BOT, TYPE C,<10' | EA | 14.000 |
| | 0425- 1-522 | INLETS, DT BOT, TYPE C,>10' | EA | 4.000 |
| | 0425- 1-523 | INLETS, DT BOT, TYPE C,JBOT, <10' | EA | 3.000 |
| | 0425- 1-524 | INLETS, DT BOT, TYPE C, JBOT, >10' | EA | 6.000 |
| | 0425- 1-541 | INLETS, DT BOT, TYPE D, <10' | EA | 3.000 |
| | 0425- 1-545 | INLETS, DITCH BOTTOM, TYPE D, PARTIAL | EA | 1.000 |
| | 0425- 1-551 | INLETS, DT BOT, TYPE E, <10' | EA | 17.000 |
| | 0425- 1-552 | INLETS, DT BOT, TYPE E, >10' | EA | 1.000 |

Call Order: 001 Proposal: E8T83

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|-----------|
| | 0425- 1-553 | INLETS, DT BOT, TYPE E, J BOT, <10' | EA | 8.000 |
| | 0425- 1-554 | INLETS, DT BOT, TYPE E, J BOT, >10' | EA | 9.000 |
| | 0425- 1-701 | INLETS, GUTTER, TYPE S, <10' | EA | 37.000 |
| | 0425- 1-702 | INLETS, GUTTER, TYPE S, >10' | EA | 16.000 |
| | 0425- 1-703 | INLETS, GUTTER, TYPE S, J BOTTOM <10' | EA | 5.000 |
| | 0425- 1-704 | INLETS, GUTTER, TYPE S, J BOTTOM, >10' | EA | 6.000 |
| | 0425- 1-921 | INLETS, ADJACENT BARRIER, <=10' | EA | 7.000 |
| | 0425- 1-922 | INLETS, ADJACENT BARRIER, >10' | EA | 1.000 |
| | 0425- 2- 43 | MANHOLES, P-7, PARTIAL | EA | 1.000 |
| | 0425- 2- 61 | MANHOLES, P-8, <10' | EA | 2.000 |
| | 0425- 2- 63 | MANHOLES, P-8, PARTIAL | EA | 1.000 |
| | 0430-174-118 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD | LF | 188.000 |
| | 0430-175-118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD | LF | 3,762.000 |
| | 0430-175-124 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD | LF | 6,901.000 |
| | 0430-175-130 | PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD | LF | 1,332.000 |
| | 0430-175-136 | PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD | LF | 2,947.000 |
| | 0430-175-142 | PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD | LF | 1,639.000 |
| | 0430-175-148 | PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD | LF | 624.000 |
| | 0430-175-218 | PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD | LF | 478.000 |
| | 0430-175-224 | PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD | LF | 1,003.000 |
| | 0430-185-118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 18" , STORM AND CROSS DRAIN | LF | 138.000 |
| | 0430-185-124 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 24", STORM AND CROSS DRAIN | LF | 72.000 |
| | 0430-185-136 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 36", STORM AND CROSS DRAIN | LF | 372.000 |
| | 0430-830- | PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE | CY | 15.600 |
| | 0430-982-125 | MITERED END SECTION, OPTIONAL ROUND, 18" CD | EA | 1.000 |
| | 0430-982-129 | MITERED END SECTION, OPTIONAL ROUND, 24" CD | EA | 9.000 |
| | 0430-982-133 | MITERED END SECTION, OPTIONAL ROUND, 30" CD | EA | 1.000 |
| | 0430-982-138 | MITERED END SECTION, OPTIONAL ROUND, 36" CD | EA | 3.000 |
| | 0430-982-140 | MITERED END SECTION, OPTIONAL ROUND, 42" CD | EA | 2.000 |
| | 0430-982-141 | MITERED END SECTION, OPTIONAL ROUND, 48" CD | EA | 1.000 |
| | 0430-982-629 | MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 24" CD | EA | 3.000 |
| | 0430-984-125 | MITERED END SECTION, OPTIONAL ROUND, 18" SD | EA | 6.000 |
| | 0430-984-625 | MITERED END SECT, OPTIONAL - ELLIPTICAL / ARCH, 18" SD | EA | 2.000 |
| | 0432- 3- 2 | CHEMICAL GROUT REPAIR, PIPE, NON-TEST, 18" | EA | 11.000 |
| | 0440- 1- 20 | UNDERDRAIN, TYPE II | LF | 690.000 |
| | 0440- 70- | UNDERDRAIN INSPECTION BOX | EA | 4.000 |
| | 0440- 73- 4 | UNDERDRAIN OUTLET PIPE, 10" | LF | 5.000 |
| | 0455-133- 2 | SHEET PILING STEEL, TEMPORARY-CRITICAL | SF | 8,296.000 |
| | 0520- 1- 7 | CONCRETE CURB & GUTTER, TYPE E | LF | 1,883.000 |
| | 0520- 1- 10 | CONCRETE CURB & GUTTER, TYPE F | LF | 614.000 |
| | 0520- 2- 4 | CONCRETE CURB, TYPE D | LF | 70.000 |
| | 0520- 6- | SHOULDER GUTTER- CONCRETE | LF | 9,362.000 |

Call Order: 001 Proposal: E8T83

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|---------------|
| | 0521- 1- 12 | MEDIAN CONCRETE BARRIER, SHORT GRADE-SEPARATED | LF | 17.000 |
| | 0521- 1- 14 | MEDIAN CONCRETE BARRIER, VARIABLE SECTION WIDTH FOR SIGN OR PIER SHIELDING | LF | 143.000 |
| | 0521- 8- 7 | CONCRETE BARRIER, WITH JUNCTION SLAB, 36" SINGLE SLOPE | LF | 3,948.000 |
| | 0521- 8- 8 | CONCRETE BARRIER, WITH JUNCTION SLAB, 42" SINGLE SLOPE | LF | 2,684.000 |
| | 0521- 72- 40 | SHOULDER CONCRETE BARRIER, 38" OR 44" HEIGHT | LF | 1,951.000 |
| | 0522- 1- | CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK | SY | 1,082.000 |
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 128.000 |
| | 0524- 1- 1 | CONCRETE DITCH PAVT, NON REINFORCED, 3" | SY | 2,237.000 |
| | 0524- 1- 2 | CONCRETE DITCH PAVEMENT, NON REINFORCED, 4" | SY | 6,704.000 |
| | 0527- 2- | DETECTABLE WARNINGS | SF | 363.000 |
| | 0530- 3- 4 | RIPRAP, RUBBLE, F&I, DITCH LINING | TN | 1,879.500 |
| | 0530- 74- | BEDDING STONE | TN | 1,012.800 |
| | 0536- 1- 1 | GUARDRAIL -ROADWAY, GENERAL TL-3 | LF | 7,147.000 |
| | 0536- 7- 3 | SPECIAL GUARDRAIL POST- ENCASED POST FOR SHALLOW MOUNT | EA | 5.000 |
| | 0536- 8-112 | GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, APPROACH TL-3 | EA | 12.000 |
| | 0536- 8-113 | GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, TRAILING | EA | 7.000 |
| | 0536- 85- 20 | GUARDRAIL END TREATMENT- TRAILING ANCHORAGE | EA | 9.000 |
| | 0536- 85- 24 | GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL | EA | 18.000 |
| | 0544- 3- 1 | CRASH CUSHION, TL-3, NARROW | EA | 3.000 |
| | 0546- 72- 1 | GROUND-IN RUMBLE STRIPS, 16" | GM | 8.026 |
| | 0548- 12- | RETAINING WALL SYSTEM, PERMANENT, EXCLUDING BARRIER | SF | 202,791.000 |
| | 0550- 10-222 | FENCING, TYPE B, 5.1-6.0, W/ VINYL COATING | LF | 56,432.000 |
| | 0550- 60-225 | FENCE GATE , TYPE B, DOUBLE, 20.1-24' OPENING | EA | 10.000 |
| | 0570- 1- 1 | PERFORMANCE TURF | SY | 127,439.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 1,097,368.000 |
| | 0571- 1- 11 | PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 1 | SY | 2,857.000 |
| | 0630- 2- 16 | CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS | LF | 19,929.000 |
| | 0635- 3- 13 | JUNCTION BOX, FURNISH & INSTALL, EMBEDDED | EA | 36.000 |
| | 0639- 8-142 | ELECTRICAL POWER SERVICE- CONTRIBUTION IN AID OF CONSTRUCTION (CIAC), WREC (DO NOT BID) (44276415201) | LS | 1.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 6,239.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 16.543 |
| | 0710- 11-102 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 0.435 |
| | 0710- 11-103 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE MARKINGS, 12" | GM | 0.539 |
| | 0710- 11-123 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12" | LF | 1,695.000 |
| | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24" | LF | 2,116.000 |
| | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE | GM | 6.968 |
| | 0710- 11-141 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6" | GM | 0.207 |

Call Order: 001 Proposal: E8T83

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|---|------|-----------|
| | 0710- 11-160 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 41.000 |
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 125.000 |
| | 0710- 11-180 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, YIELD LINE | LF | 12.000 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 12.560 |
| | 0710- 11-241 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6" | GM | 0.399 |
| | 0999- 16- | PARTNERING, DO NOT BID (44276415201) | LS | 1.000 |
| | 0999- 20- 1 | DISPUTES REVIEW BOARD, MEETING- DO NOT BID | DA | 13.000 |
| | 0999- 20- 2 | DISPUTES REVIEW BOARD, HEARING- DO NOT BID | EA | 2.000 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (44276415201) | LS | 1.000 |
| Section 0003 Signing | | | | |
| | 0700- 1- 11 | SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF | AS | 81.000 |
| | 0700- 1- 12 | SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 34.000 |
| | 0700- 1- 13 | SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF | AS | 10.000 |
| | 0700- 1- 14 | SINGLE POST SIGN, F&I GROUND MOUNT, 31+ SF | AS | 8.000 |
| | 0700- 1- 50 | SINGLE POST SIGN, RELOCATE | AS | 1.000 |
| | 0700- 1- 60 | SINGLE POST SIGN, REMOVE | AS | 31.000 |
| | 0700- 2- 14 | MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF | AS | 3.000 |
| | 0700- 2- 15 | MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF | AS | 3.000 |
| | 0700- 2- 16 | MULTI- POST SIGN, F&I GROUND MOUNT, 101-200 SF | AS | 6.000 |
| | 0700- 2- 17 | MULTI- POST SIGN, F&I GROUND MOUNT, 201-300 SF | AS | 9.000 |
| | 0700- 2- 18 | MULTI- POST SIGN, F&I GROUND MOUNT, 301-400 SF | AS | 2.000 |
| | 0700- 2- 50 | MULTI- POST SIGN, GROUND MOUNT, RELOCATE | AS | 1.000 |
| | 0700- 2- 60 | MULTI- POST SIGN, REMOVE | AS | 3.000 |
| | 0700- 3-203 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF | EA | 3.000 |
| | 0700- 3-206 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF | EA | 3.000 |
| | 0700- 3-607 | SIGN PANEL, REMOVE, 201-300 SF | EA | 2.000 |
| | 0700- 4-113 | OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 31-40 FT | EA | 1.000 |
| | 0700- 6- 11 | HIGHLIGHTED SIGN, F&I GROUND MOUNT- AC POWERED, UP TO 12 SF | AS | 8.000 |
| | 0700- 10-124 | DMS SUPPORT STRUCTURE, CANTILEVER, 41-50 FT | EA | 1.000 |
| | 0700- 12- 22 | SIGN BEACON, F&I GROUND MOUNT- SOLAR POWERED, TWO BEACONS | AS | 3.000 |
| | 0700- 12- 60 | SIGN BEACON, REMOVE BEACON- SIGN TO REMAIN | AS | 2.000 |
| | 0700- 13- 12 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2' | EA | 14.000 |
| | 0700- 13- 15 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5' | EA | 11.000 |
| | 0705- 10- 1 | OBJECT MARKER, TYPE 1 | EA | 5.000 |
| | 0705- 10- 4 | OBJECT MARKER, TYPE 4 | EA | 18.000 |
| | 0705- 11- 1 | DELINEATOR, FLEXIBLE TUBULAR | EA | 290.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 3,267.000 |
| | 0710- 11-290 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE | SF | 627.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44276415201) | LS | 1.000 |
| | 0711- 11-102 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND | GM | 0.037 |

Call Order: 001 Proposal: E8T83

| ALT | Item | Description | Unit | Quantity |
|------------------------------|--------------|---|------|------------|
| | 0711- 11-103 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS | GM | 0.431 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 694.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 390.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 0.489 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 12.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 75.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 1,502.000 |
| | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 0.235 |
| | 0711- 14-123 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12" FOR CROSSWALK | LF | 1,144.000 |
| | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK | LF | 1,131.000 |
| | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE | EA | 14.000 |
| | 0711- 14-170 | THERMOPLASTIC, PREFORMED, WHITE, ARROW | EA | 14.000 |
| | 0711- 14-660 | THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD | EA | 3.000 |
| | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6" | GM | 9.157 |
| | 0711- 15-102 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8" | GM | 0.338 |
| | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 6.166 |
| | 0711- 15-133 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP | GM | 0.057 |
| | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 8.081 |
| | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 2.097 |
| | 0711- 16-131 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 0.471 |
| | 0711- 16-171 | THERMOPLASTIC, STANDARD OTHER SURFACES, WHITE, 6", 6-10 DOTTED MANAGED LANE MARKING | GM | 0.028 |
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 2.429 |
| | 0713-103-101 | PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES | GM | 0.242 |
| | 0713-103-131 | PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES | GM | 0.169 |
| | 0713-103-201 | PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES | GM | 0.240 |
| Section 0004 Lighting | | | | |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 25,276.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 4,057.000 |
| | 0630- 2- 14 | CONDUIT, FURNISH & INSTALL, ABOVEGROUND | LF | 50.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 231.000 |
| | 0635- 3- 13 | JUNCTION BOX, FURNISH & INSTALL, EMBEDDED | EA | 71.000 |
| | 0639- 1-122 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR | AS | 2.000 |

Call Order: 001 Proposal: E8T83

| ALT | Item | Description | Unit | Quantity |
|-----------------------------------|--------------|---|------|-------------|
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 438.000 |
| | 0641- 2- 11 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II PEDESTAL | EA | 2.000 |
| | 0715- 1- 12 | LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 | LF | 44,084.000 |
| | 0715- 1- 13 | LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2 | LF | 187,972.000 |
| | 0715- 1- 14 | LIGHTING CONDUCTORS, F&I, INSULATED, NO 1 TO NO 0 | LF | 8,988.000 |
| | 0715- 4-850 | LIGHT POLE COMPLETE, F&I UTILITY CONFLICT POLE, INDEX 715-002 FOUND, 15' HT, PROJECT 442764-1-52-01 | EA | 13.000 |
| | 0715- 5- 31 | LUMINAIRE & BRACKET ARM- ALUMINUM, FURNISH & INSTALL NEW LUMINAIRE AND ARM ON NEW/EXISTING POLE | EA | 4.000 |
| | 0715- 7- 11 | LOAD CENTER, F&I, SECONDARY VOLTAGE | EA | 2.000 |
| | 0715- 11-125 | LUMINAIRE, F&I, UNDER DECK, WALL MOUNT | EA | 8.000 |
| | 0715- 11-213 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, POLE TOP | EA | 4.000 |
| | 0715- 11-400 | LUMINAIRE, RELOCATE | EA | 2.000 |
| | 0715- 61-300 | LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT, 0' ARM LENGTH | EA | 201.000 |
| | 0715- 68-000 | LIGHT POLE COMPLETE, RELOCATE | EA | 15.000 |
| | 0715- 69-000 | LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION | EA | 4.000 |
| | 0715-500- 1 | POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL | EA | 174.000 |
| | 0715-500- 3 | POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT | EA | 40.000 |
| Section 0005 Signalization | | | | |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 1,976.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 1,321.000 |
| | 0632- 7- 1 | SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL | PI | 4.000 |
| | 0632- 7- 6 | SIGNAL CABLE, REMOVE- INTERSECTION | PI | 2.000 |
| | 0633- 1-121 | FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS | LF | 450.000 |
| | 0633- 1-123 | FIBER OPTIC CABLE, F&I, UNDERGROUND,49-96 FIBERS | LF | 2,419.000 |
| | 0633- 2- 31 | FIBER OPTIC CONNECTION, INSTALL, SPLICE | EA | 48.000 |
| | 0633- 3- 11 | FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE | EA | 2.000 |
| | 0633- 3- 12 | FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY | EA | 4.000 |
| | 0633- 3- 13 | FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY | EA | 24.000 |
| | 0633- 3- 16 | FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED | EA | 2.000 |
| | 0633- 3- 17 | FIBER OPTIC CONNECTION HARDWARE, F&I, CONNECTOR PANEL | EA | 2.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 24.000 |
| | 0635- 2- 12 | PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE | EA | 4.000 |
| | 0635- 2- 13 | PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE | EA | 2.000 |
| | 0639- 1-122 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR | AS | 1.000 |
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 50.000 |
| | 0639- 3- 12 | ELECTRICAL SERVICE DISCONNECT, F&I, CABINET | EA | 1.000 |
| | 0641- 2- 12 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE | EA | 1.000 |
| | 0646- 1- 11 | ALUMINUM SIGNALS POLE, PEDESTAL | EA | 12.000 |
| | 0646- 1- 60 | ALUMINUM SIGNALS POLE, REMOVE | EA | 3.000 |

Call Order: 001 Proposal: E8T83

| ALT | Item | Description | Unit | Quantity |
|-----------------------------------|--------------|---|------|-----------|
| | 0649- 21- 6 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 50' | EA | 2.000 |
| | 0649- 21- 10 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 60' | EA | 2.000 |
| | 0649- 21- 15 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 70' | EA | 2.000 |
| | 0649- 21- 21 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78' | EA | 1.000 |
| | 0649- 26- 3 | STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION-BOLT ON ATTACHMENT | EA | 2.000 |
| | 0650- 1- 14 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY | AS | 15.000 |
| | 0650- 1- 16 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY | AS | 3.000 |
| | 0650- 1- 70 | VEHICULAR TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND REINSTALLATION | AS | 2.000 |
| | 0653- 1- 11 | PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY | AS | 11.000 |
| | 0660- 4- 11 | VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET EQUIPMENT | EA | 1.000 |
| | 0660- 4- 12 | VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT | EA | 8.000 |
| | 0665- 1- 11 | PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD | EA | 11.000 |
| | 0670- 5-110 | TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA | AS | 1.000 |
| | 0684- 1- 1 | MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL | EA | 2.000 |
| | 0685- 1- 13 | UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE WITH CABINET | EA | 1.000 |
| | 0700- 3-201 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | EA | 1.000 |
| | 0700- 5- 22 | INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF | EA | 4.000 |
| | 0700- 5- 50 | INTERNALLY ILLUMINATED SIGN, RELOCATE | EA | 5.000 |
| Section 0006 Architectural | | | | |
| | 0400- 45- 2 | REINFORCED CONCRETE, TOLL SITE EQUIPMENT SLAB, 12" THICK, PROJECT 442764-1-52-01 | SY | 57.000 |
| | 0425-100-100 | SPECIAL DRAINAGE STRUCTURE, TOLL SITE DRY WELL AND ACCESSORIES, PROJECT 442764-1-52-01 | EA | 2.000 |
| | 0519- 78- | BOLLARDS | EA | 42.000 |
| | 0520- 2- 10 | CONCRETE CURB, TOLL HEADER CURB | LF | 200.000 |
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 168.000 |
| | 0542- 70- | BUMPER GUARDS, CONCRETE | EA | 2.000 |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 7,100.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 900.000 |
| | 0635- 2- 13 | PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE | EA | 5.000 |
| | 0635- 2-119 | PULL & SPLICE BOX, F&I,TOLL SITE, 12" x 12" | EA | 3.000 |
| | 0635- 2-120 | PULL & SPLICE BOX, F&I,TOLL SITE, 24" x 36" | EA | 8.000 |
| | 0635- 2-121 | PULL & SPLICE BOX, F&I,TOLL SITE, 30" x 48" | EA | 16.000 |
| | 0639- 5- 2 | EMERGENCY GENERATOR-PERMANENT 26-50 KW | EA | 1.000 |
| | 0639- 7-114 | ELECTRICAL POWER SERVICE, TOLL FACILITY CONDUCTORS AND CABLES, NO. 10 AND SMALLER, PROJECT 442764-1-52-01 | LF | 3,246.000 |

Call Order: 001 Proposal: E8T83

| ALT | Item | Description | Unit | Quantity |
|---|-------------|---|------|------------|
| | 0639- 7-115 | ELECTRICAL POWER SERVICE, TOLL FACILITY CONDUCTORS AND CABLES, NO. 8 TO NO. 6, PROJECT 442764-1-52-01 | LF | 504.000 |
| | 0639- 7-118 | ELECTRICAL POWER SERVICE, TOLL FACILITY CONDUCTORS AND CABLES, NO. 1/0 TO NO. 3/0, PROJECT 442764-1-52-01 | LF | 2,200.000 |
| | 0639- 7-119 | ELECTRICAL POWER SERVICE, RTC TOLL SITE PANELBOARDS AND POWER DISTRIBUTION FRAME, PROJECT 442764-1-52-01 | EA | 2.000 |
| | 0639- 7-120 | ELECTRICAL POWER SERVICE, TOLL SITE ELECTRIC METERING AND UTILITY SERVICE ENTRANCE, PROJECT 442764-1-52-01 | EA | 1.000 |
| | 0639- 7-121 | ELECTRICAL POWER SERVICE, TOLL FACILITY CONDUCTORS AND CABLES, 350 KCMIL TO 400 KCMIL, PROJECT 442764-1-52-01 | LF | 1,200.000 |
| | 0676- 2-802 | OUTDOOR COMMUNICATIONS CABINET, FURNISH & INSTALL, PROJECT 442764-1-52-01 | EA | 2.000 |
| | 0735- 1- 9 | TOLL GANTRY, NON-ACCESSIBLE, FURNISH AND INSTALL, CANTILEVER, 42', PROJECT 442764-1-52-01 | EA | 2.000 |
| | 0751- 2-105 | ARCHITECTURAL - ELECTRICAL/POWER, TOLL SECONDARY POWER, PROJECT 442764-1-52-01 (44276415201) | LS | 1.000 |
| Section 0007 Intelligent Transportation System | | | | |
| | 0611- 1- 1 | ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH | MI | 2.514 |
| | 0611- 2- 2 | ITSFM LOCATION DOCUMENTATION- ITS SITE | EA | 13.000 |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 14,850.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 2,911.000 |
| | 0630- 2- 14 | CONDUIT, FURNISH & INSTALL, ABOVEGROUND | LF | 530.000 |
| | 0633- 1-121 | FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS | LF | 355.000 |
| | 0633- 1-122 | FIBER OPTIC CABLE, F&I, UNDERGROUND,13-48 FIBERS | LF | 6,976.000 |
| | 0633- 1-124 | FIBER OPTIC CABLE, F&I, UNDERGROUND, 97 - 144 FIBERS | LF | 13,427.000 |
| | 0633- 2- 31 | FIBER OPTIC CONNECTION, INSTALL, SPLICE | EA | 506.000 |
| | 0633- 2- 32 | FIBER OPTIC CONNECTION, INSTALL, TERMINATION | EA | 6.000 |
| | 0633- 3- 11 | FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE | EA | 8.000 |
| | 0633- 3- 12 | FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY | EA | 37.000 |
| | 0633- 3- 13 | FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY | EA | 198.000 |
| | 0633- 3- 16 | FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED | EA | 8.000 |
| | 0633- 3- 17 | FIBER OPTIC CONNECTION HARDWARE, F&I, CONNECTOR PANEL | EA | 17.000 |
| | 0633- 6- | FIBER OPTIC CABLE LOCATOR | DA | 1,182.000 |
| | 0633- 8- 1 | MULTI-CONDUCTOR COMMUNICATION CABLE, FURNISH & INSTALL | LF | 210.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 51.000 |
| | 0635- 2- 12 | PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE | EA | 21.000 |
| | 0635- 2-117 | PULL & SPLICE BOX, F&I, HS-20 REINFORCED CONCRETE FIBER OPTIC MANHOLE, PROJECT 442764-1-52-01 | EA | 7.000 |
| | 0639- 1-122 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR | AS | 3.000 |
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 9,804.000 |
| | 0639- 3- 11 | ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT | EA | 11.000 |
| | 0639- 6- 1 | ELECTRICAL POWER SERVICE- TRANSFORMER FURNISH & INSTALL | EA | 8.000 |
| | 0641- 2- 12 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE | EA | 6.000 |
| | 0641- 3-169 | CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 69' | EA | 2.000 |

Call Order: 001 Proposal: E8T83

| ALT | Item | Description | Unit | Quantity |
|-----|-------------|--|------|----------|
| | 0641- 3-175 | CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 75' | EA | 2.000 |
| | 0641- 3-186 | CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 86' | EA | 1.000 |
| | 0660- 3- 11 | VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL CABINET EQUIPMENT | EA | 4.000 |
| | 0660- 3- 12 | VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT | EA | 4.000 |
| | 0660- 6-121 | VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, CABINET EQUIPMENT | EA | 2.000 |
| | 0660- 6-122 | VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT | EA | 2.000 |
| | 0660- 7- 21 | VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 1 OR 2 LANES, AC POWERED | EA | 2.000 |
| | 0676- 2-122 | ITS CABINET, FURNISH & INSTALL, POLE MOUNT WITH SUNSHIELD, 336S, 24" W X 46" H X 22" D | EA | 5.000 |
| | 0676- 2-143 | ITS CABINET, FURNISH & INSTALL, BASE MOUNT, 334, 24" W X 66" H X 30" D | EA | 2.000 |
| | 0676- 2-147 | ITS CABINET, FURNISH & INSTALL, BASE MOUNT WITH SUNSHIELD, 332D 66" H x 48" W x 30" D | EA | 1.000 |
| | 0682- 1-133 | ITS CCTV CAMERA, F&I, DOME ENCLOSURE - NON-PRESSURIZED, IP, HIGH DEFINITION | EA | 5.000 |
| | 0684- 1- 1 | MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL | EA | 8.000 |
| | 0684- 2- 1 | DEVICE SERVER, FURNISH & INSTALL | EA | 4.000 |
| | 0685- 1- 12 | UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, ONLINE/DOUBLE CONVERSION | EA | 8.000 |
| | 0685- 2- 1 | REMOTE POWER MANAGEMENT UNIT- RPMU, FURNISH AND INSTALL | EA | 8.000 |
| | 0700- 9-137 | WALK-IN DYNAMIC MESSAGE SIGN, FURNISH & INSTALL- WITH UPS FULL COLOR, 201-300 SF | EA | 1.000 |