# BID SOLICITATION NOTICE – Turnpike FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

Ocoee, FL March 10, 2023 Advertisement No. 1

Florida Turnpike Headquarters FL Turnpike MP 263, Building 5315 Ocoee, FL 34761

All bids must be completed using **Project Bids** software available on the Bid Express website at https://bidx.com/fl/main.

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <a href="http://www.fdot.gov/contracts/">http://www.fdot.gov/contracts/</a> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <a href="http://www.bidx.com">http://www.bidx.com</a>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 02:30 PM Local Time on Tuesday, April 11, 2023.

Bid totals for each bid submitted will be read aloud for those present and will be available at 02:30 PM. April 11, 2023 in the Turnpike Headquarters, Building 5315, Ocoee, Florida.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: <a href="mailto:contracts.admin@dot.state.fl.us">contracts.admin@dot.state.fl.us</a> or call telephone number (407)264-3885. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: <a href="https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain">https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain</a>, select district then click on appropriate date.

### **DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST**

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: <a href="www.fdot.gov/contracts/tp">www.fdot.gov/contracts/tp</a>, click "Letting and Project Information" and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

#### ----NOTE----

Proposals will not be issued after 02:30 PM Local Time on Monday, April 10, 2023.

## **Document Ordering Information**

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at <a href="CPP.Web">CPP.Web</a> (fdot.gov)/. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

#### To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit
   http://dms.myflorida.com/egovernment\_tools/myflorida\_marketplace
   for more information. Please allow 24 to 48
   hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the
  Department of Transportation at <a href="https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/">https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/</a>.
  Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

#### **PREQUALIFICATION**

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

## PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) <a href="http://www.fdot.gov/contracts/PreQual Info/prequalified.shtm">http://www.fdot.gov/contracts/PreQual Info/prequalified.shtm</a> to the Department every 30 calendar days.

#### **CONFLICT OF INTEREST**

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

### **SCRUTINIZED COMPANIES**

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

#### **BID REJECTION**

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

#### **PROTEST RIGHTS**

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid solicitation</u> shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <a href="http://www.fdot.gov/contracts/">http://www.fdot.gov/contracts/</a>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

### **IDENTICAL BIDS**

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

### **INSURANCE**

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

### **ADDENDA**

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: <a href="https://www.fdot.gov/contracts/tp">www.fdot.gov/contracts/tp</a>, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda shall be acknowledged when submitting bids.

## **BID QUESTIONS**

All work is to be done in accordance with the Plans, Specifications, and Special Provisions of State of Florida Department of Transportation. Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: <a href="https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal">https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal</a>.

#### **PROPOSAL GUARANTY**

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of \$150,000.00. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit <a href="http://www.surety2000.com">https://www.tinubu.com</a> for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

#### **EXECUTION OF CONTRACT**

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

**Important Note:** Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

### **DBE PARTICIPATION**

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance** (**EOC**) system no later than 3 business days of submission of the bid. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: <a href="https://www.fdot.gov/equalopportunity/eoc.shtm">https://www.fdot.gov/equalopportunity/eoc.shtm</a>

#### **DEBARMENT/SUSPENSION**

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

## MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

## LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

#### **FIRST TIME BIDDERS**

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: <a href="https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae\_2">https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae\_2</a>

#### **POSTING NOTICE**

The bid tabulation and intent to award will be posted on April 25, 2023 or May 09, 2023 at <a href="www.fdot.gov/contracts/tp">www.fdot.gov/contracts/tp</a>, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

#### AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link <a href="https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm">https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm</a>, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.** 

## **MINIMUM WAGE**

The minimum wage for all hours worked in Florida is available at <a href="http://www.floridajobs.org">http://www.floridajobs.org</a>.

#### **EMAIL SUBSCRIPTION LIST**

To get on the e-mail subscription list, go to <a href="http://fdotwp1.dot.state.fl.us/reportsubscriptions/">http://fdotwp1.dot.state.fl.us/reportsubscriptions/</a> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <a href="https://www.fdot.gov/contracts/district-offices/distco.shtm">https://www.fdot.gov/contracts/district-offices/distco.shtm</a>.

#### **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5). Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

## Florida Department of Transportation Notice to Contractors Index

Published: March 10, 2023

Letting ID: 08230411

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the April 11, 2023 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
3	E8U07		44969215201	BROWARD
8	E8U19		44588515201(*) 44588525201	HILLSBOROUGH
14	E8U40-R0		19291217210(*)	BROWARD, MIAMI- DADE
16	E8U41-R0		19291227201(*)	BROWARD, PALM BEACH, TURNPIKE
18	E8U42		43721135201(*)	MIAMI-DADE
19	E8U43		19077855230(*)	BREVARD, TURNPIKE
20	E8U44-R0		45037025201(*)	MIAMI-DADE, TURNPIKE
21	Z8121-R0		4436101D203(*)	BROWARD, MIAMI- DADE, TURNPIKE
22	Z8122-R0		4436102D203(*)	PALM BEACH, TURNPIKE

## **Proposal Note Codes:**

Letting: 08230411 Call Order: 008 Proposal: E8U07 District:08

Counties: BROWARD

Road Name: TPK (SR 91) COCONUT CREEK INTERCHANGE IMPROVEMENTS (MP67)

Limits:

Project(s): 44969215201 Federal Aid No: N/A

Total Roadway Length: 0.830 Miles Contract Days: 309

Total Bridge Length: 0.000 Miles Letting Date: 04/11/23

Total Proposal Length: 0.830 Miles Contract Execution Days: 10

Special Start Date: N/A

Aquis/Flexible Start Time: 30

Proposal Budget Estimate: \$2,800,800.00

Please read the full advertisement

#### Description:

Work consists of providing all labor, materials, equipment and incidentals necessary for milling and resurfacing, roadway widening, signalization, minor drainage improvements, signing and pavement markings, lighting, ITS and toll facility improvements at Coconut Creek Parkway and SR 91 ramp terminal (MP 67), located in Broward County. No Pre-Bid Conference. Contractor must be pregualified.

ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1-	MOBILIZATION (44969215201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44969215201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	1,192.000
	0102- 60-	WORK ZONE SIGN	ED	68,078.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	350.000
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	200.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	48,586.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	246.000
	0102-89-1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	3.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	2,930.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	309.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	309.000
	0102-115-	TYPE III BARRICADE	ED	4,322.000
	0104- 1-	ARTIFICIAL COVERINGS /ROLLED EROSION CONTROL PRODUCTS	SY	12.000
	0104- 10- 3	SEDIMENT BARRIER	LF	1,108.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	1.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	21.000
	0104- 19-	CHEMICAL TREATMENT- POWDERED, FOR EROSION CONTROL	SY	12.000
	0107- 1-	LITTER REMOVAL	AC	22.930
	0107- 2-	MOWING	AC	14.410
	0110- 1- 1	CLEARING & GRUBBING (44969215201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	777.000
	0120- 1-	REGULAR EXCAVATION	CY	400.900

ALT	Item	Description	Unit	Quantity
	0120- 6-	EMBANKMENT	CY	195.300
	0121- 70-	FLOWABLE FILL	CY	1.800
	0285-712-	OPTIONAL BASE, BASE GROUP 12	SY	435.000
	0285-713-	OPTIONAL BASE, BASE GROUP 13	SY	989.000
	0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	16,610.000
	0327- 70- 19	MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH	SY	582.000
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	220.400
	0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	29.200
	0337- 7-83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22	TN	1,506.600
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	9.200
	0350- 3-13	PLAIN CEMENT CONCRETE PAVEMENT, 12"	SY	360.000
	0350- 5-	CLEANING & SEALING JOINTS- CONCRETE PAVEMENT	LF	390.000
	0352- 70-	GRINDING CONCRETE PAVEMENT	SY	360.000
	0425- 1-351	INLETS, CURB, TYPE P-5, <10'	EA	2.000
	0425- 2-41	MANHOLES, P-7, <10'	EA	1.000
	0425- 2-43	MANHOLES, P-7, PARTIAL	EA	1.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	7.000
	0430-175-215	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 15"S/CD	LF	5.000
	0520- 1- 7	CONCRETE CURB & GUTTER, TYPE E	LF	57.000
	0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	1,106.000
	0520- 4-	CURB-CONCRETE PAVEMENT JOINT	LF	201.000
	0520- 5-41	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE	LF	175.000
	0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	67.000
	0524- 1- 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	6.000
	0536- 1- 0	GUARDRAIL -ROADWAY, GENERAL/LOW SPEED TL-2	LF	267.000
	0536- 8-111	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I-INDEX 536-001, APPROACH TL-2	EA	1.000
	0536- 8-123	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I-INDEX 536-002, TRAILING	EA	1.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	1.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	1.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	1,156.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	249.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	1.409
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	0.070
	0710- 11-103	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE MARKINGS, 12"	GM	0.004
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	40.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	0.018
	0710- 11-133	PAINTED PAVEMENT MARKING, STANDARD,WHITE, 3'-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12" WIDE,	GM	0.023
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.050
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	1.127

		Can Order. 000 Troposai. E0007		
ALT	Item	Description	Unit	Quantity
	0999- 16-	PARTNERING, DO NOT BID (44969215201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44969215201)	LS	1.000
Sectio	n 0002 Signing			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	6.000
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	4.000
	0700- 1-50	SINGLE POST SIGN, RELOCATE	AS	1.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	10.000
	0700- 2-12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	2.000
	0700- 2-13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	1.000
	0700- 2-14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	1.000
	0700- 2-60	MULTI- POST SIGN, REMOVE	AS	6.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	2.000
	0700- 3-206	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF	EA	3.000
	0700- 3-505	SIGN PANEL, RELOCATE, 51-100 SF	EA	2.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	2.000
	0700- 3-606	SIGN PANEL, REMOVE, 101-200 SF	EA	3.000
	0700- 4-126	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, SPAN, 101-150 FT	EA	1.000
	0700- 4-611	OVERHEAD STATIC SIGN STRUCTURE, SHALLOW FOUNDATION REMOVAL, CANTILEVER	EA	2.000
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	2.000
	0704- 1- 1	TUBULAR MARKER, DURABLE, 36" WHITE POST	EA	102.000
	0704- 1- 2	TUBULAR MARKER, DURABLE, 36" YELLOW POST	EA	1.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	1.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	601.000
	0710- 11-190	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	SF	11.000
	0710- 11-290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	21.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44969215201)	LS	1.000
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	0.045
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	174.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	445.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	203.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.384
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	15.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	42.000
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	73.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.054
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	173.000
	0711- 14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	4.000

Description REFORMED, WHITE, ARROW RANDARD-OTHER SURFACES, WHITE, SOLID, 6" RANDARD-OTHER SURFACES, WHITE, SOLID, 8" RANDARD-OTHER SURFACES, WHITE, SKIP, 6",10 REDROP RANDARD-OTHER SURFACES WHITE, SKIP, 12"- PLAZA OR 3-9 LANE DROP RANDARD-OTHER SURFACES, YELLOW, SOLID, RANDARD-OTHER SURFACES, YELLOW, SKIP, 6" RANDARD-OTHER	Unit EA GM GM GM GM GM	1.289 0.430 0.440 0.073 0.736 0.036
ANDARD-OTHER SURFACES, WHITE, SOLID, 6" ANDARD-OTHER SURFACES, WHITE, SOLID, 8" ANDARD-OTHER SURFACES, WHITE, SKIP, 6",10 EDROP ANDARD-OTHER SURFACES WHITE, SKIP, 12"- PLAZA OR 3-9 LANE DROP ANDARD-OTHER SURFACES, YELLOW, SOLID, ANDARD-OTHER SURFACES, YELLOW, SKIP, 6" A INSTALL, DIRECTIONAL BORE F&I, 13" x 24" COVER SIZE DRS, F&I, INSULATED, NO.8 - 6	GM GM GM GM GM LF EA	4.000 1.289 0.430 0.440 0.073 0.736 0.036
ANDARD-OTHER SURFACES, WHITE, SOLID, 8" ANDARD-OTHER SURFACES, WHITE, SKIP, 6",10 EDROP ANDARD-OTHER SURFACES WHITE, SKIP, 12"- PLAZA OR 3-9 LANE DROP ANDARD-OTHER SURFACES, YELLOW, SOLID, ANDARD-OTHER SURFACES, YELLOW, SKIP, 6" A INSTALL, DIRECTIONAL BORE F&I, 13" x 24" COVER SIZE DRS, F&I, INSULATED, NO.8 - 6	GM GM GM GM LF EA	0.430 0.440 0.073 0.736 0.036
ANDARD-OTHER SURFACES, WHITE, SKIP, 6",10 DROP ANDARD-OTHER SURFACES WHITE, SKIP, 12"-PLAZA OR 3-9 LANE DROP ANDARD-OTHER SURFACES, YELLOW, SOLID, ANDARD-OTHER SURFACES, YELLOW, SKIP, 6" A INSTALL, DIRECTIONAL BORE F&I, 13" x 24" COVER SIZE DRS, F&I, INSULATED, NO.8 - 6	GM GM GM LF EA	0.440 0.073 0.736 0.036 1,068.000
EDROP CANDARD-OTHER SURFACES WHITE, SKIP, 12"- PLAZA OR 3-9 LANE DROP CANDARD-OTHER SURFACES, YELLOW, SOLID, CANDARD-OTHER SURFACES, YELLOW, SKIP, 6"  A INSTALL, DIRECTIONAL BORE F&I, 13" x 24" COVER SIZE DRS, F&I, INSULATED, NO.8 - 6	GM GM GM LF EA	0.073 0.736 0.036 1,068.000
PLAZA OR 3-9 LANE DROP ANDARD-OTHER SURFACES, YELLOW, SOLID, ANDARD-OTHER SURFACES, YELLOW, SKIP, 6" A INSTALL, DIRECTIONAL BORE F&I, 13" x 24" COVER SIZE DRS, F&I, INSULATED, NO.8 - 6	GM GM LF EA	0.736 0.036 1,068.000
ANDARD-OTHER SURFACES, YELLOW, SKIP, 6"  KINSTALL, DIRECTIONAL BORE  F&I, 13" x 24" COVER SIZE  DRS, F&I, INSULATED, NO.8 - 6	GM LF EA	0.036 1,068.000
k INSTALL, DIRECTIONAL BORE F&I, 13" x 24" COVER SIZE DRS, F&I, INSULATED, NO.8 - 6	LF EA	1,068.000
F&I, 13" x 24" COVER SIZE DRS, F&I, INSULATED, NO.8 - 6	EA	
F&I, 13" x 24" COVER SIZE DRS, F&I, INSULATED, NO.8 - 6	EA	
DRS, F&I, INSULATED, NO.8 - 6		
	. –	14.000
DDS EST INISHI ATED NO 4 TO NO 2	LF	2,925.000
JKS, Fai, INSULATED, NO 4 TO NO 2	LF	1,872.000
ORS, REMOVE & DISPOSE, CONTRACTOR	LF	4,565.000
ET ARM, REPLACE LUMINAIRE AND ARM ON	EA	1.000
	EA	2.000
	EA	2.000
TE, RELOCATE	EA	2.000
TE, REMOVE POLE AND FOUNDATION	EA	3.000
BUTION SYSTEM, FURNISH AND INSTALL,	EA	4.000
k INSTALL, OPEN TRENCH	LF	61.000
k INSTALL, DIRECTIONAL BORE	LF	428.000
OR RECONSTRUCTED INTERSECTION,	PI	1.000
OVE- INTERSECTION	ΡI	1.000
F&I, UNDERGROUND,2-12 FIBERS	LF	120.000
	EA	4.000
	EA	4.000
	EA	1.000
CTION HARDWARE, F&I, PATCH PANEL- FIELD	EA	1.000
CTION HARDWARE, F&I, CONNECTOR PANEL	EA	1.000
	DA	1.000
F&I, 13" x 24" COVER SIZE	EA	21.000
SERVICE, F&I, UNDERGROUND, METER	AS	1.000
	AS	1.000
	LF	146.000
E DISCONNECT, F&I, POLE MOUNT	EA	1.000
	PLACE EXISTING LUMINAIRE ON EXISTING LY, POLE TOP ETE, F&I, STANDARD POLE STANDARD DUNTING HEIGHT, 0' ARM LENGTH ETE, RELOCATE ETE, REMOVE POLE AND FOUNDATION BUTION SYSTEM, FURNISH AND INSTALL,  A INSTALL, OPEN TRENCH INSTALL, DIRECTIONAL BORE OR RECONSTRUCTED INTERSECTION,  OVE- INTERSECTION  F&I, UNDERGROUND, 2-12 FIBERS  CTION, INSTALL, SPLICE  CTION, INSTALL, TERMINATION  CTION HARDWARE, F&I, BUFFER TUBE FAN  CTION HARDWARE, F&I, PATCH PANEL- FIELD  CTION HARDWARE, F&I, CONNECTOR PANEL  LOCATOR  F&I, 13" x 24" COVER SIZE  SERVICE, F&I, UNDERGROUND, METER  ITRACTOR  SERVICE, REMOVE UNDERGROUND  E WIRE, FURNISH & INSTALL	PLACE EXISTING LUMINAIRE ON EXISTING AY, POLE TOP  ETE, F&I, STANDARD POLE STANDARD ETE, REI, STANDARD POLE STANDARD ETE, RELOCATE ETE, REMOVE POLE AND FOUNDATION EA BUTION SYSTEM, FURNISH AND INSTALL, EA  A INSTALL, OPEN TRENCH E INSTALL, DIRECTIONAL BORE E OR RECONSTRUCTED INTERSECTION, EA  COVE- INTERSECTION FAI, UNDERGROUND, 2-12 FIBERS CTION, INSTALL, SPLICE CTION, INSTALL, SPLICE CTION, INSTALL, TERMINATION EA  CTION HARDWARE, F&I, BUFFER TUBE FAN EA  CTION HARDWARE, F&I, CONNECTOR PANEL LOCATOR F&I, 13" x 24" COVER SIZE EA ESERVICE, F&I, UNDERGROUND, METER ESERVICE, F&I, UNDERGROUND ESERVICE, REMOVE UNDERGROUND EN EWIRE, FURNISH & INSTALL  EA  EN EN EN  EA  EA  EA  SERVICE, REMOVE UNDERGROUND EA  EA  EA  EA  EA  EA  EA  EA  EA  EA

		Call Order, 000 Proposal, E0007		
ALT	Item	Description	Unit	Quantity
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	1.000
	0646- 1-11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	2.000
	0646- 1-60	ALUMINUM SIGNALS POLE, REMOVE	EA	2.000
	0649- 21- 10	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 60'	EA	3.000
	0649- 21- 21	STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78'	EA	1.000
	0649- 26- 3	STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION-BOLT ON ATTACHMENT	EA	3.000
	0650- 1-14	VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	16.000
	0653- 1-11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	2.000
	0660- 7-110	VEHICLE DETECTION SYSTEM- WRONG WAY, ADJUST	EA	1.000
	0660- 9-11	TRAFFIC DATA DETECTION SYSTEM- VIDEO, FURNISH AND INSTALL, CABINET EQUIPMENT	EA	1.000
	0660- 9-12	TRAFFIC DATA DETECTION SYSTEM- VIDEO, FURNISH AND INSTALL, ABOVE GROUND EQUIPMENT	EA	4.000
	0663- 1-121	SIGNAL PRIORITY AND PREEMPTION SYSTEM, FURNISH AND INSTALL, GPS, REPLACE CABINET ELECTRONICS	EA	1.000
	0663- 1-122	SIGNAL PRIORITY AND PREEMPTION SYSTEM, FURNISH AND INSTALL, GPS, DETECTOR	EA	4.000
	0665- 1-11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	2.000
	0670- 5-141	TRAFFIC CONTROLLER ASSEMBLY, FURNISH & INSTALL, MODEL 2070, 1 PREEMPTION	AS	1.000
	0670- 5-600	TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	AS	1.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	1.000
	0685- 1-11	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE	EA	1.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	2.000
	0700- 5-22	INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF	EA	4.000
Sectio	n 0005 Architect	ural		
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	33.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	402.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	404.000
	0630- 2-14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	137.000
	0635- 2-119	PULL & SPLICE BOX, F&I,TOLL SITE, 12" x 12"	EA	1.000
	0635- 2-120	PULL & SPLICE BOX, F&I,TOLL SITE, 24" x 36"	EA	10.000
	0641- 2-14	PRESTRESSED CONCRETE POLE, F&I, TYPE P-IV	EA	1.000
	0641- 2-80	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- POLE 30' AND GREATER	EA	1.000
	0715- 5-31	LUMINAIRE & BRACKET ARM- ALUMINUM, FURNISH & INSTALL NEW LUMINAIRE AND ARM ON NEW/EXISTING POLE	EA	1.000
	0735- 88-	TOLL PLAZA MODIFY EXISTING (44969215201)	LS	1.000

Letting: 08230411 Call Order: 009 Proposal: E8U19 District:08

Counties: HILLSBOROUGH

Road Name: RESURFACING AND SAFETY VETERANS SPUR (SR568)

Limits: 10471000

Project(s): 44588515201(\*) Federal Aid No: N/A
Project(s): 44588525201 Federal Aid No: N/A

Total Roadway Length:11.854 MilesContract Days:314Total Bridge Length:0.016 MilesLetting Date:04/11/23Total Proposal Length:11.870 MilesContract Execution Days:10

Special Start Date: N/A
Aquis/Flexible Start Time: 90

Proposal Budget Estimate: \$11,549,889.00

Please read the full advertisement

#### Description:

Work consists of providing all labor, materials, equipment and incidentals necessary for milling, resurfacing, and safety upgrades on SR 568 in Hillsborough County from MP 0.00 to MP 3.021.

No Pre-Bid Conference. Contractor must be prequalified.

		Can Crach too Tropodan 20010		
ALT	Item	Description	Unit	Quantity
Section	n 0001 Structures			
	0411- 1-	EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB	GA	75.000
	0411- 2-	CRACKS INJECT & SEAL- STRUCTURES REHAB	LF	49.000
	0458- 1-21	BRIDGE DECK EXPANSION JOINT, REHABILITATION, POURED JOINT WITH BACKER ROD	LF	82.000
Section	n 0002 Roadway			
	0101- 1-	MOBILIZATION (44588515201)	LS	1.000
	0101- 1-	MOBILIZATION (44588525201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44588515201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44588525201)	LS	1.000
	0102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (44588515201)	LS	1.000
	0102- 2-300	SPECIAL DETOUR- TEMPORARY EARTHWORK/BASE (44588515201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	104.000
	0102- 60-	WORK ZONE SIGN	ED	15,502.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	2,312.000
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	3,030.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	31,904.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	360.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	552.000
	0102-89-1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	10.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	1,004.000
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	314.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	314.000

	•.	Can Order: 009 Troposai. 20019		<b>0</b>
ALT	Item	Description	Unit	Quantity
	0102-115-	TYPE III BARRICADE	ED	68.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	888.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	888.000
	0102-909-	TEMPORARY RAISED RUMBLE STRIPS- PER DAY, INCLUDES ALL SETS AND RELOCATIONS	DA	64.000
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6"	GM	0.426
	0102-913- 22	REMOVABLE TAPE, WHITE, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP, 6" WIDE	GM	0.426
	0102-913- 31	REMOVABLE TAPE, YELLOW, SOLID, 6"	GM	0.430
	0104- 10- 3	SEDIMENT BARRIER	LF	2,667.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	72.000
	0107- 1-	LITTER REMOVAL	AC	674.200
	0107- 2-	MOWING	AC	598.000
	0110- 1- 1	CLEARING & GRUBBING (44588525201)	LS	1.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	1,118.000
	0110- 23-	TREE REMOVAL	EA	5.000
	0120- 1-	REGULAR EXCAVATION	CY	370.900
	0120- 6-	EMBANKMENT	CY	4,637.400
	0160- 4-	TYPE B STABILIZATION	SY	5,073.000
	0210- 1- 8	REWORKING LIMEROCK BASE, 4"	SY	5,318.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	2,316.000
	0285-710-	OPTIONAL BASE, BASE GROUP 10	SY	1,442.000
	0327-70- 1	MILLING EXISTING ASPHALT PAVEMENT, 1" AVG DEPTH	SY	28,594.000
	0327-70-2	MILLING EXISTING ASPHALT PAVEMENT, 3 1/2" AVG DEPTH	SY	4,223.000
	0327-70-5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	62,105.000
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	1,153.000
	0327-70-8	MILLING EXISTING ASPHALT PAVEMENT, 2 1/2" AVG DEPTH	SY	17,485.000
	0327- 70- 11	MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH	SY	6,730.000
	0327- 70- 12	MILLING EXISTING ASPHALT PAVEMENT, 1 1/4" AVG DEPTH	SY	6,735.000
	0327- 70- 16	MILLING EXISTING ASPHALT PAVEMENT, 1/2" AVG DEPTH	SY	16,990.000
	0334- 1-12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	2,734.100
	0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	7,839.000
	0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	3,213.100
	0337- 7-80	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-9.5, PG 76-22	TN	132.100
	0337- 7-82	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22	TN	327.600
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	1,077.500
	0400- 2- 1	CONCRETE CLASS II, CULVERTS	CY	3.400
	0415- 1- 1	REINFORCING STEEL- ROADWAY	LB	56.000
	0425- 1-501	INLETS, DT BOT, TYPE A, <10'	EA	2.000
	0425- 1-505	INLETS, DT BOT, TYPE A, PARTIAL	EA	5.000
	0425- 1-511	INLETS, DT BOT, TYPE B, <10'	EA	7.000
	0425- 1-515	INLETS, DT BOT, TYPE B, PARTIAL	EA	2.000
	0425- 1-701	INLETS, GUTTER, TYPE S, <10'	EA	6.000
	0425- 1-705	INLETS, GUTTER, TYPE S, PARTIAL	EA	4.000
	0425- 2-61	MANHOLES, P-8, <10'	EA	2.000

0425- 5- MANHOLE, ADJUST E/ 0425- 11- MODIFY EXISTING DRAINAGE STRUCTURE  0425- 14- 1 GRATE FOR EXISTING DRAINAGE STRUCTURE, FURNISH AND INSTALL  0430- 94- 3 DESILTING PIPE, 37 - 48"  0430-174-124 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD LF 0430-175-118 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"S/CD LF 0430-175-218 PIPE CULVERT, OPTIONAL MATERIAL, OTHER-ELIP/ARCH, 18"S/CD LF 0430-611-125 U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:4 SLOPE, 18"PIPE E/ 0520- 2- 4 CONCRETE CURB, TYPE D LF 0520- 6- SHOULDER GUTTER- CONCRETE 0522- 1- CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK SY 0522- 2- CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK SY 0524- 1- 2 CONCRETE DITCH PAVEMENT, NON REINFORCED, 4" 0530- 3- 4 RIPRAP, RUBBLE, F&I, DITCH LINING	A 1.000 F 56.000 F 10.000 F 8.000 F 543.000 F 48.000 A 5.000 F 196.000 F 1,984.000
0425- 14- 1 GRATE FOR EXISTING DRAINAGE STRUCTURE, FURNISH AND INSTALL  0430- 94- 3 DESILTING PIPE, 37 - 48"  0430-174-124 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD  0430-175-118 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"S/CD  0430-175-218 PIPE CULVERT, OPTIONAL MATERIAL, OTHER-ELIP/ARCH, 18"S/CD  0430-611-125 U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:4 SLOPE, 18"PIPE  0520- 2- 4 CONCRETE CURB, TYPE D  0520- 6- SHOULDER GUTTER- CONCRETE  0522- 1- CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK  0522- 2- CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK  0524- 1- 2 CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	F 56.000 F 10.000 F 8.000 F 543.000 F 48.000 A 5.000 F 196.000 F 1,984.000
INSTALL  0430- 94- 3 DESILTING PIPE, 37 - 48"  0430-174-124 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD  0430-175-118 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"S/CD  0430-175-218 PIPE CULVERT, OPTIONAL MATERIAL, OTHER-ELIP/ARCH, 18"S/CD  0430-611-125 U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:4 SLOPE, 18"PIPE  0520- 2- 4 CONCRETE CURB, TYPE D  0520- 6- SHOULDER GUTTER- CONCRETE  0522- 1- CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK  0522- 2- CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK  0524- 1- 2 CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"  SY	F 10.000 F 8.000 F 543.000 F 48.000 A 5.000 F 196.000 F 1,984.000
0430-174-124 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"SD 0430-175-118 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"S/CD 0430-175-218 PIPE CULVERT, OPTIONAL MATERIAL, OTHER-ELIP/ARCH, 18"S/CD 0430-611-125 U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:4 SLOPE, 18"PIPE 0520- 2- 4 CONCRETE CURB, TYPE D 0520- 6- SHOULDER GUTTER- CONCRETE 0522- 1- CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK 0522- 2- CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK 0524- 1- 2 CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	F 8.000 F 543.000 F 48.000 A 5.000 F 196.000 F 1,984.000
0430-175-118 PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD 0430-175-218 PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD 0430-611-125 U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:4 SLOPE, 18"PIPE 0520- 2- 4 CONCRETE CURB, TYPE D 0520- 6- SHOULDER GUTTER- CONCRETE 0522- 1- CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK 0522- 2- CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK 0524- 1- 2 CONCRETE DITCH PAVEMENT, NON REINFORCED, 4" SY	F 543.000 F 48.000 A 5.000 F 196.000 F 1,984.000
0430-175-218 PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD LF 0430-611-125 U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:4 SLOPE, 18"PIPE D LF 0520- 2- 4 CONCRETE CURB, TYPE D LF 0520- 6- SHOULDER GUTTER- CONCRETE LF 0522- 1- CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK SY 0522- 2- CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK SY 0524- 1- 2 CONCRETE DITCH PAVEMENT, NON REINFORCED, 4" SY	F 48.000 A 5.000 F 196.000 F 1,984.000
0430-611-125 U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:4 SLOPE, 18"PIPE E/0520- 2- 4 CONCRETE CURB, TYPE D  0520- 6- SHOULDER GUTTER- CONCRETE  0522- 1- CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK SY  0522- 2- CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK SY  0524- 1- 2 CONCRETE DITCH PAVEMENT, NON REINFORCED, 4" SY	A 5.000 F 196.000 F 1,984.000
0520- 2- 4 CONCRETE CURB, TYPE D  0520- 6- SHOULDER GUTTER- CONCRETE  0522- 1- CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK  0522- 2- CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK  0524- 1- 2 CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"  SY	F 196.000 F 1,984.000
0520- 6- SHOULDER GUTTER- CONCRETE  0522- 1- CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK  0522- 2- CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK  0524- 1- 2 CONCRETE DITCH PAVEMENT, NON REINFORCED, 4" SY	F 1,984.000
0522- 1- CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK S' 0522- 2- CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK S' 0524- 1- 2 CONCRETE DITCH PAVEMENT, NON REINFORCED, 4" S'	
0522- 2- CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK SY 0524- 1- 2 CONCRETE DITCH PAVEMENT, NON REINFORCED, 4" SY	.,
0524- 1- 2 CONCRETE DITCH PAVEMENT, NON REINFORCED, 4" SY	Y 120.000
	Y 40.000
0530- 3- 4 RIPRAP, RUBBLE F&L DITCH LINING	Y 418.000
11 Table 11	N 12.400
0530- 74- BEDDING STONE TN	N 13.400
0536- 1- 1 GUARDRAIL -ROADWAY, GENERAL TL-3	F 3,850.000
0536- 1- 3 GUARDRAIL- ROADWAY, DOUBLE FACE	F 8,552.000
0536- 5- 2 RUBRAIL FOR GUARDRAIL, DOUBLE SIDED RUB RAIL LE	F 8,552.000
0536- 7- 3 SPECIAL GUARDRAIL POST- ENCASED POST FOR SHALLOW MOUNT EA	A 6.000
0536- 8-122 GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- E/INDEX 536-002, APPROACH TL-3	A 15.000
0536- 73- GUARDRAIL REMOVAL LF	F 12,436.000
0536- 85- 20 GUARDRAIL END TREATMENT- TRAILING ANCHORAGE EA	A 2.000
0536- 85- 24 GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL EA	A 4.000
0536- 85- 27 GUARDRAIL END TREATMENT- DOUBLE FACE APPROACH TERMINAL EA	A 3.000
0536- 85- 29 GUARDRAIL END TREATMENT- DOUBLE FACE TRAILING EACHORAGE	A 6.000
0546-71- 1 RAISED RUMBLE STRIP SET- PERMANENT EA	A 6.000
0546- 72- 1 GROUND-IN RUMBLE STRIPS, 16" GI	M 10.244
0570- 1- 2 PERFORMANCE TURF, SOD SY	Y 24,605.000
0570- 1- 3 PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT S'INDEX 570-010	Y 7,119.000
0706- 1- 3 RAISED PAVEMENT MARKER, TYPE B	A 1,854.000
0710- 11-101 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" GI	M 12.264
0710- 11-102 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR GI INTERCHANGE AND URBAN ISLAND, 8"	M 0.097
0710- 11-123 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF CROSSWALK AND ROUNDABOUT, 12"	F 30.000
0710- 11-124 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF DIAGONAL OR CHEVRON, 18"	F 387.000
0710- 11-125 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR LF STOP LINE OR CROSSWALK, 24"	F 66.000
0710- 11-131 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 GI OR 3-9 SKIP, 6" WIDE	M 10.814
0710- 11-141 PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GI GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	M 0.078

ALT	Item	Description	Unit	Quantity
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	10.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	25.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	11.436
	0922-102- 1	SMART WORK ZONE, ARROW BOARD	ED	628.000
	0922-102- 2	SMART WORK ZONE, PORTABLE CHANGEABLE MESSAGE SIGN	ED	1,256.000
	0922-102- 5	SMART WORK ZONE, VARIABLE SPEED LIMIT SIGN WITH ELECTRONIC SPEED FEEDBACK SIGN	ED	628.000
	0922-102- 6	SMART WORK ZONE, VEHICLE DETECTOR	ED	1,256.000
	0922-102- 7	SMART WORK ZONE, CAMERA	ED	1,884.000
	0922-102- 8	SMART WORK ZONE, CENTRAL PROCESSOR	ED	628.000
	0922-102- 9	SMART WORK ZONE, LOCATION DEVICE	ED	628.000
	0999- 16-	PARTNERING, DO NOT BID (44588515201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44588515201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44588525201)	LS	1.000
Section	0003 Signing			
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	55.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	60.000
	0630- 2-14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	50.000
	0632- 7- 2	SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL	LF	65.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	2.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	180.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	1.000
	0639- 6- 1	ELECTRICAL POWER SERVICE- TRANSFORMER FURNISH & INSTALL	EA	1.000
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	15.000
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	17.000
	0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	5.000
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	29.000
	0700- 2-12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	1.000
	0700- 2-13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	1.000
	0700- 2-14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	3.000
	0700- 2-15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	1.000
	0700- 2-17	MULTI- POST SIGN, F&I GROUND MOUNT, 201-300 SF	AS	4.000
	0700- 2-60	MULTI- POST SIGN, REMOVE	AS	10.000
	0700- 3-406	SIGN PANEL, INSTALL, 101-200 SF	EA	1.000
	0700- 3-604	SIGN PANEL, REMOVE, 31-50 SF	EA	1.000
	0700- 4-114	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 41-50 FT	EA	1.000
	0700- 4-621	OVERHEAD STATIC SIGN STRUCTURE, SHALLOW FOUNDATION REMOVAL, SPAN	EA	1.000
	0700- 12- 32	SIGN BEACON, F&I OVERHEAD MOUNT, TWO BEACONS	AS	1.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	927.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44588515201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	30.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	387.000

		Can Order: 003 Troposai: E0013		
ALT	Item	Description	Unit	Quantity
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	66.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.078
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	10.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	25.000
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	24.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	5.476
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	0.053
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	5.321
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	5.131
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.656
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.044
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.086
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.587
	0711- 17- 1	THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN	SF	3,376.000
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.426
	0713-103-131	PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.426
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.430
	0713-103-331	PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES	GM	0.426
Sectio	n 0004 Lighting			
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	4,202.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	862.000
	0630- 2-15	CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT	LF	90.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	51.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	1.000
	0639- 1-620	ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND	AS	1.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	318.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	1.000
	0715- 1-11	LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <	LF	5,840.000
	0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	171,753.000
	0715- 1-13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	23,939.000
	0715- 1-60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	106,344.000
	0715- 7-11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	2.000
	0715- 7-21	LOAD CENTER, REWORK, SECONDARY VOLTAGE	EA	1.000
	0715- 7-41	LOAD CENTER, REMOVE, SECONDARY VOLTAGE	EA	2.000

		Call Order. 003 Proposal. Louis		
ALT	Item	Description	Unit	Quantity
	0715- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	106.000
	0715- 11-225	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE, ROADWAY, WALL MOUNT	EA	18.000
	0715- 11-500	LUMINAIRE, REMOVE	EA	2.000
	0715- 61-411	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 8' ARM LENGTH	EA	2.000
	0715- 61-452	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 15' ARM LENGTH	EA	45.000
	0715- 69-000	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	54.000
	0715- 69-001	LIGHT POLE COMPLETE, REMOVE POLE, FOUNDATION REMAINS	EA	2.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	153.000
	0715-500- 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	18.000
Section	on 0005 Signalizat	tion		
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	47.000
	0660- 2-101	LOOP ASSEMBLY- F&I, TYPE A	AS	5.000
Section	on 0006 Intelligent	t Transportation System		
	0611- 1- 1	ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH	MI	3.021
	0611- 2- 2	ITSFM LOCATION DOCUMENTATION- ITS SITE	EA	1.000
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	314.000
	0682- 1-133	ITS CCTV CAMERA, F&I, DOME ENCLOSURE - NON-PRESSURIZED, IP, HIGH DEFINITION	EA	1.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	1.000
	0684- 1- 6	MANAGED FIELD ETHERNET SWITCH, REMOVE- CABINET TO REMAIN	EA	1.000

Letting: 08230411 Call Order: 001 Proposal: E8U40-R0 District:08

Counties: BROWARD, MIAMI-DADE

Road Name: SIGN MAINTENANCE - HEFT & BROWARD

Limits: Midpoint

Project(s): 19291217210(\*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:04/11/23Total Proposal Length:0.000 MilesContract Execution Days:10

Special Start Date: N/A

Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$380,000.00

Please read the full advertisement

### Description:

The work specified in this contract consists of providing all labor, materials, equipment, and incidentals necessary to perform maintenance and inspection on highway signing and highway delineators including supporting posts and miscellaneous hardware at various locations on the Homestead Extension (SR 821) from Milepost (MP) 0.0 to 47.0 and Florida's Turnpike (SR 91), MP 0.X to 73.0, including ramps, feeder, and connector roads.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS PROJECT.

ALT Item	Description	Unit	Quantity
Section 0001 DELINE	·	OTIL	Quantity
0102- 14-	TRAFFIC CONTROL OFFICER	HR	80.000
0700- 1- 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	25.000
		_	
0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	10.000
0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	5.000
0700- 1-21	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF	AS	1.000
0700- 1-22	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013, 12-20 SF	AS	2.000
0700- 1-31	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF	AS	1.000
0700- 1-32	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, 12-20 SF	AS	1.000
0700- 1-50	SINGLE POST SIGN, RELOCATE	AS	2.000
0700- 1-60	SINGLE POST SIGN, REMOVE	AS	40.000
0700- 2-12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	2.000
0700- 2-13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	2.000
0700- 2-14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	2.000
0700- 2-15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	1.000
0700- 2-16	MULTI- POST SIGN, F&I GROUND MOUNT, 101-200 SF	AS	1.000
0700- 2-17	MULTI- POST SIGN, F&I GROUND MOUNT, 201-300 SF	AS	1.000
0700- 2-50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	1.000
0700- 2-60	MULTI- POST SIGN, REMOVE	AS	2.000
0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	5.000
0700- 3-102	·	EA	15.000

ALT	Item	Description	Unit	Quantity
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	5.000
	0700- 3-104	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 31-50 SF	EA	1.000
	0700- 3-105	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 51-100 SF	EA	1.000
	0700- 3-106	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 101-200 SF	EA	1.000
	0700- 3-107	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 201-300 SF	EA	1.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	1.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	1.000
	0700- 3-203	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF	EA	1.000
	0700- 3-204	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 31-50 SF	EA	1.000
	0700- 3-205	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 51-100 SF	EA	1.000
	0700- 3-206	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF	EA	1.000
	0700- 3-207	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF	EA	1.000
	0700- 3-401	SIGN PANEL, INSTALL, UP TO 12 SF	EA	2.000
	0700- 3-402	SIGN PANEL, INSTALL, 12-20 SF	EA	2.000
	0700- 3-403	SIGN PANEL, INSTALL, 21-30 SF	EA	1.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	19.000
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	48.000
	0700- 3-603	SIGN PANEL, REMOVE, 21-30 SF	EA	25.000
	0700- 3-604	SIGN PANEL, REMOVE, 31-50 SF	EA	1.000
	0700- 3-605	SIGN PANEL, REMOVE, 51-100 SF	EA	3.000
	0700- 3-606	SIGN PANEL, REMOVE, 101-200 SF	EA	3.000
	0700- 3-607	SIGN PANEL, REMOVE, 201-300 SF	EA	1.000
	0700- 13- 12	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2'	EA	10.000
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	5.000
	0704- 1- 1	TUBULAR MARKER, DURABLE, 36" WHITE POST	EA	50.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	2.000
	0705- 10- 2	OBJECT MARKER, TYPE 2	EA	1.000
	0705- 10- 3	OBJECT MARKER, TYPE 3	EA	1.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	10.000
	E101- 72-	MOBILIZATION (EMERGENCY RESPONSE)	EA	15.000
	E102- 1- 3	MAINTENANCE OF TRAFFIC (SITE SPECIFIC)	LO	5.000
	E700- 30- 1	SIGN PANEL OVERLAY, SINGLE POST	SF	20.000
	E700- 30- 2	SIGN PANEL OVERLAY, MULTI POST	SF	100.000
	E700-30-3	SIGN PANEL OVERLAY, OVERHEAD	SF	40.000
	E700- 46- 31	REPAIR EXISTING SIGN (SINGLE POST)	AS	60.000
	E700- 46- 32	REPAIR EXISTING SIGN (MULTI POST)	AS	5.000
	E700- 46- 33	REPAIR EXISTING SIGN (OVHD TRUSS)	AS	1.000
	E700- 46- 34	REPAIR EXISTING SIGN (OVHD CANTILEVER)	AS	1.000
	E700- 94- 1	BREAKAWAY SIGN SUPPORT FOUNDATION (F&I)	EA	1.000
	E700- 94- 2	BREAKAWAY SIGN SUPPORT FOUNDATION (REMOVE)	EA	2.000
	E700- 96- 1	SIGN SUPPORT REPAIRS (ALUMINUM)	LB	500.000
	E700- 96- 2	SIGN SUPPORT REPAIRS (STEEL)	LB	100.000
	E700- 98-	SIGN INSPECTION (SINGLE/MULTI POST GROUND MOUNT)	EA	1,000.000

Letting: 08230411 Call Order: 002 Proposal: E8U41-R0 District:08

Counties: BROWARD, PALM BEACH, TURNPIKE

Road Name: SIGN MAINTENANCE - PALM BEACH & SAWGRASS EXPRESSWAY

Limits: Midpoint

Project(s): 19291227201(\*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 365

Total Bridge Length: 0.000 Miles Letting Date: 04/11/23

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$370,000.00

Please read the full advertisement

### Description:

The work specified in this contract consists of providing all labor, materials, equipment, and incidentals necessary to perform maintenance and inspection on highway signing and highway delineators including supporting posts and miscellaneous hardware at various locations on Florida's Turnpike (SR 91), Milepost (MP) 73.0 to 100.0 and the Sawgrass Expressway (SR 869), MP 0.0 to 22.5, including ramps, feeder, and connector roads.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS PROJECT.

oun order. out in reposal. 20041 No					
ALT	Item	Description	Unit	Quantity	
Section	n 0001 DELINEA	TORS (UN)			
	0700- 1-11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	25.000	
	0700- 1-12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	10.000	
	0700- 1-13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	5.000	
	0700- 1-21	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF	AS	1.000	
	0700- 1-22	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013, 12-20 SF	AS	2.000	
	0700- 1-31	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, UP TO 12 SF	AS	1.000	
	0700- 1-32	SINGLE POST SIGN, F&I BRIDGE MOUNT INDEX 11870/700-012, 12-20 SF	AS	1.000	
	0700- 1-50	SINGLE POST SIGN, RELOCATE	AS	2.000	
	0700- 1-60	SINGLE POST SIGN, REMOVE	AS	40.000	
	0700- 2-12	MULTI- POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	2.000	
	0700- 2-13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	2.000	
	0700- 2-14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	2.000	
	0700- 2-15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	1.000	
	0700- 2-16	MULTI- POST SIGN, F&I GROUND MOUNT, 101-200 SF	AS	1.000	
	0700- 2-17	MULTI- POST SIGN, F&I GROUND MOUNT, 201-300 SF	AS	1.000	
	0700- 2-50	MULTI- POST SIGN, GROUND MOUNT, RELOCATE	AS	1.000	
	0700- 2-60	MULTI- POST SIGN, REMOVE	AS	2.000	
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	5.000	
	0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	15.000	

		·		
ALT	Item	Description	Unit	Quantity
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	5.000
	0700- 3-104	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 31-50 SF	EA	1.000
	0700- 3-105	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 51-100 SF	EA	1.000
	0700- 3-106	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 101-200 SF	EA	1.000
	0700- 3-107	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 201-300 SF	EA	1.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	1.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	1.000
	0700- 3-203	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF	EA	1.000
	0700- 3-204	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 31-50 SF	EA	1.000
	0700- 3-205	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 51-100 SF	EA	1.000
	0700- 3-206	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF	EA	1.000
	0700- 3-207	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF	EA	1.000
	0700- 3-401	SIGN PANEL, INSTALL, UP TO 12 SF	EA	2.000
	0700- 3-402	SIGN PANEL, INSTALL, 12-20 SF	EA	2.000
	0700- 3-403	SIGN PANEL, INSTALL, 21-30 SF	EA	1.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	19.000
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	48.000
	0700- 3-603	SIGN PANEL, REMOVE, 21-30 SF	EA	25.000
	0700- 3-604	SIGN PANEL, REMOVE, 31-50 SF	EA	1.000
	0700- 3-605	SIGN PANEL, REMOVE, 51-100 SF	EA	3.000
	0700- 3-606	SIGN PANEL, REMOVE, 101-200 SF	EA	3.000
	0700- 3-607	SIGN PANEL, REMOVE, 201-300 SF	EA	1.000
	0700- 13- 12	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2'	EA	10.000
	0700- 13- 15	RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5'	EA	5.000
	0705- 10- 1	OBJECT MARKER, TYPE 1	EA	2.000
	0705- 10- 2	OBJECT MARKER, TYPE 2	EA	1.000
	0705- 10- 3	OBJECT MARKER, TYPE 3	EA	1.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	10.000
	E101- 72-	MOBILIZATION (EMERGENCY RESPONSE)	EA	15.000
	E102- 1- 3	MAINTENANCE OF TRAFFIC (SITE SPECIFIC)	LO	5.000
	E700- 30- 1	SIGN PANEL OVERLAY, SINGLE POST	SF	20.000
	E700-30-2	SIGN PANEL OVERLAY, MULTI POST	SF	100.000
	E700-30-3	SIGN PANEL OVERLAY, OVERHEAD	SF	40.000
	E700- 46- 31	REPAIR EXISTING SIGN (SINGLE POST)	AS	60.000
	E700- 46- 32	REPAIR EXISTING SIGN (MULTI POST)	AS	5.000
	E700- 46- 33	REPAIR EXISTING SIGN (OVHD TRUSS)	AS	1.000
	E700- 46- 34	REPAIR EXISTING SIGN (OVHD CANTILEVER)	AS	1.000
	E700- 94- 1	BREAKAWAY SIGN SUPPORT FOUNDATION (F&I)	EA	1.000
	E700- 94- 2	BREAKAWAY SIGN SUPPORT FOUNDATION (REMOVE)	EA	2.000
	E700- 96- 1	SIGN SUPPORT REPAIRS (ALUMINUM)	LB	500.000
	E700-96-2	SIGN SUPPORT REPAIRS (STEEL)	LB	100.000
	E700- 98-	SIGN INSPECTION (SINGLE/MULTI POST GROUND MOUNT)	EA	1,000.000

Letting: 08230411 Call Order: 003 Proposal: E8U42 District:08

Counties: MIAMI-DADE

Road Name: NOISE WALL REPAIRS - HEFT - MP 8 TO MP 10

Limits: 87471000

Project(s): 43721135201(\*) Federal Aid No: N/A

Total Roadway Length: 4.400 Miles Contract Days: 180

Total Bridge Length: 0.000 Miles Letting Date: 04/11/23

Total Proposal Length: 4.400 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$320,000.00

Please read the full advertisement

#### Description:

The work specified in this contract consists of providing all labor, materials, equipment, and incidentals necessary to repair Noise Walls SB1-11 at Milepost (MP) 8.0 and SB2-1 at MP 10.0 on the Homestead Extension of the Florida's Turnpike.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS PROJECT.

ALT	Item	Description	Unit	Quantity
Sectio	n 0001 MAINTEN	ANCE SUPPORT SERVICES (MH)		
	0104- 10- 3	SEDIMENT BARRIER	LF	100.000
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	201.000
	0120- 6-	EMBANKMENT	CY	1,001.500
	0400-143-	CLEANING & COATING CONCRETE SURFACE, CLASS 5	SF	498.000
	0401-70-4	RESTORE SPALLED AREAS, PORTLAND CEMENT GROUT	CF	0.500
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	214.000
	0633- 6-10	FIBER OPTIC CABLE LOCATOR- MAINTENANCE CONTRACTS ONLY	EA	2.000
	E101- 1- 1	MOBILIZATION	LO	2.000
	E102- 1- 3	MAINTENANCE OF TRAFFIC (SITE SPECIFIC)	LO	2.000
	E102- 10-	OFF-DUTY LAW ENFORCEMENT OFFICER	MH	112.000
	E534- 72- 1	SOUND/NOISE BARRIER PANELS, F&I, REPLACE	SF	2,720.000
	E534-72- 2	SOUND/NOISE BARRIER POSTS, F&I, REPLACE, INC FOUNDATION	EA	5.000
	E575- 1- 8	SODDING, BAHIA	SY	1,671.000

Letting: 08230411 Call Order: 004 Proposal: E8U43 District:08

Counties: BREVARD, TURNPIKE

Road Name: LANDSCAPING - BEACHLINE EXPRESSWAY

Limits: Midpoint

Project(s): 19077855230(\*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 850
Total Bridge Length: 0.000 Miles Letting Date: 04/11/23

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$2,750,000.00

Please read the full advertisement

#### Description:

The work specified in this Contract of providing all labor, materials, equipment, and all incidentals necessary to furnish and install, and establish landscaping at the following location: Beachline Expressway (SR 528). The work shall include providing landscape installation, site preparation, clearing and grubbing, electrical components, mulching, mowing and litter removal, irrigation, and a two (2) year Landscape Establishment Period.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS PROJECT.

CONTRACTOR EXPERIENCE DOCUMENTATION: Expertise and Experience is required in the performance of Landscaping. The Experience in Landscaping Form (850-070-09) must be filled out and submitted with the bid to be reviewed by the Department.

ALT	Item	Description	Unit	Quantity	
Section 0001 MAINTENANCE SUPPORT SERVICES (MH)					
E99	9- 10- 41	MAINTENANCE LUMP SUM CONTRACT	LS	1.000	

Letting: 08230411 Call Order: 005 Proposal: E8U44-R0 District:08

Counties: MIAMI-DADE, TURNPIKE

Road Name: LED CONVERSION - MIAMI-DADE

Limits: Midpoint

Project(s): 45037025201(\*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:04/11/23

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$400,000.00

Please read the full advertisement

#### Description:

The work specified in this contract consists of providing all labor, materials, equipment, and incidentals necessary to furnish and install LED luminaires on existing light poles and lighting systems in accordance with the manufacturer's recommendations including the removal and disposal of existing luminaires and all associated components at various locations on the Florida's Turnpike Enterprise System in Miami-Dade County.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS PROJECT.

Call Order: 005 Proposal: E8U44-R0

ALT Item Description Unit Quantity

Section 0001 MAINTENANCE SUPPORT SERVICES (MH)

0715- 11-213 LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING FOLE/ARM, ROADWAY, POLE TOP

Letting: 08230411 Call Order: 006 Proposal: Z8121-R0 District:08

Counties: BROWARD, MIAMI-DADE, TURNPIKE

Road Name: PRE-EVENT CUT & TOSS - MIAMI-DADE & BROWARD

Limits: Midpoint

Project(s): 4436101D203(\*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 365

Total Bridge Length: 0.000 Miles Letting Date: 04/11/23

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$0.00

Please read the full advertisement

#### Description:

The purpose of this Contract is to provide Cut and Toss Operations pursuant to a Governor's and/or Presidential Declaration of a State Emergency. This Contract includes Miami-Dade & Broward counties within District D-8/Florida's Turnpike. The Contractor shall perform Cut and Toss Operations pursuant to the terms of this Contract and at the direction of the Department within District D-8/Florida's Turnpike.

- 1. No Pre-bid Conference.
- 2. Award is contingent upon legislative budget approval and availability of funds.
- 3. Awarded Contractor must execute documents within 10 days.
- 4. General Liability, Auto and Workman's Compensation Insurance required.
- 5. FHWA 1273
- 6. The Contractor shall provide a letter to the Department AT THE TIME OF BID, from a surety authorized to do business in the State of Florida verifying the Contractor is bondable in the State of Florida. For the purposes of this Contract the dollar amount is established at \$1,000,000.00. The performance bond will be required within five days after commencement of any services.
- 7. Multiple contracts will be awarded from this advertisement.

The Department, at its sole discretion, may award one or more contracts. If more than one award is made, award will be based off the lowest responsive bid then the next lowest responsive bid and so forth and activated in the same order based on Contractor availability and ability to satisfy the needs of the Department at the time contacted.

No quantities are guaranteed and there will be no unit cost adjustment for quantities required over or under the estimated quantities.

Call Order: 006 Proposal: Z8121-R0

ALT	Item	Description	Unit	Quantity
Section 0001 HURR/STORM DEBRIS REMOVAL/DISP (CY)				
0129	- 1- 1	NATURAL DISASTER /PRE EVENT CONTRACTS, CREW PRE- POSITIONING: DO NOT BID	ED	1.000
0129	- 1- 2	NATURAL DISASTER /PRE EVENT CONTRACTS, CUT AND TOSS	HR	250.000

Letting: 08230411 Call Order: 007 Proposal: Z8122-R0 District:08

Counties: PALM BEACH, TURNPIKE

Road Name: PRE-EVENT CUT & TOSS - PALM BEACH

Limits: Midpoint

Project(s): 4436102D203(\*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 365 Total Bridge Length: 0.000 Miles Letting Date: 04/11/23

0.000 Miles Total Proposal Length: Contract Execution Days: 10 N/A

Special Start Date:

Aquis/Flexible Start Time:

\$0.00 Proposal Budget Estimate:

Please read the full advertisement

#### Description:

The purpose of this Contract is to provide Cut and Toss Operations pursuant to a Governor's and/or Presidential Declaration of a State Emergency. This Contract includes Palm Beach county within District D-8/Florida's Turnpike. The Contractor shall perform Cut and Toss Operations pursuant to the terms of this Contract and at the direction of the Department within District D-8/Florida's Turnpike.

- 1. No Pre-bid Conference.
- 2. Award is contingent upon legislative budget approval and availability of funds.
- 3. Awarded Contractor must execute documents within 10 days.
- 4. General Liability, Auto and Workman's Compensation Insurance required.
- 5. FHWA 1273
- 6. The Contractor shall provide a letter to the Department AT THE TIME OF BID, from a surety authorized to do business in the State of Florida verifying the Contractor is bondable in the State of Florida. For the purposes of this Contract the dollar amount is established at \$1,000,000.00. The performance bond will be required within five days after commencement of any services.
- 7. Multiple contracts will be awarded from this advertisement.

The Department, at its sole discretion, may award one or more contracts. If more than one award is made, award will be based off the lowest responsive bid then the next lowest responsive bid and so forth and activated in the same order based on Contractor availability and ability to satisfy the needs of the Department at the time contacted.

No quantities are guaranteed and there will be no unit cost adjustment for quantities required over or under the estimated quantities.

Call Order: 007 Proposal: Z8122-R0

ALT Item	Description	Unit	Quantity		
Section 0001 HURR/STORM DEBRIS REMOVAL/DISP (CY)					
0129- 1- 1	NATURAL DISASTER /PRE EVENT CONTRACTS, CREW PRE- POSITIONING: DO NOT BID	ED	1.000		
0129- 1- 2	NATURAL DISASTER /PRE EVENT CONTRACTS, CUT AND TOSS	HR	250.000		