

**BID SOLICITATION NOTICE – Turnpike**  
**FLORIDA DEPARTMENT OF TRANSPORTATION**  
**CONSTRUCTION AND MAINTENANCE PROGRAMS**  
Florida Turnpike Headquarters  
FL Turnpike MP 263, Building 5315  
Ocoee, FL 34761

Ocoee, FL  
July 11, 2025  
Advertisement No. 1

All bids must be completed using **Project Bids** software available on the Bid Express website at <https://bidx.com/fl/main>

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <https://www.fdot.gov/contracts/> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <https://www.bidx.com>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 02:30 PM Local Time on Tuesday, August 12, 2025.

Bid totals for each bid submitted will be read aloud for those present and will be available at 02:30 PM August 12, 2025 in the Turnpike Headquarters, Building 5315, Ocoee, Florida.. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: [contracts.admin@dot.state.fl.us](mailto:contracts.admin@dot.state.fl.us) or call telephone number (407)264-3885. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: [Select District](#), select district then click on appropriate date.

**DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST**

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: [www.fdot.gov/contracts/tp](http://www.fdot.gov/contracts/tp), click “[Letting and Project Information](#)” and select letting date from the Lettings Menu.

**-----NOTE-----**

**Proposals will not be issued after 02:30 PM Local Time on Monday, August 11, 2025 .**

**Document Ordering Information**

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at [CPP.fdot.gov](http://CPP.fdot.gov). There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

**To Place An Order**

- A current State of Florida Vendor Number is required prior to first-time registration; please visit <https://vendor.myfloridamarketplace.com> for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at [CPP.fdot.gov](http://CPP.fdot.gov). Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

**PREQUALIFICATION**

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

## **PREQUALIFIED CONTRACTORS CURRENT CAPACITY**

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) [https://www.fdot.gov/contracts/PreQual\\_Info/prequalified.shtm](https://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm) to the Department every 30 calendar days.

## **CONFLICT OF INTEREST**

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

## **SCRUTINIZED COMPANIES**

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

## **BID REJECTION**

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

## **PROTEST RIGHTS**

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <https://www.fdot.gov/contracts/>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

### **IDENTICAL BIDS**

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

### **INSURANCE**

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

### **ADDENDA**

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: [www.fdot.gov/contracts/tp](http://www.fdot.gov/contracts/tp), click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. **All addenda shall be acknowledged when submitting bids.**

### **BID QUESTIONS**

All work is to be done in accordance with the Plans, Specifications, and Special Provisions of State of Florida Department of Transportation. Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: <https://bqa.fdot.gov>.

### **PROPOSAL GUARANTY**

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of **\$150,000.00**. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09, Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit <https://www.surety2000.com> for Surety2000 or <https://www.tinubu.com> for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

## **EXECUTION OF CONTRACT**

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, **a corporation must show proof that it is authorized to do business in the State of Florida.** Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

**Important Note:** Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

## **DBE PARTICIPATION**

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance (EOC)** system no later than 3 business days of submission of the bid. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: <https://www.fdot.gov/equalopportunity/eoc.shtm>

## **DEBARMENT/SUSPENSION**

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

## **MANDATORY PRE-BID CONFERENCE**

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

## **LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS**

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

## **FIRST TIME BIDDERS**

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: [https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae\\_2](https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae_2)

## **POSTING NOTICE**

The bid tabulation and intent to award will be posted on August 26, 2025 or September 09, 2025 at [www.fdot.gov/contracts/tp](http://www.fdot.gov/contracts/tp), click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

### **AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)**

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link <https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm>, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

### **MINIMUM WAGE**

The minimum wage for all hours worked in Florida is available at <https://www.floridajobs.org>.

### **EMAIL SUBSCRIPTION LIST**

To get on the e-mail subscription list, go to <https://fdotwp1.dot.state.fl.us/reportsubscriptions/> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <https://www.fdot.gov/contracts/district-offices/distco.shtm>.

### **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5).Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

**Florida Department of Transportation  
Notice to Contractors Index**

---

Published: July 11, 2025

Letting ID: 08250812

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the August 12, 2025 letting.

| Page Number | Proposal Id | Proposal Notes | Fin Proj Numbers | County  |
|-------------|-------------|----------------|------------------|---|
| 7           | E8W32-R0    |                | 45496215201(*)   | TURNPIKE  |
| 14          | Z8152-R0    |                | 45712115201(*)   | BROWARD, INDIAN<br>RIVER, MIAMI-DADE,<br>OKEECHOBEE, PALM<br>BEACH, ST LUCIE,<br>TURNPIKE |
| 17          | Z8153-R0    |                | 45712125201(*)   | BREVARD, LAKE,<br>ORANGE, OSCEOLA,<br>SEMINOLE, SUMTER,<br>TURNPIKE                       |
| 20          | Z8154-R0    |                | 45712135201(*)   | CITRUS, HERNANDO,<br>HILLSBOROUGH,<br>PASCO, POLK,<br>TURNPIKE                            |
| 23          | Z8155-R0    |                | 45712145201(*)   | CLAY, DUVAL,<br>TURNPIKE  |

**Proposal Note Codes:**

*Note: (\*) indicates lead project*

**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

|                        |                                  |                            |                    |             |
|------------------------|----------------------------------|----------------------------|--------------------|-------------|
| Letting:               | 08250812                         | Call Order: 001            | Proposal: E8W32-R0 | District:08 |
| Counties:              | TURNPIKE                         |                            |                    |             |
| Road Name:             | TPK NORTH - PUSH BUTTON CONTRACT |                            |                    |             |
| Limits:                | 18470000                         |                            |                    |             |
| Project(s):            | 45496215201(*)                   | Federal Aid No:            | N/A                |             |
| Total Roadway Length:  | 0.001 Miles                      | Contract Days:             | 730                |             |
| Total Bridge Length:   | 0.000 Miles                      | Letting Date:              | 08/12/25           |             |
| Total Proposal Length: | 0.001 Miles                      | Contract Execution Days:   | 10                 |             |
|                        |                                  | Special Start Date:        | N/A                |             |
|                        |                                  | Aquis/Flexible Start Time: | 30                 |             |

Proposal Budget Estimate: \$0.00

Please read the full advertisement

**Description:**

Work consists of providing all labor, materials, equipment and incidentals necessary for installing, repairing and/or modifying signalization infrastructure, signing and pavement markings, ITS systems, lighting components, minor roadway and/or drainage system construction or repair on the Beachline (SR528), Seminole Expressway (SR 417), Western Beltway, (SR 429), Polk Parkway (SR 570), and Turnpike Mainline (SR 91) throughout Osceola County, Orange County, Polk County, Lake County, Sumter County and Seminole County.

The intent of this contract is to provide means for the Department to quickly respond to unexpected safety and/or operational issues for a period of 730 days or until the contracted amount has been reached.

The contractor shall furnish all labor, materials, equipment, tools, transportation, and supplies required to complete the work in accordance with the work plan, specifications, procedures, and terms of the contract. The work under this contract will be controlled by the issuance of work documents. Contract work documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work. The budgetary ceiling for this contract is \$1,000,000.

All work documents will include mobilization compensation that will account for 10% of the final document costs per this contract's specifications.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs. The Department does not guarantee any maximum or minimum quantity, any range of the quantities, or the exact quantities shown for each bid item. The Department estimated quantities and the contractor's bid price will be used to calculate the total bid amount. This total bid amount will then be used to determine the low bidder; however, actual payment under the awarded contract will be based on actual quantities completed.

No Pre-Bid Conference. Contractor must be prequalified.

**Call Order: 001 Proposal: E8W32-R0**

| ALT                         | Item         | Description  | Unit | Quantity  |
|-----------------------------|--------------|--|------|-----------|
| <b>Section 0001 Roadway</b> |              |  |      |           |
|                             | 0102- 14-    | TRAFFIC CONTROL OFFICER                                | HR   | 10.000    |
|                             | 0102- 60-    | WORK ZONE SIGN   | ED   | 500.000   |
|                             | 0102- 71- 15 | TEMPORARY BARRIER, F&I, ANCHORED                       | LF   | 200.000   |
|                             | 0102- 71- 16 | TEMPORARY BARRIER, F&I, FREE STANDING                  | LF   | 200.000   |
|                             | 0102- 71- 25 | TEMPORARY BARRIER, RELOCATE, ANCHORED                  | LF   | 50.000    |
|                             | 0102- 71- 26 | TEMPORARY BARRIER, RELOCATE, FREE STANDING             | LF   | 50.000    |
|                             | 0102- 74- 1  | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED   | 1,000.000 |
|                             | 0102- 76-    | ARROW BOARD / ADVANCE WARNING ARROW PANEL              | ED   | 50.000    |
|                             | 0102- 89- 1  | TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION            | LO   | 1.000     |

**Call Order: 001 Proposal: E8W32-R0**

| ALT | Item         | Description   | Unit | Quantity  |
|-----|--------------|---|------|-----------|
|     | 0102- 99-    | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY                   | ED   | 50.000    |
|     | 0102-115-    | TYPE III BARRICADE  | ED   | 5.000     |
|     | 0104- 10- 3  | SEDIMENT BARRIER  | LF   | 1,000.000 |
|     | 0104- 11-    | FLOATING TURBIDITY BARRIER                                    | LF   | 20.000    |
|     | 0104- 12-    | STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC                | LF   | 20.000    |
|     | 0104- 18-    | INLET PROTECTION SYSTEM                                       | EA   | 2.000     |
|     | 0110- 2- 1   | CLEARING & GRUBBING (PUSH BUTTON CONTRACT)                    | AC   | 0.300     |
|     | 0120- 1-     | REGULAR EXCAVATION  | CY   | 50.000    |
|     | 0120- 6-     | EMBANKMENT  | CY   | 90.000    |
|     | 0160- 4-     | TYPE B STABILIZATION  | SY   | 50.000    |
|     | 0285-701-    | OPTIONAL BASE, BASE GROUP 01                                  | SY   | 50.000    |
|     | 0285-702-    | OPTIONAL BASE, BASE GROUP 02                                  | SY   | 50.000    |
|     | 0285-703-    | OPTIONAL BASE, BASE GROUP 03                                  | SY   | 50.000    |
|     | 0285-704-    | OPTIONAL BASE, BASE GROUP 04                                  | SY   | 50.000    |
|     | 0327- 70- 6  | MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH           | SY   | 100.000   |
|     | 0327- 70- 11 | MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH           | SY   | 100.000   |
|     | 0327- 70- 19 | MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH             | SY   | 100.000   |
|     | 0334- 1- 13  | SUPERPAVE ASPHALTIC CONC, TRAFFIC C                           | TN   | 10.000    |
|     | 0334- 1- 15  | SUPERPAVE ASPHALTIC CONC, TRAFFIC E                           | TN   | 10.000    |
|     | 0334- 1- 53  | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22              | TN   | 10.000    |
|     | 0334- 1- 55  | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22              | TN   | 10.000    |
|     | 0337- 7- 25  | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22     | TN   | 10.000    |
|     | 0337- 7- 83  | ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76-22 | TN   | 10.000    |
|     | 0339- 1-     | MISCELLANEOUS ASPHALT PAVEMENT                                | TN   | 60.000    |
|     | 0425- 1-351  | INLETS, CURB, TYPE P-5, <10'                                  | EA   | 1.000     |
|     | 0425- 1-361  | INLETS, CURB, TYPE P-6, <10'                                  | EA   | 1.000     |
|     | 0425- 1-501  | INLETS, DT BOT, TYPE A, <10'                                  | EA   | 1.000     |
|     | 0425- 1-511  | INLETS, DT BOT, TYPE B, <10'                                  | EA   | 1.000     |
|     | 0425- 1-521  | INLETS, DT BOT, TYPE C,<10'                                   | EA   | 1.000     |
|     | 0425- 1-541  | INLETS, DT BOT, TYPE D, <10'                                  | EA   | 1.000     |
|     | 0425- 1-701  | INLETS, GUTTER, TYPE S, <10'                                  | EA   | 1.000     |
|     | 0425- 1-910  | INLETS, CLOSED FLUME  | EA   | 1.000     |
|     | 0425- 1-921  | INLETS, ADJACENT BARRIER, <=10'                               | EA   | 1.000     |
|     | 0425- 2- 41  | MANHOLES, P-7, <10'   | EA   | 1.000     |
|     | 0425- 2- 61  | MANHOLES, P-8, <10'   | EA   | 1.000     |
|     | 0425- 2- 91  | MANHOLES, J-8, <10'   | EA   | 1.000     |
|     | 0430- 94- 1  | DESILTING PIPE, 0 - 24"                                       | LF   | 16.000    |
|     | 0430- 94- 2  | DESILTING PIPE, 25 - 36"                                      | LF   | 16.000    |
|     | 0430-173-136 | PIPE CULVERT OPTIONAL MATERIAL, ROUND, 36", GUTTER DRAIN      | LF   | 16.000    |
|     | 0430-175-136 | PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD                    | LF   | 16.000    |
|     | 0430-536-100 | STRAIGHT CONCRETE ENDWALLS, 36", SINGLE, 0 DEGREES, ROUND     | EA   | 1.000     |
|     | 0430-536-200 | STRAIGHT CONCRETE ENDWALLS, 36", DOUBLE, 0 DEGREES, ROUND     | EA   | 1.000     |
|     | 0430-610-033 | U-ENDWALL, INDEX 261/430-011, 1:6 SLOPE, 30"PIPE              | EA   | 1.000     |



**Call Order: 001 Proposal: E8W32-R0**

| ALT                         | Item         | Description  | Unit | Quantity |
|-----------------------------|--------------|--|------|----------|
|                             | 0430-611-033 | U-ENDWALL, INDEX 261/430-011, BAFFLES, 1:6 SLOPE, 30"PIPE                | EA   | 1.000    |
|                             | 0430-612-033 | U-ENDWALL WITH GRATE, INDEX 261/430-011, 1:6 SLOPE, 30"                  | EA   | 1.000    |
|                             | 0430-613-033 | U-ENDWALL, WITH BAFFLES & GRATE, INDEX 261/430-011,1:6 SLOPE, 30"        | EA   | 1.000    |
|                             | 0430-830-    | PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE                          | CY   | 10.000   |
|                             | 0430-950-    | DESILTING CONCRETE BOX CULVERT   | CY   | 10.000   |
|                             | 0430-990-    | MITERED END SECT, REPLACE GRATE  | EA   | 1.000    |
|                             | 0520- 1- 7   | CONCRETE CURB & GUTTER, TYPE E   | LF   | 50.000   |
|                             | 0520- 1- 10  | CONCRETE CURB & GUTTER, TYPE F   | LF   | 50.000   |
|                             | 0520- 5- 11  | TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE                               | LF   | 50.000   |
|                             | 0520- 5- 41  | TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE                             | LF   | 50.000   |
|                             | 0520- 6-     | SHOULDER GUTTER- CONCRETE  | LF   | 20.000   |
|                             | 0522- 1-     | CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK                                | SY   | 10.000   |
|                             | 0522- 2-     | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK                                | SY   | 10.000   |
|                             | 0530- 3- 9   | RIPRAP- RUBBLE, REMOVE EXISTING AND REINSTALL - PUSH BUTTON ONLY         | SF   | 50.000   |
|                             | 0536- 1- 1   | GUARDRAIL -ROADWAY, GENERAL TL-3   | LF   | 200.000  |
|                             | 0536- 1- 3   | GUARDRAIL- ROADWAY, DOUBLE FACE  | LF   | 200.000  |
|                             | 0536- 73-    | GUARDRAIL REMOVAL  | LF   | 200.000  |
|                             | 0536- 85- 20 | GUARDRAIL END TREATMENT- TRAILING ANCHORAGE                              | EA   | 1.000    |
|                             | 0536- 85- 24 | GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL                      | EA   | 1.000    |
|                             | 0536- 85- 26 | GUARDRAIL END TREATMENT- TYPE CRT  | EA   | 1.000    |
|                             | 0536- 85- 27 | GUARDRAIL END TREATMENT- DOUBLE FACE APPROACH TERMINAL                   | EA   | 1.000    |
|                             | 0536- 85- 29 | GUARDRAIL END TREATMENT- DOUBLE FACE TRAILING ANCHORAGE                  | EA   | 1.000    |
|                             | 0538- 1-     | GUARDRAIL RESET  | LF   | 50.000   |
|                             | 0570- 1- 1   | PERFORMANCE TURF   | SY   | 150.000  |
|                             | 0570- 1- 2   | PERFORMANCE TURF, SOD  | SY   | 100.000  |
| <b>Section 0002 Signing</b> |              |  |      |          |
|                             | 0700- 1-111  | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF    | EA   | 1.000    |
|                             | 0700- 1-112  | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF       | EA   | 1.000    |
|                             | 0700- 1-113  | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 20.1-30.0 SF       | EA   | 1.000    |
|                             | 0700- 1-312  | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER SIDE-MOUNT, 12.0-20.0 SF | EA   | 1.000    |
|                             | 0700- 1-313  | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER SIDE-MOUNT, 20.1-30.0 SF | EA   | 1.000    |
|                             | 0700- 1-400  | SINGLE COLUMN GROUND SIGN ASSEMBLY, INSTALL                              | EA   | 1.000    |
|                             | 0700- 1-500  | SINGLE COLUMN GROUND SIGN ASSEMBLY, RELOCATE                             | EA   | 1.000    |
|                             | 0700- 1-600  | SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE                               | EA   | 1.000    |
|                             | 0700- 2-111  | MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF     | EA   | 1.000    |
|                             | 0700- 2-112  | MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF        | EA   | 1.000    |

**Call Order: 001 Proposal: E8W32-R0**

| ALT | Item         | Description   | Unit | Quantity |
|-----|--------------|---|------|----------|
|     | 0700- 2-113  | MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 20.1-30.0 SF                                     | EA   | 1.000    |
|     | 0700- 2-500  | MULTI-COLUMN GROUND SIGN ASSEMBLY, RELOCATE   | EA   | 1.000    |
|     | 0700- 2-600  | MULTI-COLUMN GROUND SIGN ASSEMBLY, REMOVE   | EA   | 1.000    |
|     | 0700- 3-101  | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF   | EA   | 1.000    |
|     | 0700- 3-102  | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF  | EA   | 1.000    |
|     | 0700- 3-103  | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF  | EA   | 1.000    |
|     | 0700- 3-201  | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF   | EA   | 1.000    |
|     | 0700- 3-601  | SIGN PANEL, REMOVE, UP TO 12 SF   | EA   | 1.000    |
|     | 0700- 3-602  | SIGN PANEL, REMOVE, 12-20 SF  | EA   | 1.000    |
|     | 0700- 3-603  | SIGN PANEL, REMOVE, 21-30 SF  | EA   | 1.000    |
|     | 0700- 3-604  | SIGN PANEL, REMOVE, 31-50 SF  | EA   | 1.000    |
|     | 0700-141-140 | ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I GROUND MOUNT, HIGHLIGHTED SIGN <12 SF                 | EA   | 4.000    |
|     | 0704- 1- 3   | TUBULAR MARKER, 36" WHITE POST  | EA   | 10.000   |
|     | 0704- 1- 4   | TUBULAR MARKER, 36" YELLOW POST   | EA   | 10.000   |
|     | 0705- 10- 1  | OBJECT MARKER, TYPE 1   | EA   | 10.000   |
|     | 0705- 10- 2  | OBJECT MARKER, TYPE 2   | EA   | 10.000   |
|     | 0705- 10- 3  | OBJECT MARKER, TYPE 3   | EA   | 10.000   |
|     | 0705- 10- 4  | OBJECT MARKER, TYPE 4   | EA   | 10.000   |
|     | 0705- 11- 1  | DELINEATOR, FLEXIBLE TUBULAR  | EA   | 10.000   |
|     | 0705- 11- 2  | DELINEATOR, NON-FLEXIBLE  | EA   | 10.000   |
|     | 0706- 1- 3   | RAISED PAVEMENT MARKER, TYPE B  | EA   | 100.000  |
|     | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"   | GM   | 0.200    |
|     | 0710- 11-102 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"                | GM   | 0.200    |
|     | 0710- 11-103 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE MARKINGS, 12"                       | GM   | 0.200    |
|     | 0710- 11-124 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"                        | LF   | 100.000  |
|     | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"                     | LF   | 100.000  |
|     | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE                          | GM   | 0.200    |
|     | 0710- 11-133 | PAINTED PAVEMENT MARKING, STANDARD, WHITE, 3'-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12" WIDE, | GM   | 0.200    |
|     | 0710- 11-141 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"           | GM   | 0.200    |
|     | 0710- 11-160 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL   | EA   | 2.000    |
|     | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS  | EA   | 2.000    |
|     | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"  | GM   | 0.200    |
|     | 0710- 11-202 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"               | GM   | 0.200    |
|     | 0710- 11-203 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 12"   | GM   | 0.200    |
|     | 0710- 11-224 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"                       | LF   | 100.000  |
|     | 0710- 11-331 | PAINTED PAVEMENT MARKINGS, STANDARD, BLACK, SKIP, 6"  | GM   | 0.200    |

**Call Order: 001 Proposal: E8W32-R0**

| ALT                          | Item         | Description  | Unit | Quantity |
|------------------------------|--------------|--|------|----------|
|                              | 0711- 11-102 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND                         | GM   | 0.200    |
|                              | 0711- 11-103 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS                                | GM   | 0.200    |
|                              | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS                              | LF   | 100.000  |
|                              | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK                             | LF   | 100.000  |
|                              | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"                       | GM   | 0.200    |
|                              | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL  | EA   | 2.000    |
|                              | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW  | EA   | 2.000    |
|                              | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON                                | LF   | 100.000  |
|                              | 0711- 14-125 | THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK  | LF   | 100.000  |
|                              | 0711- 14-141 | THERMOPLASTIC, PREFORMED, WHITE, 2-4 DOTTED GUIDELINE ON CONCRETE SURFACES                         | GM   | 0.200    |
|                              | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE   | EA   | 2.000    |
|                              | 0711- 14-170 | THERMOPLASTIC, PREFORMED, WHITE, ARROW   | EA   | 2.000    |
|                              | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"                              | GM   | 0.200    |
|                              | 0711- 15-102 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"                             | GM   | 0.200    |
|                              | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6", 10-30 SKIP OR 3-9 LANE DROP | GM   | 0.200    |
|                              | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"                            | GM   | 0.200    |
|                              | 0711- 15-202 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8"                             | GM   | 0.200    |
|                              | 0711- 17- 1  | THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN                  | SF   | 800.000  |
| <b>Section 0003 Lighting</b> |              |  |      |          |
|                              | 0715- 1- 11  | LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <   | LF   | 20.000   |
|                              | 0715- 1- 12  | LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6  | LF   | 20.000   |
|                              | 0715- 1- 13  | LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2  | LF   | 20.000   |
|                              | 0715- 1- 60  | LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS   | LF   | 20.000   |
|                              | 0715- 11-115 | LUMINAIRE, F&I, ROADWAY, WALL MOUNT  | EA   | 2.000    |
|                              | 0715- 11-118 | LUMINAIRE, F&I, ROADWAY, FLOOD   | EA   | 2.000    |
|                              | 0715- 11-125 | LUMINAIRE, F&I, UNDER DECK, WALL MOUNT   | EA   | 2.000    |
|                              | 0715- 11-128 | LUMINAIRE, F&I, UNDER DECK, FLOOD  | EA   | 2.000    |
|                              | 0715- 11-211 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD               | EA   | 2.000    |
|                              | 0715- 11-212 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY HIGH MAST                 | EA   | 2.000    |
|                              | 0715- 11-213 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, POLE TOP                 | EA   | 2.000    |
|                              | 0715- 11-214 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, SHOEBOX                  | EA   | 2.000    |

**Call Order: 001 Proposal: E8W32-R0**

| ALT                               | Item         | Description  | Unit | Quantity |
|-----------------------------------|--------------|--|------|----------|
|                                   | 0715- 11-225 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE, ROADWAY, WALL MOUNT                          | EA   | 2.000    |
|                                   | 0715- 11-237 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, SIGN, SIGN MOUNT        | EA   | 2.000    |
|                                   | 0715- 20- 4  | LIGHTING - SCHEDULED CLEANING, HIGH MAST   | LU   | 2.000    |
|                                   | 0715-500- 1  | POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL                        | EA   | 2.000    |
|                                   | 0715-500- 2  | POLE CABLE DISTRIBUTION SYSTEM, FURNISH & INSTALL, HIGH MAST                             | EA   | 2.000    |
|                                   | 0715-500- 3  | POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT   | EA   | 2.000    |
|                                   | 0715-516-315 | LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I ,POLE TOP MOUNT, CONCRETE, 15'                  | EA   | 2.000    |
| <b>Section 0004 Signalization</b> |              |  |      |          |
|                                   | 0611- 1- 1   | ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH   | MI   | 0.100    |
|                                   | 0611- 2- 1   | ITSFM LOCATION DOCUMENTATION- INTERSECTION   | EA   | 1.000    |
|                                   | 0611- 2- 2   | ITSFM LOCATION DOCUMENTATION- ITS SITE   | EA   | 1.000    |
|                                   | 0630- 2- 11  | CONDUIT, FURNISH & INSTALL, OPEN TRENCH  | LF   | 100.000  |
|                                   | 0630- 2- 12  | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE   | LF   | 100.000  |
|                                   | 0630- 2- 14  | CONDUIT, FURNISH & INSTALL, ABOVEGROUND  | LF   | 50.000   |
|                                   | 0633- 1-122  | FIBER OPTIC CABLE, F&I, UNDERGROUND,13-48 FIBERS   | LF   | 100.000  |
|                                   | 0633- 1-124  | FIBER OPTIC CABLE, F&I, UNDERGROUND, 97 - 144 FIBERS                                     | LF   | 100.000  |
|                                   | 0633- 2- 31  | FIBER OPTIC CONNECTION, INSTALL, SPLICE  | EA   | 5.000    |
|                                   | 0633- 2- 32  | FIBER OPTIC CONNECTION, INSTALL, TERMINATION   | EA   | 5.000    |
|                                   | 0633- 3- 11  | FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE                                   | EA   | 5.000    |
|                                   | 0633- 3- 12  | FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY  | EA   | 5.000    |
|                                   | 0633- 3- 13  | FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY                   | EA   | 5.000    |
|                                   | 0633- 3- 14  | FIBER OPTIC CONNECTION HARDWARE, F&I, BUFFER TUBE FAN OUT KIT                            | EA   | 5.000    |
|                                   | 0633- 3- 15  | FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED PATCH PANEL                          | EA   | 5.000    |
|                                   | 0633- 3- 16  | FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED                      | EA   | 5.000    |
|                                   | 0633- 3- 51  | FIBER OPTIC CONNECTION HARDWARE, ADJUST/MODIFY SPLICE ENCLOSURE                          | EA   | 5.000    |
|                                   | 0633- 3- 56  | FIBER OPTIC CONNECTION HARDWARE, ADJUST/MODIFY PATCH PANEL                               | EA   | 5.000    |
|                                   | 0633- 6-     | FIBER OPTIC CABLE LOCATOR  | DA   | 1.000    |
|                                   | 0633- 8- 11  | MULTI-CONDUCTOR COMMUNICATION CABLE, FURNISH & INSTALL, CAT 6                            | LF   | 50.000   |
|                                   | 0633- 8- 12  | MULTI-CONDUCTOR COMMUNICATION CABLE, FURNISH & INSTALL, COMPOSITE                        | LF   | 50.000   |
|                                   | 0635- 2- 11  | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE   | EA   | 2.000    |
|                                   | 0635- 2- 12  | PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE   | EA   | 2.000    |
|                                   | 0635- 4- 11  | FIBER OPTIC SPLICE VAULT, FURNISH & INSTALL, 54"W X 54"L X 48"D                          | EA   | 2.000    |
|                                   | 0639- 1-112  | ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY | AS   | 1.000    |
|                                   | 0639- 1-122  | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR                | AS   | 1.000    |

**Call Order: 001 Proposal: E8W32-R0**

| ALT   | Item        | Description  | Unit | Quantity |
|---|-------------|--|------|----------|
|   | 0639- 1-620 | ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND   | AS   | 1.000    |
|   | 0639- 2- 1  | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL   | LF   | 300.000  |
|   | 0639- 2- 4  | ELECTRICAL SERVICE WIRE, RELOCATE  | LF   | 200.000  |
|   | 0639- 2- 6  | ELECTRICAL SERVICE WIRE, REMOVE  | LF   | 200.000  |
|   | 0639- 3- 11 | ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT   | EA   | 1.000    |
|   | 0639- 3- 60 | ELECTRICAL SERVICE DISCONNECT, REMOVE- POLE OR CABINET TO REMAIN                       | EA   | 1.000    |
|   | 0639- 6-111 | ELECTRICAL POWER SERVICE- TRANSFORMER, F&I, <5 KVA, SINGLE PHASE, COPPER WINDINGS      | EA   | 1.000    |
|   | 0639- 6-121 | ELECTRICAL POWER SERVICE- TRANSFORMER, F&I, 5-10 KVA, SINGLE PHASE, COPPER WINDINGS    | EA   | 1.000    |
|   | 0641- 2- 12 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE                                 | EA   | 2.000    |
|   | 0641- 2- 13 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-III   | EA   | 2.000    |
|   | 0641- 2- 70 | PRESTRESSED CONCRETE POLE, SHALLOW POLE REMOVAL- POLE 30' AND GREATER                  | EA   | 2.000    |
|   | 0641- 2- 80 | PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- POLE 30' AND GREATER                 | EA   | 2.000    |
|   | 0641- 3-163 | CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 63'                        | EA   | 1.000    |
|   | 0641- 3-186 | CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 86'                        | EA   | 1.000    |
|   | 0660- 7- 21 | VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 1 OR 2 LANES, AC POWERED            | EA   | 2.000    |
|   | 0660- 7- 22 | VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 3 OR MORE LANES, AC POWERED         | EA   | 2.000    |
|   | 0660- 8- 11 | TRAFFIC DATA DETECTION SYSTEM- MICROWAVE, FURNISH AND INSTALL, CABINET EQUIPMENT       | EA   | 2.000    |
|   | 0660- 8- 12 | TRAFFIC DATA DETECTION SYSTEM- MICROWAVE, FURNISH AND INSTALL, ABOVE GROUND EQUIPMENT  | EA   | 2.000    |
|   | 0660- 8- 60 | TRAFFIC DATA DETECTION SYSTEM- MICROWAVE, REMOVE                                       | EA   | 2.000    |
| <b>Section 0005 Intelligent Transportation System</b> |             |  |      |          |
|   | 0676- 2-122 | ITS CABINET, FURNISH & INSTALL, POLE MOUNT WITH SUNSHIELD, 336S, 24" W X 46" H X 22" D | EA   | 1.000    |
|   | 0676- 2-143 | ITS CABINET, FURNISH & INSTALL, BASE MOUNT, 334, 24" W X 66" H X 30" D                 | EA   | 1.000    |
|   | 0676- 2-147 | ITS CABINET, FURNISH & INSTALL, BASE MOUNT WITH SUNSHIELD, 332D 66" H x 48" W x 30" D  | EA   | 1.000    |
|   | 0676- 2-400 | ITS CABINET, RELOCATE  | EA   | 1.000    |
|   | 0676- 2-600 | ITS CABINET- REMOVE  | EA   | 1.000    |
|   | 0676- 3- 10 | SMALL EQUIPMENT ENCLOSURE, FURNISH AND INSTALL, LESS THAN 10"W X 13"H X 11" D          | EA   | 1.000    |
|   | 0682- 1-133 | ITS CCTV CAMERA, F&I, DOME ENCLOSURE - NON-PRESSURIZED, IP, HIGH DEFINITION            | EA   | 1.000    |
|   | 0684- 1- 1  | MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL                                       | EA   | 1.000    |
|   | 0684- 2- 1  | DEVICE SERVER, FURNISH & INSTALL   | EA   | 1.000    |
|   | 0684- 5- 1  | MEDIA CONVERTER, FURNISH & INSTALL   | EA   | 1.000    |
|   | 0685- 1- 12 | UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, ONLINE/DOUBLE CONVERSION            | EA   | 1.000    |
|   | 0685- 2- 1  | REMOTE POWER MANAGEMENT UNIT- RPMU, FURNISH AND INSTALL                                | EA   | 1.000    |

**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

|                           |   |                            |                    |             |
|---------------------------|---|----------------------------|--------------------|-------------|
| Letting:                  | 08250812  | Call Order: 002            | Proposal: Z8152-R0 | District:08 |
| Counties:                 | BROWARD, INDIAN RIVER, MIAMI-DADE, OKEECHOBEE, PALM BEACH, ST LUCIE, TURNPIKE |                            |                    |             |
| Road Name:                | Pre-Event Lighting Repair & Replace -South Florida Counties                   |                            |                    |             |
| Limits:                   | Midpoint  |                            |                    |             |
| Project(s):               | 45712115201(*)  | Federal Aid No: N/A        |                    |             |
| Total Roadway Length:     | 0.000 Miles   | Contract Days:             | 365                |             |
| Total Bridge Length:      | 0.000 Miles   | Letting Date:              | 08/12/25           |             |
| Total Proposal Length:    | 0.000 Miles   | Contract Execution Days:   | 10                 |             |
|                           |   | Special Start Date:        | N/A                |             |
|                           |   | Aquis/Flexible Start Time: | 14                 |             |
| Proposal Budget Estimate: | \$0.00  |                            |                    |             |

Please read the full advertisement

**Description:**

Provide Lighting Repair and Replacement Operations pursuant to a Governor's and/or President's Declaration of a State Emergency. This contract includes Broward, Miami-Dade, Palm Beach, St. Lucie, Indian River, and Okeechobee counties within District D-8/Florida's Turnpike. Perform Lighting Repair and Replacement Operations pursuant to the terms of this Contract and at the direction of the Department. District.

**CONTRACTOR EXPERIENCE DOCUMENTATION:** Expertise and Experience is required in the performance of Highway Lighting. The Experience in Highway Lighting Form (850-070-11) must be filled out and submitted with the bid. The form must be signed by the owner of the company or a company officer and dated in the space provided on the form.

1. NO PRE-BID WILL BE HELD FOR THIS CONTRACT.
2. Award is contingent upon legislative budget approval and availability of funds.
3. Awarded Contractor must execute documents within 10 days.
4. General Liability, Auto and Workman's Compensation Insurance required.
5. FHWA 1273/Davis-Bacon Wage Rates
6. The Contractor shall provide a letter to the Department at the time of bid, from a surety authorized to do business in the State of Florida verifying the Contractor is bondable in the State of Florida. For the purposes of this Contract the dollar amount is established at \$500,000.00. The performance bond will be required within five days after commencement of any services.

**Call Order: 002 Proposal: Z8152-R0**

| ALT   | Item        | Description   | Unit | Quantity  |
|---|-------------|---|------|-----------|
| <b>Section 0001 HIGHWAY LIGHTING MAINTENANCE (MH)</b> |             |   |      |           |
|   | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH   | LF   | 1,000.000 |
|   | 0630- 2- 14 | CONDUIT, FURNISH & INSTALL, ABOVEGROUND   | LF   | 1,000.000 |
|   | 0630- 2- 15 | CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT  | LF   | 500.000   |
|   | 0635- 2- 30 | PULL & SPLICE BOX, INSTALL  | EA   | 5.000     |
|   | 0635- 2- 50 | PULL & SPLICE BOX, REPAIR   | EA   | 5.000     |
|   | 0639- 6-111 | ELECTRICAL POWER SERVICE- TRANSFORMER, F&I, <5 KVA, SINGLE PHASE, COPPER WINDINGS | EA   | 1.000     |
|   | 0639- 10-   | ELECTRICAL POWER SERVICE DIAGNOSTIC AND MISCELLANEOUS REPAIR                      | EA   | 5.000     |
|   | 0715- 1- 11 | LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <                                  | LF   | 1,000.000 |
|   | 0715- 1- 12 | LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6                                     | LF   | 1,000.000 |
|   | 0715- 1- 13 | LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2                                 | LF   | 1,000.000 |
|   | 0715- 1- 16 | LIGHTING CONDUCTORS, F&I, NO.4/0 (0000) OR LARGER                                 | LF   | 500.000   |
|   | 0715- 5- 21 | LUMINAIRE & BRACKET ARM, REPLACE LUMINAIRE AND ARM ON EXISTING POLE               | EA   | 5.000     |

**Call Order: 002 Proposal: Z8152-R0**

| ALT | Item         | Description   | Unit | Quantity |
|-----|--------------|---|------|----------|
|     | 0715- 5- 31  | LUMINAIRE & BRACKET ARM- ALUMINUM, FURNISH & INSTALL NEW LUMINAIRE AND ARM ON NEW/EXISTING POLE | EA   | 5.000    |
|     | 0715- 7- 11  | LOAD CENTER, F&I, SECONDARY VOLTAGE   | EA   | 2.000    |
|     | 0715- 10- 3  | LIGHT POLE FOUNDATION, REPAIR   | EA   | 5.000    |
|     | 0715- 10- 4  | LIGHT POLE FOUNDATION, STRAIGHTEN EXISTING FOUNDATION   | EA   | 10.000   |
|     | 0715- 10- 5  | LIGHT POLE FOUNDATION, REMOVE FOUNDATION- NO EXISTING POLE                                      | EA   | 1.000    |
|     | 0715- 11-118 | LUMINAIRE, F&I, ROADWAY, FLOOD  | EA   | 5.000    |
|     | 0715- 11-125 | LUMINAIRE, F&I, UNDER DECK, WALL MOUNT  | EA   | 5.000    |
|     | 0715- 11-128 | LUMINAIRE, F&I, UNDER DECK, FLOOD   | EA   | 5.000    |
|     | 0715- 11-211 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD            | EA   | 20.000   |
|     | 0715- 11-213 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, POLE TOP              | EA   | 20.000   |
|     | 0715- 11-216 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, PENDANT/TEARDROP      | EA   | 1.000    |
|     | 0715- 11-400 | LUMINAIRE, RELOCATE   | EA   | 1.000    |
|     | 0715- 11-500 | LUMINAIRE, REMOVE   | EA   | 1.000    |
|     | 0715- 16- 5  | LIGHTING - BALLAST, REPLACE   | EA   | 1.000    |
|     | 0715- 19- 3  | LIGHTING - REPLACE EXISTING SURGE PROTECTOR   | EA   | 50.000   |
|     | 0715- 36- 12 | LIGHT POLE, FRANGIBLE BASE, F&I, TRANSFORMER BASE   | EA   | 5.000    |
|     | 0715- 36- 14 | LIGHT POLE, FRANGIBLE BASE, F&I, DOOR ASSEMBLY  | EA   | 50.000   |
|     | 0715-100- 1  | LIGHT POLE COMPLETE- 30' TO 50 STANDARD FOUNDATION, PRE-EVENT CONTRACT ONLY                     | EA   | 50.000   |
|     | 0715-100- 2  | LIGHT POLE COMPLETE- 30' TO 50 SPECIAL FOUNDATION, PRE-EVENT CONTRACT ONLY                      | EA   | 50.000   |
|     | 0715-100- 3  | LIGHT POLE REPLACE ON EXISTING FOUNDATION- 30' TO 50', PRE-EVENT CONTRACT ONLY                  | EA   | 50.000   |
|     | 0715-500- 1  | POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL                               | EA   | 5.000    |
|     | E715- 16- 1  | BALLAST (F&I)   | EA   | 10.000   |
|     | E715- 16- 2  | BALLAST ASSEMBLY (F&I)  | AS   | 1.000    |
|     | E715- 17- 1  | LAMP (HPS)  | EA   | 40.000   |
|     | E715- 17- 2  | LAMP (MERCURY VAPOR)  | EA   | 1.000    |
|     | E715- 17- 3  | LAMP (METAL HALIDE)   | EA   | 1.000    |
|     | E715- 17- 5  | LAMP (LPS)  | EA   | 1.000    |
|     | E715- 17- 9  | LAMP (LED)  | EA   | 5.000    |
|     | E715- 18-101 | LOAD CENTER PART (F&I) (SGL POLE BREAKER)   | EA   | 1.000    |
|     | E715- 18-102 | LOAD CENTER PART (F&I) (DBL POLE BREAKER)   | EA   | 1.000    |
|     | E715- 18-104 | LOAD CENTER PART (F&I)(BREAKER PANEL & ENCLOSURE)   | EA   | 1.000    |
|     | E715- 18-105 | LOAD CENTER PART (F&I) (CONTACTOR)  | EA   | 1.000    |
|     | E715- 18-107 | LOAD CENTER PART (F&I) (PHOTOCELL)  | EA   | 1.000    |
|     | E715- 18-108 | LOAD CENTER PART (F&I) (PHOTOCELL SOCKET)   | EA   | 1.000    |
|     | E715- 18-110 | LOAD CENTER PART (F&I)(SYSTEM SWITCH AUTO-OFF/ON)   | EA   | 1.000    |
|     | E715- 18-111 | LOAD CENTER PART (F&I) (LIGHTNING ARRESTOR)   | EA   | 1.000    |
|     | E715- 18-112 | LOAD CENTER PART (F&I) (CIRCUIT FUSE)   | EA   | 1.000    |
|     | E715- 18-113 | LOAD CENTER PART (F&I) (MAIN FUSE)  | EA   | 1.000    |
|     | E715- 18-114 | LOAD CENTER PART (F&I) (DUMMY SLUG)   | EA   | 1.000    |

**Call Order: 002 Proposal: Z8152-R0**

| ALT | Item         | Description   | Unit | Quantity |
|-----|--------------|---|------|----------|
|     | E715- 18-115 | LOAD CENTER PART(SFTY DIS SWTCH BOX,600V)(F&I)        | EA   | 1.000    |
|     | E715- 18-116 | LOAD CENTER PART (F&I) (COVER PLATE)                  | EA   | 1.000    |
|     | E715- 19- 99 | LIGHTING - CABLE REMOVAL DETERRENT SYSTEM             | EA   | 1.000    |
|     | E715- 22- 1  | GROUND ROD  | EA   | 1.000    |
|     | E715- 23- 1  | REFRACTER (F&I) (STANDARD COBRA HEAD)                 | EA   | 1.000    |
|     | E715- 24- 1  | FUSE (F&I) (POLE BASE)                                | EA   | 1.000    |
|     | E715- 24- 2  | FUSE (F&I) (SIGN)                                     | EA   | 1.000    |
|     | E715- 24- 4  | DUMMY SLUG (F&I) (POLE BASE)                          | EA   | 1.000    |
|     | E715- 25- 1  | FUSE HOLDER (F&I) (POLE BASE)                         | EA   | 1.000    |
|     | E715- 25- 2  | FUSE HOLDER / DISCONNECT PLUG (F&I)                   | EA   | 1.000    |
|     | E715- 25- 41 | FUSE HOLDER POLE BASE INSTALL ONLY                    | EA   | 1.000    |
|     | E715- 26- 4  | QUICK DISCONNECT PLUG (MODULAR POLE BASE)             | EA   | 1.000    |
|     | E715- 26- 13 | SWITCH BOX (INSTALL) (FOR SIGN STRUCTURE)             | EA   | 1.000    |
|     | E715- 32- 1  | DIAGNOSTIC WORK (SHOULDER SINGLE ARM)                 | LO   | 1.000    |
|     | E715- 32- 2  | DIAGNOSTIC WORK (SHOLDER DOUBLE ARM)                  | LO   | 1.000    |
|     | E715- 32- 3  | DIAGNOSTIC WORK (MED SGL ARM WALL MTD)                | LO   | 1.000    |
|     | E715- 32- 4  | DIAGNOSTIC WORK (MED DBL ARM WALL MTD)                | LO   | 1.000    |
|     | E715- 32- 5  | DIAGNOSTIC WORK (BRIDGE MTD)                          | LO   | 1.000    |
|     | E715- 32- 6  | DIAGNOSTIC WORK (UNDERDECK)                           | LO   | 1.000    |
|     | E715- 32- 7  | DIAGNOSTIC WORK (LOAD CENTER)                         | LO   | 1.000    |
|     | E715- 32- 10 | DIAGNOSTIC WORK (CIRCUIT)                             | LO   | 1.000    |
|     | E715- 32- 13 | DIAGNOSTIC WORK (TOP MOUNT)                           | LO   | 1.000    |
|     | E715- 43- 1  | ARRESTOR (HIGH VOLTAGE PRIMARY LIGHTING)              | EA   | 1.000    |
|     | E715- 50-220 | LIGHTING TRANSFORMER (F&I)(PAD MOUNT)                 | EA   | 1.000    |
|     | E715-561-101 | LIGHT POLE-LEVELING (ALUM/STEEL, CONCRETE FOUNDATION) | EA   | 1.000    |



**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

|                        |  |                            |                    |             |
|------------------------|--|----------------------------|--------------------|-------------|
| Letting:               | 08250812   | Call Order: 003            | Proposal: Z8153-R0 | District:08 |
| Counties:              | BREVARD, LAKE, ORANGE, OSCEOLA, SEMINOLE, SUMTER, TURNPIKE |                            |                    |             |
| Road Name:             | Pre-Event Lighting Repair & Replace -Central Florida       |                            |                    |             |
| Limits:                | Midpoint   |                            |                    |             |
| Project(s):            | 45712125201(*)   | Federal Aid No:            | N/A                |             |
| Total Roadway Length:  | 0.000 Miles  | Contract Days:             | 365                |             |
| Total Bridge Length:   | 0.000 Miles  | Letting Date:              | 08/12/25           |             |
| Total Proposal Length: | 0.000 Miles  | Contract Execution Days:   | 10                 |             |
|                        |  | Special Start Date:        | N/A                |             |
|                        |  | Aquis/Flexible Start Time: | 14                 |             |

Proposal Budget Estimate: \$0.00

Please read the full advertisement

**Description:**

Provide Lighting Repair and Replacement Operations pursuant to a Governor's and/or President's Declaration of a State Emergency. This contract includes Osceola, Orange, Brevard, Seminole, Lake and Sumter counties within District D-8/Florida's Turnpike. Perform Lighting Repair and Replacement Operations pursuant to the terms of this Contract and at the direction of the Department.

**CONTRACTOR EXPERIENCE DOCUMENTATION:** Expertise and Experience is required in the performance of Highway Lighting. The Experience in Highway Lighting Form (850-070-11) must be filled out and submitted with the bid. The form must be signed by the owner of the company or a company officer and dated in the space provided on the form.

1. NO PRE-BID WILL BE HELD FOR THIS CONTRACT.
2. Award is contingent upon legislative budget approval and availability of funds.
3. Awarded Contractor must execute documents within 10 days.
4. General Liability, Auto and Workman's Compensation Insurance required.
5. FHWA 1273/Davis-Bacon Wage Rates
6. The Contractor shall provide a letter to the Department at the time of bid, from a surety authorized to do business in the State of Florida verifying the Contractor is bondable in the State of Florida. For the purposes of this Contract the dollar amount is established at \$500,000.00. The performance bond will be required within five days after commencement of any services.

**Call Order: 003 Proposal: Z8153-R0**

| ALT   | Item        | Description   | Unit | Quantity  |
|---|-------------|---|------|-----------|
| <b>Section 0001 HIGHWAY LIGHTING MAINTENANCE (MH)</b> |             |   |      |           |
|   | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH   | LF   | 1,000.000 |
|   | 0630- 2- 14 | CONDUIT, FURNISH & INSTALL, ABOVEGROUND   | LF   | 1,000.000 |
|   | 0630- 2- 15 | CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT  | LF   | 500.000   |
|   | 0635- 2- 30 | PULL & SPLICE BOX, INSTALL  | EA   | 5.000     |
|   | 0635- 2- 50 | PULL & SPLICE BOX, REPAIR   | EA   | 5.000     |
|   | 0639- 6-111 | ELECTRICAL POWER SERVICE- TRANSFORMER, F&I, <5 KVA, SINGLE PHASE, COPPER WINDINGS | EA   | 1.000     |
|   | 0639- 10-   | ELECTRICAL POWER SERVICE DIAGNOSTIC AND MISCELLANEOUS REPAIR                      | EA   | 5.000     |
|   | 0715- 1- 11 | LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <                                  | LF   | 1,000.000 |
|   | 0715- 1- 12 | LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6                                     | LF   | 1,000.000 |
|   | 0715- 1- 13 | LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2                                 | LF   | 1,000.000 |
|   | 0715- 1- 16 | LIGHTING CONDUCTORS, F&I, NO.4/0 (0000) OR LARGER                                 | LF   | 500.000   |
|   | 0715- 5- 21 | LUMINAIRE & BRACKET ARM, REPLACE LUMINAIRE AND ARM ON EXISTING POLE               | EA   | 5.000     |

**Call Order: 003 Proposal: Z8153-R0**

| ALT | Item         | Description   | Unit | Quantity |
|-----|--------------|---|------|----------|
|     | 0715- 5- 31  | LUMINAIRE & BRACKET ARM- ALUMINUM, FURNISH & INSTALL NEW LUMINAIRE AND ARM ON NEW/EXISTING POLE | EA   | 5.000    |
|     | 0715- 7- 11  | LOAD CENTER, F&I, SECONDARY VOLTAGE   | EA   | 2.000    |
|     | 0715- 10- 3  | LIGHT POLE FOUNDATION, REPAIR   | EA   | 5.000    |
|     | 0715- 10- 4  | LIGHT POLE FOUNDATION, STRAIGHTEN EXISTING FOUNDATION   | EA   | 10.000   |
|     | 0715- 10- 5  | LIGHT POLE FOUNDATION, REMOVE FOUNDATION- NO EXISTING POLE                                      | EA   | 1.000    |
|     | 0715- 11-118 | LUMINAIRE, F&I, ROADWAY, FLOOD  | EA   | 5.000    |
|     | 0715- 11-125 | LUMINAIRE, F&I, UNDER DECK, WALL MOUNT  | EA   | 5.000    |
|     | 0715- 11-128 | LUMINAIRE, F&I, UNDER DECK, FLOOD   | EA   | 5.000    |
|     | 0715- 11-211 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD            | EA   | 20.000   |
|     | 0715- 11-213 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, POLE TOP              | EA   | 20.000   |
|     | 0715- 11-216 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, PENDANT/TEARDROP      | EA   | 1.000    |
|     | 0715- 11-400 | LUMINAIRE, RELOCATE   | EA   | 1.000    |
|     | 0715- 11-500 | LUMINAIRE, REMOVE   | EA   | 1.000    |
|     | 0715- 16- 5  | LIGHTING - BALLAST, REPLACE   | EA   | 1.000    |
|     | 0715- 19- 3  | LIGHTING - REPLACE EXISTING SURGE PROTECTOR   | EA   | 50.000   |
|     | 0715- 36- 12 | LIGHT POLE, FRANGIBLE BASE, F&I, TRANSFORMER BASE   | EA   | 5.000    |
|     | 0715- 36- 14 | LIGHT POLE, FRANGIBLE BASE, F&I, DOOR ASSEMBLY  | EA   | 50.000   |
|     | 0715-100- 1  | LIGHT POLE COMPLETE- 30' TO 50 STANDARD FOUNDATION, PRE-EVENT CONTRACT ONLY                     | EA   | 50.000   |
|     | 0715-100- 2  | LIGHT POLE COMPLETE- 30' TO 50 SPECIAL FOUNDATION, PRE-EVENT CONTRACT ONLY                      | EA   | 50.000   |
|     | 0715-100- 3  | LIGHT POLE REPLACE ON EXISTING FOUNDATION- 30' TO 50', PRE-EVENT CONTRACT ONLY                  | EA   | 50.000   |
|     | 0715-500- 1  | POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL                               | EA   | 5.000    |
|     | E715- 16- 1  | BALLAST (F&I)   | EA   | 10.000   |
|     | E715- 16- 2  | BALLAST ASSEMBLY (F&I)  | AS   | 1.000    |
|     | E715- 17- 1  | LAMP (HPS)  | EA   | 40.000   |
|     | E715- 17- 2  | LAMP (MERCURY VAPOR)  | EA   | 1.000    |
|     | E715- 17- 3  | LAMP (METAL HALIDE)   | EA   | 1.000    |
|     | E715- 17- 5  | LAMP (LPS)  | EA   | 1.000    |
|     | E715- 17- 9  | LAMP (LED)  | EA   | 5.000    |
|     | E715- 18-101 | LOAD CENTER PART (F&I) (SGL POLE BREAKER)   | EA   | 1.000    |
|     | E715- 18-102 | LOAD CENTER PART (F&I) (DBL POLE BREAKER)   | EA   | 1.000    |
|     | E715- 18-104 | LOAD CENTER PART (F&I)(BREAKER PANEL & ENCLOSURE)   | EA   | 1.000    |
|     | E715- 18-105 | LOAD CENTER PART (F&I) (CONTACTOR)  | EA   | 1.000    |
|     | E715- 18-107 | LOAD CENTER PART (F&I) (PHOTOCELL)  | EA   | 1.000    |
|     | E715- 18-108 | LOAD CENTER PART (F&I) (PHOTOCELL SOCKET)   | EA   | 1.000    |
|     | E715- 18-110 | LOAD CENTER PART (F&I)(SYSTEM SWITCH AUTO-OFF/ON)   | EA   | 1.000    |
|     | E715- 18-111 | LOAD CENTER PART (F&I) (LIGHTNING ARRESTOR)   | EA   | 1.000    |
|     | E715- 18-112 | LOAD CENTER PART (F&I) (CIRCUIT FUSE)   | EA   | 1.000    |
|     | E715- 18-113 | LOAD CENTER PART (F&I) (MAIN FUSE)  | EA   | 1.000    |
|     | E715- 18-114 | LOAD CENTER PART (F&I) (DUMMY SLUG)   | EA   | 1.000    |

**Call Order: 003 Proposal: Z8153-R0**

| ALT | Item         | Description   | Unit | Quantity |
|-----|--------------|---|------|----------|
|     | E715- 18-115 | LOAD CENTER PART(SFTY DIS SWTCH BOX,600V)(F&I)        | EA   | 1.000    |
|     | E715- 18-116 | LOAD CENTER PART (F&I) (COVER PLATE)                  | EA   | 1.000    |
|     | E715- 19- 99 | LIGHTING - CABLE REMOVAL DETERRENT SYSTEM             | EA   | 1.000    |
|     | E715- 22- 1  | GROUND ROD  | EA   | 1.000    |
|     | E715- 23- 1  | REFRACTER (F&I) (STANDARD COBRA HEAD)                 | EA   | 1.000    |
|     | E715- 24- 1  | FUSE (F&I) (POLE BASE)                                | EA   | 1.000    |
|     | E715- 24- 2  | FUSE (F&I) (SIGN)                                     | EA   | 1.000    |
|     | E715- 24- 4  | DUMMY SLUG (F&I) (POLE BASE)                          | EA   | 1.000    |
|     | E715- 25- 1  | FUSE HOLDER (F&I) (POLE BASE)                         | EA   | 1.000    |
|     | E715- 25- 2  | FUSE HOLDER / DISCONNECT PLUG (F&I)                   | EA   | 1.000    |
|     | E715- 25- 41 | FUSE HOLDER POLE BASE INSTALL ONLY                    | EA   | 1.000    |
|     | E715- 26- 4  | QUICK DISCONNECT PLUG (MODULAR POLE BASE)             | EA   | 1.000    |
|     | E715- 26- 13 | SWITCH BOX (INSTALL) (FOR SIGN STRUCTURE)             | EA   | 1.000    |
|     | E715- 32- 1  | DIAGNOSTIC WORK (SHOULDER SINGLE ARM)                 | LO   | 1.000    |
|     | E715- 32- 2  | DIAGNOSTIC WORK (SHOLDER DOUBLE ARM)                  | LO   | 1.000    |
|     | E715- 32- 3  | DIAGNOSTIC WORK (MED SGL ARM WALL MTD)                | LO   | 1.000    |
|     | E715- 32- 4  | DIAGNOSTIC WORK (MED DBL ARM WALL MTD)                | LO   | 1.000    |
|     | E715- 32- 5  | DIAGNOSTIC WORK (BRIDGE MTD)                          | LO   | 1.000    |
|     | E715- 32- 6  | DIAGNOSTIC WORK (UNDERDECK)                           | LO   | 1.000    |
|     | E715- 32- 7  | DIAGNOSTIC WORK (LOAD CENTER)                         | LO   | 1.000    |
|     | E715- 32- 10 | DIAGNOSTIC WORK (CIRCUIT)                             | LO   | 1.000    |
|     | E715- 32- 13 | DIAGNOSTIC WORK (TOP MOUNT)                           | LO   | 1.000    |
|     | E715- 43- 1  | ARRESTOR (HIGH VOLTAGE PRIMARY LIGHTING)              | EA   | 1.000    |
|     | E715- 50-220 | LIGHTING TRANSFORMER (F&I)(PAD MOUNT)                 | EA   | 1.000    |
|     | E715-561-101 | LIGHT POLE-LEVELING (ALUM/STEEL, CONCRETE FOUNDATION) | EA   | 1.000    |

**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

|                        |   |                            |                    |             |
|------------------------|---|----------------------------|--------------------|-------------|
| Letting:               | 08250812  | Call Order: 004            | Proposal: Z8154-R0 | District:08 |
| Counties:              | CITRUS, HERNANDO, HILLSBOROUGH, PASCO, POLK, TURNPIKE       |                            |                    |             |
| Road Name:             | Pre-Event Lighting Repair & Replace - West Florida Counties |                            |                    |             |
| Limits:                | Midpoint  |                            |                    |             |
| Project(s):            | 45712135201(*)  | Federal Aid No: N/A        |                    |             |
| Total Roadway Length:  | 0.000 Miles   | Contract Days:             | 365                |             |
| Total Bridge Length:   | 0.000 Miles   | Letting Date:              | 08/12/25           |             |
| Total Proposal Length: | 0.000 Miles   | Contract Execution Days:   | 10                 |             |
|                        |   | Special Start Date:        | N/A                |             |
|                        |   | Aquis/Flexible Start Time: | 14                 |             |

Proposal Budget Estimate: \$0.00

Please read the full advertisement

**Description:**

Provide Lighting Repair and Replacement Operations pursuant to a Governor's and/or President's Declaration of a State Emergency. This contract includes Hillsborough, Pasco, Hernando, Citrus, and Polk counties within District D-8/Florida's Turnpike. Perform Lighting Repair and Replacement Operations pursuant to the terms of this Contract and at the direction of the Department.

**CONTRACTOR EXPERIENCE DOCUMENTATION:** Expertise and Experience is required in the performance of Highway Lighting. The Experience in Highway Lighting Form (850-070-11) must be filled out and submitted with the bid. The form must be signed by the owner of the company or a company officer and dated in the space provided on the form.

1. NO PRE-BID WILL BE HELD FOR THIS CONTRACT.
2. Award is contingent upon legislative budget approval and availability of funds.
3. Awarded Contractor must execute documents within 10 days.
4. General Liability, Auto and Workman's Compensation Insurance required.
5. FHWA 1273/Davis-Bacon Wage Rates
6. The Contractor shall provide a letter to the Department at the time of bid, from a surety authorized to do business in the State of Florida verifying the Contractor is bondable in the State of Florida. For the purposes of this Contract the dollar amount is established at \$500,000.00. The performance bond will be required within five days after commencement of any services.

**Call Order: 004 Proposal: Z8154-R0**

| ALT   | Item        | Description   | Unit | Quantity  |
|---|-------------|---|------|-----------|
| <b>Section 0001 HIGHWAY LIGHTING MAINTENANCE (MH)</b> |             |   |      |           |
|   | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH   | LF   | 1,000.000 |
|   | 0630- 2- 14 | CONDUIT, FURNISH & INSTALL, ABOVEGROUND   | LF   | 1,000.000 |
|   | 0630- 2- 15 | CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT  | LF   | 500.000   |
|   | 0635- 2- 30 | PULL & SPLICE BOX, INSTALL  | EA   | 5.000     |
|   | 0635- 2- 50 | PULL & SPLICE BOX, REPAIR   | EA   | 5.000     |
|   | 0639- 6-111 | ELECTRICAL POWER SERVICE- TRANSFORMER, F&I, <5 KVA, SINGLE PHASE, COPPER WINDINGS | EA   | 1.000     |
|   | 0639- 10-   | ELECTRICAL POWER SERVICE DIAGNOSTIC AND MISCELLANEOUS REPAIR                      | EA   | 5.000     |
|   | 0715- 1- 11 | LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <                                  | LF   | 1,000.000 |
|   | 0715- 1- 12 | LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6                                     | LF   | 1,000.000 |
|   | 0715- 1- 13 | LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2                                 | LF   | 1,000.000 |
|   | 0715- 1- 16 | LIGHTING CONDUCTORS, F&I, NO.4/0 (0000) OR LARGER                                 | LF   | 500.000   |
|   | 0715- 5- 21 | LUMINAIRE & BRACKET ARM, REPLACE LUMINAIRE AND ARM ON EXISTING POLE               | EA   | 5.000     |

**Call Order: 004 Proposal: Z8154-R0**

| ALT | Item         | Description   | Unit | Quantity |
|-----|--------------|---|------|----------|
|     | 0715- 5- 31  | LUMINAIRE & BRACKET ARM- ALUMINUM, FURNISH & INSTALL NEW LUMINAIRE AND ARM ON NEW/EXISTING POLE | EA   | 5.000    |
|     | 0715- 7- 11  | LOAD CENTER, F&I, SECONDARY VOLTAGE   | EA   | 2.000    |
|     | 0715- 10- 3  | LIGHT POLE FOUNDATION, REPAIR   | EA   | 5.000    |
|     | 0715- 10- 4  | LIGHT POLE FOUNDATION, STRAIGHTEN EXISTING FOUNDATION   | EA   | 10.000   |
|     | 0715- 10- 5  | LIGHT POLE FOUNDATION, REMOVE FOUNDATION- NO EXISTING POLE                                      | EA   | 10.000   |
|     | 0715- 11-118 | LUMINAIRE, F&I, ROADWAY, FLOOD  | EA   | 5.000    |
|     | 0715- 11-125 | LUMINAIRE, F&I, UNDER DECK, WALL MOUNT  | EA   | 5.000    |
|     | 0715- 11-128 | LUMINAIRE, F&I, UNDER DECK, FLOOD   | EA   | 5.000    |
|     | 0715- 11-211 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD            | EA   | 20.000   |
|     | 0715- 11-213 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, POLE TOP              | EA   | 20.000   |
|     | 0715- 11-216 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, PENDANT/TEARDROP      | EA   | 1.000    |
|     | 0715- 11-400 | LUMINAIRE, RELOCATE   | EA   | 1.000    |
|     | 0715- 11-500 | LUMINAIRE, REMOVE   | EA   | 1.000    |
|     | 0715- 16- 5  | LIGHTING - BALLAST, REPLACE   | EA   | 1.000    |
|     | 0715- 19- 3  | LIGHTING - REPLACE EXISTING SURGE PROTECTOR   | EA   | 50.000   |
|     | 0715- 36- 12 | LIGHT POLE, FRANGIBLE BASE, F&I, TRANSFORMER BASE   | EA   | 5.000    |
|     | 0715- 36- 14 | LIGHT POLE, FRANGIBLE BASE, F&I, DOOR ASSEMBLY  | EA   | 50.000   |
|     | 0715-100- 1  | LIGHT POLE COMPLETE- 30' TO 50 STANDARD FOUNDATION, PRE-EVENT CONTRACT ONLY                     | EA   | 50.000   |
|     | 0715-100- 2  | LIGHT POLE COMPLETE- 30' TO 50 SPECIAL FOUNDATION, PRE-EVENT CONTRACT ONLY                      | EA   | 50.000   |
|     | 0715-100- 3  | LIGHT POLE REPLACE ON EXISTING FOUNDATION- 30' TO 50', PRE-EVENT CONTRACT ONLY                  | EA   | 50.000   |
|     | 0715-500- 1  | POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL                               | EA   | 1.000    |
|     | E715- 16- 1  | BALLAST (F&I)   | EA   | 1.000    |
|     | E715- 16- 2  | BALLAST ASSEMBLY (F&I)  | AS   | 1.000    |
|     | E715- 17- 1  | LAMP (HPS)  | EA   | 5.000    |
|     | E715- 17- 2  | LAMP (MERCURY VAPOR)  | EA   | 1.000    |
|     | E715- 17- 3  | LAMP (METAL HALIDE)   | EA   | 1.000    |
|     | E715- 17- 5  | LAMP (LPS)  | EA   | 1.000    |
|     | E715- 17- 9  | LAMP (LED)  | EA   | 5.000    |
|     | E715- 18-101 | LOAD CENTER PART (F&I) (SGL POLE BREAKER)   | EA   | 1.000    |
|     | E715- 18-102 | LOAD CENTER PART (F&I) (DBL POLE BREAKER)   | EA   | 1.000    |
|     | E715- 18-104 | LOAD CENTER PART (F&I)(BREAKER PANEL & ENCLOSURE)   | EA   | 1.000    |
|     | E715- 18-105 | LOAD CENTER PART (F&I) (CONTACTOR)  | EA   | 1.000    |
|     | E715- 18-107 | LOAD CENTER PART (F&I) (PHOTOCELL)  | EA   | 1.000    |
|     | E715- 18-108 | LOAD CENTER PART (F&I) (PHOTOCELL SOCKET)   | EA   | 1.000    |
|     | E715- 18-110 | LOAD CENTER PART (F&I)(SYSTEM SWITCH AUTO-OFF/ON)   | EA   | 1.000    |
|     | E715- 18-111 | LOAD CENTER PART (F&I) (LIGHTNING ARRESTOR)   | EA   | 1.000    |
|     | E715- 18-112 | LOAD CENTER PART (F&I) (CIRCUIT FUSE)   | EA   | 1.000    |
|     | E715- 18-113 | LOAD CENTER PART (F&I) (MAIN FUSE)  | EA   | 1.000    |
|     | E715- 18-114 | LOAD CENTER PART (F&I) (DUMMY SLUG)   | EA   | 1.000    |

**Call Order: 004 Proposal: Z8154-R0**

| ALT | Item         | Description   | Unit | Quantity |
|-----|--------------|---|------|----------|
|     | E715- 18-115 | LOAD CENTER PART(SFTY DIS SWTCH BOX,600V)(F&I)        | EA   | 1.000    |
|     | E715- 18-116 | LOAD CENTER PART (F&I) (COVER PLATE)                  | EA   | 1.000    |
|     | E715- 19- 99 | LIGHTING - CABLE REMOVAL DETERRENT SYSTEM             | EA   | 1.000    |
|     | E715- 22- 1  | GROUND ROD  | EA   | 1.000    |
|     | E715- 23- 1  | REFRACTER (F&I) (STANDARD COBRA HEAD)                 | EA   | 1.000    |
|     | E715- 24- 1  | FUSE (F&I) (POLE BASE)                                | EA   | 1.000    |
|     | E715- 24- 2  | FUSE (F&I) (SIGN)                                     | EA   | 1.000    |
|     | E715- 24- 4  | DUMMY SLUG (F&I) (POLE BASE)                          | EA   | 1.000    |
|     | E715- 25- 1  | FUSE HOLDER (F&I) (POLE BASE)                         | EA   | 1.000    |
|     | E715- 25- 2  | FUSE HOLDER / DISCONNECT PLUG (F&I)                   | EA   | 1.000    |
|     | E715- 25- 41 | FUSE HOLDER POLE BASE INSTALL ONLY                    | EA   | 1.000    |
|     | E715- 26- 4  | QUICK DISCONNECT PLUG (MODULAR POLE BASE)             | EA   | 1.000    |
|     | E715- 26- 13 | SWITCH BOX (INSTALL) (FOR SIGN STRUCTURE)             | EA   | 1.000    |
|     | E715- 32- 1  | DIAGNOSTIC WORK (SHOULDER SINGLE ARM)                 | LO   | 1.000    |
|     | E715- 32- 2  | DIAGNOSTIC WORK (SHOLDER DOUBLE ARM)                  | LO   | 1.000    |
|     | E715- 32- 3  | DIAGNOSTIC WORK (MED SGL ARM WALL MTD)                | LO   | 1.000    |
|     | E715- 32- 4  | DIAGNOSTIC WORK (MED DBL ARM WALL MTD)                | LO   | 1.000    |
|     | E715- 32- 5  | DIAGNOSTIC WORK (BRIDGE MTD)                          | LO   | 1.000    |
|     | E715- 32- 6  | DIAGNOSTIC WORK (UNDERDECK)                           | LO   | 1.000    |
|     | E715- 32- 8  | DIAGNOSTIC WORK(HIGH MAST) (W/LOWERING DEVICE)        | LO   | 1.000    |
|     | E715- 32- 10 | DIAGNOSTIC WORK (CIRCUIT)                             | LO   | 1.000    |
|     | E715- 32- 13 | DIAGNOSTIC WORK (TOP MOUNT)                           | LO   | 1.000    |
|     | E715- 43- 1  | ARRESTOR (HIGH VOLTAGE PRIMARY LIGHTING)              | EA   | 1.000    |
|     | E715- 50-220 | LIGHTING TRANSFORMER (F&I)(PAD MOUNT)                 | EA   | 1.000    |
|     | E715-561-101 | LIGHT POLE-LEVELING (ALUM/STEEL, CONCRETE FOUNDATION) | EA   | 1.000    |

**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

|                           |  |                            |                    |             |
|---------------------------|--|----------------------------|--------------------|-------------|
| Letting:                  | 08250812   | Call Order: 005            | Proposal: Z8155-R0 | District:08 |
| Counties:                 | CLAY, DUVAL, TURNPIKE                              |                            |                    |             |
| Road Name:                | Pre-Event Lighting Repair & Replace - Clay & Duval |                            |                    |             |
| Limits:                   | Midpoint   |                            |                    |             |
| Project(s):               | 45712145201(*)                                     | Federal Aid No:            | N/A                |             |
| Total Roadway Length:     | 0.000 Miles  | Contract Days:             | 365                |             |
| Total Bridge Length:      | 0.000 Miles  | Letting Date:              | 08/12/25           |             |
| Total Proposal Length:    | 0.000 Miles  | Contract Execution Days:   | 10                 |             |
|                           |  | Special Start Date:        | N/A                |             |
|                           |  | Aquis/Flexible Start Time: | 14                 |             |
| Proposal Budget Estimate: | \$0.00   |                            |                    |             |

Please read the full advertisement

**Description:**

Provide Lighting Repair and Replacement Operations pursuant to a Governor's and/or President's Declaration of a State Emergency. This contract includes Clay & Duval counties within District D-8/Florida's Turnpike. Perform Lighting Repair and Replacement Operations pursuant to the terms of this Contract and at the direction of the Department.

**CONTRACTOR EXPERIENCE DOCUMENTATION:** Expertise and Experience is required in the performance of Highway Lighting. The Experience in Highway Lighting Form (850-070-11) must be filled out and submitted with the bid. The form must be signed by the owner of the company or a company officer and dated in the space provided on the form.

1. NO PRE-BID WILL BE HELD FOR THIS CONTRACT.
2. Award is contingent upon legislative budget approval and availability of funds.
3. Awarded Contractor must execute documents within 10 days.
4. General Liability, Auto and Workman's Compensation Insurance required.
5. FHWA 1273/Davis-Bacon Wage Rates
6. The Contractor shall provide a letter to the Department at the time of bid, from a surety authorized to do business in the State of Florida verifying the Contractor is bondable in the State of Florida. For the purposes of this Contract the dollar amount is established at \$500,000.00. The performance bond will be required within five days after commencement of any services.

**Call Order: 005 Proposal: Z8155-R0**

| ALT   | Item        | Description   | Unit | Quantity |
|---|-------------|---|------|----------|
| <b>Section 0001 HIGHWAY LIGHTING MAINTENANCE (MH)</b> |             |   |      |          |
|   | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH   | LF   | 500.000  |
|   | 0630- 2- 14 | CONDUIT, FURNISH & INSTALL, ABOVEGROUND   | LF   | 500.000  |
|   | 0630- 2- 15 | CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT  | LF   | 200.000  |
|   | 0635- 2- 30 | PULL & SPLICE BOX, INSTALL  | EA   | 5.000    |
|   | 0635- 2- 50 | PULL & SPLICE BOX, REPAIR   | EA   | 5.000    |
|   | 0639- 6-111 | ELECTRICAL POWER SERVICE- TRANSFORMER, F&I, <5 KVA, SINGLE PHASE, COPPER WINDINGS | EA   | 1.000    |
|   | 0639- 10-   | ELECTRICAL POWER SERVICE DIAGNOSTIC AND MISCELLANEOUS REPAIR                      | EA   | 5.000    |
|   | 0715- 1- 11 | LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <                                  | LF   | 250.000  |
|   | 0715- 1- 12 | LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6                                     | LF   | 250.000  |
|   | 0715- 1- 13 | LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2                                 | LF   | 250.000  |
|   | 0715- 1- 16 | LIGHTING CONDUCTORS, F&I, NO.4/0 (0000) OR LARGER                                 | LF   | 250.000  |
|   | 0715- 5- 21 | LUMINAIRE & BRACKET ARM, REPLACE LUMINAIRE AND ARM ON EXISTING POLE               | EA   | 5.000    |

**Call Order: 005 Proposal: Z8155-R0**

| ALT | Item         | Description   | Unit | Quantity |
|-----|--------------|---|------|----------|
|     | 0715- 5- 31  | LUMINAIRE & BRACKET ARM- ALUMINUM, FURNISH & INSTALL NEW LUMINAIRE AND ARM ON NEW/EXISTING POLE | EA   | 5.000    |
|     | 0715- 7- 11  | LOAD CENTER, F&I, SECONDARY VOLTAGE   | EA   | 1.000    |
|     | 0715- 10- 3  | LIGHT POLE FOUNDATION, REPAIR   | EA   | 5.000    |
|     | 0715- 10- 4  | LIGHT POLE FOUNDATION, STRAIGHTEN EXISTING FOUNDATION   | EA   | 5.000    |
|     | 0715- 10- 5  | LIGHT POLE FOUNDATION, REMOVE FOUNDATION- NO EXISTING POLE                                      | EA   | 5.000    |
|     | 0715- 11-118 | LUMINAIRE, F&I, ROADWAY, FLOOD  | EA   | 5.000    |
|     | 0715- 11-125 | LUMINAIRE, F&I, UNDER DECK, WALL MOUNT  | EA   | 5.000    |
|     | 0715- 11-128 | LUMINAIRE, F&I, UNDER DECK, FLOOD   | EA   | 5.000    |
|     | 0715- 11-211 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD            | EA   | 10.000   |
|     | 0715- 11-213 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, POLE TOP              | EA   | 10.000   |
|     | 0715- 11-216 | LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, PENDANT/TEARDROP      | EA   | 1.000    |
|     | 0715- 11-400 | LUMINAIRE, RELOCATE   | EA   | 1.000    |
|     | 0715- 11-500 | LUMINAIRE, REMOVE   | EA   | 1.000    |
|     | 0715- 16- 5  | LIGHTING - BALLAST, REPLACE   | EA   | 1.000    |
|     | 0715- 19- 3  | LIGHTING - REPLACE EXISTING SURGE PROTECTOR   | EA   | 50.000   |
|     | 0715- 36- 12 | LIGHT POLE, FRANGIBLE BASE, F&I, TRANSFORMER BASE   | EA   | 5.000    |
|     | 0715- 36- 14 | LIGHT POLE, FRANGIBLE BASE, F&I, DOOR ASSEMBLY  | EA   | 50.000   |
|     | 0715-100- 1  | LIGHT POLE COMPLETE- 30' TO 50 STANDARD FOUNDATION, PRE-EVENT CONTRACT ONLY                     | EA   | 20.000   |
|     | 0715-100- 2  | LIGHT POLE COMPLETE- 30' TO 50 SPECIAL FOUNDATION, PRE-EVENT CONTRACT ONLY                      | EA   | 20.000   |
|     | 0715-100- 3  | LIGHT POLE REPLACE ON EXISTING FOUNDATION- 30' TO 50', PRE-EVENT CONTRACT ONLY                  | EA   | 20.000   |
|     | 0715-500- 1  | POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL                               | EA   | 1.000    |
|     | E715- 16- 1  | BALLAST (F&I)   | EA   | 1.000    |
|     | E715- 16- 2  | BALLAST ASSEMBLY (F&I)  | AS   | 1.000    |
|     | E715- 17- 1  | LAMP (HPS)  | EA   | 5.000    |
|     | E715- 17- 2  | LAMP (MERCURY VAPOR)  | EA   | 1.000    |
|     | E715- 17- 3  | LAMP (METAL HALIDE)   | EA   | 1.000    |
|     | E715- 17- 5  | LAMP (LPS)  | EA   | 1.000    |
|     | E715- 17- 9  | LAMP (LED)  | EA   | 5.000    |
|     | E715- 18-101 | LOAD CENTER PART (F&I) (SGL POLE BREAKER)   | EA   | 1.000    |
|     | E715- 18-102 | LOAD CENTER PART (F&I) (DBL POLE BREAKER)   | EA   | 1.000    |
|     | E715- 18-104 | LOAD CENTER PART (F&I)(BREAKER PANEL & ENCLOSURE)   | EA   | 1.000    |
|     | E715- 18-105 | LOAD CENTER PART (F&I) (CONTACTOR)  | EA   | 1.000    |
|     | E715- 18-107 | LOAD CENTER PART (F&I) (PHOTOCELL)  | EA   | 1.000    |
|     | E715- 18-108 | LOAD CENTER PART (F&I) (PHOTOCELL SOCKET)   | EA   | 1.000    |
|     | E715- 18-110 | LOAD CENTER PART (F&I)(SYSTEM SWITCH AUTO-OFF/ON)   | EA   | 1.000    |
|     | E715- 18-111 | LOAD CENTER PART (F&I) (LIGHTNING ARRESTOR)   | EA   | 1.000    |
|     | E715- 18-112 | LOAD CENTER PART (F&I) (CIRCUIT FUSE)   | EA   | 1.000    |
|     | E715- 18-113 | LOAD CENTER PART (F&I) (MAIN FUSE)  | EA   | 1.000    |
|     | E715- 18-114 | LOAD CENTER PART (F&I) (DUMMY SLUG)   | EA   | 1.000    |



**Call Order: 005 Proposal: Z8155-R0**

| ALT | Item         | Description   | Unit | Quantity |
|-----|--------------|---|------|----------|
|     | E715- 18-115 | LOAD CENTER PART(SFTY DIS SWTCH BOX,600V)(F&I)        | EA   | 1.000    |
|     | E715- 18-116 | LOAD CENTER PART (F&I) (COVER PLATE)                  | EA   | 1.000    |
|     | E715- 19- 99 | LIGHTING - CABLE REMOVAL DETERRENT SYSTEM             | EA   | 1.000    |
|     | E715- 22- 1  | GROUND ROD  | EA   | 1.000    |
|     | E715- 23- 1  | REFRACTER (F&I) (STANDARD COBRA HEAD)                 | EA   | 1.000    |
|     | E715- 24- 1  | FUSE (F&I) (POLE BASE)                                | EA   | 1.000    |
|     | E715- 24- 2  | FUSE (F&I) (SIGN)                                     | EA   | 1.000    |
|     | E715- 24- 4  | DUMMY SLUG (F&I) (POLE BASE)                          | EA   | 1.000    |
|     | E715- 25- 1  | FUSE HOLDER (F&I) (POLE BASE)                         | EA   | 1.000    |
|     | E715- 25- 2  | FUSE HOLDER / DISCONNECT PLUG (F&I)                   | EA   | 1.000    |
|     | E715- 25- 41 | FUSE HOLDER POLE BASE INSTALL ONLY                    | EA   | 1.000    |
|     | E715- 26- 4  | QUICK DISCONNECT PLUG (MODULAR POLE BASE)             | EA   | 1.000    |
|     | E715- 26- 13 | SWITCH BOX (INSTALL) (FOR SIGN STRUCTURE)             | EA   | 1.000    |
|     | E715- 32- 1  | DIAGNOSTIC WORK (SHOULDER SINGLE ARM)                 | LO   | 1.000    |
|     | E715- 32- 2  | DIAGNOSTIC WORK (SHOLDER DOUBLE ARM)                  | LO   | 1.000    |
|     | E715- 32- 3  | DIAGNOSTIC WORK (MED SGL ARM WALL MTD)                | LO   | 1.000    |
|     | E715- 32- 4  | DIAGNOSTIC WORK (MED DBL ARM WALL MTD)                | LO   | 1.000    |
|     | E715- 32- 5  | DIAGNOSTIC WORK (BRIDGE MTD)                          | LO   | 1.000    |
|     | E715- 32- 6  | DIAGNOSTIC WORK (UNDERDECK)                           | LO   | 1.000    |
|     | E715- 32- 7  | DIAGNOSTIC WORK (LOAD CENTER)                         | LO   | 1.000    |
|     | E715- 32- 10 | DIAGNOSTIC WORK (CIRCUIT)                             | LO   | 1.000    |
|     | E715- 32- 13 | DIAGNOSTIC WORK (TOP MOUNT)                           | LO   | 1.000    |
|     | E715- 43- 1  | ARRESTOR (HIGH VOLTAGE PRIMARY LIGHTING)              | EA   | 1.000    |
|     | E715- 50-220 | LIGHTING TRANSFORMER (F&I)(PAD MOUNT)                 | EA   | 1.000    |
|     | E715-561-101 | LIGHT POLE-LEVELING (ALUM/STEEL, CONCRETE FOUNDATION) | EA   | 1.000    |