BID SOLICITATION NOTICE – Turnpike FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

Ocoee, FL January 10, 2025 Advertisement No. 1

Florida Turnpike Headquarters FL Turnpike MP 263, Building 5315 Ocoee, FL 34761

All bids must be completed using **Project Bids** software available on the Bid Express website at https://bidx.com/fl/main.

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: https://www.fdot.gov/contracts/ for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at https://www.bidx.com. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 02:30 PM Local Time on Thursday, February 13, 2025.

Bid totals for each bid submitted will be read aloud for those present and will be available at 02:30 PM. February 13, 2025 in the Turnpike Headquarters, Building 5315, Ocoee, Florida.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (407)264-3885. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain, select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/tp, click "Letting and Project Information" and select letting date from the Lettings Menu.

----NOTE----

Proposals will not be issued after 02:30 PM Local Time on Wednesday, February 12, 2025.

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at CPP.fdot.gov. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit
 https://dms.myflorida.com/egovernment_tools/myflorida_marketplace
 for more information. Please allow 24 to 48
 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the
 Department of Transportation at <u>CPP.fdot.gov</u>. Please allow 48 to 72 hours (excluding weekends and holidays) for
 the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) https://www.fdot.gov/contracts/PreQual Info/pregualified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid solicitation</u> shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at https://www.fdot.gov/contracts/. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

IDENTICAL BIDS

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/tp, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda shall be acknowledged when submitting bids.

BID QUESTIONS

All work is to be done in accordance with the Plans, Specifications, and Special Provisions of State of Florida Department of Transportation. Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: https://bqa.fdot.gov.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of \$150,000.00. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit https://www.tinubu.com for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance** (**EOC**) system no later than 3 business days of submission of the bid. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: https://www.fdot.gov/equalopportunity/eoc.shtm

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae 2

POSTING NOTICE

The bid tabulation and intent to award will be posted on February 25, 2025 or March 11, 2025 at www.fdot.gov/contracts/tp, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964**, **42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at https://www.floridajobs.org.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to https://fdotwp1.dot.state.fl.us/reportsubscriptions/ and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to https://www.fdot.gov/contracts/district-offices/distro.shtm.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5). Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

Florida Department of Transportation Notice to Contractors Index

Published: January 10, 2025

Letting ID: 08250213

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the February 13, 2025 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	E8V41-R0		19288517209(*)	MIAMI-DADE, TURNPIKE
8	E8V42-R0		19288317213(*)	BROWARD, MIAMI- DADE, PALM BEACH, TURNPIKE
9	E8V55		45222815201(*)	TURNPIKE
11	E8V61		45222875201(*)	TURNPIKE
13	E8V62		44968715201(*) 44968725201	SEMINOLE
19	E8V63		45222865201(*)	POLK, TURNPIKE
21	E8V77		45211115201(*)	PALM BEACH
23	E8V85-R0		44963817202(*)	BROWARD, PALM BEACH, TURNPIKE
24	E8V86-R0		44963827202(*)	MIAMI-DADE, TURNPIKE
25	E8V87-R0		19077445243(*)	BROWARD, MIAMI- DADE, PALM BEACH, TURNPIKE
26	E8V88-R0		19077445242(*)	BROWARD, MIAMI- DADE, PALM BEACH, TURNPIKE
27	E8V93-R0		19276317214	BROWARD, MIAMI- DADE, PALM BEACH, TURNPIKE

Proposal Note Codes:

Letting: 08250213 Call Order: 011 Proposal: E8V41-R0 District:08

Counties: MIAMI-DADE, TURNPIKE

Road Name: PERFORMANCE BASED LIGHTING MAINTENANCE - HEFT

Limits: Midpoint

Project(s): 19288517209(*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 1095
Total Bridge Length: 0.000 Miles Letting Date: 02/13/25

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A

Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$1,399,998.00

Please read the full advertisement

Description:

This Performance Based Contract consists of Lighting system maintenance on the Homestead Extension Florida's Turnpike, Milepost (MP) 0.0 to MP 47.2, as identified herein.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS CONTRACT.

CONTRACTOR EXPERIENCE DOCUMENTATION: Expertise and Experience is required in the performance of Highway Lighting. Experience in Highway Lighting Form (850-070-11) must be filled out and submitted to be reviewed by the Department.

Call Order: 011 Proposal: E8V41-R0

ALT Item Description Unit Quantity

Section 0001 HIGHWAY LIGHTING MAINTENANCE (MH)

E099- 2- PERIODIC PAYMENTS OF LUMP SUM EA 36.000

Letting: 08250213 Call Order: 012 Proposal: E8V42-R0 District:08

Counties: BROWARD, MIAMI-DADE, PALM BEACH, TURNPIKE

Road Name: PERFORMANCE BASED LIGHTING MAINTENANCE - MP 0.0 TO 100.0

Limits: Midpoint

Project(s): 19288317213(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:1095Total Bridge Length:0.000 MilesLetting Date:02/13/25

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A

14

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$1,200,000.00

Please read the full advertisement

Description:

This Performance Based Contract consists of Lighting system maintenance on Florida's Turnpike (SR 91), Milepost (MP) 0.0x to MP 100.0, as identified herein.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS CONTRACT.

CONTRACTOR EXPERIENCE DOCUMENTATION: Expertise and Experience is required in the performance of Highway Lighting. Experience in Highway Lighting Form (850-070-11) must be filled out and submitted to be reviewed by the Department.

Call Order: 012 Proposal: E8V42-R0

ALT Item Description Unit Quantity

Section 0001 HIGHWAY LIGHTING MAINTENANCE (MH)

E099- 2- PERIODIC PAYMENTS OF LUMP SUM EA 36.000

Letting: 08250213 Call Order: 001 Proposal: E8V55 District:08

Counties: TURNPIKE

Road Name: HPS TO LED LIGHTING CONVERSION TPK WIDE MIAMI

Limits: 87471000

Project(s): 45222815201(*) Federal Aid No: N/A

Total Roadway Length: 40.570 Miles Contract Days: 420

Total Bridge Length: 0.000 Miles Letting Date: 02/13/25

Total Proposal Length: 40.570 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 120

Proposal Budget Estimate: \$3,515,182.00

Please read the full advertisement

Description:

Work consists of providing all labor, materials, equipment and incidentals necessary for HPS to LED Lighting Conversion on SR 821 (Florida's Turnpike) from MP 6.020 to MP 16.522, Miami-Dade County.

No Pre-Bid Conference. Contractor must be prequalified.

	•.			
ALT	Item	Description	Unit	Quantity
Sectio	n 0001 Roadway			
	0101- 1-	MOBILIZATION (45222815201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (45222815201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	1,350.000
	0102- 60-	WORK ZONE SIGN	ED	34,591.000
	0102-62-13	BARRIER MOUNTED WORK ZONE SIGN- INDEX 700-013	ED	6,076.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	90,944.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	1,680.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	2,786.000
	0102-115-	TYPE III BARRICADE	ED	1,835.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	840.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	840.000
	0104- 10- 3	SEDIMENT BARRIER	LF	9,710.000
	0107- 1-	LITTER REMOVAL	AC	772.940
	0107- 2-	MOWING	AC	746.620
	0639- 8-130	ELECTRICAL POWER SERVICE- CONTRIBUTION IN AID OF CONSTRUCTION (CIAC), FPL (DO NOT BID) (45222815201)	LS	1.000
	0999- 16-	PARTNERING, DO NOT BID (45222815201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45222815201)	LS	1.000
Sectio	n 0002 Lighting			
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	10,010.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	5,530.000
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	420.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	130.000

ALT	Item	Description	Unit	Quantity
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	3.000
	0639- 1-620	ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND	AS	3.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	265.000
	0639- 2- 6	ELECTRICAL SERVICE WIRE, REMOVE	LF	265.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	3.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	3.000
	0641- 2-60	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE	EA	3.000
	0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	62,696.000
	0715- 1-13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	9,828.000
	0715- 1-60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	60,055.000
	0715- 7-11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	3.000
	0715- 7-41	LOAD CENTER, REMOVE, SECONDARY VOLTAGE	EA	3.000
	0715- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	15.000
	0715- 61-200	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 35' MOUNTING HEIGHT, 0' ARM LENGTH	EA	65.000
	0715- 61-300	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT, 0' ARM LENGTH	EA	1.000
	0715- 69-000	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	61.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	101.000

Letting: Call Order: 002 Proposal: E8V61 District:08 08250213

Counties: **TURNPIKE**

Road Name: HPS TO LED LIGHTING CONVERSION TPKWIDE BROWARD/PALM BEACH

Limits: 86470000

Project(s): 45222875201(*) Federal Aid No: N/A

Total Roadway Length: 40.354 Miles Contract Days: 400 Total Bridge Length: 0.000 Miles Letting Date: 02/13/25 Total Proposal Length: 40.354 Miles Contract Execution Days: 10

Special Start Date: N/A Aquis/Flexible Start Time: 120

Proposal Budget Estimate: \$5,835,264.00

Please read the full advertisement

Description:

Work consists of providing all labor, materials, equipment and incidentals necessary for HPS to LED Lighting Conversion on SR 91 (Florida's Turnpike) from MP 54.110 to MP 86.776, Broward and Palm Beach Counties.

No Pre-Bid Conference. Contractor must be prequalified.

ALT	Item	Description	Unit	Quantity
Section	0001 Roadway			
	0101- 1-	MOBILIZATION (45222875201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (45222875201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	4,320.000
	0102- 60-	WORK ZONE SIGN	ED	58,526.000
	0102- 62- 13	BARRIER MOUNTED WORK ZONE SIGN- INDEX 700-013	ED	10,596.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	361,996.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	2,800.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	3,299.000
	0102-115-	TYPE III BARRICADE	ED	3,232.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	1,600.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	1,600.000
	0104- 10- 3	SEDIMENT BARRIER	LF	10,211.000
	0107- 1-	LITTER REMOVAL	AC	184.860
	0107- 2-	MOWING	AC	168.220
	0639- 8-130	ELECTRICAL POWER SERVICE- CONTRIBUTION IN AID OF CONSTRUCTION (CIAC), FPL (DO NOT BID) (45222875201)	LS	1.000
	0999- 16-	PARTNERING, DO NOT BID (45222875201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45222875201)	LS	1.000
Section	0002 Lighting			
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	6,657.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	3,307.000
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	400.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	96.000
	0635- 2-14	PULL & SPLICE BOX, F&I, 17" X 30" COVER SIZE	EA	20.000

ALT	Item	Description	Unit	Quantity
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	10.000
	0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	12,131.000
	0715- 1-13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	19,021.000
	0715- 1-14	LIGHTING CONDUCTORS, F&I, INSULATED, NO 1 TO NO 0	LF	26,603.000
	0715- 1-15	LIGHTING CONDUCTORS, F&I, NO.1/0 - 3/0 (0 to 000)	LF	2,139.000
	0715- 1-60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	39,417.000
	0715- 7-11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	10.000
	0715- 7-41	LOAD CENTER, REMOVE, SECONDARY VOLTAGE	EA	10.000
	0715- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	132.000
	0715- 11-213	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, POLE TOP	EA	1,114.000
	0715- 61-152	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 30' MOUNTING HEIGHT, 15' ARM LENGTH	EA	1.000
	0715- 61-200	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 35' MOUNTING HEIGHT, 0' ARM LENGTH	EA	4.000
	0715- 61-400	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 0' ARM LENGTH	EA	25.000
	0715- 61-452	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 15' ARM LENGTH	EA	3.000
	0715- 69-000	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	33.000
	0715- 69-001	LIGHT POLE COMPLETE, REMOVE POLE, FOUNDATION REMAINS	EA	6.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	1,147.000
	0715-500- 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	121.000

Letting: 08250213 Call Order: 003 Proposal: E8V62 District:08

Counties: SEMINOLE

Road Name: RESURFACE SEMINOLE EXPRESSWAY (SR 417) SEMINOLE CNTY

Limits: 77470000

Project(s): 44968715201(*) Federal Aid No: N/A
Project(s): 44968725201 Federal Aid No: N/A

Total Roadway Length:25.884 MilesContract Days:308Total Bridge Length:0.132 MilesLetting Date:02/13/25Total Proposal Length:26.016 MilesContract Execution Days:10

Special Start Date: N/A
Aquis/Flexible Start Time: 120

Proposal Budget Estimate: \$20,583,526.00

Please read the full advertisement

Description:

Work consists of providing all labor, materials, equipment and incidentals necessary for milling, resurfacing and safety and design upgrade improvements for the Seminole Expressway (SR 417), from just south of Airport Blvd. (approximately Milepost 49.9) to north of the existing bridges over Town Center Blvd. (approximately Milepost 55.1) in Seminole County.

No Pre-Bid Conference. Contractor must be prequalified.

ALT	Item	Description	Unit	Quantity
Sectio	n 0001 Structures	5		
	0458- 1-21	BRIDGE DECK EXPANSION JOINT, REHABILITATION, POURED JOINT WITH BACKER ROD	LF	346.000
	0458- 1-22	BRIDGE DECK EXPANSION JOINT, REHABILITATION, STRIP SEAL	LF	142.000
Sectio	n 0002 Roadway			
	0101- 1-	MOBILIZATION (44968715201)	LS	1.000
	0101- 1-	MOBILIZATION (44968725201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44968715201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44968725201)	LS	1.000
	0102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (44968715201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	7,050.000
	0102- 60-	WORK ZONE SIGN	ED	38,165.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING	LF	350.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	131,424.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	2,424.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	686.000
	0102-89-1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	1.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	1,007.000
	0102-115-	TYPE III BARRICADE	ED	1,740.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	1,192.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	1,192.000
	0104- 10- 3	SEDIMENT BARRIER	LF	778.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	250.000

0104-15- SOIL TRACKING PREVENTION DEVICE EA 4. 0104-18- INLET PROTECTION SYSTEM EA 2. 0107-1- LITTER REMOVAL AC 2.410. 0107-2- MOWING AC 2.325. 0110-1-1 CLEARING & GRUBBING (44968725201) LS 1. 0110-2-2 SELECTIVE CLEARING AND GRUBBING, AREAS WITH TREES TO AC 0. 0110-4-10 REMOVAL OF EXISTING CONCRETE SY 80. 0120-1- REGULAR EXCAVATION CY 490. 0120-6- EMBANKMENT CY 3. 0285-709- OPTIONAL BASE, BASE GROUP 09 SY 1.486. 0327-70-4 MILLING EXISTING ASPHALT PAVEMENT, 3' AVG DEPTH SY 6.738. 0327-70-6 MILLING EXISTING ASPHALT PAVEMENT, 5' AVG DEPTH SY 9.67.38. 0327-70-10 MILLING EXISTING ASPHALT PAVEMENT, 4' AVG DEPTH SY 9.45.03. 0327-70-19 MILLING EXISTING ASPHALT PAVEMENT, 6' AVG DEPTH SY 7.065. 0327-70-19 MILLING EXISTING ASPHALT PAVEMENT, 6' AVG DEPTH SY <t< th=""><th></th><th></th><th>Call Order: 003 Troposal: E0V02</th><th>11.1</th><th>0 44</th></t<>			Call Order: 003 Troposal: E0V02	11.1	0 44
0104-18- INLET PROTECTION SYSTEM EA 2. 0107- LITTER REMOVAL AC 2,410. 0107- 2- MOWING AC 2,325. 0110- 1- CLEARING & GRUBBING (44968725201) LS 1. 0110- 1- CLEARING & GRUBBING AND GRUBBING, AREAS WITH TREES TO AC 0. 0110- 4- 10 REMAIN CV 480. 0120- 1- REGULAR EXCAVATION CY 490. 0120- 6- EMBANKMENT CY 3. 0285-709- OPTIONAL BASE, BASE GROUP 09 SY 1,486. 0327-70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 67.738. 0327-70- 4 MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH SY 67.738. 0327-70-10 MILLING EXISTING ASPHALT PAVEMENT, 2" A"A VG DEPTH SY 7,065. 0327-70-11 MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH SY 7,065. 0327-70-23 MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH SY 7,065. <td>ALT</td> <td>Item</td> <td>Description</td> <td>Unit</td> <td>Quantity</td>	ALT	Item	Description	Unit	Quantity
0107- 1- LITTER REMOVAL AC 2,410. 0107- 2- MOWING AC 2,325. 0110- 1- 1 CLEARING & GRUBBING (44968725201) LS 1. 0110- 2- 2 SELECTIVE CLEARING AND GRUBBING, AREAS WITH TREES TO AC 0. 0110- 4- 10 REMOVAL OF EXISTING CONCRETE SY 80. 0120- 1- REGULAR EXCAVATION CY 490. 0120- 6- EMBANKMENT CY 3. 0285-709- OPTIONAL BASE, BASE GROUP 09 SY 1.486. 0327- 70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3' AVG DEPTH SY 67,738. 0327- 70- 10 MILLING EXISTING ASPHALT PAVEMENT, 112" AVG DEPTH SY 1,324. 0327- 70- 11 MILLING EXISTING ASPHALT PAVEMENT, 214" AVG DEPTH SY 4,503. 0327- 70- 12 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 7,065. 0327- 70- 13 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 7,065. 0327- 70- 23 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 7,065. 0327- 70- 25 MILLING EXISTING ASPHA					4.000
0107- 2- MOWING AC 2,325. 0110- 1- 1 CLEARING & GRUBBING (44968725201) LS 1. 0110- 2- 2 SELECTIVE CLEARING AND GRUBBING, AREAS WITH TREES TO AC 0. 0110- 4- 10 REMOVAL OF EXISTING CONCRETE SY 80. 0120- 1- REGULAR EXCAVATION CY 490. 0120- 6- EMBANKMENT CY 3. 0285-709- OPTIONAL BASE, BASE GROUP 09 SY 1,486. 0327- 70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 67,738. 0327- 70- 10 MILLING EXISTING ASPHALT PAVEMENT, 5" AVG DEPTH SY 1,324. 0327- 70- 19 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 7,053. 0327- 70- 19 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 7,065. 0327- 70- 23 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 7,065. 0327- 70- 23 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 7,065. 0327- 70- 26 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 7,065. 03					2.000
0110- 1- 1 CLEARING & GRUBBING (44968725201) LS 1. 0110- 2- 2 SELECTIVE CLEARING AND GRUBBING, AREAS WITH TREES TO REMAIN AC 0. 0110- 4- 10 REMOVAL OF EXISTING CONCRETE SY 80. 0120- 1- REGULAR EXCAVATION CY 490. 0120- 6- EMBANKMENT CY 3. 0285-709- OPTIONAL BASE, BASE GROUP 09 SY 1,486. 0327- 70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3' AVG DEPTH SY 67,738. 0327- 70- 10 MILLING EXISTING ASPHALT PAVEMENT, 5' AVG DEPTH SY 1,234. 0327- 70- 11 MILLING EXISTING ASPHALT PAVEMENT, 5' AVG DEPTH SY 94,503. 0327- 70- 12 MILLING EXISTING ASPHALT PAVEMENT, 6' AVG DEPTH SY 7,065. 0327- 70- 13 MILLING EXISTING ASPHALT PAVEMENT, 6' AVG DEPTH SY 7,065. 0327- 70- 23 MILLING EXISTING ASPHALT PAVEMENT, 4' AVG DEPTH SY 70,430. 0334- 1- 13 SUPERPAVE ASPHALTIC CONC, TRAFFIC C TN 70. 0334- 1- 51 SUPERPAVE ASPHALTIC CONC, TRAFFIC C TN 70.					2,410.920
0110- 2- 2 SELECTIVE CLEARING AND GRUBBING, AREAS WITH TREES TO REMAIN AC 0.0 0110- 4-10 REMANN REMOVAL OF EXISTING CONCRETE SY 80 0120- 1- REGULAR EXCAVATION CY 490 0120- 6- EMBANKMENT CY 3. 0285-709- OPTIONAL BASE, BASE GROUP 09 SY 1,486 0327- 70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 67,738 0327- 70- 10 MILLING EXISTING ASPHALT PAVEMENT, 5" AVG DEPTH SY 94,503 0327- 70- 11 MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH SY 7,065 0327- 70- 13 MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH SY 7,065 0327- 70- 23 MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH SY 7,065 0327- 70- 26 MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH SY 70,430 0334- 1- 13 SUPERPAVE ASPHALTIC CONC, TRAFFIC C TN 70 0334- 1- 52 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 TN 6,070 0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22					2,325.860
REMAIN 0110- 4-10 REMOVAL OF EXISTING CONCRETE 0120- 1- REGULAR EXCAVATION CY 490. 0120- 6- EMBANKMENT CY 3. 0285-709- OPTIONAL BASE, BASE GROUP 09 0327- 70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 35,719. 0327- 70- 6- MILLING EXISTING ASPHALT PAVEMENT, 11/2" AVG DEPTH SY 67,738. 0327- 70- 10 MILLING EXISTING ASPHALT PAVEMENT, 5" AVG DEPTH SY 1,324. 0327- 70- 11 MILLING EXISTING ASPHALT PAVEMENT, 5" AVG DEPTH SY 94,503. 0327- 70- 11 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 94,503. 0327- 70- 19 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 7,065. 0327- 70- 23 MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH SY 317. 0327- 70- 26 MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH SY 70,430. 0334- 1- 13 SUPERPAVE ASPHALTIC CONC, TRAFFIC C TN 70. 0334- 1- 15 SUPERPAVE ASPHALTIC CONC, TRAFFIC E TN 27. 0334- 1- 52 SUPERPAVE ASPHALTIC CONC, TRAFFIC E TN 27. 0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 TN 6,070. 0334- 1- 59 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 6,070. 0334- 1- 59 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PIGH POLYMER TN 1,313. 0337- 7- 26 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 26 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76- TN 162. 22 0339- 1- MISCELLANEOUS ASPHALT PAVEMENT SY 5,924. 0411- 1- EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB GA 6. 0411- 2- CRACKS INJECT & SEAL- STRUCTURES REHAB LF 696. 0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL FARMENT SY 5,924. 0430-984-125 MITERED END SECTION, O					1.000
0120- 1- REGULAR EXCAVATION CY 490. 0120- 6- EMBANKMENT CY 3. 0285-709- OPTIONAL BASE, BASE GROUP 09 SY 1,486. 0327- 70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 35,719. 0327- 70- 10 MILLING EXISTING ASPHALT PAVEMENT, 5" AVG DEPTH SY 1,324. 0327- 70- 11 MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH SY 94,503. 0327- 70- 19 MILLING EXISTING ASPHALT PAVEMENT, 34" AVG DEPTH SY 7,065. 0327- 70- 20 MILLING EXISTING ASPHALT PAVEMENT, 4 3/4" AVG DEPTH SY 70,430. 0327- 70- 26 MILLING EXISTING ASPHALT PAVEMENT, 4 3/4" AVG DEPTH SY 70,430. 0334- 1- 13 SUPERPAVE ASPHALTIC CONC, TRAFFIC C TN 70. 0334- 1- 52 SUPERPAVE ASPHALTIC CONC, TRAFFIC B TN 27. 0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 TN 3,379. 0334- 1- 55 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 6,070. 0334- 1- 59 SUPERPAVE ASPHALT CONCRETE, TRAFFIC C, FC-95, PG 76-22 <td></td> <td>0110- 2- 2</td> <td></td> <td>AC</td> <td>0.010</td>		0110- 2- 2		AC	0.010
0120- 6- EMBANKMENT CY 3. 0285-709- OPTIONAL BASE, BASE GROUP 09 SY 1,486. 0327-70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 35,719. 0327-70- 6 MILLING EXISTING ASPHALT PAVEMENT, 11/2" AVG DEPTH SY 67,738. 0327-70- 11 MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH SY 94,503. 0327-70- 19 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 7,065. 0327-70- 23 MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH SY 7,065. 0327-70- 26 MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH SY 70,430. 0334- 1- 13 SUPERPAVE ASPHALTIC CONC, TRAFFIC C TN 70. 0334- 1- 15 SUPERPAVE ASPHALTIC CONC, TRAFFIC E TN 27. 0334- 1- 52 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 TN 6,070. 0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 6,070. 0334- 1- 55 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 1,313. 0337- 7- 26 ASPHALT CONCRETE FRICTION COURSE, IN		0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	80.000
0285-709- OPTIONAL BASE, BASE GROUP 09 SY 1,486. 0327-70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 35,719. 0327-70- 6 MILLING EXISTING ASPHALT PAVEMENT, 11/2" AVG DEPTH SY 67,738. 0327-70- 10 MILLING EXISTING ASPHALT PAVEMENT, 5" AVG DEPTH SY 1,324. 0327-70- 19 MILLING EXISTING ASPHALT PAVEMENT, 21/4" AVG DEPTH SY 7,065. 0327-70- 23 MILLING EXISTING ASPHALT PAVEMENT, 6" AVG DEPTH SY 70,430. 0327-70- 26 MILLING EXISTING ASPHALT PAVEMENT, 43/4" AVG DEPTH SY 70,430. 0334- 1- 13 SUPERPAVE ASPHALTIC CONC, TRAFFIC C TN 70. 0334- 1- 52 SUPERPAVE ASPHALTIC CONC, TRAFFIC E TN 27. 0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 TN 6,070. 0334- 1- 55 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 20,080. 0334- 1- 55 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 1,313. 0337- 7- 25 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 1,20 0337- 7- 8		0120- 1-	REGULAR EXCAVATION	CY	490.500
0327- 70- 4 MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH SY 35,719. 0327- 70- 6 MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH SY 67,738. 0327- 70- 10 MILLING EXISTING ASPHALT PAVEMENT, 5" AVG DEPTH SY 1,324. 0327- 70- 11 MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH SY 94,503. 0327- 70- 19 MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH SY 7,065. 0327- 70- 20 MILLING EXISTING ASPHALT PAVEMENT, 49/4" AVG DEPTH SY 70,65. 0327- 70- 26 MILLING EXISTING ASPHALT PAVEMENT, 49/4" AVG DEPTH SY 70,430. 0334- 1- 13 SUPERPAVE ASPHALTIC CONC, TRAFFIC C TN 70. 0334- 1- 15 SUPERPAVE ASPHALTIC CONC, TRAFFIC E TN 27. 0334- 1- 52 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 TN 3,379. 0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22 TN 6,070. 0334- 1- 59 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22 TN 1,313. 0337- 7- 26 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. <		0120- 6-	EMBANKMENT	CY	3.400
0327- 70- 6 MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH SY 67,738. 0327- 70- 10 MILLING EXISTING ASPHALT PAVEMENT, 5" AVG DEPTH SY 1,324. 0327- 70- 11 MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH SY 94,503. 0327- 70- 19 MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH SY 7,065. 0327- 70- 23 MILLING EXISTING ASPHALT PAVEMENT, 6" AVG DEPTH SY 317. 0327- 70- 26 MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH SY 70,430. 0334- 1- 13 SUPERPAVE ASPHALTIC CONC, TRAFFIC C TN 70. 0334- 1- 15 SUPERPAVE ASPHALTIC CONC, TRAFFIC E TN 27. 0334- 1- 52 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 TN 6,070. 0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 TN 6,070. 0334- 1- 59 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, FIGHALDAMER TN 1,313. 0337- 7- 26 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, HIGH TN 525. </td <td></td> <td>0285-709-</td> <td>OPTIONAL BASE, BASE GROUP 09</td> <td>SY</td> <td>1,486.000</td>		0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	1,486.000
0327- 70- 10 MILLING EXISTING ASPHALT PAVEMENT, 5" AVG DEPTH SY 1,324. 0327- 70- 11 MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH SY 94,503. 0327- 70- 19 MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH SY 7,065. 0327- 70- 23 MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH SY 317. 0327- 70- 26 MILLING EXISTING ASPHALT PAVEMENT, 4" AVG DEPTH SY 70,430. 0334- 1- 13 SUPERPAVE ASPHALTIC CONC, TRAFFIC C TN 70. 0334- 1- 15 SUPERPAVE ASPHALTIC CONC, TRAFFIC E TN 27. 0334- 1- 52 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 TN 6,070. 0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 2,060. 0334- 1- 59 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, HIGH POLYMER TN 1,313. 0337- 7- 26 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-10 TN 16		0327- 70- 4	MILLING EXISTING ASPHALT PAVEMENT, 3" AVG DEPTH	SY	35,719.000
0327-70-11 MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH SY 94,503. 0327-70-19 MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH SY 7,065. 0327-70-23 MILLING EXISTING ASPHALT PAVEMENT, 6" AVG DEPTH SY 317. 0327-70-26 MILLING EXISTING ASPHALT PAVEMENT, 4 3/4" AVG DEPTH SY 70,430. 0334-1-13 SUPERPAVE ASPHALTIC CONC, TRAFFIC C TN 70. 0334-1-15 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 TN 3,779. 0334-1-52 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 6,070. 0334-1-53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22 TN 22,060. 0334-1-55 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22 TN 22,060. 0334-1-59 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, HIGH POLYMER TN 1,313. 0337-7-26 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337-7-82 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 TN 6,266. 0337-7-83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 TN 3,		0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	67,738.000
0327-70-19 MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH SY 7,065. 0327-70-23 MILLING EXISTING ASPHALT PAVEMENT, 6" AVG DEPTH SY 317. 0327-70-26 MILLING EXISTING ASPHALT PAVEMENT, 4 3/4" AVG DEPTH SY 70,430. 0334- 1-13 SUPERPAVE ASPHALTIC CONC, TRAFFIC C TN 70. 0334- 1-15 SUPERPAVE ASPHALTIC CONC, TRAFFIC B, PG76-22 TN 3,379. 0334- 1-52 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 TN 6,070. 0334- 1-55 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22 TN 22,060. 0334- 1-55 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22 TN 1,313. 0337- 7-25 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22 TN 1,313. 0337- 7-26 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7-82 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 TN 162. 0337- 7-83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 TN 44. 0352- 70- GRINDING CONCRETE PAVEMENT TN 44.		0327- 70- 10	MILLING EXISTING ASPHALT PAVEMENT, 5" AVG DEPTH	SY	1,324.000
0327- 70- 23 MILLING EXISTING ASPHALT PAVEMENT, 6" AVG DEPTH SY 317. 0327- 70- 26 MILLING EXISTING ASPHALT PAVEMENT, 4 3/4" AVG DEPTH SY 70,430. 0334- 1- 13 SUPERPAVE ASPHALTIC CONC, TRAFFIC C TN 70. 0334- 1- 15 SUPERPAVE ASPHALTIC CONC, TRAFFIC E TN 27. 0334- 1- 52 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 TN 3,379. 0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 6,070. 0334- 1- 59 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22 TN 22,060. 0334- 1- 59 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, HIGH POLYMER TN 1,313. 0337- 7- 25 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, HIGH TN 525. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 TN 3,102. 22 0339- 1- MISCELLANEOUS ASPHALT PAVEMENT TN 44. 0352- 70- GRINDING CONCRETE PAVEMENT SY 5,924.		0327- 70- 11	MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH	SY	94,503.000
0327- 70- 26 MILLING EXISTING ASPHALT PAVEMENT, 4 3/4" AVG DEPTH SY 70,430. 0334- 1- 13 SUPERPAVE ASPHALTIC CONC, TRAFFIC C TN 70. 0334- 1- 15 SUPERPAVE ASPHALTIC CONC, TRAFFIC E TN 27. 0334- 1- 52 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 TN 3,379. 0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 6,070. 0334- 1- 55 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22 TN 22,060. 0334- 1- 59 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, HIGH POLYMER TN 1,313. 0337- 7- 26 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, HIGH TN 525. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 TN 162. 22 0339- 1- MISCELLANEOUS ASPHALT PAVEMENT TN 44. 0352- 70- GRINDING CONCRETE PAVEMENT SY 5,924. 0411- 1- EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB LF 696. 0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL <td></td> <td>0327- 70- 19</td> <td>MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH</td> <td>SY</td> <td>7,065.000</td>		0327- 70- 19	MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH	SY	7,065.000
0334- 1-13 SUPERPAVE ASPHALTIC CONC, TRAFFIC C TN 70. 0334- 1-15 SUPERPAVE ASPHALTIC CONC, TRAFFIC E TN 27. 0334- 1-52 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 TN 3,379. 0334- 1-53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 6,070. 0334- 1-55 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22 TN 22,060. 0334- 1-59 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, HIGH POLYMER TN 1,313. 0337- 7-25 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7-82 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, HIGH TN 525. 0337- 7-83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 TN 162. 22 0339- 1- MISCELLANEOUS ASPHALT PAVEMENT TN 44. 0352- 70- GRINDING CONCRETE PAVEMENT SY 5,924. 0411- 1- EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB G 0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL EA 1. 0430-950- DESILTING CONCRETE BOX CULV		0327- 70- 23	MILLING EXISTING ASPHALT PAVEMENT, 6" AVG DEPTH	SY	317.000
0334- 1- 15 SUPERPAVE ASPHALTIC CONC, TRAFFIC E TN 27. 0334- 1- 52 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 TN 3,379. 0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 6,070. 0334- 1- 55 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22 TN 22,060. 0334- 1- 59 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, HIGH POLYMER TN 1,313. 0337- 7- 25 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 26 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, HIGH TN 525. POLYMER N 525. 162. 162. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 TN 3,102. 0337- 7- 83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-17 TN 44. 0352- 70- GRINDING CONCRETE PAVEMENT TN 44. 0352- 70- GRINDING CONCRETE PAVEMENT SY 5,924. 0411- 2- CRACKS INJECT & SEAL- STRUCTURES REHAB LF 696. 0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL EA		0327- 70- 26	MILLING EXISTING ASPHALT PAVEMENT, 4 3/4" AVG DEPTH	SY	70,430.000
0334- 1- 52 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 TN 3,379 0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 6,070 0334- 1- 55 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22 TN 22,060 0334- 1- 59 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, HIGH POLYMER TN 1,313 0337- 7- 25 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656 0337- 7- 80 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, HIGH TN 525 POLYMER TN 162 22 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76- 22 TN 162 22 0337- 7- 83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76- 70 TN 3,102 22 0339- 1- MISCELLANEOUS ASPHALT PAVEMENT TN 44 0352- 70- GRINDING CONCRETE PAVEMENT SY 5,924 0411- 1- EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB G 6 0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL EA 1 0430-950- DESILTING CONCRETE BOX CULVERT <td< td=""><td></td><td>0334- 1-13</td><td>SUPERPAVE ASPHALTIC CONC, TRAFFIC C</td><td>TN</td><td>70.100</td></td<>		0334- 1-13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	70.100
0334- 1- 53 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 TN 6,070. 0334- 1- 55 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22 TN 22,060. 0334- 1- 59 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, HIGH POLYMER TN 1,313. 0337- 7- 25 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 26 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, HIGH TN 525. POLYMER ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76- TN 162. 22 337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76- TN 3,102. 22 339- 1- MISCELLANEOUS ASPHALT PAVEMENT TN 44. 0352- 70- GRINDING CONCRETE PAVEMENT SY 5,924. 0411- 1- EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB G 6. 0411- 2- CRACKS INJECT & SEAL- STRUCTURES REHAB LF 696. 0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL EA 1. 0430-950- DESILTING CONCRETE BOX CULVERT CY 341. 0430-984-125 MITERED EN		0334- 1-15	SUPERPAVE ASPHALTIC CONC, TRAFFIC E	TN	27.600
0334- 1- 55 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22 TN 22,060. 0334- 1- 59 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, HIGH POLYMER TN 1,313. 0337- 7- 25 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 26 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, HIGH TN 525. POLYMER POLYMER TN 162. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76- Z2 TN 3,102. 0337- 7- 83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76- Z2 TN 3,102. 0339- 1- MISCELLANEOUS ASPHALT PAVEMENT TN 44. 0352- 70- GRINDING CONCRETE PAVEMENT SY 5,924. 0411- 1- EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB GA 6. 0411- 2- CRACKS INJECT & SEAL- STRUCTURES REHAB LF 696. 0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL EA 1. 0430-174-118 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD LF 8. 0430-980- DESILTING CONCRETE BOX CULVERT		0334- 1-52	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22	TN	3,379.000
0334- 1- 59 SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, HIGH POLYMER TN 1,313. 0337- 7- 25 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 26 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, HIGH TN 525. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 TN 162. 0337- 7- 83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22 TN 3,102. 0339- 1- MISCELLANEOUS ASPHALT PAVEMENT TN 44. 0352- 70- GRINDING CONCRETE PAVEMENT SY 5,924. 0411- 1- EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB GA 6. 0411- 2- CRACKS INJECT & SEAL- STRUCTURES REHAB LF 696. 0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL EA 1. 0430-950- DESILTING CONCRETE BOX CULVERT CY 341. 0430-984-125 MITERED END SECTION, OPTIONAL ROUND, 18" SD EA 1.		0334- 1-53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	6,070.200
0337- 7- 25 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 TN 6,656. 0337- 7- 26 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, HIGH TN 525. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76- TN 162. 22 0337- 7- 83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76- TN 3,102. 22 0339- 1- MISCELLANEOUS ASPHALT PAVEMENT TN 44. 0352- 70- GRINDING CONCRETE PAVEMENT SY 5,924. 0411- 1- EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB GA 6. 0411- 2- CRACKS INJECT & SEAL- STRUCTURES REHAB LF 696. 0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL EA 1. 0430-174-118 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD LF 8. 0430-950- DESILTING CONCRETE BOX CULVERT CY 341. 0430-984-125 MITERED END SECTION, OPTIONAL ROUND, 18"SD EA 1.		0334- 1-55	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22	TN	22,060.200
0337- 7- 26 ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, HIGH POLYMER TN 525. 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76- 22 TN 162. 0337- 7- 83 ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76- TN 22 3,102. 0339- 1- MISCELLANEOUS ASPHALT PAVEMENT TN TN 44. 0352- 70- GRINDING CONCRETE PAVEMENT SY 5,924. 0411- 1- EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB GA 6. 6. 0411- 2- CRACKS INJECT & SEAL- STRUCTURES REHAB LF 696. 1. 0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL EA 1. EA 1. 0430-174-118 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD LF 8. 8. 0430-950- DESILTING CONCRETE BOX CULVERT CY 341. CY 341. 0430-984-125 MITERED END SECTION, OPTIONAL ROUND, 18"SD EA 1. EA 1.		0334- 1-59	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, HIGH POLYMER	TN	1,313.200
POLYMER 0337- 7- 82 ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-9.5, PG 76- TN 162. 0337- 7- 83 ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76- TN 22 0339- 1- MISCELLANEOUS ASPHALT PAVEMENT TN 44. 0352- 70- GRINDING CONCRETE PAVEMENT SY 5,924. 0411- 1- EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB GA 6. 0411- 2- CRACKS INJECT & SEAL- STRUCTURES REHAB LF 696. 0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL EA 1. 0430-174-118 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD LF 8. 0430-950- DESILTING CONCRETE BOX CULVERT CY 341. 0430-984-125 MITERED END SECTION, OPTIONAL ROUND, 18" SD EA 1.		0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	6,656.000
22 0337- 7- 83 ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76- TN 22 3,102. 0339- 1- MISCELLANEOUS ASPHALT PAVEMENT TN 44. 0352- 70- GRINDING CONCRETE PAVEMENT SY 5,924. 0411- 1- EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB GA 6. 0411- 2- CRACKS INJECT & SEAL- STRUCTURES REHAB LF 696. 0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL EA 1. 0430-174-118 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD LF 8. 0430-950- DESILTING CONCRETE BOX CULVERT CY 341. 0430-984-125 MITERED END SECTION, OPTIONAL ROUND, 18"SD EA 1.		0337- 7-26		TN	525.800
22 0339- 1- MISCELLANEOUS ASPHALT PAVEMENT TN 44. 0352- 70- GRINDING CONCRETE PAVEMENT SY 5,924. 0411- 1- EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB GA 6. 0411- 2- CRACKS INJECT & SEAL- STRUCTURES REHAB LF 696. 0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL EA 1. 0430-174-118 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD LF 8. 0430-950- DESILTING CONCRETE BOX CULVERT CY 341. 0430-984-125 MITERED END SECTION, OPTIONAL ROUND, 18"SD EA 1.		0337- 7-82		TN	162.900
0352- 70- GRINDING CONCRETE PAVEMENT SY 5,924. 0411- 1- EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB GA 6. 0411- 2- CRACKS INJECT & SEAL- STRUCTURES REHAB LF 696. 0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL EA 1. 0430-174-118 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD LF 8. 0430-950- DESILTING CONCRETE BOX CULVERT CY 341. 0430-984-125 MITERED END SECTION, OPTIONAL ROUND, 18"SD EA 1.		0337- 7-83		TN	3,102.200
0411- 1- EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB GA 6. 0411- 2- CRACKS INJECT & SEAL- STRUCTURES REHAB LF 696. 0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL EA 1. 0430-174-118 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD LF 8. 0430-950- DESILTING CONCRETE BOX CULVERT CY 341. 0430-984-125 MITERED END SECTION, OPTIONAL ROUND, 18"SD EA 1.		0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	44.900
0411- 2- CRACKS INJECT & SEAL- STRUCTURES REHAB LF 696. 0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL EA 1. 0430-174-118 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD LF 8. 0430-950- DESILTING CONCRETE BOX CULVERT CY 341. 0430-984-125 MITERED END SECTION, OPTIONAL ROUND, 18" SD EA 1.		0352- 70-	GRINDING CONCRETE PAVEMENT	SY	5,924.000
0425- 1-555 INLETS, DT BOT, TYPE E, PARTIAL EA 1. 0430-174-118 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD LF 8. 0430-950- DESILTING CONCRETE BOX CULVERT CY 341. 0430-984-125 MITERED END SECTION, OPTIONAL ROUND, 18" SD EA 1.		0411- 1-	EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB	GA	6.000
0430-174-118 PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD LF 8. 0430-950- DESILTING CONCRETE BOX CULVERT CY 341. 0430-984-125 MITERED END SECTION, OPTIONAL ROUND, 18" SD EA 1.		0411- 2-	CRACKS INJECT & SEAL- STRUCTURES REHAB	LF	696.000
0430-950- DESILTING CONCRETE BOX CULVERT CY 341. 0430-984-125 MITERED END SECTION, OPTIONAL ROUND, 18" SD EA 1.		0425- 1-555	INLETS, DT BOT, TYPE E, PARTIAL	EA	1.000
0430-984-125 MITERED END SECTION, OPTIONAL ROUND, 18" SD EA 1.		0430-174-118	PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	LF	8.000
, , , , , , , , , , , , , , , , , , ,		0430-950-	DESILTING CONCRETE BOX CULVERT	CY	341.700
0520- 1-10 CONCRETE CURB & GUTTER, TYPE F LF 3.		0430-984-125	MITERED END SECTION, OPTIONAL ROUND, 18" SD	EA	1.000
		0520- 1-10	CONCRETE CURB & GUTTER, TYPE F	LF	3.000
0520- 5-11 TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE LF 54.		0520- 5-11	TRAFFIC SEPARATOR CONCRETE-TYPE I, 4' WIDE	LF	54.000
0520- 70- CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH SY 63.		0520- 70-	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	63.000
· · · · · · · · · · · · · · · · · · ·				LF	62.000
				LF	425.000
·			GUARDRAIL, ROADWAY, INSTALL ONLY- MATERIALS AVAILABLE AT		5,250.000

		Call Order: 003 Troposal: E0402		
ALT	Item	Description	Unit	Quantity
	0536- 8-113	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I-INDEX 536-001, TRAILING	EA	1.000
	0536- 73-	GUARDRAIL REMOVAL	LF	5,600.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	1.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	4.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	15,047.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	13.110
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	2.549
	0710- 11-103	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE MARKINGS, 12"	GM	0.118
	0710- 11-123	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	1,619.000
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	3,771.000
	0710- 11-125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	1,658.000
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	10.423
	0710- 11-141	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	GM	0.097
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	50.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	71.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	12.590
	0710- 11-224	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	32.000
	0710- 11-241	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	GM	0.054
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44968715201)	LS	1.000
	0999- 16-	PARTNERING, DO NOT BID (44968715201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44968715201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44968725201)	LS	1.000
Sectio	n 0003 Signing			
	0546-72-1	GROUND-IN RUMBLE STRIPS, 16"	GM	8.394
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	25.000
	0700- 1-112	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	40.000
	0700- 1-113	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 20.1-30.0 SF	EA	6.000
	0700- 1-500	SINGLE COLUMN GROUND SIGN ASSEMBLY, RELOCATE	EA	6.000
	0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	69.000
	0700- 2-112	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	1.000
	0700- 2-115	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 50.1-100.0 SF	EA	2.000
	0700- 2-116	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 100.1-200.0 SF	EA	5.000
	0700- 2-600	MULTI-COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	15.000

ALT	Item	Description	Unit	Quantity
	0700- 3-101	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	EA	20.000
	0700- 3-102	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF	EA	14.000
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	5.000
	0700- 3-104	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 31-50 SF	EA	7.000
	0700- 3-105	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 51-100 SF	EA	12.000
	0700- 3-106	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 101-200 SF	EA	10.000
	0700- 3-107	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 201-300 SF	EA	3.000
	0700- 3-201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	3.000
	0700- 3-202	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 12-20 SF	EA	11.000
	0700- 3-206	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF	EA	13.000
	0700- 3-207	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF	EA	3.000
	0700- 3-601	SIGN PANEL, REMOVE, UP TO 12 SF	EA	22.000
	0700- 3-602	SIGN PANEL, REMOVE, 12-20 SF	EA	17.000
	0700- 3-603	SIGN PANEL, REMOVE, 21-30 SF	EA	5.000
	0700- 3-604	SIGN PANEL, REMOVE, 31-50 SF	EA	6.000
	0700- 3-605	SIGN PANEL, REMOVE, 51-100 SF	EA	12.000
	0700- 3-606	SIGN PANEL, REMOVE, 101-200 SF	EA	11.000
	0700- 3-607	SIGN PANEL, REMOVE, 201-300 SF	EA	3.000
	0700- 3-626	SIGN PANEL, REMOVE, 101-200 SF WITH LIGHTING	EA	6.000
	0700- 3-627	SIGN PANEL, REMOVE PANEL, 201-300 SF WITH LIGHTING	EA	1.000
	0700- 4-111	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, UP TO 20 FT	EA	1.000
	0700- 4-112	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 21-30 FT	EA	6.000
	0700- 4-114	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 41-50 FT	EA	1.000
	0700-141-141	ENHANCED HWY SIGN ASSEMBLY, AC POWERED, F&I GROUND MOUNT, W/HIGHLIGHTED SIGN <12 SF, UP TO 12 SF OF STATIC SIGN PANELS	EA	24.000
	0700-142-133	ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/EDS, 21-30 SF OF STATIC SIGN PANELS	EA	1.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	3,739.000
	0710- 12-290	PAINTED PAVEMENT MARKINGS, DURABLE PAINT, YELLOW, ISLAND NOSE	SF	10.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	2.364
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	0.059
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	1,619.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	3,767.000
	0711- 11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	LF	355.000
	0711- 11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ $6-10$ GAP EXTENSION, $6"$	GM	0.096
	0711- 11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	50.000
	0711- 11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	73.000

		Call Order: 003 Proposal: E6V62		
ALT	Item	Description	Unit	Quantity
	0711- 11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	55.000
	0711- 11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.055
	0711- 14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	1,399.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	10.954
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	0.126
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	9.909
	0711- 15-133	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.050
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	10.926
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	2.155
	0711- 16-131	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.464
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	1.782
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	1.045
	0713-103-171	PERMANENT TAPE, WHITE, 3-9 DOTTED, 6" WIDE, FOR CONCRETE SURFACES	GM	0.082
	0713-103-181	PERMANENT TAPE, WHITE, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES	GM	1.040
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	1.080
	0713-103-371	PERMANENT TAPE, BLACK, 3-9 DOTTED, 6" WIDE, FOR CONCRETE SURFACES	GM	0.081
	0713-103-381	PERMANENT TAPE, BLACK, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES	GM	0.989
	0713-107-	PREFORMED/PERMANENT TAPE, REMOVE	SF	8,772.000
Sectio	on 0004 Signalizat	ion		
	0102-104-	TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	ED	1,848.000
	0102-107- 1	TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	ED	1,848.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	55.000
	0660- 2-106	LOOP ASSEMBLY, F&I, TYPE F	AS	14.000
Sectio	n 0005 Intelligent	Transportation System		
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	18.000
	0611- 1- 1	ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH	MI	5.386
	0611- 2- 2	ITSFM LOCATION DOCUMENTATION- ITS SITE	EA	106.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	8,833.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	2,348.000
	0630- 2-14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	150.000
	0633- 1-122	FIBER OPTIC CABLE, F&I, UNDERGROUND,13-48 FIBERS	LF	9,172.000
	0633- 2-31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	190.000
	0633- 3-11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	1.000
	0633- 3-12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	20.000

		Can C. ac. 1000 1. 10pccan 20102		
ALT	Item	Description	Unit	Quantity
	0633- 3-13	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY	EA	168.000
	0633- 3-14	FIBER OPTIC CONNECTION HARDWARE, F&I, BUFFER TUBE FAN OUT KIT	EA	6.000
	0633- 3-16	FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED	EA	7.000
	0633- 3-17	FIBER OPTIC CONNECTION HARDWARE, F&I, CONNECTOR PANEL	EA	14.000
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	308.000
	0633- 8-11	MULTI-CONDUCTOR COMMUNICATION CABLE, FURNISH & INSTALL, CAT 6	LF	310.000
	0633- 8-12	MULTI-CONDUCTOR COMMUNICATION CABLE, FURNISH & INSTALL, COMPOSITE	LF	767.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	69.000
	0635- 2-12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	22.000
	0635- 2-13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	1.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	5.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	6,694.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	17.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	11.000
	0660- 7-21	VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 1 OR 2 LANES, AC POWERED	EA	4.000
	0660- 7-22	VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 3 OR MORE LANES, AC POWERED	EA	2.000
	0660- 7-90	VEHICLE DETECTION SYSTEM- WRONG WAY, REMOVE	EA	6.000
	0676- 2-122	ITS CABINET, FURNISH & INSTALL, POLE MOUNT WITH SUNSHIELD, 336S, 24" W X 46" H X 22" D	EA	6.000
	0676- 2-500	ITS CABINET- ADJUST/MODIFY	EA	4.000
	0676- 2-804	ITS CABINET - SWIVEL BRACKET FOR 336S, FURNISH & INSTALL	EA	5.000
	0682- 1-133	ITS CCTV CAMERA, F&I, DOME ENCLOSURE - NON-PRESSURIZED, IP, HIGH DEFINITION	EA	2.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	7.000
	0685- 1-12	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, ONLINE/DOUBLE CONVERSION	EA	6.000
	0685- 2- 1	REMOTE POWER MANAGEMENT UNIT- RPMU, FURNISH AND INSTALL	EA	7.000

Letting: 08250213 Call Order: 004 Proposal: E8V63 District:08

Counties: POLK, TURNPIKE

Road Name: HPS TO LED LIGHTING CONVERSION TPKWIDE - PHASE I POLK PKWY

Limits: 16470000

Project(s): 45222865201(*) Federal Aid No: N/A

Total Roadway Length: 44.766 Miles Contract Days: 452

Total Bridge Length: 0.000 Miles Letting Date: 02/13/25

Total Proposal Length: 44.766 Miles Contract Execution Days: 10

Total Proposal Length: 44.766 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 120

Proposal Budget Estimate: \$11,210,535.00

Please read the full advertisement

Description:

Work consists of providing all labor, materials, equipment and incidentals necessary for HPS to LED Lighting Conversion on SR 570 (Polk Parkway) from MP 0.331 to MP 23.856, Polk County.

No Pre-Bid Conference. Contractor must be prequalified.

ALT Item	Description	Unit	Quantity
Section 0001 Roadway			
0101- 1-	MOBILIZATION (45222865201)	LS	1.000
0102- 1-	MAINTENANCE OF TRAFFIC (45222865201)	LS	1.000
0102- 14-	TRAFFIC CONTROL OFFICER	HR	7,000.000
0102- 60-	WORK ZONE SIGN	ED	97,796.000
0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	458,960.000
0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	3,164.000
0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	4,226.000
0102-115-	TYPE III BARRICADE	ED	3,864.000
0102-150- 1	PORTABLE REGULATORY, SIGN	ED	1,808.000
0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	1,808.000
0104- 10- 3	SEDIMENT BARRIER	LF	25,743.000
0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	796.000
0107- 1-	LITTER REMOVAL	AC	2,518.050
0107- 2-	MOWING	AC	2,213.450
0999- 16-	PARTNERING, DO NOT BID (45222865201)	LS	1.000
0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45222865201)	LS	1.000
Section 0002 Lighting			
0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	33,107.000
0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	16,942.000
0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	452.000
0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	276.000
0635- 2-14	PULL & SPLICE BOX, F&I, 17" X 30" COVER SIZE	EA	62.000
0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	4.000
0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	190,930.000

		•		
ALT	Item	Description	Unit	Quantity
	0715- 1-13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	96,060.000
	0715- 1-15	LIGHTING CONDUCTORS, F&I, NO.1/0 - 3/0 (0 to 000)	LF	901.000
	0715- 1-60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	246,005.000
	0715- 5-31	LUMINAIRE & BRACKET ARM- ALUMINUM, FURNISH & INSTALL NEW LUMINAIRE AND ARM ON NEW/EXISTING POLE	EA	1.000
	0715- 7-21	LOAD CENTER, REWORK, SECONDARY VOLTAGE	EA	4.000
	0715- 11-211	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	EA	580.000
	0715- 11-213	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, POLE TOP	EA	134.000
	0715- 61-200	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 35' MOUNTING HEIGHT, 0' ARM LENGTH	EA	1.000
	0715- 61-252	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 35' MOUNTING HEIGHT, 15' ARM LENGTH	EA	10.000
	0715- 61-300	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT, 0' ARM LENGTH	EA	86.000
	0715- 61-452	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 15' ARM LENGTH	EA	6.000
	0715- 61-500	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 50' MOUNTING HEIGHT, 0' ARM LENGTH	EA	109.000
	0715- 63-342	LIGHT POLE COMPLETE, F&I, DOUBLE ARM POLE, MEDIAN BARRIER OR TRAFFIC RAILING MOUNT, 40' MOUNTING HEIGHT, 12' ARM LENGTHS	EA	1.000
	0715- 69-000	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA	223.000
	0715- 69-001	LIGHT POLE COMPLETE, REMOVE POLE, FOUNDATION REMAINS	EA	3.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	846.000
	0715-500- 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	61.000

Letting: 08250213 Call Order: 005 Proposal: E8V77 District:08

Counties: PALM BEACH

Road Name: TPK (SR91) IMPROVEMENTS FOR BRIDGE APPROACHES (MP 79.8)

Limits: 93470000

Project(s): 45211115201(*) Federal Aid No: N/A

Total Roadway Length: 0.504 Miles Contract Days: 200
Total Bridge Length: 0.000 Miles Letting Date: 02/13/25

Total Proposal Length: 0.504 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 120

Proposal Budget Estimate: \$1,799,989.00

Please read the full advertisement

Description:

Work consists of providing all labor, materials, equipment and incidentals necessary for mitigating existing bridge approach slab deficiencies through polyurethane injections for the existing Turnpike Mainline (SR 91) bridge crossing over the Lake Worth Drainage District (LWDD) L-38 Canal at MP-79.8 in Palm Beach County, Florida. In addition, the travel lanes and shoulders approaching/departing the existing bridge will be resurfaced to correct minor profile deficiencies and improve rideability.

No Pre-Bid Conference.

BUSINESS DEVELOPMENT INITIATIVE -- Bidders must be a "Small Business" as defined by FDOT. Small business size standards can be found at https://www.fdot.gov/equalopportunity/bdi.shtm.

For more information about bidding on BDI projects, please see the training guide located at https://www.fdot.gov/equalopportunity/bdi.shtm

Prequalification per Rule 14-22 is not required.

Bidders must complete and submit the Small Business Affidavit (Form No. 275-000-01) for approval prior to receipt of bid documents. The form may be accessed at https://www.fdot.gov/equalopportunity/bdi.shtm

It is only necessary to submit the Small Business Affidavit (SBA) form once per year.

Send a completed and notarized affidavit as an attachment to SmallBusiness@dot.state.fl.us

Bidders must submit the BDI Reference Sheet (Form No. 275-000-02) with the bid unless bidder is prequalified in the projects major work type, per Rule 14-22, Florida Administrative Code.

Upload the completed BDI Reference Sheet (Form No. 275-000-02) as a zip file using the File Attachment Upload folder in the AASHTOWare Project Bids application.

BDI Reference Sheet may be found at https://www.fdot.gov/equalopportunity/bdi.shtm

Proposal Guaranty of \$500 is required for bids over \$150,000 and may be in the form of a Cashiers Check, the BDI Bid or Proposal Bond (Form No. 375-020-16), or the standard Bid or Proposal Bond form, Form No. 375-020-09).

		Call Order: 005 Proposal: E8V77		
ALT	Item	Description	Unit	Quantity
Section	n 0001 Roadway			
	0101- 1-	MOBILIZATION (45211115201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (45211115201)	LS	1.000
	0102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (45211115201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	480.000
	0102- 60-	WORK ZONE SIGN	ED	5,600.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	28,400.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	800.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	456.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	400.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	400.000
	0104- 10- 3	SEDIMENT BARRIER	LF	1,606.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	164.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	2.000
	0107- 1-	LITTER REMOVAL	AC	10.260
	0107- 2-	MOWING	AC	7.940
	0327-70-6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	2,464.000
	0327- 70- 11	MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH	SY	3,964.000
	0327- 70- 19	MILLING EXISTING ASPHALT PAVEMENT, 3/4" AVG DEPTH	SY	330.000
	0334- 1-12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	203.300
	0334- 1-55	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22	TN	698.900
	0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	171.700
	0546- 72- 1	GROUND-IN RUMBLE STRIPS, 16"	GM	0.396
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	200.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	54.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (45211115201)	LS	1.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	0.198
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	0.396
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	0.198
	0906-173-200	TWO COMPONENT POLYURETHANE INJECTION	LB	34,560.000
	0999- 16-	PARTNERING, DO NOT BID (45211115201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (45211115201)	LS	1.000

Letting: 08250213 Call Order: 006 Proposal: E8V85-R0 District:08

Counties: BROWARD, PALM BEACH, TURNPIKE

Road Name: SHOULDER PATROL DEBRIS REMOVAL SERVICES - ZONE 1

Limits: Midpoint

Project(s): 44963817202(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:02/13/25

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$350,000.00

Please read the full advertisement

Description:

The work specified in this contract consists of providing all labor, equipment, materials, and incidentals necessary to perform scheduled route shoulder debris patrols to remove debris from roadway, paved shoulders and medians, including removal and disposal of debris and animal carcasses from the right-of way of the Florida's Turnpike (SR 91), Milepost (MP) 47.9 (North side of Countyline Rd. bridge) to 100.0, and the Sawgrass Expressway (SR 869), MP 0.0 to 21.8, including ramps, feeder, and connector roads.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS CONTRACT

ALT	Item	Description	Unit	Quantity
Section 0001 MAINTENANCE SUPPORT SERVICES (MH)				
	E106- 1- 3	DEBRIS REMOVAL, ROADWAY SHOULDER AND MEDIAN PATROL	GM	87,180.600

Letting: 08250213 Call Order: 007 Proposal: E8V86-R0 District:08

Counties: MIAMI-DADE, TURNPIKE

Road Name: SHOULDER PATROL DEBRIS REMOVAL SERVICES - HEFT - ZONE 1

Limits: Midpoint

Project(s): 44963827202(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:02/13/25

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aguis/Flexible Start Time: 14

Aquis/Flexible Start Time:

Proposal Budget Estimate: \$215,000.00

Please read the full advertisement

Description:

The work specified in this contract consists of providing all labor, equipment, materials, and incidentals necessary to perform scheduled route shoulder debris patrols to remove debris from roadway, paved shoulders and medians, including removal and disposal of debris and animal carcasses from the right-of way of the Homestead Extension Florida's Turnpike (SR 821), Milepost (MP) 0.0x to 47.9, including ramps, feeder, and connector roads.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS CONTRACT

Call Order: 007 Proposal: E8V86-R0

ALT Item Description Unit Quantity

Section 0001 MAINTENANCE SUPPORT SERVICES (MH)

E106- 1- 3 DEBRIS REMOVAL, ROADWAY SHOULDER AND MEDIAN PATROL GM 53,040.000

Letting: Proposal: E8V87-R0 District:08 08250213 Call Order: 008

Counties: BROWARD, MIAMI-DADE, PALM BEACH, TURNPIKE

Road Name: ROADSIDE BARRIER WALL CLEANING & COATING - ZONE 1

Limits: Midpoint

Project(s): 19077445243(*) Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 365 Total Bridge Length: 0.000 Miles Letting Date: 02/13/25 0.000 Miles 10

Total Proposal Length: Contract Execution Days:

> Special Start Date: N/A Aquis/Flexible Start Time: 14

\$500,000.00 Proposal Budget Estimate:

Please read the full advertisement

Description:

The work under this Contract consists of providing all labor, materials, equipment, and incidentals necessary to remove mold, stains and markings by pressure cleaning and coating of roadside barriers and walls at various locations on the Homestead Extension of Florida's Turnpike (HEFT), Milepost (MP) 0.0 to 47.9; Florida's Turnpike, MP 0.0X to 100.0; and the Sawgrass Expressway, MP 0.0 to 21.8, including ramps, feeder, and connector roads.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS CONTRACT

ALT	Item	Description	Unit	Quantity	
Section 0001 GRAFFITI REMOVAL (SF)					
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	180.000	
	0400-143-	CLEANING & COATING CONCRETE SURFACE, CLASS 5	SF	500,000.000	
	0400-145-	CLEANING CONCRETE SURFACE	SF	100,000.000	
	E102- 1- 3	MAINTENANCE OF TRAFFIC (SITE SPECIFIC)	LO	10.000	

Letting: 08250213 Call Order: 009 Proposal: E8V88-R0 District:08

Counties: BROWARD, MIAMI-DADE, PALM BEACH, TURNPIKE

Road Name: SOUNDWALL CLEANING & COATING - ZONE 1

Limits: Midpoint

Project(s): 19077445242(*) Federal Aid No: N/A

Total Roadway Length:0.000 MilesContract Days:365Total Bridge Length:0.000 MilesLetting Date:02/13/25

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$360,000.00

Please read the full advertisement

Description:

The work under this Contract consists of providing all labor, materials, equipment, and incidentals necessary to remove mold, stains and markings by pressure cleaning and coating of soundwalls at various locations on the Homestead Extension of Florida's Turnpike (HEFT), Milepost (MP) 0.0 to 47.9; Florida's Turnpike, MP 0.0X to 100.0; and the Sawgrass Expressway, MP 0.0 to 21.8, including ramps, feeder, and connector roads.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS CONTRACT

	•					
ALT Iter	m Description	Unit	Quantity			
Section 0001 GRA	Section 0001 GRAFFITI REMOVAL (SF)					
0400-143	CLEANING & COATING CONCRETE SURFACE, CLASS	5 SF	1,000,000.000			
0400-145	- CLEANING CONCRETE SURFACE	SF	100,000.000			

Letting: 08250213 Call Order: 010 Proposal: E8V93-R0 District:08

Counties: BROWARD, MIAMI-DADE, PALM BEACH, TURNPIKE

Road Name: DRAINAGE MAINTENANCE - ZONE 1 (SOUTH)

Limits:

Project(s): 19276317214 Federal Aid No: N/A

Total Roadway Length: 0.000 Miles Contract Days: 365

Total Bridge Length: 0.000 Miles Letting Date: 02/13/25

Total Proposal Length: 0.000 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$430,000.00

Please read the full advertisement

Description:

The work specified in this Contract consists of providing all labor, materials, equipment, and incidentals necessary to perform maintenance, repair, and restoration of the drainage systems, pipes, inlets, and storm water management facilities at various locations on Florida's Turnpike mainline in Broward, Miami-Dade, and Palm Beach Counties.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS CONTRACT

CONTRACTOR EXPERIENCE DOCUMENTATION: Expertise and Experience is required in the performance of Drainage Repair. Experience in Drainage Repair Form (850-070-05) must be filled out and submitted to be reviewed by the Department.

		Call Order: 010 Proposal: E8V93-R0		
ALT	Item	Description	Unit	Quantity
Sectior	0001 SODDING	(SY)		
	0104- 10- 3	SEDIMENT BARRIER	LF	50.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	50.000
	0104- 12-	STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC	LF	50.000
	0120- 1-	REGULAR EXCAVATION	CY	500.000
	0120- 6-	EMBANKMENT	CY	50.000
	0160- 4-	TYPE B STABILIZATION	SY	50.000
	0400- 2-11	CONCRETE CLASS II, RETAINING WALLS	CY	10.000
	0425- 11-	MODIFY EXISTING DRAINAGE STRUCTURE	EA	1.000
	0425- 74- 1	MANHOLES & INLETS CLEANING & SEALING, <10'	EA	1.000
	0425- 74- 2	MANHOLES & INLETS CLEANING & SEALING, >10'	EA	1.000
	0425- 78-	INLET CAP, PRECAST	EA	1.000
	0425- 82-	REPLACE GRATE	EA	5.000
	0430-173-118	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 18", GUTTER DRAIN	LF	25.000
	0430-173-124	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 24", GUTTER DRAIN	LF	25.000
	0430-950-	DESILTING CONCRETE BOX CULVERT	CY	50.000
	0433- 1-	CHEMICAL GROUT REPAIR, MANHOLE / INLET	EA	1.000
	0524- 1- 2	CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	SY	25.000
	0530- 1-100	RIPRAP, SAND-CEMENT BAGS	CY	20.000
	0571- 1-11	PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 1	SY	500.000
	E101- 72-	MOBILIZATION (EMERGENCY RESPONSE)	EA	5.000
	E103- 3- 1	TEMPORARY WORK STRUCTURE, HYDRAULIC PUMP SERVICES	ED	5.000
	E110- 2-	CLEARING & GRUBBING	AC	2.000
	E425- 73- 1	CLEANING MANHOLES AND INLETS (MECHANICAL)	EA	750.000
	E425-73-2	REPAIR LEAKS IN MANHOLES AND INLETS	EA	5.000
	E425- 73- 3	FRAME AND GRATE (F&I)	EA	10.000
	E425- 73- 4	RESET EXISTING FRAME AND GRATE	EA	5.000
	E425- 73- 5	CLEANING MANHOLES AND INLETS (MANUAL)	EA	200.000
	E425-73-6	SECURE MANHOLE / INLET LIDS	EA	1.000
	E425- 73- 7	MANHOLE FRAME & COVER	EA	1.000
	E425- 73- 8	MANHOLE COVER	EA	1.000
	E430- 94- 1	DESILT PIPE, 0 to 24"	LF	10,000.000
	E430- 94- 2	DESILT PIPE, 25-36"	LF	50.000
	E430- 94- 3	DESILT PIPE, 37-48"	LF	50.000
	E430- 94- 4	DESILT PIPE, 49-60"	LF	50.000
	E431- 1-11	PIPE LINER, SPRAY APPLICATION,0-24"	LF	25.000
	E431- 1-12	PIPE LINER, SPRAY APPLICATION,25-36"	LF	25.000
	E432- 4-	STORM SEWER INSPECTION (VIDEO CAMERA)	LF	100.000
	E575- 1-	SODDING	SY	110.000