# BID SOLICITATION NOTICE – Turnpike FLORIDA DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MAINTENANCE PROGRAMS

Ocoee, FL April 11, 2025 Advertisement No. 1

Florida Turnpike Headquarters FL Turnpike MP 263, Building 5315 Ocoee, FL 34761

All bids must be completed using **Project Bids** software available on the Bid Express website at <a href="https://bidx.com/fl/main">https://bidx.com/fl/main</a>

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <a href="https://www.fdot.gov/contracts/">https://www.fdot.gov/contracts/</a> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <a href="https://www.bidx.com">https://www.bidx.com</a>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 02:30 PM Local Time on Tuesday, June 10, 2025.

Bid totals for each bid submitted will be read aloud for those present and will be available at 02:30 PM June 10, 2025 in the Turnpike Headquarters, Building 5315, Ocoee, Florida.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: <a href="mailto:contracts.admin@dot.state.fl.us">contracts.admin@dot.state.fl.us</a> or call telephone number (407)264-3885. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: <a href="https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain">https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain</a>, select district then click on appropriate date.

## **DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST**

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: <a href="https://www.fdot.gov/contracts/tp">www.fdot.gov/contracts/tp</a>, click "Letting and Project Information" and select letting date from the Lettings Menu.

#### ----NOTE----

Proposals will not be issued after 02:30 PM Local Time on Monday, June 09, 2025.

## **Document Ordering Information**

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at <a href="CPP.fdot.gov">CPP.fdot.gov</a>. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

#### To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit
   https://dms.myflorida.com/egovernment\_tools/myflorida\_marketplace
   for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the
  Department of Transportation at <u>CPP.fdot.gov</u>. Please allow 48 to 72 hours (excluding weekends and holidays) for
  the registration and approval.

## **PREQUALIFICATION**

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

## PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) <a href="https://www.fdot.gov/contracts/PreQual Info/prequalified.shtm">https://www.fdot.gov/contracts/PreQual Info/prequalified.shtm</a> to the Department every 30 calendar days.

## **CONFLICT OF INTEREST**

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

## **SCRUTINIZED COMPANIES**

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

### **BID REJECTION**

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

## **PROTEST RIGHTS**

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a <u>bid solicitation</u> shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescrib ed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <a href="https://www.fdot.gov/contracts/">https://www.fdot.gov/contracts/</a>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

#### **IDENTICAL BIDS**

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

#### **INSURANCE**

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

#### **ADDENDA**

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: <a href="https://www.fdot.gov/contracts/tp">www.fdot.gov/contracts/tp</a>, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. All addenda shall be acknowledged when submitting bids.

#### **BID QUESTIONS**

All work is to be done in accordance with the Plans, Specifications, and Special Provisions of State of Florida Department of Transportation. Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: https://bqa.fdot.gov.

## **PROPOSAL GUARANTY**

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of \$150,000.00. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit <a href="https://www.tinubu.com">https://www.tinubu.com</a> for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

## **EXECUTION OF CONTRACT**

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, a corporation must show proof that it is authorized to do business in the State of Florida. Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

**Important Note:** Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

## **DBE PARTICIPATION**

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance** (**EOC**) system no later than 3 business days of submission of the bid. The EOC system is a web based application for P rime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: https://www.fdot.gov/equalopportunity/eoc.shtm

#### **DEBARMENT/SUSPENSION**

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

#### MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

## LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

## **FIRST TIME BIDDERS**

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: <a href="https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae">https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae</a> 2

## **POSTING NOTICE**

The bid tabulation and intent to award will be posted on June 24, 2025 or July 08, 2025 at <a href="www.fdot.gov/contracts/tp">www.fdot.gov/contracts/tp</a>, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

## AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964**, **42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link <a href="https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm">https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm</a>, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

## **MINIMUM WAGE**

The minimum wage for all hours worked in Florida is available at https://www.floridajobs.org.

#### **EMAIL SUBSCRIPTION LIST**

To get on the e-mail subscription list, go to <a href="https://fdotwp1.dot.state.fl.us/reportsubscriptions/">https://fdotwp1.dot.state.fl.us/reportsubscriptions/</a> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <a href="https://www.fdot.gov/contracts/district-offices/distro.shtm">https://www.fdot.gov/contracts/district-offices/distro.shtm</a>.

#### **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5). Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

## Florida Department of Transportation Notice to Contractors Index

Published: April 11, 2025

Letting ID: 08250610

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the June 10, 2025 letting.

Page Number	Proposal Id	Proposal Notes	Fin Proj Numbers	County
7	E8W16		41592745201(*) 41821455201	BROWARD, PALM BEACH

**Proposal Note Codes:** 

## Florida Department of Transportation Bid Solicitation Notice and Approximate Quantities

Letting: 08250610 Call Order: 001 Proposal: E8W16 District:08

Counties: BROWARD, PALM BEACH

Road Name: TPK (SR91) TSM&O ADD LANES N OF SAWGRASS TO PALM BEACH C/L

Limits: 86470000

Project(s): 41592745201(\*) Federal Aid No: N/A
Project(s): 41821455201 Federal Aid No: N/A

Total Roadway Length: 6.560 Miles Contract Days: 1422
Total Bridge Length: 0.148 Miles Letting Date: 06/10/25

Total Proposal Length: 6.708 Miles Contract Execution Days: 10

Special Start Date: N/A
Aquis/Flexible Start Time: 30

Proposal Budget Estimate: \$118,977,134.00

Please read the full advertisement

#### Description:

Work consists of providing all labor, materials, equipment and incidentals necessary for adding a lane on the Turnpike Mainline (SR 91) in the northbound and southbound direction from the Sawgrass Expressway (MP 71) to the north of the Glades Road (MP 77) in Broward and Palm Beach Counties. Additional work will include construction of drainage, noise walls, intelligent transportation systems, sign structures and dynamic message sign structures.

For projects in excess of \$50 million, in addition to meeting all other qualification requirements of Section 337.14, Florida Statutes, and Rule Chapter 14-22, Florida Administrative Code, any Contractor who is not prequalified and in good standing with the Department as of January 1, 2019, must submit evidence which demonstrates satisfactory completion of at least two projects, each in excess of \$15 million, for the Florida Department of Transportation or for any other state department of transportation. Acceptability of the evidence related to the two projects is at the sole discretion of the Department.

No Pre-Bid Conference. Contractor must be prequalified.

ALT	Item	Description	Unit	Quantity
Section 000	01 Structures			
04	100-143-	CLEANING & COATING CONCRETE SURFACE, CLASS 5	SF	8,400.000
04	158- 1-21	BRIDGE DECK EXPANSION JOINT, REHABILITATION, POURED JOINT WITH BACKER ROD	LF	766.000
04	158- 2-	POLYMER NOSING FOR BRIDGE DECK EXPANSION JOINT	CF	266.000
04	160- 71- 4	METAL TRAFFIC RAILING, RECTANGULAR TUBE RETROFIT	LF	1,135.000
Section 000	02 Roadway			
01	101- 1-	MOBILIZATION (41592745201)	LS	1.000
01	101- 1-	MOBILIZATION (41821455201)	LS	1.000
01	102- 1-	MAINTENANCE OF TRAFFIC (41592745201)	LS	1.000
01	102- 1-	MAINTENANCE OF TRAFFIC (41821455201)	LS	1.000
01	102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (41592745201)	LS	1.000
01	102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (41821455201)	LS	1.000
01	102- 2-300	SPECIAL DETOUR- TEMPORARY EARTHWORK/BASE (41821455201)	LS	1.000
01	102- 14-	TRAFFIC CONTROL OFFICER	HR	780.000
01	102- 60-	WORK ZONE SIGN	ED	390,225.000
01	102- 62- 13	BARRIER MOUNTED WORK ZONE SIGN- INDEX 700-013	ED	9,704.000

		Can Order: 001 110posai. Lovv10		
ALT	Item	Description	Unit	Quantity
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	60,739.000
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	39,513.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	428,664.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	5,595.000
	0102-89-1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	21.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	16,074.000
	0102-115-	TYPE III BARRICADE	ED	24,784.000
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6"	GM	0.400
	0102-913- 22	REMOVABLE TAPE, WHITE, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP, 6" WIDE	GM	0.930
	0102-913- 31	REMOVABLE TAPE, YELLOW, SOLID, 6"	GM	0.360
	0104- 1-	ARTIFICIAL COVERINGS /ROLLED EROSION CONTROL PRODUCTS	SY	2,406.000
	0104- 6-	TEMPORARY SLOPE DRAIN / RUNOFF CONTROL STRUCTURE	LF	116.000
	0104- 10- 3	SEDIMENT BARRIER	LF	28,457.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	16,092.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	10.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	22.000
	0107- 1-	LITTER REMOVAL	AC	5,256.340
	0107- 2-	MOWING	AC	4,372.770
	0110- 1- 1	CLEARING & GRUBBING (41592745201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (41821455201)	LS	1.000
	0110- 2- 2	SELECTIVE CLEARING AND GRUBBING, AREAS WITH TREES TO REMAIN	AC	6.030
	0110- 4-10	REMOVAL OF EXISTING CONCRETE	SY	5,000.000
	0110- 21-	TREE PROTECTION BARRIER	LF	17,204.000
	0110- 23-	TREE REMOVAL	EA	7.000
	0120- 1-	REGULAR EXCAVATION	CY	75,284.000
	0120- 6-	EMBANKMENT	CY	55,343.000
	0160- 4-	TYPE B STABILIZATION	SY	114,900.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	29,955.000
	0285-704-	OPTIONAL BASE, BASE GROUP 04	SY	259.000
	0285-706-	OPTIONAL BASE, BASE GROUP 06	SY	15,278.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	51,592.000
	0285-710-	OPTIONAL BASE, BASE GROUP 10	SY	2,300.000
	0285-713-	OPTIONAL BASE, BASE GROUP 13	SY	2,433.000
	0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	42,149.000
	0327- 70- 11	MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH	SY	300,615.000
	0327- 70-107	MILLING EXIST ASPHALT PAVEMENT AND LIMEROCK 5.25"	SY	19,331.000
	0334- 1-12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	6,062.100
	0334- 1-15	SUPERPAVE ASPHALTIC CONC, TRAFFIC E	TN	5,786.500
	0334- 1-52	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22	TN	2,967.200
	0334- 1-55	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22	TN	39,355.300
	0337- 7-25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	14,396.300
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	1,613.200
	0400- 0-11	CONCRETE CLASS NS, GRAVITY WALL INDEX 400-011	CY	27.800
	0425- 1-481	INLETS, CURB, TYPE 8, <10'	EA	1.000

ALT	Item	Description	Unit	Quantity
	0425- 1-511	INLETS, DT BOT, TYPE B, <10'	EA	1.000
	0425- 1-515	INLETS, DT BOT, TYPE B, PARTIAL	EA	3.000
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	1.000
	0425- 1-545	INLETS, DITCH BOTTOM, TYPE D, PARTIAL	EA	2.000
	0425- 1-549	INLETS, DT BOT, TYPE D, MODIFY	EA	8.000
	0425- 1-701	INLETS, GUTTER, TYPE S, <10'	EA	46.000
	0425- 1-899	INLETS, BARRIER WALL, MODIFY	EA	68.000
	0425- 1-921	INLETS, ADJACENT BARRIER, <=10'	EA	17.000
	0425- 1-922	INLETS, ADJACENT BARRIER, >10'	EA	2.000
	0425- 2-41	MANHOLES, P-7, <10'	EA	1.000
	0425- 2-61	MANHOLES, P-8, <10'	EA	9.000
	0425- 11-	MODIFY EXISTING DRAINAGE STRUCTURE	EA	17.000
	0430-173-115	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 15", GUTTER DRAIN	LF	24.000
	0430-173-118	PIPE CULVERT OPTIONAL MATERIAL, ROUND, 18", GUTTER DRAIN	LF	244.000
	0430-175-115	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD	LF	74.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	3,819.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	1,835.000
	0430-175-130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	623.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	37.000
	0430-175-215	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 15"S/CD	LF	426.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	58.000
	0430-175-224	PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24"S/CD	LF	236.000
	0430-611-323	U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:2 SLOPE, 15"PIPE	EA	1.000
	0430-611-325	U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:2 SLOPE, 18"PIPE	EA	11.000
	0430-830-	PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE	CY	3.000
	0430-982-123	MITERED END SECTION, OPTIONAL ROUND, 15" CD	EA	3.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	7.000
	0430-982-129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	5.000
	0430-982-133	MITERED END SECTION, OPTIONAL ROUND, 30" CD	EA	5.000
	0430-982-623	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 15" CD	EA	68.000
	0430-982-625	MITERED END SECTION, OPTIONAL - ELLIPTICAL / ARCH, 18" CD	EA	1.000
	0431- 1-115	PIPE LINER, CURED IN PLACE, 15"	LF	420.000
	0431- 1-118	PIPE LINER, CURED IN PLACE, 18"	LF	1,725.000
	0431- 1-124	PIPE LINER, CURED IN PLACE, 24"	LF	63.000
	0520- 6-	SHOULDER GUTTER- CONCRETE	LF	7,410.000
	0521- 1-12	MEDIAN CONCRETE BARRIER, SHORT GRADE-SEPARATED	LF	11,655.000
	0521- 8- 4	CONCRETE TRAFFIC RAILING BARRIER, WITH JUNCTION SLAB, 42" VERTICAL FACE	LF	1,785.000
	0521- 8-11	CONCRETE BARRIER, WITH JUNCTION SLAB, 8'-0" NOISE WALL	LF	437.000
	0521- 72- 24	SHOULDER CONCRETE BARRIER WALL, 8' NOISE WALL	LF	240.000
	0521- 72- 27	SHOULDER CONCRETE BARRIER WALL, 14' NOISE WALL	LF	15,781.000
	0521- 72- 40	SHOULDER CONCRETE BARRIER, 38" OR 44" HEIGHT	LF	4,918.000
	0521- 72- 56	SHOULDER CONCRETE BARRIER, 56" PIER PROTECTION BARRIER/CRASH WALL	LF	1,536.000
	0521- 72- 60	SHOULDER CONCRETE BARRIER, 38" WALL SHIELDING BARRIER	LF	61.000

		Call Order: 001 Proposal: Eow 16		
ALT	Item	Description	Unit	Quantity
	0522- 1-	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	187.000
	0522- 2-	CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	SY	10.000
	0524- 1- 1	CONCRETE DITCH PAVT, NON REINFORCED, 3"	SY	63.000
	0524- 1-49	CONCRETE DITCH PAVEMENT, 6", REINFORCED	SY	261.000
	0524- 2- 2	CONCRETE SLOPE PAVEMENT,NON REINFORCED, 4"	SY	133.000
	0524- 3-	CONC CORE DITCH BLOCKS	CY	16.400
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	1,302.500
	0530- 74-	BEDDING STONE	TN	876.300
	0534- 72-101	SOUND/NOISE BARRIER-INC FOUNDATION, PERMANENT	SF	350,803.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	34,001.000
	0536- 7- 3	SPECIAL GUARDRAIL POST- ENCASED POST FOR SHALLOW MOUNT	EA	7.000
	0536- 8-112	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I-INDEX 536-001, APPROACH TL-3	EA	5.000
	0536- 8-113	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I-INDEX 536-001, TRAILING	EA	4.000
	0536- 8-122	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I-INDEX 536-002, APPROACH TL-3	EA	7.000
	0536- 8-123	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I-INDEX 536-002, TRAILING	EA	7.000
	0536- 73-	GUARDRAIL REMOVAL	LF	37,412.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	31.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	18.000
	0544- 2- 1	CRASH CUSHION, TL-2, NARROW	EA	1.000
	0544- 3- 1	CRASH CUSHION, TL-3, NARROW	EA	1.000
	0546-72-1	GROUND-IN RUMBLE STRIPS, 16"	GM	20.776
	0550- 10-220	FENCING, TYPE B, 5.1-6.0', STANDARD	LF	11,603.000
	0550- 60-211	FENCE GATE, TYPE B, SINGLE, 0-6.0' OPENING	EA	4.000
	0550- 60-223	FENCE GATE, TYPE B, DOUBLE, 12.1-18.0' OPENING	EA	4.000
	0550- 60-224	FENCE GATE, TYPE B, DOUBLE, 18.1-20.0' OPENING	EA	1.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	198,484.000
	0570- 1- 3	PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010	SY	701.000
	0571- 1-12	PLASTIC EROSION MAT, TRM, TYPE 2	SY	13,011.000
	0571- 1-13	PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 3	SY	6,471.000
	0581- 1-282	RELOCATE TREES AND PALMS, OTHER PALMS, 10.0"-18.0" DBH, 14.0' OR GREATER OF CLEAR TRUNK	EA	75.000
	0639- 8-130	ELECTRICAL POWER SERVICE- CONTRIBUTION IN AID OF CONSTRUCTION (CIAC), FPL (DO NOT BID) (41592745201)	LS	1.000
	0639- 8-130	ELECTRICAL POWER SERVICE- CONTRIBUTION IN AID OF CONSTRUCTION (CIAC), FPL (DO NOT BID) (41821455201)	LS	1.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	16,650.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	32.440
	0710- 11-102	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	GM	2.890
	0710- 11-103	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE MARKINGS, 12"	GM	0.060
	0710- 11-124	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	2,931.000

		Can Order. 001 Troposal. E04410		
ALT	Item	Description	Unit	Quantity
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	52.800
	0710- 11-133	PAINTED PAVEMENT MARKING, STANDARD,WHITE, 3'-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12" WIDE,	GM	0.490
	0710- 11-160	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	EA	3.000
	0710- 11-170	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	3.000
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	28.610
	0904-540- 11	HIGH TENSION CABLE BARRIER SYSTEM - REMOVE	LF	11,258.000
	0999- 16-	PARTNERING, DO NOT BID (41592745201)	LS	1.000
	0999- 20- 1	DISPUTES REVIEW BOARD, MEETING- DO NOT BID	DA	15.000
	0999-20-2	DISPUTES REVIEW BOARD, HEARING- DO NOT BID	EA	2.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (41592745201)	LS	1.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (41821455201)	LS	1.000
ection	n 0003 Signing			
	0687- 1-11	HIGHWAY ADVISORY RADIO, FURNISH & INSTALL, SOLAR POWERED	EA	1.000
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	19.000
	0700- 1-112	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	35.000
	0700- 1-113	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 20.1-30.0 SF	EA	4.000
	0700- 1-211	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER TOP- MOUNT, LESS THAN 12 SF	EA	12.000
	0700- 1-212	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER TOP- MOUNT, 12.0-20.0 SF	EA	1.000
	0700- 1-311	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER SIDE- MOUNT, LESS THAN 12 SF	EA	1.000
	0700- 1-312	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER SIDE- MOUNT, 12.0-20.0 SF	EA	3.000
	0700- 1-500	SINGLE COLUMN GROUND SIGN ASSEMBLY, RELOCATE	EA	1.000
	0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	60.000
	0700- 2-112	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	1.000
	0700- 2-114	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 30.1-50.0 SF	EA	5.000
	0700- 2-115	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 50.1-100.0 SF	EA	5.000
	0700- 2-116	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 100.1-200.0 SF	EA	4.000
	0700- 2-500	MULTI-COLUMN GROUND SIGN ASSEMBLY, RELOCATE	EA	3.000
	0700- 2-600	MULTI-COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	19.000
	0700- 3-103	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 21-30 SF	EA	1.000
	0700- 3-203	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF	EA	11.000
	0700- 3-205	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 51-100 SF	EA	3.000
	0700- 3-206	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF	EA	7.000
	0700- 3-207	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF	EA	2.000
	0700- 3-208	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 301-400 SF	EA	4.000
	0700- 3-209	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 401-500 SF	EA	2.000

		Call Cruer. 601 1 10posai. Low 10		
ALT	Item	Description	Unit	Quantity
	0700- 3-603	SIGN PANEL, REMOVE, 21-30 SF	EA	9.000
	0700- 3-606	SIGN PANEL, REMOVE, 101-200 SF	EA	4.000
	0700- 3-607	SIGN PANEL, REMOVE, 201-300 SF	EA	2.000
	0700- 3-608	SIGN PANEL, REMOVE, 301-400 SF	EA	2.000
	0700- 3-609	SIGN PANEL, REMOVE, 401-500 SF	EA	1.000
	0700- 4-111	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, UP TO 20 FT	EA	2.000
	0700- 4-112	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 21-30 FT	EA	3.000
	0700- 4-113	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 31-40 FT	EA	8.000
	0700- 4-114	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 41-50 FT	EA	2.000
	0700- 4-121	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, SPAN, UP TO 20 FT	EA	1.000
	0700- 4-122	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, SPAN, 21-30 FT	EA	2.000
	0700- 4-611	OVERHEAD STATIC SIGN STRUCTURE, SHALLOW FOUNDATION REMOVAL, CANTILEVER	EA	9.000
	0700-142-133	ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, F&I GROUND MOUNT, W/EDS, 21-30 SF OF STATIC SIGN PANELS	EA	2.000
	0705- 11- 1	DELINEATOR, FLEXIBLE TUBULAR	EA	43.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	5,364.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (41592745201)	LS	1.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (41821455201)	LS	1.000
	0711- 11-102	THERMOPLASTIC, STANDARD, WHITE, SOLID, 8" FOR INTERCHANGE AND URBAN ISLAND	GM	0.741
	0711- 11-103	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS	GM	0.060
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	1,852.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	12.976
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	35.141
	0711- 15-133	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	GM	0.490
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	12.725
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.202
	0713-103-181	PERMANENT TAPE, WHITE, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES	GM	0.577
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.202
	0713-103-381	PERMANENT TAPE, BLACK, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES	GM	0.577
	0713-107-	PREFORMED/PERMANENT TAPE, REMOVE	SF	2,273.000
Sectio	n 0004 Lighting			
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	7,100.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	759.000
	0630- 2-15	CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT	LF	478.000

		Can Order. 001 Troposal. Low 10		
ALT	Item	Description	Unit	Quantity
	0630- 2-16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	1,096.000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	60.000
	0635- 3-12	JUNCTION BOX, FURNISH & INSTALL, MOUNTED	EA	2.000
	0635- 3-13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	7.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	2.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	2.000
	0715- 1-12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	44,717.000
	0715- 1-15	LIGHTING CONDUCTORS, F&I, NO.1/0 - 3/0 (0 to 000)	LF	9,177.000
	0715- 1-40	LIGHTING CONDUCTORS, RELOCATE EXISTING CONDUCTOR	LF	246.000
	0715- 7-11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	2.000
	0715- 11-212	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY HIGH MAST	EA	33.000
	0715- 19- 13	HIGH MAST LIGHT POLE, FURNISH AND INSTALL, 120'	EA	2.000
	0715- 19- 62	HIGH MAST LIGHT POLE, SHALLOW FOUNDATION REMOVAL	EA	1.000
	0715- 61-400	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 0' ARM LENGTH	EA	32.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	26.000
	0715-500- 2	POLE CABLE DISTRIBUTION SYSTEM, FURNISH & INSTALL, HIGH MAST	EA	2.000
	0715-500- 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	6.000
ectior	n 0005 Intelligent	t Transportation System		
	0611- 1- 1	ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH	MI	6.220
	0611- 2- 2	ITSFM LOCATION DOCUMENTATION- ITS SITE	EA	11.000
	0630- 2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	17,081.000
	0630- 2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	16,604.000
	0633- 1-122	FIBER OPTIC CABLE, F&I, UNDERGROUND,13-48 FIBERS	LF	7,232.000
	0633- 1-124	FIBER OPTIC CABLE, F&I, UNDERGROUND, 97 - 144 FIBERS	LF	33,877.000
	0633- 1-620	FIBER OPTIC CABLE, REMOVE, UNDERGROUND	LF	34,990.000
	0633- 2-31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	532.000
	0633- 3-11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	14.000
	0633- 3-12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	14.000
	0633- 3-13	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY	EA	13.000
	0633- 3-15	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED PATCH PANEL	EA	13.000
	0633- 3-51	FIBER OPTIC CONNECTION HARDWARE, ADJUST/MODIFY SPLICE ENCLOSURE	EA	5.000
	0633- 3-52	FIBER OPTIC CONNECTION HARDWARE, ADJUST/MODIFY SPLICE TRAY	EA	2.000
	0633- 3-55	FIBER OPTIC CONNECTION HARDWARE, ADJUST/MODIFY PATCH PANEL, PRETERMINATED	EA	10.000
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	1,422.000
		DILL 0 ODLIGE DOV 501 401 001/50 0175	<b>-</b> ^	50,000
	0635- 2-11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	59.000

ALT	Item	Description	Unit	Quantity
	0635- 2-13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	13.000
	0639- 1-112	ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY	AS	4.000
	0639- 1-610	ELECTRICAL POWER SERVICE, REMOVE OVERHEAD	AS	2.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	14,351.000
	0639- 3-11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	15.000
	0639- 5-51	EMERGENCY GENERATOR-PERMANENT, RELOCATE	EA	1.000
	0639- 6-131	ELECTRICAL POWER SERVICE- TRANSFORMER, F&I, 11-15 KVA, SINGLE PHASE, COPPER WINDINGS	EA	2.000
	0641- 2-12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	18.000
	0641- 2-13	PRESTRESSED CONCRETE POLE, F&I, TYPE P-III	EA	1.000
	0641- 2-15	PRESTRESSED CONCRETE POLE, F&I, TYPE P-V	EA	3.000
	0641- 2-70	PRESTRESSED CONCRETE POLE, SHALLOW POLE REMOVAL- POLE 30' AND GREATER	EA	5.000
	0641- 3-163	CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 63'	EA	4.000
	0641- 3-700	CONCRETE CCTV POLE, SHALLOW POLE REMOVAL	EA	2.000
	0660- 3-11	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL CABINET EQUIPMENT	EA	9.000
	0660- 3-12	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	EA	9.000
	0676- 2-122	ITS CABINET, FURNISH & INSTALL, POLE MOUNT WITH SUNSHIELD, 336S, 24" W X 46" H X 22" D	EA	9.000
	0676- 2-142	ITS CABINET, FURNISH & INSTALL, BASE MOUNT WITH SUNSHIELD, 336S, 24" W X 46" H X 22" D	EA	2.000
	0676- 2-600	ITS CABINET- REMOVE	EA	1.000
	0682- 1-133	ITS CCTV CAMERA, F&I, DOME ENCLOSURE - NON-PRESSURIZED, IP, HIGH DEFINITION	EA	6.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	12.000
	0684- 2- 1	DEVICE SERVER, FURNISH & INSTALL	EA	9.000
	0685- 1-12	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, ONLINE/DOUBLE CONVERSION	EA	10.000
	0685- 2- 1	REMOTE POWER MANAGEMENT UNIT- RPMU, FURNISH AND INSTALL	EA	12.000
	0700- 9-137	WALK-IN DYNAMIC MESSAGE SIGN, FURNISH & INSTALL- WITH UPS FULL COLOR, 201-300 SF	EA	2.000
	0700- 9-600	WALK-IN DYNAMIC MESSAGE SIGN, REMOVE	EA	2.000
	0700- 10-124	DMS SUPPORT STRUCTURE, CANTILEVER, 41-50 FT	EA	2.000
	0700- 10-600	DMS SUPPORT STRUCTURE, REMOVE	EA	1.000