

**BID SOLICITATION NOTICE – Turnpike  
FLORIDA DEPARTMENT OF TRANSPORTATION  
CONSTRUCTION AND MAINTENANCE PROGRAMS**

Florida Turnpike Headquarters  
FL Turnpike MP 263, Building 5315  
Ocoee, FL 34761

Ocoee, FL  
February 07, 2025  
Advertisement No. 2

All bids must be completed using **Project Bids** software available on the Bid Express website at <https://bidx.com/fl/main>

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <https://www.fdot.gov/contracts/> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <https://www.bidx.com>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 02:30 PM Local Time on Tuesday, March 11, 2025.

Bid totals for each bid submitted will be read aloud for those present and will be available at 02:30 PM March 11, 2025 in the Turnpike Headquarters, Building 5315, Ocoee, Florida.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: [contracts.admin@dot.state.fl.us](mailto:contracts.admin@dot.state.fl.us) or call telephone number (407)264-3885. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: <https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain>, select district then click on appropriate date.

**DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST**

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: [www.fdot.gov/contracts/tp](http://www.fdot.gov/contracts/tp), click “[Letting and Project Information](#)” and select letting date from the Lettings Menu.

**-----NOTE-----**

**Proposals will not be issued after 02:30 PM Local Time on Monday, March 10, 2025 .**

**Document Ordering Information**

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at [CPP.fdot.gov](http://CPP.fdot.gov). There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

**To Place An Order**

- A current State of Florida Vendor Number is required prior to first-time registration; please visit [https://dms.myflorida.com/egovernment\\_tools/myflorida\\_marketplace](https://dms.myflorida.com/egovernment_tools/myflorida_marketplace) for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at [CPP.fdot.gov](http://CPP.fdot.gov). Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

**PREQUALIFICATION**

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department’s budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

## **PREQUALIFIED CONTRACTORS CURRENT CAPACITY**

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) [https://www.fdot.gov/contracts/PreQual\\_Info/prequalified.shtm](https://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm) to the Department every 30 calendar days.

## **CONFLICT OF INTEREST**

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

## **SCRUTINIZED COMPANIES**

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

## **BID REJECTION**

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

## **PROTEST RIGHTS**

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <https://www.fdot.gov/contracts/>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

### **IDENTICAL BIDS**

After consideration in accordance with Article 3-1 of the Standard Specifications for Road and Bridge Construction, or as amended by the project Specifications Package or any Supplemental Specifications Packages, if it is determined that multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award by means of a random selection: coin toss or drawing of lots. The method used to determine the order in which proposals are to be considered for Contract award shall be announced at the beginning of the public meeting held for the purpose described herein.

### **INSURANCE**

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. **BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.**

### **ADDENDA**

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: [www.fdot.gov/contracts/tp](http://www.fdot.gov/contracts/tp), click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. **All addenda shall be acknowledged when submitting bids.**

### **BID QUESTIONS**

All work is to be done in accordance with the Plans, Specifications, and Special Provisions of State of Florida Department of Transportation. Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: <https://bqa.fdot.gov>.

### **PROPOSAL GUARANTY**

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of **\$150,000.00**. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or Tinubu Surety Solution electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit <https://www.surety2000.com> for Surety2000 or <https://www.tinubu.com> for Tinubu Surety Solution. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

### **EXECUTION OF CONTRACT**

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, **a corporation must show proof that it is authorized to do business in the State of Florida.** Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

**Important Note:** Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

### **DBE PARTICIPATION**

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance (EOC)** system no later than 3 business days of submission of the bid. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: <https://www.fdot.gov/equalopportunity/eoc.shtm>

### **DEBARMENT/SUSPENSION**

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

### **MANDATORY PRE-BID CONFERENCE**

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

### **LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS**

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

### **FIRST TIME BIDDERS**

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: [https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae\\_2](https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae_2)

### **POSTING NOTICE**

The bid tabulation and intent to award will be posted on March 25, 2025 or April 08, 2025 at [www.fdot.gov/contracts/tp](http://www.fdot.gov/contracts/tp), click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

**AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)**

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link <https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm>, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

**MINIMUM WAGE**

The minimum wage for all hours worked in Florida is available at <https://www.floridajobs.org>.

**EMAIL SUBSCRIPTION LIST**

To get on the e-mail subscription list, go to <https://fdotwp1.dot.state.fl.us/reportsubscriptions/> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <https://www.fdot.gov/contracts/district-offices/distco.shtm>.

**NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5) Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

**Florida Department of Transportation  
Notice to Contractors Index**

---

Published: February 07, 2025

Letting ID: 08250311

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the March 11, 2025 letting.

| <b>Page Number</b> | <b>Proposal Id</b> | <b>Proposal Notes</b> | <b>Fin Proj Numbers</b> | <b>County</b>   |
|--------------------|--------------------|-----------------------|-------------------------|---|
| 7                  | E8V68              |                       | 45211615201(*)          | ORANGE  |
| 14                 | E8V97-R0           |                       | 19077445239(*)          | LAKE, ORANGE,<br>OSCEOLA, SEMINOLE,<br>SUMTER, TURNPIKE |
| 16                 | E8V98-R0           |                       | 19077445244(*)          | BROWARD, MIAMI-<br>DADE, PALM BEACH,<br>TURNPIKE        |
| 17                 | E8W00              |                       | 40614395201(*)          | PALM BEACH  |
| 18                 | E8W01-R0           |                       | 40456827210(*)          | BROWARD, MIAMI-<br>DADE, PALM BEACH,<br>TURNPIKE        |
| 20                 | E8W02              |                       | 45474215201(*)          | SANTA ROSA  |
| 21                 | E8W04              |                       | 45617717B01(*)          | OKALOOSA  |

**Proposal Note Codes:**

*Note: (\*) indicates lead project*

**Florida Department of Transportation**  
**Bid Solicitation Notice and Approximate Quantities**

Letting: 08250311      Call Order: 007      Proposal: E8V68      District:08

Counties: ORANGE

Road Name: TSM&O WESTERN BELTWAY (SR429)/US192 INTERCHANGE SB OFF-RAMP

Limits: 75473002

Project(s): 45211615201(\*)      Federal Aid No: N/A

|                        |             |                            |          |
|------------------------|-------------|----------------------------|----------|
| Total Roadway Length:  | 0.855 Miles | Contract Days:             | 386      |
| Total Bridge Length:   | 0.000 Miles | Letting Date:              | 03/11/25 |
| Total Proposal Length: | 0.855 Miles | Contract Execution Days:   | 10       |
|                        |             | Special Start Date:        | N/A      |
|                        |             | Aquis/Flexible Start Time: | 120      |

Proposal Budget Estimate: \$21,267,604.00

Please read the full advertisement

**Description:**

Work consists of providing all labor, materials, equipment and incidentals necessary for the construction/reconstruction of the southbound SR 429 exit ramp to US 192 from MP 5.500 to just south of the Toll Plaza on SR 429 at MP 6.314, in Orange County.

No Pre-Bid Conference. Contractor must be prequalified.

**Call Order: 007 Proposal: E8V68**

| ALT                         | Item         | Description  | Unit | Quantity   |
|-----------------------------|--------------|--|------|------------|
| <b>Section 0001 Roadway</b> |              |  |      |            |
|                             | 0101- 1-     | MOBILIZATION (45211615201)                             | LS   | 1.000      |
|                             | 0102- 1-     | MAINTENANCE OF TRAFFIC (45211615201)                   | LS   | 1.000      |
|                             | 0102- 2-200  | SPECIAL DETOUR- TEMPORARY PAVEMENT (45211615201)       | LS   | 1.000      |
|                             | 0102- 2-300  | SPECIAL DETOUR- TEMPORARY EARTHWORK/BASE (45211615201) | LS   | 1.000      |
|                             | 0102- 14-    | TRAFFIC CONTROL OFFICER                                | HR   | 20.000     |
|                             | 0102- 60-    | WORK ZONE SIGN   | ED   | 18,692.000 |
|                             | 0102- 71- 15 | TEMPORARY BARRIER, F&I, ANCHORED                       | LF   | 4,375.000  |
|                             | 0102- 71- 16 | TEMPORARY BARRIER, F&I, FREE STANDING                  | LF   | 3,275.000  |
|                             | 0102- 71- 25 | TEMPORARY BARRIER, RELOCATE, ANCHORED                  | LF   | 4,650.000  |
|                             | 0102- 71- 26 | TEMPORARY BARRIER, RELOCATE, FREE STANDING             | LF   | 1,762.000  |
|                             | 0102- 74- 1  | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED   | 3,400.000  |
|                             | 0102- 76-    | ARROW BOARD / ADVANCE WARNING ARROW PANEL              | ED   | 408.000    |
|                             | 0102- 89- 1  | TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION            | LO   | 14.000     |
|                             | 0102- 99-    | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY            | ED   | 816.000    |
|                             | 0102-115-    | TYPE III BARRICADE                                     | ED   | 1,360.000  |
|                             | 0102-150- 1  | PORTABLE REGULATORY, SIGN                              | ED   | 285.000    |
|                             | 0102-150- 2  | RADAR SPEED DISPLAY UNIT                               | ED   | 285.000    |
|                             | 0104- 10- 3  | SEDIMENT BARRIER                                       | LF   | 5,814.000  |
|                             | 0104- 11-    | FLOATING TURBIDITY BARRIER                             | LF   | 526.000    |
|                             | 0104- 15-    | SOIL TRACKING PREVENTION DEVICE                        | EA   | 1.000      |
|                             | 0104- 18-    | INLET PROTECTION SYSTEM                                | EA   | 13.000     |
|                             | 0107- 1-     | LITTER REMOVAL   | AC   | 152.030    |
|                             | 0107- 2-     | MOWING   | AC   | 151.640    |
|                             | 0110- 1- 1   | CLEARING & GRUBBING (45211615201)                      | LS   | 1.000      |

**Call Order: 007 Proposal: E8V68**

| ALT | Item         | Description  | Unit | Quantity   |
|-----|--------------|--|------|------------|
|     | 0110- 4- 10  | REMOVAL OF EXISTING CONCRETE                                   | SY   | 1,018.000  |
|     | 0110- 21-    | TREE PROTECTION BARRIER  | LF   | 2,041.000  |
|     | 0120- 1-     | REGULAR EXCAVATION   | CY   | 5,547.000  |
|     | 0120- 4-     | SUBSOIL EXCAVATION   | CY   | 577.000    |
|     | 0120- 6-     | EMBANKMENT   | CY   | 25,844.200 |
|     | 0160- 4-     | TYPE B STABILIZATION   | SY   | 26,866.000 |
|     | 0285-701-    | OPTIONAL BASE, BASE GROUP 01                                   | SY   | 9,616.000  |
|     | 0285-708-    | OPTIONAL BASE, BASE GROUP 08                                   | SY   | 3,137.000  |
|     | 0285-709-    | OPTIONAL BASE, BASE GROUP 09                                   | SY   | 21.000     |
|     | 0285-710-    | OPTIONAL BASE, BASE GROUP 10                                   | SY   | 11,918.000 |
|     | 0285-713-    | OPTIONAL BASE, BASE GROUP 13                                   | SY   | 2,447.000  |
|     | 0327- 70- 6  | MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH            | SY   | 7,971.000  |
|     | 0327- 70- 12 | MILLING EXISTING ASPHALT PAVEMENT, 1 1/4" AVG DEPTH            | SY   | 3,428.000  |
|     | 0327- 70- 13 | MILLING EXISTING ASPHALT PAVEMENT, 1 3/4" AVG DEPTH            | SY   | 861.000    |
|     | 0334- 1- 13  | SUPERPAVE ASPHALTIC CONC, TRAFFIC C                            | TN   | 1,919.400  |
|     | 0334- 1- 53  | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22               | TN   | 1,908.400  |
|     | 0337- 7- 25  | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22      | TN   | 386.300    |
|     | 0337- 7- 83  | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22 | TN   | 1,865.600  |
|     | 0339- 1-     | MISCELLANEOUS ASPHALT PAVEMENT                                 | TN   | 36.800     |
|     | 0400- 0- 11  | CONCRETE CLASS NS, GRAVITY WALL INDEX 400-011                  | CY   | 33.000     |
|     | 0425- 1-521  | INLETS, DT BOT, TYPE C, <10'                                   | EA   | 2.000      |
|     | 0425- 1-523  | INLETS, DT BOT, TYPE C, JBOT, <10'                             | EA   | 2.000      |
|     | 0425- 1-524  | INLETS, DT BOT, TYPE C, JBOT, >10'                             | EA   | 1.000      |
|     | 0425- 1-541  | INLETS, DT BOT, TYPE D, <10'                                   | EA   | 2.000      |
|     | 0425- 1-701  | INLETS, GUTTER, TYPE S, <10'                                   | EA   | 4.000      |
|     | 0425- 1-711  | INLETS, GUTTER, TYPE V, <10'                                   | EA   | 1.000      |
|     | 0425- 1-921  | INLETS, ADJACENT BARRIER, <=10'                                | EA   | 11.000     |
|     | 0425- 1-922  | INLETS, ADJACENT BARRIER, >10'                                 | EA   | 3.000      |
|     | 0425- 1-923  | INLETS, ADJACENT BARRIER, J BOTTOM, < 10'                      | EA   | 3.000      |
|     | 0425- 1-924  | INLETS, ADJACENT BARRIER, J BOTTOM, >10'                       | EA   | 4.000      |
|     | 0425- 2- 43  | MANHOLES, P-7, PARTIAL   | EA   | 3.000      |
|     | 0425- 2- 71  | MANHOLES, J-7, <10'  | EA   | 2.000      |
|     | 0430-173-118 | PIPE CULVERT OPTIONAL MATERIAL, ROUND, 18", GUTTER DRAIN       | LF   | 81.000     |
|     | 0430-175-118 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"S/CD                | LF   | 850.000    |
|     | 0430-175-124 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 24"S/CD                | LF   | 1,464.000  |
|     | 0430-175-130 | PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD                     | LF   | 185.000    |
|     | 0430-175-136 | PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD                     | LF   | 648.000    |
|     | 0430-175-142 | PIPE CULVERT, OPT MATERIAL, ROUND, 42"S/CD                     | LF   | 896.000    |
|     | 0430-175-148 | PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD                     | LF   | 68.000     |
|     | 0430-524-100 | STRAIGHT CONCRETE ENDWALLS, 24", SINGLE, 0 DEGREES, ROUND      | EA   | 1.000      |
|     | 0430-524-300 | STRAIGHT CONCRETE ENDWALLS, 24", TRIPLE, 0 DEGREES, ROUND      | EA   | 1.000      |
|     | 0430-542-100 | STRAIGHT CONCRETE ENDWALLS, 42", SINGLE, 0 DEGREES, ROUND      | EA   | 2.000      |
|     | 0430-611-125 | U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:4 SLOPE, 18"PIPE  | EA   | 2.000      |



**Call Order: 007 Proposal: E8V68**

| ALT                         | Item         | Description  | Unit | Quantity   |
|-----------------------------|--------------|--|------|------------|
|                             | 0430-611-225 | U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:3 SLOPE, 18"PIPE                          | EA   | 1.000      |
|                             | 0430-982-125 | MITERED END SECTION, OPTIONAL ROUND, 18" CD  | EA   | 5.000      |
|                             | 0430-982-129 | MITERED END SECTION, OPTIONAL ROUND, 24" CD  | EA   | 2.000      |
|                             | 0430-982-141 | MITERED END SECTION, OPTIONAL ROUND, 48" CD  | EA   | 1.000      |
|                             | 0520- 1- 7   | CONCRETE CURB & GUTTER, TYPE E   | LF   | 32.000     |
|                             | 0520- 6-     | SHOULDER GUTTER- CONCRETE  | LF   | 734.000    |
|                             | 0521- 1- 11  | MEDIAN CONCRETE BARRIER, 38" HEIGHT  | LF   | 90.000     |
|                             | 0521- 1- 12  | MEDIAN CONCRETE BARRIER, SHORT GRADE-SEPARATED   | LF   | 940.000    |
|                             | 0521- 1- 13  | MEDIAN CONCRETE BARRIER, TALL GRADE-SEPARATED  | LF   | 221.000    |
|                             | 0521- 8- 7   | CONCRETE BARRIER, WITH JUNCTION SLAB, 36" SINGLE SLOPE                                 | LF   | 1,759.000  |
|                             | 0521- 72- 40 | SHOULDER CONCRETE BARRIER, 38" OR 44" HEIGHT   | LF   | 532.000    |
|                             | 0530- 3- 4   | RIPRAP, RUBBLE, F&I, DITCH LINING  | TN   | 32.000     |
|                             | 0530- 74-    | BEDDING STONE  | TN   | 34.500     |
|                             | 0536- 1- 1   | GUARDRAIL -ROADWAY, GENERAL TL-3   | LF   | 968.000    |
|                             | 0536- 85- 20 | GUARDRAIL END TREATMENT- TRAILING ANCHORAGE  | EA   | 2.000      |
|                             | 0536- 85- 24 | GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL                                    | EA   | 2.000      |
|                             | 0548- 12-    | RETAINING WALL SYSTEM, PERMANENT, EXCLUDING BARRIER                                    | SF   | 20,131.000 |
|                             | 0570- 1- 2   | PERFORMANCE TURF, SOD  | SY   | 23,177.000 |
|                             | 0630- 2- 16  | CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS            | LF   | 7,751.000  |
|                             | 0635- 3- 13  | JUNCTION BOX, FURNISH & INSTALL, EMBEDDED  | EA   | 13.000     |
|                             | 0706- 1- 3   | RAISED PAVEMENT MARKER, TYPE B   | EA   | 439.000    |
|                             | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"                                  | GM   | 2.117      |
|                             | 0710- 11-102 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM   | 0.244      |
|                             | 0710- 11-124 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"         | LF   | 248.000    |
|                             | 0710- 11-125 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"      | LF   | 120.000    |
|                             | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE           | GM   | 0.574      |
|                             | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"                                 | GM   | 1.645      |
|                             | 0999- 16-    | PARTNERING, DO NOT BID (45211615201)   | LS   | 1.000      |
|                             | 0999- 25-    | INITIAL CONTINGENCY AMOUNT, DO NOT BID (45211615201)                                   | LS   | 1.000      |
| <b>Section 0002 Signing</b> |              |  |      |            |
|                             | 0546- 72- 1  | GROUND-IN RUMBLE STRIPS, 16"   | GM   | 0.890      |
|                             | 0700- 1-111  | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF                  | EA   | 12.000     |
|                             | 0700- 1-112  | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF                     | EA   | 7.000      |
|                             | 0700- 1-113  | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 20.1-30.0 SF                     | EA   | 5.000      |
|                             | 0700- 1-500  | SINGLE COLUMN GROUND SIGN ASSEMBLY, RELOCATE   | EA   | 1.000      |
|                             | 0700- 1-600  | SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE   | EA   | 23.000     |
|                             | 0700- 2-113  | MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 20.1-30.0 SF                      | EA   | 1.000      |
|                             | 0700- 2-114  | MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 30.1-50.0 SF                      | EA   | 2.000      |

**Call Order: 007 Proposal: E8V68**

| ALT                          | Item         | Description   | Unit | Quantity   |
|------------------------------|--------------|---|------|------------|
|                              | 0700- 2-115  | MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 50.1-100.0 SF                                | EA   | 2.000      |
|                              | 0700- 2-116  | MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 100.1-200.0 SF                               | EA   | 1.000      |
|                              | 0700- 2-600  | MULTI-COLUMN GROUND SIGN ASSEMBLY, REMOVE   | EA   | 7.000      |
|                              | 0700- 3-203  | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF  | EA   | 3.000      |
|                              | 0700- 3-206  | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF  | EA   | 3.000      |
|                              | 0700- 3-504  | SIGN PANEL, RELOCATE, 31-50 SF  | EA   | 1.000      |
|                              | 0700- 3-603  | SIGN PANEL, REMOVE, 21-30 SF  | EA   | 2.000      |
|                              | 0700- 3-605  | SIGN PANEL, REMOVE, 51-100 SF   | EA   | 1.000      |
|                              | 0700- 3-606  | SIGN PANEL, REMOVE, 101-200 SF  | EA   | 4.000      |
|                              | 0700- 4-611  | OVERHEAD STATIC SIGN STRUCTURE, SHALLOW FOUNDATION REMOVAL, CANTILEVER                            | EA   | 3.000      |
|                              | 0700- 4-621  | OVERHEAD STATIC SIGN STRUCTURE, SHALLOW FOUNDATION REMOVAL, SPAN                                  | EA   | 2.000      |
|                              | 0700- 13- 12 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2'   | EA   | 4.000      |
|                              | 0705- 11- 1  | DELINEATOR, FLEXIBLE TUBULAR  | EA   | 15.000     |
|                              | 0706- 1- 3   | RAISED PAVEMENT MARKER, TYPE B  | EA   | 827.000    |
|                              | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS                             | LF   | 676.000    |
|                              | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK                            | LF   | 154.000    |
|                              | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"                      | GM   | 0.085      |
|                              | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL   | EA   | 11.000     |
|                              | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW   | EA   | 34.000     |
|                              | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"                             | GM   | 2.420      |
|                              | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM   | 1.750      |
|                              | 0711- 15-171 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, 6", 6-10 DOTTED MANAGED LANE MARKING | GM   | 0.020      |
|                              | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"                           | GM   | 1.207      |
|                              | 0711- 17- 1  | THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS- SURFACE TO REMAIN                 | SF   | 9,036.000  |
|                              | 0713-103-101 | PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES   | GM   | 0.034      |
|                              | 0713-107-    | PREFORMED/PERMANENT TAPE, REMOVE  | SF   | 357.000    |
| <b>Section 0003 Lighting</b> |              |   |      |            |
|                              | 0102- 30-    | TEMPORARY HIGHWAY LIGHTING (45211615201)  | LS   | 1.000      |
|                              | 0630- 2- 11  | CONDUIT, FURNISH & INSTALL, OPEN TRENCH   | LF   | 2,181.000  |
|                              | 0630- 2- 12  | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE  | LF   | 1,584.000  |
|                              | 0635- 2- 11  | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE  | EA   | 34.000     |
|                              | 0715- 1- 12  | LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6   | LF   | 50,702.000 |
|                              | 0715- 1- 60  | LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS  | LF   | 4,979.000  |
|                              | 0715- 61-200 | LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 35' MOUNTING HEIGHT, 0' ARM LENGTH   | EA   | 4.000      |

**Call Order: 007 Proposal: E8V68**

| ALT                               | Item         | Description  | Unit | Quantity |
|-----------------------------------|--------------|--|------|----------|
|                                   | 0715- 61-300 | LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT, 0' ARM LENGTH          | EA   | 3.000    |
|                                   | 0715- 61-400 | LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 0' ARM LENGTH          | EA   | 12.000   |
|                                   | 0715- 61-500 | LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 50' MOUNTING HEIGHT, 0' ARM LENGTH          | EA   | 14.000   |
|                                   | 0715- 65-366 | LIGHT POLE COMPLETE, F&I, UTILITY CONFLICT POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT, 16' ARM LENGTH | EA   | 3.000    |
|                                   | 0715- 65-466 | LIGHT POLE COMPLETE, F&I, UTILITY CONFLICT POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 16' ARM LENGTH | EA   | 1.000    |
|                                   | 0715- 69-000 | LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION  | EA   | 30.000   |
|                                   | 0715-500- 1  | POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL  | EA   | 37.000   |
| <b>Section 0004 Signalization</b> |              |  |      |          |
|                                   | 0102-104-    | TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION  | ED   | 286.000  |
|                                   | 0102-107- 1  | TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION  | ED   | 286.000  |
|                                   | 0630- 2- 11  | CONDUIT, FURNISH & INSTALL, OPEN TRENCH  | LF   | 170.000  |
|                                   | 0630- 2- 12  | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE   | LF   | 539.000  |
|                                   | 0632- 7- 1   | SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL                                       | PI   | 1.000    |
|                                   | 0632- 7- 6   | SIGNAL CABLE, REMOVE- INTERSECTION   | PI   | 1.000    |
|                                   | 0633- 1-121  | FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS  | LF   | 200.000  |
|                                   | 0633- 2- 31  | FIBER OPTIC CONNECTION, INSTALL, SPLICE  | EA   | 4.000    |
|                                   | 0633- 3- 11  | FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE   | EA   | 1.000    |
|                                   | 0633- 3- 12  | FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY  | EA   | 2.000    |
|                                   | 0633- 3- 13  | FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY                                   | EA   | 4.000    |
|                                   | 0633- 3- 15  | FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED PATCH PANEL  | EA   | 1.000    |
|                                   | 0635- 2- 11  | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE   | EA   | 19.000   |
|                                   | 0635- 2- 13  | PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE                                    | EA   | 1.000    |
|                                   | 0639- 1-122  | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR                                | AS   | 1.000    |
|                                   | 0639- 2- 1   | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL   | LF   | 70.000   |
|                                   | 0639- 3- 11  | ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT   | EA   | 2.000    |
|                                   | 0641- 2- 12  | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE   | EA   | 2.000    |
|                                   | 0641- 2- 60  | PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE                                  | EA   | 1.000    |
|                                   | 0646- 2-120  | ALUMINUM POLE- INDEX 695-001, FURNISH & INSTALL, 20'   | EA   | 1.000    |
|                                   | 0649- 21- 21 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 78'   | EA   | 3.000    |
|                                   | 0649- 26- 3  | STEEL MAST ARM ASSEMBLY, REMOVE, SHALLOW FOUNDATION- BOLT ON ATTACHMENT                                  | EA   | 2.000    |
|                                   | 0650- 1- 14  | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY                                   | AS   | 15.000   |
|                                   | 0660- 4- 11  | VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL CABINET EQUIPMENT                                     | EA   | 1.000    |

**Call Order: 007 Proposal: E8V68**

| ALT | Item        | Description  | Unit | Quantity |
|-----|-------------|--|------|----------|
|     | 0660- 4- 12 | VEHICLE DETECTION SYSTEM- VIDEO, FURNISH & INSTALL ABOVE GROUND EQUIPMENT            | EA   | 4.000    |
|     | 0660- 9- 11 | TRAFFIC DATA DETECTION SYSTEM- VIDEO, FURNISH AND INSTALL, CABINET EQUIPMENT         | EA   | 1.000    |
|     | 0660- 9- 12 | TRAFFIC DATA DETECTION SYSTEM- VIDEO, FURNISH AND INSTALL, ABOVE GROUND EQUIPMENT    | EA   | 1.000    |
|     | 0663- 1-122 | SIGNAL PRIORITY AND PREEMPTION SYSTEM, FURNISH AND INSTALL, GPS, DETECTOR            | EA   | 2.000    |
|     | 0663- 1-123 | SIGNAL PRIORITY AND PREEMPTION SYSTEM, FURNISH AND INSTALL, GPS, CABINET ELECTRONICS | EA   | 1.000    |
|     | 0670- 5-111 | TRAFFIC CONTROLLER ASSEMBLY, F&I, NEMA, 1 PREEMPTION                                 | AS   | 1.000    |
|     | 0670- 5-600 | TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET                          | AS   | 1.000    |
|     | 0676- 3- 10 | SMALL EQUIPMENT ENCLOSURE, FURNISH AND INSTALL, LESS THAN 10"W X 13"H X 11" D        | EA   | 1.000    |
|     | 0684- 1- 1  | MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL                                     | EA   | 1.000    |
|     | 0685- 1- 13 | UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, LINE INTERACTIVE WITH CABINET     | EA   | 1.000    |
|     | 0685- 2- 1  | REMOTE POWER MANAGEMENT UNIT- RPMU, FURNISH AND INSTALL                              | EA   | 1.000    |
|     | 0700- 3-201 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF                            | EA   | 5.000    |
|     | 0700- 5- 22 | INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF             | EA   | 4.000    |

**Section 0005 Intelligent Transportation System**

|  |              |  |    |           |
|--|--------------|--|----|-----------|
|  | 0102- 25-101 | TEMPORARY INTELLIGENT TRANSPORTATION SYSTEM                            | DA | 180.000   |
|  | 0522- 2-     | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK                              | SY | 8.000     |
|  | 0611- 1- 1   | ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH                         | MI | 0.814     |
|  | 0611- 2- 1   | ITSFM LOCATION DOCUMENTATION- INTERSECTION                             | EA | 1.000     |
|  | 0611- 2- 2   | ITSFM LOCATION DOCUMENTATION- ITS SITE                                 | EA | 4.000     |
|  | 0630- 2- 11  | CONDUIT, FURNISH & INSTALL, OPEN TRENCH                                | LF | 2,288.000 |
|  | 0630- 2- 12  | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE                           | LF | 425.000   |
|  | 0630- 2- 14  | CONDUIT, FURNISH & INSTALL, ABOVEGROUND                                | LF | 15.000    |
|  | 0633- 1-122  | FIBER OPTIC CABLE, F&I, UNDERGROUND,13-48 FIBERS                       | LF | 1,761.000 |
|  | 0633- 2- 31  | FIBER OPTIC CONNECTION, INSTALL, SPLICE                                | EA | 12.000    |
|  | 0633- 3- 11  | FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE                 | EA | 1.000     |
|  | 0633- 3- 12  | FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY                      | EA | 1.000     |
|  | 0633- 3- 13  | FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY | EA | 24.000    |
|  | 0633- 3- 15  | FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED PATCH PANEL        | EA | 2.000     |
|  | 0633- 3- 51  | FIBER OPTIC CONNECTION HARDWARE, ADJUST/MODIFY SPLICE ENCLOSURE        | EA | 1.000     |
|  | 0633- 3- 52  | FIBER OPTIC CONNECTION HARDWARE, ADJUST/MODIFY SPLICE TRAY             | EA | 1.000     |
|  | 0633- 6-     | FIBER OPTIC CABLE LOCATOR  | DA | 386.000   |
|  | 0633- 8- 12  | MULTI-CONDUCTOR COMMUNICATION CABLE, FURNISH & INSTALL, COMPOSITE      | LF | 1,423.000 |
|  | 0635- 2- 11  | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE                           | EA | 15.000    |
|  | 0635- 2- 12  | PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE                           | EA | 3.000     |

**Call Order: 007 Proposal: E8V68**

| ALT | Item         | Description  | Unit | Quantity  |
|-----|--------------|--|------|-----------|
|     | 0635- 3- 13  | JUNCTION BOX, FURNISH & INSTALL, EMBEDDED  | EA   | 2.000     |
|     | 0639- 1-122  | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR  | AS   | 1.000     |
|     | 0639- 1-500  | ELECTRICAL POWER SERVICE, ADJUST/MODIFY  | AS   | 1.000     |
|     | 0639- 2- 1   | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL   | LF   | 1,995.000 |
|     | 0639- 3- 11  | ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT   | EA   | 1.000     |
|     | 0639- 3- 12  | ELECTRICAL SERVICE DISCONNECT, F&I, CABINET  | EA   | 1.000     |
|     | 0639- 6-111  | ELECTRICAL POWER SERVICE- TRANSFORMER, F&I, <5 KVA, SINGLE PHASE, COPPER WINDINGS                                    | EA   | 1.000     |
|     | 0641- 2- 12  | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE   | EA   | 2.000     |
|     | 0641- 3-163  | CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 63'  | EA   | 1.000     |
|     | 0641- 3-175  | CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 75'  | EA   | 1.000     |
|     | 0660- 6-121  | VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, CABINET EQUIPMENT                                       | EA   | 1.000     |
|     | 0660- 6-122  | VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT                                  | EA   | 1.000     |
|     | 0660- 7- 60  | VEHICLE DETECTION SYSTEM- WRONG WAY, RELOCATE  | EA   | 1.000     |
|     | 0660- 8- 11  | TRAFFIC DATA DETECTION SYSTEM- MICROWAVE, FURNISH AND INSTALL, CABINET EQUIPMENT                                     | EA   | 1.000     |
|     | 0660- 8- 12  | TRAFFIC DATA DETECTION SYSTEM- MICROWAVE, FURNISH AND INSTALL, ABOVE GROUND EQUIPMENT                                | EA   | 1.000     |
|     | 0676- 2-122  | ITS CABINET, FURNISH & INSTALL, POLE MOUNT WITH SUNSHIELD, 336S, 24" W X 46" H X 22" D                               | EA   | 1.000     |
|     | 0676- 2-400  | ITS CABINET, RELOCATE  | EA   | 1.000     |
|     | 0682- 1-133  | ITS CCTV CAMERA, F&I, DOME ENCLOSURE - NON-PRESSURIZED, IP, HIGH DEFINITION  | EA   | 1.000     |
|     | 0684- 1- 1   | MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL   | EA   | 1.000     |
|     | 0684- 1- 4   | MANAGED FIELD ETHERNET SWITCH, RELOCATE  | EA   | 1.000     |
|     | 0684- 2- 1   | DEVICE SERVER, FURNISH & INSTALL   | EA   | 1.000     |
|     | 0685- 1- 12  | UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, ONLINE/DOUBLE CONVERSION  | EA   | 1.000     |
|     | 0685- 2- 1   | REMOTE POWER MANAGEMENT UNIT- RPMU, FURNISH AND INSTALL  | EA   | 1.000     |
|     | 0700- 13- 12 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2'  | EA   | 4.000     |
|     | 0700-141-442 | ENHANCED HWY SIGN ASSEMBLY, AC POWERED, F&I BARRIER SIDE MOUNT, W/HIGHLIGHTED SIGN <12 SF, 12-20 SF OF STATIC PANELS | EA   | 1.000     |
|     | 0700-141-802 | ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, RELOCATE - GROUND MOUNT  | EA   | 3.000     |

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

---

|                        |   |                            |                    |             |
|------------------------|---|----------------------------|--------------------|-------------|
| Letting:               | 08250311  | Call Order: 002            | Proposal: E8V97-R0 | District:08 |
| Counties:              | LAKE, ORANGE, OSCEOLA, SEMINOLE, SUMTER, TURNPIKE |                            |                    |             |
| Road Name:             | CLEARING AND GRUBBING - BDI - ZONE III            |                            |                    |             |
| Limits:                | Midpoint  |                            |                    |             |
| Project(s):            | 19077445239(*)                                    | Federal Aid No: N/A        |                    |             |
| Total Roadway Length:  | 0.000 Miles                                       | Contract Days:             | 365                |             |
| Total Bridge Length:   | 0.000 Miles                                       | Letting Date:              | 03/11/25           |             |
| Total Proposal Length: | 0.000 Miles                                       | Contract Execution Days:   | 10                 |             |
|                        |   | Special Start Date:        | N/A                |             |
|                        |   | Aquis/Flexible Start Time: | 14                 |             |

Proposal Budget Estimate: \$380,000.00

Please read the full advertisement

**Description:**

The work specified in this contract consists of providing all labor, materials, equipment, and incidentals to perform clearing and grubbing and selective clearing and grubbing, removal and replacement of damaged fence sections, and sodding at various locations on the Florida's Turnpike (SR 91), Milepost (MP) 237.0 to 308.0, Beachline Expressway (SR 528) MP 0.0 to 9.9; East-West Expressway (SR 408) MP 0.0 to 0.8; Southern Connector Extension (SR 417) MP 1.1 to 6.2; and the Seminole Expressway (SR 417) MP 37.7 to 55.1.

**NO PRE-BID CONFERENCE WILL BE HELD FOR THIS CONTRACT**

**BUSINESS DEVELOPMENT INITIATIVE -- Bidders must be a "Small Business" as defined by FDOT. Small business size standards can be found at <https://www.fdot.gov/equalopportunity/bdi.shtm>.**

For more information about bidding on BDI projects, please see the training guide located at <https://www.fdot.gov/equalopportunity/bdi.shtm>

Prequalification per Rule 14-22 is not required.

Bidders must complete and submit the Small Business Affidavit (Form No. 275-000-01) for approval prior to receipt of bid documents. The form may be accessed at <https://www.fdot.gov/equalopportunity/bdi.shtm>

It is only necessary to submit the Small Business Affidavit (SBA) form once per year.

Send a completed and notarized affidavit as an attachment to [SmallBusiness@dot.state.fl.us](mailto:SmallBusiness@dot.state.fl.us)

Bidders must submit the BDI Reference Sheet (Form No. 275-000-02) with the bid unless bidder is prequalified in the projects major work type, per Rule 14-22, Florida Administrative Code.

Upload the completed BDI Reference Sheet (Form No. 275-000-02) as a zip file using the File Attachment Upload folder in the AASHTOWare Project Bids application.

BDI Reference Sheet may be found at <https://www.fdot.gov/equalopportunity/bdi.shtm>

Proposal Guaranty of \$500 is required for bids over \$150,000 and may be in the form of a Cashier's Check, the BDI Bid or Proposal Bond (Form No. 375-020-16), or the standard Bid or Proposal Bond form, Form No. 375-020-09).

**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

**Call Order: 002 Proposal: E8V97-R0**

| ALT                              | Item         | Description   | Unit | Quantity  |
|----------------------------------|--------------|---|------|-----------|
| <b>Section 0001 SODDING (SY)</b> |              |   |      |           |
|                                  | 0110- 2- 2   | SELECTIVE CLEARING AND GRUBBING, AREAS WITH TREES TO REMAIN | AC   | 15.000    |
|                                  | 0550- 10-220 | FENCING, TYPE B, 5.1-6.0', STANDARD                         | LF   | 600.000   |
|                                  | E110- 2-     | CLEARING & GRUBBING   | AC   | 35.000    |
|                                  | E550- 32- 30 | FENCE, CORNER POST ASSEMBLY (TYPE B) (6')                   | EA   | 75.000    |
|                                  | E575- 1-     | SODDING   | SY   | 4,000.000 |





**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

Letting: 08250311      Call Order: 004      Proposal: E8W00      District:08

Counties: PALM BEACH

Road Name: OKEECHOBEE INTERCHANGE RIGHT-OF-WAY FENCE- ZONE 2

Limits: 93470000

Project(s): 40614395201(\*)

Federal Aid No: N/A

|                        |             |                            |          |
|------------------------|-------------|----------------------------|----------|
| Total Roadway Length:  | 0.223 Miles | Contract Days:             | 180      |
| Total Bridge Length:   | 0.000 Miles | Letting Date:              | 03/11/25 |
| Total Proposal Length: | 0.223 Miles | Contract Execution Days:   | 10       |
|                        |             | Special Start Date:        | N/A      |
|                        |             | Aquis/Flexible Start Time: | 14       |

Proposal Budget Estimate: \$250,000.00

Please read the full advertisement

**Description:**

The work specified in this contract consists of providing all labor, materials, equipment, and incidentals necessary to perform fence installation and/or repair of damaged fence and all associated components at the Right-of-Way (ROW) of the Okeechobee Interchange on Florida's Turnpike (SR 91).

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS CONTRACT

**Call Order: 004 Proposal: E8W00**

| ALT                                   | Item     | Description                            | Unit | Quantity |
|---------------------------------------|----------|--|------|----------|
| <b>Section 0001 FENCE REPAIR (LF)</b> |          |  |      |          |
|                                       | 0999- 2- | LUMP SUM CONTRACT, ALTERNATIVE BIDDING | LS   | 1.000    |



**Florida Department of Transportation  
Bid Solicitation Notice and Approximate Quantities**

**Call Order: 005 Proposal: E8W01-R0**

| ALT                                      | Item        | Description  | Unit | Quantity  |
|--|-------------|--|------|-----------|
| <b>Section 0001 CONCRETE REPAIR (CY)</b> |             |  |      |           |
|  | 0121- 70- 2 | FLOWABLE FILL, MAINTENANCE CONTRACTS ONLY              | CY   | 35.000    |
|  | 0400- 0- 11 | CONCRETE CLASS NS, GRAVITY WALL INDEX 400-011          | CY   | 30.000    |
|  | 0400- 2- 4  | CONC CLASS II, BRIDGE SUPERSTRUCTURE                   | CY   | 10.000    |
|  | 0400- 2- 11 | CONCRETE CLASS II, RETAINING WALLS                     | CY   | 20.000    |
|  | 0400-153-   | NON SHRINK GROUT, F&I, MISCELLANEOUS- STRUCTURES REHAB | CF   | 250.000   |
|  | 0401- 70- 1 | RESTORE SPALLED AREAS, EPOXY                           | CF   | 100.000   |
|  | 0415- 1- 6  | REINFORCING STEEL- MISCELLANEOUS                       | LB   | 650.000   |
|  | 0460- 1- 13 | STRUCTURAL STEEL REHAB- BOLTS, NUTS, WASHERS & PLATES  | LB   | 675.000   |
|  | 0460- 1- 15 | STRUCTURAL STEEL - REHABILITATION, MISCELLANEOUS       | LB   | 100.000   |
|  | 0520- 2- 4  | CONCRETE CURB, TYPE D                                  | LF   | 10.000    |
|  | 0561- 2-    | COATING EXISTING STRUCTURAL STEEL                      | SF   | 1,000.000 |
|  | E101- 72-   | MOBILIZATION (EMERGENCY RESPONSE)                      | EA   | 25.000    |
|  | E460- 82-   | BOLT TIGHTENING  | EA   | 250.000   |
|  | E521- 1-    | CONCRETE BARRIER WALL REPAIR                           | CY   | 25.000    |
|  | E524- 1- 1  | CONCRETE DITCH PAVEMENT REPAIR                         | CY   | 10.000    |
|  | E524- 2- 1  | CONCRETE SLOPE PAVEMENT REPAIR                         | CY   | 5.000     |
|  | E700- 96- 1 | SIGN SUPPORT REPAIRS (ALUMINUM)                        | LB   | 200.000   |
|  | E700- 96- 2 | SIGN SUPPORT REPAIRS (STEEL)                           | LB   | 200.000   |



