

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting: 08260522 Call Order: 002 Proposal: E8W46 District:08

Counties: BROWARD

Road Name: WIDEN SAWGRASS (SR869) OAKLAND PARK BLVD TO ATLANTIC BLVD

Limits: 86046000

Project(s): 43715565201(*) Federal Aid No: N/A

| | | | |
|------------------------|-------------|----------------------------|----------|
| Total Roadway Length: | 5.475 Miles | Contract Days: | 1353 |
| Total Bridge Length: | 0.066 Miles | Letting Date: | 05/22/26 |
| Total Proposal Length: | 5.541 Miles | Contract Execution Days: | 10 |
| | | Special Start Date: | N/A |
| | | Aquis/Flexible Start Time: | 30 |

Proposal Budget Estimate: \$146,955,595.00

Please read the full advertisement

Description:

Work consists of providing all labor, materials, equipment and incidentals necessary for reconstruction, widening, milling, and resurfacing to modify existing six-lane facility to add two new general-purpose lanes constructed within the existing median along SR 869 Sawgrass Expressway from Oakland Park Blvd. to Atlantic Blvd. (MP 4.1- MP 7.5) in Broward County.

For projects in excess of \$50 million, in addition to meeting all other qualification requirements of Section 337.14, Florida Statutes, and Rule Chapter 14-22, Florida Administrative Code, any Contractor who is not prequalified and in good standing with the Department as of January 1, 2019, must submit evidence which demonstrates satisfactory completion of at least two projects, each in excess of \$15 million, for the Florida Department of Transportation or for any other state department of transportation. Acceptability of the evidence related to the two projects is at the sole discretion of the Department

No Pre-Bid Conference. Contractor must be prequalified.

Call Order: 002 Proposal: E8W46

| ALT | Item | Description | Unit | Quantity |
|--------------------------------|-------------|---|------|------------|
| Section 0001 Structures | | | | |
| | 0110- 3- | REMOVAL OF EXISTING STRUCTURES/BRIDGES (43715565201 BRIDGE ID 860486) | LS | 1.000 |
| | 0110- 3- | REMOVAL OF EXISTING STRUCTURES/BRIDGES (43715565201 BRIDGE ID 860487) | LS | 1.000 |
| | 0400- 2- 4 | CONC CLASS II, BRIDGE SUPERSTRUCTURE | CY | 306.700 |
| | 0400- 2- 10 | CONCRETE CLASS II, APPROACH SLABS | CY | 116.300 |
| | 0400- 4- 1 | CONCRETE CLASS IV, CULVERTS | CY | 160.500 |
| | 0400- 4- 5 | CONCRETE CLASS IV, BRIDGE SUBSTRUCTURE | CY | 142.400 |
| | 0400- 4- 11 | CONC CLASS IV, RETAINING WALLS | CY | 338.000 |
| | 0400- 4- 25 | CONCRETE CLASS IV, MASS, SUBSTRUCTURE | CY | 96.300 |
| | 0400- 7- 1 | BRIDGE DECK GROOVING | SY | 1,431.000 |
| | 0400- 9- 1 | BRIDGE DECK PLANING | SY | 1,431.000 |
| | 0400-143- | CLEANING & COATING CONCRETE SURFACE, CLASS 5 | SF | 8,220.000 |
| | 0400-147- | COMPOSITE NEOPRENE PADS | CF | 12.800 |
| | 0401- 70- 2 | RESTORE SPALLED AREAS, LATEX MODIFIED MORTAR- STYRENE BUTADIENE | CF | 4.000 |
| | 0401- 70- 7 | RESTORE SPALLED AREAS, SHOTCRETE | CF | 775.600 |
| | 0411- 1- | EPOXY MATERIAL FOR CRACK INJECTION- STRUCTURES REHAB | GA | 23.000 |
| | 0411- 2- | CRACKS INJECT & SEAL- STRUCTURES REHAB | LF | 800.000 |
| | 0415- 1- 1 | REINFORCING STEEL- ROADWAY | LB | 27,110.000 |

Call Order: 002 Proposal: E8W46

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|--|------|-------------|
| | 0415- 1- 3 | REINFORCING STEEL- RETAINING WALL | LB | 52,746.000 |
| | 0415- 1- 4 | REINFORCING STEEL - BRIDGE SUPERSTRUCTURE | LB | 67,665.000 |
| | 0415- 1- 5 | REINFORCING STEEL- BRIDGE SUBSTRUCTURE | LB | 47,461.000 |
| | 0415- 1- 9 | REINFORCING STEEL- APPROACH SLABS | LB | 22,678.000 |
| | 0430-950- | DESILTING CONCRETE BOX CULVERT | CY | 63.000 |
| | 0450- 1-703 | PRESTRESSED BEAMS, RECTANGULAR BEAM, 38"W X 28"H | LF | 486.000 |
| | 0450- 2- 36 | PREST BEAMS: FLORIDA-I BEAM 36" | LF | 972.000 |
| | 0451- 70- | PREST SOIL ANCHORS | EA | 108.000 |
| | 0451- 70- 1 | PRESTRESSED SOIL ANCHOR, PERFORMANCE TEST | EA | 24.000 |
| | 0451- 70- 2 | PRESTRESSED SOIL ANCHOR, CREEP TEST | EA | 16.000 |
| | 0455- 15- 11 | PREFORMED PILE HOLES, 15" TO 17" DRILL/PUNCH SIZE | LF | 848.000 |
| | 0455- 15- 14 | PREFORMED PILE HOLES, 24" TO 29" DRILL/PUNCH SIZE | LF | 874.000 |
| | 0455- 15- 15 | PREFORMED PILE HOLES, 30" TO 34" DRILL/PUNCH SIZE | LF | 688.000 |
| | 0455- 17-118 | PRE-PLANNED PILE SPLICE, CONCRETE SQUARE, 18" | EA | 4.000 |
| | 0455- 17-124 | PRE-PLANNED PILE SPLICE, CONCRETE SQUARE, 24" | EA | 2.000 |
| | 0455- 20- 1 | PILE INSPECTION, DRIVEN PILE | EA | 42.000 |
| | 0455- 34- 3 | PRESTRESSED CONCRETE PILING, 18" SQ | LF | 2,160.000 |
| | 0455- 34- 5 | PRESTRESSED CONCRETE PILING, 24" SQ | LF | 1,230.000 |
| | 0455- 35- 7 | STEEL PILING, HP 14 X 102 | LF | 384.000 |
| | 0455- 35- 11 | STEEL PILING, HP 12 X 74 | LF | 1,508.000 |
| | 0455- 35- 12 | STEEL PILING, HP 16 X 88 | LF | 96.000 |
| | 0455-115- | PILE REDRIVE | EA | 6.000 |
| | 0455-133- 2 | SHEET PILING STEEL, TEMPORARY-CRITICAL | SF | 9,180.000 |
| | 0455-137- | LOAD TEST (DYNAMIC), DATA COLLECTION AND ANALYSIS | EA | 42.000 |
| | 0455-137- 2 | LOAD TEST (DYNAMIC), VERIFICATION TEST | EA | 3.000 |
| | 0455-143- 3 | TEST PILES-PRESTRESSED CONCRETE,18" SQ | LF | 200.000 |
| | 0455-143- 5 | TEST PILES-PRESTRESSED CONCRETE,24" SQ | LF | 92.000 |
| | 0458- 1- 11 | BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD | LF | 354.000 |
| | 0460- 71- 4 | METAL TRAFFIC RAILING, RECTANGULAR TUBE RETROFIT | LF | 324.000 |
| | 0470- 1- | TREATED TIMBER, STRUCTURAL | MB | 22.800 |
| | 0521- 5- 13 | CONCRETE TRAFFIC RAILING- BRIDGE, 36" SINGLE-SLOPE | LF | 484.000 |
| | 0524- 2- 2 | CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4" | SY | 164.000 |
| | 0630- 2- 16 | CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS | LF | 1,212.000 |
| | 0635- 3- 13 | JUNCTION BOX, FURNISH & INSTALL, EMBEDDED | EA | 12.000 |
| Section 0002 Roadway | | | | |
| | 0101- 1- | MOBILIZATION (43715565201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (43715565201) | LS | 1.000 |
| | 0102- 2-200 | SPECIAL DETOUR- TEMPORARY PAVEMENT (43715565201) | LS | 1.000 |
| | 0102- 2-300 | SPECIAL DETOUR- TEMPORARY EARTHWORK/BASE (43715565201) | LS | 1.000 |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 13,530.000 |
| | 0102- 30- | TEMPORARY HIGHWAY LIGHTING (43715565201) | LS | 1.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 172,804.000 |
| | 0102- 71- 13 | TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE | LF | 930.000 |
| | 0102- 71- 15 | TEMPORARY BARRIER, F&I, ANCHORED | LF | 73,241.000 |

Call Order: 002 Proposal: E8W46

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|-------------|
| | 0102- 71- 23 | TEMPORARY BARRIER, RELOCATE, LOW PROFILE CONCRETE | LF | 1,378.000 |
| | 0102- 71- 25 | TEMPORARY BARRIER, RELOCATE, ANCHORED | LF | 33,637.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 466,623.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 10,284.000 |
| | 0102- 89- 1 | TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION | LO | 105.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 12,098.000 |
| | 0102-104- | TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION | ED | 1,353.000 |
| | 0102-107- 1 | TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION | ED | 1,353.000 |
| | 0102-115- | TYPE III BARRICADE | ED | 10,662.000 |
| | 0102-150- 1 | PORTABLE REGULATORY, SIGN | ED | 6,828.000 |
| | 0102-150- 2 | RADAR SPEED DISPLAY UNIT | ED | 2,276.000 |
| | 0102-913- 12 | REMOVABLE TAPE, BLACK, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP | GM | 0.245 |
| | 0102-913- 21 | REMOVABLE TAPE, WHITE, SOLID 6" | GM | 0.123 |
| | 0102-913- 22 | REMOVABLE TAPE, WHITE, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP, 6" WIDE | GM | 0.245 |
| | 0102-913- 31 | REMOVABLE TAPE, YELLOW, SOLID, 6" | GM | 0.123 |
| | 0104- 10- 3 | SEDIMENT BARRIER | LF | 34,484.000 |
| | 0104- 11- | FLOATING TURBIDITY BARRIER | LF | 238.000 |
| | 0104- 18- | INLET PROTECTION SYSTEM | EA | 159.000 |
| | 0107- 1- | LITTER REMOVAL | AC | 5,881.000 |
| | 0107- 2- | MOWING | AC | 4,846.000 |
| | 0108- 1- | MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (43715565201) | LS | 1.000 |
| | 0110- 1- 1 | CLEARING & GRUBBING (43715565201) | LS | 1.000 |
| | 0110- 4- 10 | REMOVAL OF EXISTING CONCRETE | SY | 33,485.000 |
| | 0110- 23- | TREE REMOVAL | EA | 603.000 |
| | 0120- 1- | REGULAR EXCAVATION | CY | 186,533.000 |
| | 0120- 4- | SUBSOIL EXCAVATION | CY | 86,932.000 |
| | 0120- 6- | EMBANKMENT | CY | 204,786.000 |
| | 0160- 4- | TYPE B STABILIZATION | SY | 293,603.000 |
| | 0285-701- | OPTIONAL BASE, BASE GROUP 01 | SY | 5,110.000 |
| | 0285-702- | OPTIONAL BASE, BASE GROUP 02 | SY | 102,414.000 |
| | 0285-709- | OPTIONAL BASE, BASE GROUP 09 | SY | 3,718.000 |
| | 0285-710- | OPTIONAL BASE, BASE GROUP 10 | SY | 134.000 |
| | 0285-711- | OPTIONAL BASE, BASE GROUP 11 | SY | 178,878.000 |
| | 0285-714- | OPTIONAL BASE, BASE GROUP 14 | SY | 761.000 |
| | 0327- 70- 6 | MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH | SY | 3,883.000 |
| | 0327- 70- 11 | MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH | SY | 100,985.000 |
| | 0334- 1- 12 | SUPERPAVE ASPHALTIC CONC, TRAFFIC B | TN | 11,903.000 |
| | 0334- 1- 13 | SUPERPAVE ASPHALTIC CONC, TRAFFIC C | TN | 219.000 |
| | 0334- 1- 15 | SUPERPAVE ASPHALTIC CONC, TRAFFIC E | TN | 13,041.000 |
| | 0334- 1- 53 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 | TN | 1,234.000 |
| | 0334- 1- 55 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22 | TN | 51,100.000 |
| | 0337- 7- 25 | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 | TN | 11,515.000 |
| | 0337- 7- 88 | ASPHALT CONCRETE FRICTION COURSE,TRAFFIC E, FC-12.5, PG 76-22 | TN | 333.000 |

Call Order: 002 Proposal: E8W46

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|-------------|
| | 0339- 1- | MISCELLANEOUS ASPHALT PAVEMENT | TN | 729.000 |
| | 0400- 0- 11 | CONCRETE CLASS NS, GRAVITY WALL INDEX 400-011 | CY | 2,202.200 |
| | 0400- 4- 11 | CONC CLASS IV, RETAINING WALLS | CY | 3,966.200 |
| | 0415- 1- 3 | REINFORCING STEEL- RETAINING WALL | LB | 516,018.000 |
| | 0425- 1-451 | INLETS, CURB, TYPE J-5, <10' | EA | 1.000 |
| | 0425- 1-541 | INLETS, DT BOT, TYPE D, <10' | EA | 1.000 |
| | 0425- 1-545 | INLETS, DITCH BOTTOM, TYPE D, PARTIAL | EA | 1.000 |
| | 0425- 1-559 | INLETS, DT BOT, TYPE E, MODIFY | EA | 9.000 |
| | 0425- 1-579 | INLETS, DITCH BOTTOM, TYPE G, MODIFY | EA | 1.000 |
| | 0425- 1-589 | INLETS, DT BOT, TYPE H, MODIFY | EA | 3.000 |
| | 0425- 1-701 | INLETS, GUTTER, TYPE S, <10' | EA | 8.000 |
| | 0425- 1-702 | INLETS, GUTTER, TYPE S, >10' | EA | 1.000 |
| | 0425- 1-790 | INLETS, MEDIAN BARRIER, TYPE 2, < =10' | EA | 48.000 |
| | 0425- 1-792 | INLETS, MEDIAN BARRIER, TYPE 2, >10' | EA | 2.000 |
| | 0425- 1-793 | INLETS, MEDIAN BARRIER, TYPE 2, J BOT, <10' | EA | 1.000 |
| | 0425- 1-795 | INLETS, MEDIAN BARRIER, TYPE 2, PARTIAL | EA | 1.000 |
| | 0425- 1-921 | INLETS, ADJACENT BARRIER, <=10' | EA | 23.000 |
| | 0425- 1-922 | INLETS, ADJACENT BARRIER, >10' | EA | 2.000 |
| | 0425- 1-923 | INLETS, ADJACENT BARRIER, J BOTTOM, < 10' | EA | 1.000 |
| | 0425- 2- 63 | MANHOLES, P-8, PARTIAL | EA | 3.000 |
| | 0425- 2- 91 | MANHOLES, J-8, <10' | EA | 3.000 |
| | 0430-173-118 | PIPE CULVERT OPTIONAL MATERIAL, ROUND, 18", GUTTER DRAIN | LF | 51.000 |
| | 0430-175-118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD | LF | 9,258.000 |
| | 0430-175-124 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD | LF | 992.000 |
| | 0430-175-130 | PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD | LF | 7.000 |
| | 0430-175-136 | PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD | LF | 223.000 |
| | 0430-175-148 | PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD | LF | 14.000 |
| | 0430-185-118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 18" , STORM AND CROSS DRAIN | LF | 453.000 |
| | 0430-200- 25 | FLARED END SECTION, CONCRETE, 18" | EA | 29.000 |
| | 0430-200- 29 | FLARED END SECTION, CONCRETE, 24" | EA | 1.000 |
| | 0430-518-100 | STRAIGHT CONCRETE ENDWALLS, 18", SINGLE, 0 DEGREES, ROUND | EA | 4.000 |
| | 0430-524-100 | STRAIGHT CONCRETE ENDWALLS, 24", SINGLE, 0 DEGREES, ROUND | EA | 1.000 |
| | 0430-610-125 | U-ENDWALL, INDEX261/430-011, 1:4 SLOPE, 18"PIPE | EA | 3.000 |
| | 0430-610-325 | U-ENDWALL, INDEX 261/430-011, 1:2 SLOPE, 18"PIPE | EA | 3.000 |
| | 0430-830- | PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE | CY | 4.000 |
| | 0451- 70- | PREST SOIL ANCHORS | EA | 760.000 |
| | 0451- 70- 1 | PRESTRESSED SOIL ANCHOR, PERFORMANCE TEST | EA | 80.000 |
| | 0451- 70- 2 | PRESTRESSED SOIL ANCHOR, CREEP TEST | EA | 42.000 |
| | 0455-133- 3 | SHEET PILING STEEL, F&I PERMANENT | SF | 143,415.000 |
| | 0520- 3- | VALLEY GUTTER- CONCRETE | LF | 388.000 |
| | 0520- 6- | SHOULDER GUTTER- CONCRETE | LF | 1,858.000 |
| | 0521- 1- 12 | MEDIAN CONCRETE BARRIER, SHORT GRADE-SEPARATED | LF | 10,862.000 |
| | 0521- 1- 13 | MEDIAN CONCRETE BARRIER, TALL GRADE-SEPARATED | LF | 3,547.000 |

Call Order: 002 Proposal: E8W46

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|-------------|
| | 0521- 1- 14 | MEDIAN CONCRETE BARRIER, VARIABLE SECTION WIDTH FOR SIGN OR PIER SHIELDING | LF | 675.000 |
| | 0521- 8- 7 | CONCRETE BARRIER, WITH JUNCTION SLAB, 36" SINGLE SLOPE | LF | 7,800.000 |
| | 0521- 72- 27 | SHOULDER CONCRETE BARRIER WALL, 14' NOISE WALL | LF | 1,202.000 |
| | 0521- 72- 40 | SHOULDER CONCRETE BARRIER, 38" OR 44" HEIGHT | LF | 3,756.000 |
| | 0521- 72- 41 | SHOULDER CONCRETE BARRIER, RETAINING SECTION | LF | 3,386.000 |
| | 0521- 72- 43 | SHOULDER CONCRETE BARRIER, CURB AND GUTTER BARRIER | LF | 465.000 |
| | 0522- 1- | CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK | SY | 1,121.000 |
| | 0522- 2- | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK | SY | 38.000 |
| | 0524- 1- 2 | CONCRETE DITCH PAVEMENT, NON REINFORCED, 4" | SY | 368.000 |
| | 0524- 2- 2 | CONCRETE SLOPE PAVEMENT, NON REINFORCED, 4" | SY | 336.000 |
| | 0524- 3- | CONC CORE DITCH BLOCKS | CY | 15.000 |
| | 0530- 1-100 | RIPRAP, SAND-CEMENT BAGS | CY | 3.000 |
| | 0530- 3- 4 | RIPRAP, RUBBLE, F&I, DITCH LINING | TN | 91.000 |
| | 0530- 74- | BEDDING STONE | TN | 24.000 |
| | 0534- 72-101 | SOUND/NOISE BARRIER-INC FOUNDATION, PERMANENT | SF | 277,380.000 |
| | 0536- 1- 1 | GUARDRAIL -ROADWAY, GENERAL TL-3 | LF | 18,228.000 |
| | 0536- 7- 2 | SPECIAL GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE STRUCTURE MOUNT | EA | 6.000 |
| | 0536- 8-112 | GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, APPROACH TL-3 | EA | 7.000 |
| | 0536- 8-113 | GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, TRAILING | EA | 3.000 |
| | 0536- 73- | GUARDRAIL REMOVAL | LF | 42,948.000 |
| | 0536- 85- 20 | GUARDRAIL END TREATMENT- TRAILING ANCHORAGE | EA | 13.000 |
| | 0536- 85- 24 | GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL | EA | 9.000 |
| | 0536- 85- 26 | GUARDRAIL END TREATMENT- TYPE CRT | EA | 5.000 |
| | 0544- 2- 2 | CRASH CUSHION, TL-2, WIDE | EA | 1.000 |
| | 0546- 72- 1 | GROUND-IN RUMBLE STRIPS, 16" | GM | 12.513 |
| | 0550- 10-220 | FENCING, TYPE B, 5.1-6.0', STANDARD | LF | 19,613.000 |
| | 0550- 60-223 | FENCE GATE, TYPE B, DOUBLE, 12.1-18.0' OPENING | EA | 1.000 |
| | 0550- 60-225 | FENCE GATE, TYPE B, DOUBLE, 20.1-24' OPENING | EA | 4.000 |
| | 0550- 60-513 | FENCE GATE, TUBULAR METAL PIPE, SINGLE, 12.1-18.0' OPENING | EA | 1.000 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 222,781.000 |
| | 0590- 70- 5 | IRRIGATION SYSTEM- MODIFY EXISTING SYSTEM (43715565201) | LS | 1.000 |
| | 0630- 2- 16 | CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS | LF | 13,382.000 |
| | 0635- 3- 13 | JUNCTION BOX, FURNISH & INSTALL, EMBEDDED | EA | 85.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 31,526.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 23.311 |
| | 0710- 11-102 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8" | GM | 1.244 |
| | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE | GM | 28.493 |
| | 0710- 11-141 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6" | GM | 0.131 |
| | 0710- 11-160 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 16.000 |

Call Order: 002 Proposal: E8W46

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|---|------|----------|
| | 0710- 11-170 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS | EA | 16.000 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 21.315 |
| | 0710- 11-241 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6" | GM | 0.065 |
| | 0999- 16- | PARTNERING, DO NOT BID (43715565201) | LS | 1.000 |
| | 0999- 20- 1 | DISPUTES REVIEW BOARD, MEETING- DO NOT BID | DA | 26.000 |
| | 0999- 20- 2 | DISPUTES REVIEW BOARD, HEARING- DO NOT BID | EA | 2.000 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (43715565201) | LS | 1.000 |
| Section 0003 Signing | | | | |
| | 0700- 1-111 | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF | EA | 18.000 |
| | 0700- 1-112 | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF | EA | 9.000 |
| | 0700- 1-211 | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER TOP-MOUNT, LESS THAN 12 SF | EA | 2.000 |
| | 0700- 1-212 | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER TOP-MOUNT, 12.0-20.0 SF | EA | 4.000 |
| | 0700- 1-311 | SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER SIDE-MOUNT, LESS THAN 12 SF | EA | 2.000 |
| | 0700- 1-600 | SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE | EA | 40.000 |
| | 0700- 2-114 | MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 30.1-50.0 SF | EA | 9.000 |
| | 0700- 2-115 | MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 50.1-100.0 SF | EA | 4.000 |
| | 0700- 2-116 | MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 100.1-200.0 SF | EA | 9.000 |
| | 0700- 2-500 | MULTI-COLUMN GROUND SIGN ASSEMBLY, RELOCATE | EA | 3.000 |
| | 0700- 2-600 | MULTI-COLUMN GROUND SIGN ASSEMBLY, REMOVE | EA | 23.000 |
| | 0700- 3-203 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF | EA | 9.000 |
| | 0700- 3-207 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF | EA | 8.000 |
| | 0700- 3-208 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 301-400 SF | EA | 1.000 |
| | 0700- 3-403 | SIGN PANEL, INSTALL, 21-30 SF | EA | 1.000 |
| | 0700- 3-407 | SIGN PANEL, INSTALL, 201-300 SF | EA | 1.000 |
| | 0700- 3-603 | SIGN PANEL, REMOVE, 21-30 SF | EA | 3.000 |
| | 0700- 3-606 | SIGN PANEL, REMOVE, 101-200 SF | EA | 1.000 |
| | 0700- 3-607 | SIGN PANEL, REMOVE, 201-300 SF | EA | 2.000 |
| | 0700- 4-113 | OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 31-40 FT | EA | 5.000 |
| | 0700- 4-126 | OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, SPAN, 101-150 FT | EA | 4.000 |
| | 0700- 4-612 | OVERHEAD STATIC SIGN STRUCTURE, DEEP FOUNDATION REMOVAL, CANTILEVER | EA | 2.000 |
| | 0700- 9-137 | WALK-IN DYNAMIC MESSAGE SIGN, FURNISH & INSTALL- WITH UPS FULL COLOR, 201-300 SF | EA | 1.000 |
| | 0700- 9-600 | WALK-IN DYNAMIC MESSAGE SIGN, REMOVE | EA | 1.000 |
| | 0700- 10-116 | DMS SUPPORT STRUCTURE, FURNISH & INSTALL, SPAN, 101-150 FT | EA | 1.000 |
| | 0700- 10-600 | DMS SUPPORT STRUCTURE, REMOVE | EA | 1.000 |
| | 0700- 13- 15 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 5' | EA | 6.000 |

Call Order: 002 Proposal: E8W46

| ALT | Item | Description | Unit | Quantity |
|------------------------------|--------------|---|------|------------|
| | 0700-141-140 | ENHANCED HIGHWAY SIGN ASSEMBLY, AC POWERED, F&I GROUND MOUNT, HIGHLIGHTED SIGN <12 SF | EA | 4.000 |
| | 0700-142-902 | ENHANCED HIGHWAY SIGN ASSEMBLY, SOLAR POWERED, REMOVE - GROUND MOUNT | EA | 2.000 |
| | 0705- 10- 1 | OBJECT MARKER, TYPE 1 | EA | 1.000 |
| | 0706- 1- 3 | RAISED PAVEMENT MARKER, TYPE B | EA | 5,029.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43715565201) | LS | 1.000 |
| | 0711- 11-103 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS | GM | 0.073 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 1,788.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 25.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 0.045 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 6.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 6.000 |
| | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 0.010 |
| | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE | EA | 3.000 |
| | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6" | GM | 8.063 |
| | 0711- 15-102 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8" | GM | 1.127 |
| | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 30.422 |
| | 0711- 15-133 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP | GM | 1.251 |
| | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 7.810 |
| | 0713-103-101 | PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES | GM | 0.077 |
| | 0713-103-181 | PERMANENT TAPE, WHITE, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES | GM | 0.304 |
| | 0713-103-201 | PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES | GM | 0.077 |
| | 0713-103-381 | PERMANENT TAPE, BLACK, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES | GM | 0.304 |
| | 0713-107- | PREFORMED/PERMANENT TAPE, REMOVE | SF | 670.000 |
| Section 0004 Lighting | | | | |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 47,881.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 3,065.000 |
| | 0630- 2- 14 | CONDUIT, FURNISH & INSTALL, ABOVEGROUND | LF | 270.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 236.000 |
| | 0635- 3- 12 | JUNCTION BOX, FURNISH & INSTALL, MOUNTED | EA | 4.000 |
| | 0639- 1-122 | ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR | AS | 1.000 |
| | 0639- 1-610 | ELECTRICAL POWER SERVICE, REMOVE OVERHEAD | AS | 1.000 |
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 30.000 |
| | 0639- 2- 6 | ELECTRICAL SERVICE WIRE, REMOVE | LF | 16.000 |
| | 0639- 3- 11 | ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT | EA | 1.000 |

Call Order: 002 Proposal: E8W46

| ALT | Item | Description | Unit | Quantity |
|---|--------------|---|------|-------------|
| | 0639- 3- 12 | ELECTRICAL SERVICE DISCONNECT, F&I, CABINET | EA | 2.000 |
| | 0641- 2- 12 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE | EA | 1.000 |
| | 0715- 1- 11 | LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR < | LF | 1,044.000 |
| | 0715- 1- 12 | LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 | LF | 44,402.000 |
| | 0715- 1- 13 | LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2 | LF | 181,661.000 |
| | 0715- 1- 14 | LIGHTING CONDUCTORS, F&I, INSULATED, NO 1 TO NO 0 | LF | 110,505.000 |
| | 0715- 1- 60 | LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS | LF | 45,500.000 |
| | 0715- 7- 11 | LOAD CENTER, F&I, SECONDARY VOLTAGE | EA | 1.000 |
| | 0715- 7- 21 | LOAD CENTER, REWORK, SECONDARY VOLTAGE | EA | 2.000 |
| | 0715- 7- 41 | LOAD CENTER, REMOVE, SECONDARY VOLTAGE | EA | 1.000 |
| | 0715- 11-125 | LUMINAIRE, F&I, UNDER DECK, WALL MOUNT | EA | 10.000 |
| | 0715- 11-500 | LUMINAIRE, REMOVE | EA | 8.000 |
| | 0715- 61-300 | LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT, 0' ARM LENGTH | EA | 1.000 |
| | 0715- 61-500 | LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 50' MOUNTING HEIGHT, 0' ARM LENGTH | EA | 186.000 |
| | 0715- 68-000 | LIGHT POLE COMPLETE, RELOCATE | EA | 8.000 |
| | 0715- 69-000 | LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION | EA | 220.000 |
| | 0715-500- 1 | POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL | EA | 187.000 |
| | 0715-500- 3 | POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT | EA | 10.000 |
| Section 0005 Intelligent Transportation System | | | | |
| | 0102-112- | EXISTING ITS MAINTENANCE | DA | 1,534.000 |
| | 0611- 1- 1 | ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH | MI | 3.880 |
| | 0611- 2- 2 | ITSFM LOCATION DOCUMENTATION- ITS SITE | EA | 10.000 |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 3,275.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 38,416.000 |
| | 0630- 2- 14 | CONDUIT, FURNISH & INSTALL, ABOVEGROUND | LF | 202.000 |
| | 0633- 1-121 | FIBER OPTIC CABLE, F&I, UNDERGROUND,2-12 FIBERS | LF | 725.000 |
| | 0633- 1-122 | FIBER OPTIC CABLE, F&I, UNDERGROUND,13-48 FIBERS | LF | 3,496.000 |
| | 0633- 1-124 | FIBER OPTIC CABLE, F&I, UNDERGROUND, 97 - 144 FIBERS | LF | 42,472.000 |
| | 0633- 1-620 | FIBER OPTIC CABLE, REMOVE, UNDERGROUND | LF | 42,689.000 |
| | 0633- 2- 31 | FIBER OPTIC CONNECTION, INSTALL, SPLICE | EA | 660.000 |
| | 0633- 2- 32 | FIBER OPTIC CONNECTION, INSTALL, TERMINATION | EA | 288.000 |
| | 0633- 3- 11 | FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE | EA | 12.000 |
| | 0633- 3- 12 | FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY | EA | 79.000 |
| | 0633- 3- 16 | FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED | EA | 10.000 |
| | 0633- 3- 51 | FIBER OPTIC CONNECTION HARDWARE, ADJUST/MODIFY SPLICE ENCLOSURE | EA | 2.000 |
| | 0633- 6- | FIBER OPTIC CABLE LOCATOR | DA | 1,534.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 70.000 |
| | 0635- 2- 12 | PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE | EA | 22.000 |
| | 0635- 4- 11 | FIBER OPTIC SPLICE VAULT, FURNISH & INSTALL, 54"W X 54"L X 48"D | EA | 16.000 |

Call Order: 002 Proposal: E8W46

| ALT | Item | Description | Unit | Quantity |
|-----|-------------|--|------|------------|
| | 0639- 1-112 | ELECTRICAL POWER SERVICE, F&I, OVERHEAD METER PURCHASED BY CONTRACTOR FROM POWER COMPANY | AS | 1.000 |
| | 0639- 1-620 | ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND | AS | 1.000 |
| | 0639- 2- 1 | ELECTRICAL SERVICE WIRE, FURNISH & INSTALL | LF | 24,206.000 |
| | 0639- 2- 6 | ELECTRICAL SERVICE WIRE, REMOVE | LF | 25,413.000 |
| | 0639- 3- 11 | ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT | EA | 10.000 |
| | 0639- 6-121 | ELECTRICAL POWER SERVICE- TRANSFORMER, F&I, 5-10 KVA, SINGLE PHASE, COPPER WINDINGS | EA | 6.000 |
| | 0639- 6-131 | ELECTRICAL POWER SERVICE- TRANSFORMER, F&I, 11-15 KVA, SINGLE PHASE, COPPER WINDINGS | EA | 2.000 |
| | 0641- 2- 12 | PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE | EA | 3.000 |
| | 0641- 2- 80 | PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- POLE 30' AND GREATER | EA | 15.000 |
| | 0641- 3-169 | CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 69' | EA | 4.000 |
| | 0641- 3-175 | CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 75' | EA | 1.000 |
| | 0641- 3-186 | CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 86' | EA | 1.000 |
| | 0660- 6-121 | VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, CABINET EQUIPMENT | EA | 2.000 |
| | 0660- 6-122 | VEHICLE DETECTION SYSTEM- AVI, BLUETOOTH, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT | EA | 2.000 |
| | 0660- 7- 22 | VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 3 OR MORE LANES, AC POWERED | EA | 1.000 |
| | 0660- 8- 11 | TRAFFIC DATA DETECTION SYSTEM- MICROWAVE, FURNISH AND INSTALL, CABINET EQUIPMENT | EA | 8.000 |
| | 0660- 8- 12 | TRAFFIC DATA DETECTION SYSTEM- MICROWAVE, FURNISH AND INSTALL, ABOVE GROUND EQUIPMENT | EA | 8.000 |
| | 0660- 8- 52 | TRAFFIC DATA DETECTION SYSTEM- MICROWAVE, ADJUST/MODIFY, ABOVE GROUND EQUIPMENT | EA | 7.000 |
| | 0676- 2-122 | ITS CABINET, FURNISH & INSTALL, POLE MOUNT WITH SUNSHIELD, 336S, 24" W X 46" H X 22" D | EA | 5.000 |
| | 0676- 2-143 | ITS CABINET, FURNISH & INSTALL, BASE MOUNT, 334, 24" W X 66" H X 30" D | EA | 1.000 |
| | 0676- 2-147 | ITS CABINET, FURNISH & INSTALL, BASE MOUNT WITH SUNSHIELD, 332D 66" H x 48" W x 30" D | EA | 1.000 |
| | 0682- 1-173 | ITS CCTV CAMERA, NON-PRESSURIZED, IP, HIGH DEFINITION | EA | 6.000 |
| | 0684- 1- 1 | MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL | EA | 7.000 |
| | 0684- 2- 1 | DEVICE SERVER, FURNISH & INSTALL | EA | 8.000 |
| | 0685- 1- 12 | UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, ONLINE/DOUBLE CONVERSION | EA | 7.000 |
| | 0685- 2- 1 | REMOTE POWER MANAGEMENT UNIT- RPMU, FURNISH AND INSTALL | EA | 7.000 |