

**BID SOLICITATION NOTICE – Turnpike
FLORIDA DEPARTMENT OF TRANSPORTATION
CONSTRUCTION AND MAINTENANCE PROGRAMS**
Florida Turnpike Headquarters
FL Turnpike MP 263, Building 5315
Ocoee, FL 34761

Ocoee, FL
October 18, 2019
Advertisement No. 2

All bids must be completed using **Project Bids** software available on the Bid Express website at <https://bidx.com/fl/main>.

Unless otherwise stipulated in the proposal description, bids for all projects listed in this Bid Solicitation Notice must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <http://www.fdot.gov/contracts/> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID, please contact Bid Express at <http://www.bidx.com>. Allow up to 6 days to complete the Digital ID registration.

Bids for the projects in this Bid Solicitation Notice will be accepted by Bid Express until 02:30 PM Local Time on **Tuesday, November 19, 2019**.

Bid totals for each bid submitted will be read aloud for those present and will be available at 02:30 PM **November 19, 2019** in the Turnpike Headquarters, Building 5315, Ocoee, Florida.. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: contracts.admin@dot.state.fl.us or call telephone number (407)264-3885. Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: <https://fdotwp1.dot.state.fl.us/wTBidLetting/LettingMain>, select district then click on appropriate date.

DEADLINE FOR PROPOSALS AND PROPOSAL HOLDERS LIST

The deadline for obtaining bid packages shall be 24 hours prior to the scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: www.fdot.gov/contracts/tp, click “[Letting and Project Information](#)” and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

-----NOTE-----

Proposals will not be issued after 02:30 PM Local Time on Monday, November 18, 2019 .

Document Ordering Information

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/>. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

To Place An Order

- A current State of Florida Vendor Number is required prior to first-time registration; please visit http://dms.myflorida.com/egovernment_tools/myflorida_marketplace for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering/>. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

PREQUALIFICATION

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department’s budget. Maintenance contracts do not require a contractor to have a certificate of

qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

PREQUALIFIED CONTRACTORS CURRENT CAPACITY

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) http://www.fdot.gov/contracts/PreQual_Info/prequalified.shtm to the Department every 30 calendar days.

CONFLICT OF INTEREST

A contractor who performs a constructability review on a design contract or who participates in a value engineering study workshop or cost risk analysis workshop, is prohibited from bidding on the construction of that contract.

SCRUTINIZED COMPANIES

A company that is on the Scrutinized Companies with Activities in Sudan List, is on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or is engaged in business operations in Syria, may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

A company that is on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services.

BID REJECTION

Bidders are hereby notified that all bids on any of the following projects are likely to be rejected if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent (10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

PROTEST RIGHTS

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours after posting of the Bid Solicitation Notice, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for the filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 120.57, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely affected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contract award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond, and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street,

Tallahassee, Florida 32399-0458, FAX (850) 414-5264. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond, and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

Interested parties can visit our Internet web site at <http://www.fdot.gov/contracts/>. Information regarding projects posted with the Clerk of Agency Proceedings, Proposal holders, Plan and Special Provisions holders, preliminary letting results, and other noteworthy information is provided on this website. Please note that, for compliance with Florida Statute 337.168(2), the Proposal holder and the Plan and Special Provision holder listings are not published beginning three working days prior to the letting until after the letting.

In the event multiple responsive bidders submit identical proposals (bids), the Department will determine the order in which proposals are to be considered for Contract award in accordance with Florida Laws, and any applicable Rules.

INSURANCE

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

ADDENDA

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the Districts Contracts Administration website at: www.fdot.gov/contracts/tp, click "[Letting and Project Information](#)" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. **All addenda shall be acknowledged when submitting bids.**

BID QUESTIONS

All work is to be done in accordance with the Plans, Specifications, and Special Provisions of State of Florida Department of Transportation. Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: <https://fdotwp1.dot.state.fl.us/BidQuestionsAndAnswers/Proposal.aspx/SearchProposal>.

PROPOSAL GUARANTY

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required, unless otherwise stipulated in the proposal advertisement. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Proposal Guaranty made payable to the Florida Department of Transportation must be received for each bid in excess of **\$150,000.00**. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Proposal Guaranty shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or SurePath electronic Proposal Guaranty submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit <http://www.surety2000.com> for Surety2000 or <http://www.insurevision.com> for SurePath. Paper Proposal Guaranty will also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice. If an electronic proposal guaranty is not being submitted, the bidder must submit an original proposal guaranty. (A fax or a copy sent as an attachment will not be accepted.)

EXECUTION OF CONTRACT

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the

project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, **a corporation must show proof that it is authorized to do business in the State of Florida.** Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

Important Note: Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

DBE PARTICIPATION

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. DBE Participation and Bidder Opportunity List for Prime Contractors shall be reported in the **Equal Opportunity Compliance (EOC)** system no later than 3 business days of submission of the bid. The EOC system is a web based application for Prime Contractors, statewide, to report their Bidder Opportunity List, DBE Commitments, and DBE/MBE Subpayments. Complete and submit the DBE Participation (i.e. DBE Commitments) and Bid Opportunity List in the EOC.

More information regarding EOC can be referenced at: <https://www.fdot.gov/equalopportunity/eoc.shtm>

DEBARMENT/SUSPENSION

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

MANDATORY PRE-BID CONFERENCE

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS

All bidders must be present and signed in prior to the start of the mandatory pre-bid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

FIRST TIME BIDDERS

Bidders bidding for the first time with the Department can access the New Bidder's Orientation document at: https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/contracts/new-bidders-orientation.pdf?sfvrsn=aef131ae_2

POSTING NOTICE

The bid tabulation and intent to award will be posted on **December 03, 2019** or **December 17, 2019** at www.fdot.gov/contracts/tp, click the "Letting and Project Information" and select letting date from the Listings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link <https://www.fdot.gov/contracts/cpp-online-ordering/bidder-assist.shtm>, Standard Specifications for Road and Bridge Construction and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

MINIMUM WAGE

The minimum wage for all hours worked in Florida is available at <http://www.floridajobs.org>.

EMAIL SUBSCRIPTION LIST

To get on the e-mail subscription list, go to <http://fdotwp1.dot.state.fl.us/reportsubscriptions/> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <http://www.fdot.gov/contracts/distco.shtm>.

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 A.M. to 5:00 P.M. Local Time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

By submitting a bid, the contractor/consultant/vendor agrees to comply with section 20.055(5).Florida Statute, and to incorporate in all subcontracts the obligation to comply with section 20.055(5) Florida Statute.

**Florida Department of Transportation
Notice to Contractors Index**

Published: October 18, 2019

Letting ID: 08191119

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the November 19, 2019 letting.

| Page Number | Proposal Id | Proposal Notes | Fin Proj Numbers | County |
|-------------|-------------|----------------|--|---|
| 7 | E8Q95 | | 43652015201(*) 43652035201 | POLK |
| 13 | E8R50 | | 41548835201(*) | MIAMI-DADE |
| 15 | E8S01 | | 43651615201(*) 43651635201 | OSCEOLA |
| 18 | E8S10 | | 19077445202(*) | LAKE, ORANGE, OSCEOLA, SEMINOLE, SUMTER, TURNPIKE |
| 21 | E8S15-R0 | | 43791217202(*) | BROWARD, MIAMI- DADE, PALM BEACH, TURNPIKE |
| 24 | E8S16-R0 | | 44592817201(*) | BROWARD, MIAMI- DADE, PALM BEACH, TURNPIKE |
| 26 | E8S17 | | 44544015201(*) | LAKE |
| 29 | E8S24-R0 | | 19263917B08(*) 41681117B05 43916817B04 | LAKE, ORANGE, TURNPIKE |

Proposal Note Codes:

Note: () indicates lead project*

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting: 08191119 Call Order: 001 Proposal: E8Q95 District:08

Counties: POLK

Road Name: RESURFACE & ROADSIDE IMPROVEMENTS POLK PKWY, MP 0-8

Limits: 16470000

Project(s): 43652015201(*) Federal Aid No: N/A

Project(s): 43652035201 Federal Aid No: N/A

| | | | |
|------------------------|--------------|----------------------------|----------|
| Total Roadway Length: | 32.000 Miles | Contract Days: | 421 |
| Total Bridge Length: | 0.302 Miles | Letting Date: | 11/19/19 |
| Total Proposal Length: | 32.302 Miles | Contract Execution Days: | 10 |
| | | Special Start Date: | N/A |
| | | Aquis/Flexible Start Time: | 30 |

Proposal Budget Estimate: \$16,655,393.00

Please read the full advertisement

Description:

Work consists of providing all labor, materials, equipment and incidentals necessary for the milling and resurfacing with overbuild, superelevation correction, base work, guardrail, guardrail reset, drainage improvements, signing and pavement markings, signalization, lighting and other incidental construction along the Polk Parkway (SR 570) from MP 0.000 to MP 8.000 in Polk County.

This project is a 3D Model Delivery and Automated Machine Guidance (AMG) pilot project. The 3D model is signed and sealed and delivered in conjunction with a reduced set of signed and sealed 2D plans. The contractor will be required to build using the 3D model and the LandXML files use to support the project's AMG requirements.

Note the required Modified Special Provision for CSXT Protective Public Liability and Property Damage Liability Certificate of Insurance.

No Pre-Bid Conference. Contractor must be prequalified in Hot Plant-Mixed Bituminous Courses.

The summary of pay items for this project can be retrieved with the Contract Documents from the CPP Online Ordering System.

Call Order: 001 Proposal: E8Q95

| ALT | Item | Description | Unit | Quantity |
|--------------------------------|--------------|---|------|-------------|
| Section 0001 Structures | | | | |
| | 0458- 1- 21 | BRIDGE DECK EXPANSION JOINT, REHABILITATION, POURED JOINT WITH BACKER ROD | LF | 440.000 |
| | 0458- 2- | POLYMER NOSING FOR BRIDGE DECK EXPANSION JOINT | CF | 4.100 |
| Section 0002 Roadway | | | | |
| | 0101- 1- | MOBILIZATION (43652015201) | LS | 1.000 |
| | 0101- 1- | MOBILIZATION (43652035201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (43652015201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (43652035201) | LS | 1.000 |
| | 0102- 2- 1 | SPECIAL DETOUR 1 (43652015201) | LS | 1.000 |
| | 0102- 2- 2 | SPECIAL DETOUR 2 (43652015201) | LS | 1.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 141,591.000 |
| | 0102- 71- 16 | TEMPORARY BARRIER, F&I, FREE STANDING | LF | 4,868.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 149,405.000 |
| | 0102- 74- 2 | CHANNELIZING DEVICE, TYPE III, 6' | ED | 1,800.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 1,567.000 |

Call Order: 001 Proposal: E8Q95

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|-------------|
| | 0102- 78- | TEMPORARY RETROREFLECTIVE PAVEMENT MARKER | EA | 18,025.000 |
| | 0102- 89- 1 | TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION | LO | 3.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 5,275.000 |
| | 0102-150- 1 | PORTABLE REGULATORY, SIGN | ED | 1,684.000 |
| | 0102-150- 2 | RADAR SPEED DISPLAY UNIT | ED | 1,684.000 |
| | 0104- 10- 3 | SEDIMENT BARRIER | LF | 18,330.000 |
| | 0104- 15- | SOIL TRACKING PREVENTION DEVICE | EA | 4.000 |
| | 0104- 18- | INLET PROTECTION SYSTEM | EA | 118.000 |
| | 0107- 1- | LITTER REMOVAL | AC | 3,712.880 |
| | 0107- 2- | MOWING | AC | 2,888.820 |
| | 0110- 1- 1 | CLEARING & GRUBBING (43652035201) | LS | 1.000 |
| | 0110- 4- 10 | REMOVAL OF EXISTING CONCRETE | SY | 128.000 |
| | 0120- 1- | REGULAR EXCAVATION | CY | 1,615.100 |
| | 0120- 6- | EMBANKMENT | CY | 239.400 |
| | 0160- 4- | TYPE B STABILIZATION | SY | 4,667.000 |
| | 0285-701- | OPTIONAL BASE, BASE GROUP 01 | SY | 3,953.000 |
| | 0327- 70- 2 | MILLING EXIST ASPH PAVT, 3 1/2" AVG DEPTH | SY | 7,812.000 |
| | 0327- 70- 3 | MILLING EXIST ASPH PAVT, 4 1/2" AVG DEPTH | SY | 4,557.000 |
| | 0327- 70- 4 | MILLING EXIST ASPH PAVT, 3" AVG DEPTH | SY | 35,901.000 |
| | 0327- 70- 5 | MILLING EXIST ASPH PAVT, 2" AVG DEPTH | SY | 6,844.000 |
| | 0327- 70- 6 | MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH | SY | 68,889.000 |
| | 0327- 70- 7 | MILLING EXIST ASPH PAVT, 4" AVG DEPTH | SY | 1,592.000 |
| | 0327- 70- 8 | MILLING EXIST ASPH PAVT, 2 1/2" AVG DEPTH | SY | 46,482.000 |
| | 0327- 70- 9 | MILLING EXIST ASPH PAVT, 5 1/4" AVG DEPTH | SY | 10,535.000 |
| | 0327- 70- 10 | MILLING EXIST ASPH PAVT, 5" AVG DEPTH | SY | 778.000 |
| | 0327- 70- 11 | MILLING EXIST ASPH PAVT, 2 1/4" AVG DEPTH | SY | 145,127.000 |
| | 0327- 70- 13 | MILLING EXIST ASPH PAVT, 1 3/4" AVG DEPTH | SY | 613.000 |
| | 0327- 70- 15 | MILLING EXIST ASPH PAVT, 2 3/4" AVG DEPTH | SY | 1,451.000 |
| | 0327- 70- 17 | MILLING EXIST ASPH PAVT, 3 1/4" AVG DEPTH | SY | 11,202.000 |
| | 0327- 70- 18 | MILLING EXIST ASPH PAVT, 5 1/2" AVG DEPTH | SY | 544.000 |
| | 0327- 70- 19 | MILLING EXIST ASPH PAVT, 3/4" AVG DEPTH | SY | 5,812.000 |
| | 0327- 70- 20 | MILLING EXIST ASPH PAVT, 3 3/4" AVG DEPTH | SY | 50,336.000 |
| | 0327- 70- 21 | MILLING EXIST ASPH PAVT, 7" AVG DEPTH | SY | 3,254.000 |
| | 0327- 70- 22 | MILLING EXISTING ASPHALT PAVEMENT, 4 1/4" AVG DEPTH | SY | 3,237.000 |
| | 0327- 70- 23 | MILLING EXIST ASPH PAVT, 6" AVG DEPTH | SY | 4,151.000 |
| | 0327- 70- 26 | MILLING EXIST ASPH PAVT, 4 3/4" AVG DEPTH | SY | 1,981.000 |
| | 0327- 70- 27 | MILLING EXIST ASPH PAVT, 5 3/4" AVG DEPTH | SY | 3,994.000 |
| | 0327- 70- 28 | MILLING EXIST ASPH PAVT, 6 3/4" AVG DEPTH | SY | 2,405.000 |
| | 0327- 70- 29 | MILLING EXIST ASPH PAVT, 6 1/4" AVG DEPTH | SY | 4,831.000 |
| | 0327- 70- 31 | MILLING EXIST ASPH PAVT, 7 1/2" AVG DEPTH | SY | 937.000 |
| | 0327- 70- 32 | MILLING EXIST ASPH PAVT, 8 1/2" AVG DEPTH | SY | 1,012.000 |
| | 0327- 70- 33 | MILLING EXIST ASPH PAVT, 7 3/4" AVG DEPTH | SY | 816.000 |
| | 0327- 70- 34 | MILLING EXIST ASPH PAVT, 8" AVG DEPTH | SY | 1,932.000 |
| | 0327- 70- 35 | MILLING EXIST ASPH PAVT, 8 1/4" AVG DEPTH | SY | 6,139.000 |
| | 0327- 70- 42 | MILLING EXIST ASPH PAVT, 7 1/4" AVG DEPTH | SY | 3,540.000 |

Call Order: 001 Proposal: E8Q95

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|------------|
| | 0334- 1- 12 | SUPERPAVE ASPHALTIC CONC, TRAFFIC B | TN | 18,678.800 |
| | 0334- 1- 13 | SUPERPAVE ASPHALTIC CONC, TRAFFIC C | TN | 301.500 |
| | 0334- 1- 14 | SUPERPAVE ASPHALTIC CONC, TRAFFIC D | TN | 15,638.000 |
| | 0334- 1- 52 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC B, PG76-22 | TN | 107.600 |
| | 0334- 1- 53 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22 | TN | 891.800 |
| | 0334- 1- 54 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC D, PG76-22 | TN | 21,968.600 |
| | 0337- 7- 25 | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 | TN | 10,771.900 |
| | 0337- 7- 81 | ASPHALT CONCRETE FRICTION COURSE,TRAFFIC B, FC-12.5, PG 76-22 | TN | 779.900 |
| | 0337- 7- 83 | ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76-22 | TN | 1,101.500 |
| | 0337- 7- 85 | ASPHALT CONCRETE FRICTION COURSE,TRAFFIC D, FC-12.5, PG 76-22 | TN | 657.200 |
| | 0339- 1- | MISCELLANEOUS ASPHALT PAVEMENT | TN | 941.700 |
| | 0425- 1-701 | INLETS, GUTTER, TYPE S, <10' | EA | 10.000 |
| | 0425- 11- | MODIFY EXISTING DRAINAGE STRUCTURE | EA | 3.000 |
| | 0430-175-118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD | LF | 1,097.000 |
| | 0520- 6- | SHOULDER GUTTER- CONCRETE | LF | 2,343.000 |
| | 0524- 1- 19 | CONCRETE DITCH PAVT, 3", REINFORCED | SY | 157.000 |
| | 0536- 1- 0 | GUARDRAIL -ROADWAY, GENERAL/LOW SPEED TL-2 | LF | 416.000 |
| | 0536- 1- 1 | GUARDRAIL -ROADWAY, GENERAL TL-3 | LF | 2,570.000 |
| | 0536- 1- 3 | GUARDRAIL- ROADWAY, DOUBLE FACE | LF | 510.000 |
| | 0536- 1- 11 | GUARDRAIL, ROADWAY, MODIFIED THRIE BEAM | LF | 38.000 |
| | 0536- 5- 1 | RUB RAIL FOR GUARDRAIL, SINGLE SIDED RUB RAIL | LF | 510.000 |
| | 0536- 8- 13 | APPROACH TRANSITION CONNECTION TO RIGID BARRIER, FURNISH AND INSTALL, TL-3 | EA | 38.000 |
| | 0536- 73- | GUARDRAIL REMOVAL | LF | 3,232.000 |
| | 0536- 85- 20 | GUARDRAIL END TREATMENT- TRAILING ANCHORAGE | EA | 1.000 |
| | 0536- 85- 24 | GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL | EA | 8.000 |
| | 0538- 1- | GUARDRAIL RESET | LF | 16,661.000 |
| | 0546- 72- 1 | GROUND-IN RUMBLE STRIPS, 16" | GM | 26.856 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 28,713.000 |
| | 0570- 1- 3 | PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010 | SY | 16,882.000 |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 9.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 92.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 2.000 |
| | 0695- 1- 1 | TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL | EA | 4.000 |
| | 0695- 6- 12 | TRAFFIC MONITORING SITE INDUCTIVE LOOP ASSEMBLY, FURNISH & INSTALL, 2 LOOPS | EA | 4.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 53.285 |
| | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE | GM | 53.185 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 53.285 |
| | 0908-333- 6 | HIGH FRICTION SURFACE COURSE, PROJECT 436520-1-52-01 | SY | 7,249.000 |
| | 0999- 16- | PARTNERING, DO NOT BID (43652015201) | LS | 1.000 |

Call Order: 001 Proposal: E8Q95

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|--|------|-----------|
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (43652015201) | LS | 1.000 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (43652035201) | LS | 1.000 |
| Section 0003 Signing | | | | |
| | 0700- 1- 11 | SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF | AS | 62.000 |
| | 0700- 1- 12 | SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 71.000 |
| | 0700- 1- 13 | SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF | AS | 30.000 |
| | 0700- 1- 14 | SINGLE POST SIGN, F&I GROUND MOUNT, 31+ SF | AS | 11.000 |
| | 0700- 1- 60 | SINGLE POST SIGN, REMOVE | AS | 130.000 |
| | 0700- 2- 13 | MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF | AS | 1.000 |
| | 0700- 2- 14 | MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF | AS | 13.000 |
| | 0700- 2- 15 | MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF | AS | 3.000 |
| | 0700- 2- 16 | MULTI- POST SIGN, F&I GROUND MOUNT, 101-200 SF | AS | 9.000 |
| | 0700- 2- 17 | MULTI- POST SIGN, F&I GROUND MOUNT, 201-300 SF | AS | 8.000 |
| | 0700- 2- 60 | MULTI- POST SIGN, REMOVE | AS | 35.000 |
| | 0700- 3-106 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 101-200 SF | EA | 1.000 |
| | 0700- 3-201 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | EA | 2.000 |
| | 0700- 3-203 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF | EA | 20.000 |
| | 0700- 3-205 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 51-100 SF | EA | 1.000 |
| | 0700- 3-206 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF | EA | 22.000 |
| | 0700- 3-207 | SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF | EA | 5.000 |
| | 0700- 3-302 | SIGN PANEL, FURNISH & INSTALL BRIDGE MOUNT INDEX 11870/700-012, 12-20 SF | EA | 1.000 |
| | 0700- 3-601 | SIGN PANEL, REMOVE, UP TO 12 SF | EA | 2.000 |
| | 0700- 3-602 | SIGN PANEL, REMOVE, 12-20 SF | EA | 21.000 |
| | 0700- 3-606 | SIGN PANEL, REMOVE, 101-200 SF | EA | 1.000 |
| | 0700- 3-625 | SIGN PANEL, REMOVE, 51-100 SF WITH LIGHTING | EA | 1.000 |
| | 0700- 3-626 | SIGN PANEL, REMOVE, 101-200 SF WITH LIGHTING | EA | 18.000 |
| | 0700- 3-627 | SIGN PANEL, REMOVE PANEL, 201-300 SF WITH LIGHTING | EA | 9.000 |
| | 0700- 13- 12 | RETROREFLECTIVE SIGN STRIP- FURNISH AND INSTALL, 2' | EA | 18.000 |
| | 0705- 10- 1 | OBJECT MARKER, TYPE 1 | EA | 14.000 |
| | 0705- 11- 1 | DELINEATOR, FLEXIBLE TUBULAR | EA | 484.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43652015201) | LS | 1.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43652035201) | LS | 1.000 |
| | 0711- 11-103 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS | GM | 3.409 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 2,964.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 75.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 0.082 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 46.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 64.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 311.000 |
| | 0711- 11-241 | THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6" | GM | 0.082 |

Call Order: 001 Proposal: E8Q95

| ALT | Item | Description | Unit | Quantity |
|-----------------------------------|--------------|--|------|-----------|
| | 0711- 14-160 | THERMOPLASTIC, PREFORMED, WHITE, MESSAGE | EA | 9.000 |
| | 0711- 14-660 | THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD | EA | 28.000 |
| | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6" | GM | 15.246 |
| | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 14.664 |
| | 0711- 15-133 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 12"- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP | GM | 1.465 |
| | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 15.764 |
| | 0711- 16-101 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6" | GM | 2.233 |
| | 0711- 16-102 | THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8" | GM | 0.037 |
| | 0711- 16-131 | THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 0.040 |
| | 0711- 16-201 | THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6" | GM | 1.551 |
| | 0711- 17- | THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS: NON-CONFLICTING ONLY | SF | 761.000 |
| | 0713-103-101 | PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES | GM | 1.041 |
| | 0713-103-103 | PERMANENT TAPE, WHITE, SOLID LANE DROP MARKING, 12" FOR CONCRETE BRIDGES | GM | 0.143 |
| | 0713-103-131 | PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES | GM | 0.867 |
| | 0713-103-201 | PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES | GM | 1.042 |
| | 0713-103-331 | PERMANENT TAPE, BLACK, SKIP/DOTTED, 6" FOR CONCRETE SURFACES | GM | 0.867 |
| | 0713-107- | PREFORMED/PERMANENT TAPE, REMOVE | SF | 7,035.000 |
| Section 0004 Lighting | | | | |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 590.000 |
| | 0630- 2- 15 | CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT | LF | 1,425.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 10.000 |
| | 0635- 3- 11 | JUNCTION BOX, FURNISH & INSTALL, AERIAL | EA | 17.000 |
| | 0715- 1- 12 | LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6 | LF | 5,556.000 |
| | 0715- 1- 13 | LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2 | LF | 1,557.000 |
| | 0715- 1- 60 | LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS | LF | 3,642.000 |
| | 0715- 4- 13 | LIGHT POLE COMPLETE, FURNISH & INSTALL STANDARD POLE STANDARD FOUNDATION, 40' MOUNTING HEIGHT | EA | 4.000 |
| | 0715- 11-125 | LUMINAIRE, F&I, UNDER DECK, WALL MOUNT | EA | 8.000 |
| | 0715- 11-500 | LUMINAIRE, REMOVE | EA | 12.000 |
| | 0715-500- 1 | POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL | EA | 4.000 |
| Section 0005 Signalization | | | | |
| | 0630- 2- 11 | CONDUIT, FURNISH & INSTALL, OPEN TRENCH | LF | 141.000 |
| | 0630- 2- 12 | CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE | LF | 149.000 |
| | 0632- 7- 2 | SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL | LF | 250.000 |
| | 0635- 2- 11 | PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE | EA | 5.000 |
| | 0649- 21- 10 | STEEL MAST ARM ASSEMBLY, FURNISH AND INSTALL, SINGLE ARM 60' | EA | 1.000 |

Call Order: 001 Proposal: E8Q95

| ALT | Item | Description | Unit | Quantity |
|-----|-------------|---|------|----------|
| | 0649- 26- 7 | STEEL MAST ARM ASSEMBLY, REMOVE, REMOVE ARM AND ATTACHMENTS; POLE REMAINS | EA | 1.000 |
| | 0650- 1- 14 | VEHICULAR TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY | AS | 5.000 |
| | 0660- 2-106 | LOOP ASSEMBLY, F&I, TYPE F | AS | 2.000 |
| | 0660- 4- 42 | VEHICLE DETECTION SYSTEM- VIDEO, RELOCATE ABOVE GROUND EQUIPMENT | EA | 1.000 |
| | 0663- 1-400 | SIGNAL PRIORITY & PREEMPTION SYSTEM, RELOCATE | EA | 1.000 |
| | 0670- 5-400 | TRAFFIC CONTROLLER ASSEMBLY, MODIFY | AS | 1.000 |
| | 0700- 5- 22 | INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL, OVERHEAD MOUNT, 12-18 SF | EA | 1.000 |
| | 0700- 5- 50 | INTERNALLY ILLUMINATED SIGN, RELOCATE | EA | 1.000 |

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

| | | | | |
|------------------------|--|----------------------------|-----------------|-------------|
| Letting: | 08191119 | Call Order: 005 | Proposal: E8R50 | District:08 |
| Counties: | MIAMI-DADE | | | |
| Road Name: | THERMOPLASTIC PAVEMENT MARKINGS - MP 11.7 TO MP 14.2 | | | |
| Limits: | 87471000 | | | |
| Project(s): | 41548835201(*) | Federal Aid No: N/A | | |
| Total Roadway Length: | 1.000 Miles | Contract Days: | 45 | |
| Total Bridge Length: | 0.000 Miles | Letting Date: | 11/19/19 | |
| Total Proposal Length: | 1.000 Miles | Contract Execution Days: | 10 | |
| | | Special Start Date: | N/A | |
| | | Aquis/Flexible Start Time: | 14 | |

Proposal Budget Estimate: \$180,000.00

Please read the full advertisement

Description:

The work specified in this contract consists of providing all labor, materials, equipment and incidentals necessary to provide thermoplastic pavement markings at various locations on the Homestead Extension of Florida's Turnpike (SR 821), Milepost (MP) 11.7 to 14.2.

Prior to beginning work under this Contract, the Contractor shall submit to the Engineer for approval, two copies of the Contractor's proposed plan and methods for performing the work, including a listing of equipment and personnel anticipated for use.

No U-turns shall be permitted as a condition of this Contract, except at Service Plazas.

The Contractor shall perform all work night hours in accordance with the Turnpike Lane Closure Policy.

All lane closures shall be during the hours of 9:00 P.M to 5:00 A.M. and in one direction for one lane only.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS PROJECT.

CONTRACTOR EXPERIENCE DOCUMENTATION: Expertise and Experience is required in the performance of Pavement Markings. The Experience in Pavement Markings form (850-070-06) must be filled out and submitted with the bid to be reviewed by the Department. If a Contractor is presently prequalified with the Department in pavement marking, it is not necessary to submit the form.

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Call Order: 005 Proposal: E8R50

| ALT | Item | Description | Unit | Quantity |
|---|--------------|---|------|-----------|
| Section 0001 MAINTENANCE SUPPORT SERVICES (MH) | | | | |
| | 0102- 14- | TRAFFIC CONTROL OFFICER | HR | 80.000 |
| | 0711- 11-103 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR INTERCHANGE MARKINGS | GM | 1.500 |
| | 0711- 11-123 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT | LF | 3,000.000 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 4,100.000 |
| | 0711- 11-125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK | LF | 800.000 |
| | 0711- 11-141 | THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6" | GM | 0.350 |
| | 0711- 11-160 | THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL | EA | 41.000 |
| | 0711- 11-170 | THERMOPLASTIC, STANDARD, WHITE, ARROW | EA | 149.000 |
| | 0711- 11-180 | THERMOPLASTIC, STANDARD, WHITE, YIELD LINE | LF | 20.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 460.000 |
| | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6" | GM | 5.500 |
| | 0711- 15-102 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8" | GM | 2.200 |
| | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 12.600 |
| | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 4.300 |
| | 0711- 15-202 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8" | GM | 0.080 |
| | 0713-103-101 | PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES | GM | 1.750 |
| | 0713-103-131 | PERMANENT TAPE, WHITE, SKIP/DOTTED, 6" FOR CONCRETE SURFACES | GM | 1.750 |
| | E706- 1- 42 | REFLECTIVE PAVEMENT MARKER(REMOVE AND REPLACE)(CLASS B) | EA | 4,225.000 |

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting: 08191119 Call Order: 002 Proposal: E8S01 District:08

Counties: OSCEOLA

Road Name: RESURFACE & SAFETY IMPROVE MAINLINE OSCEOLA CTY MP 234 - 238

Limits: 92471000

Project(s): 43651615201(*)

Federal Aid No: N/A

Project(s): 43651635201

Federal Aid No: N/A

| | | | |
|------------------------|-------------|----------------------------|----------|
| Total Roadway Length: | 7.620 Miles | Contract Days: | 219 |
| Total Bridge Length: | 0.000 Miles | Letting Date: | 11/19/19 |
| Total Proposal Length: | 7.620 Miles | Contract Execution Days: | 10 |
| | | Special Start Date: | N/A |
| | | Aquis/Flexible Start Time: | 30 |

Proposal Budget Estimate: \$7,165,848.00

Please read the full advertisement

Description:

Work consists of providing all labor, materials, equipment and incidentals necessary for Milling and Resurfacing, Base Work, Shoulder Treatment, Drainage Improvements, Curb and Gutters, Guardrail Installation and Resetting, Highway Signing and other incidental construction on SR 91 (Florida's Turnpike Mainline) in Osceola County from Milepost 234.95 to Milepost 238.76.

No Pre-Bid Conference. Contractor must be prequalified in Hot Plant-Mixed Bituminous Courses.

The summary of pay items for this project is listed in the Plans.

Call Order: 002 Proposal: E8S01

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|--|------|-----------|
| Section 0001 Roadway | | | | |
| | 0101- 1- | MOBILIZATION (43651615201) | LS | 1.000 |
| | 0101- 1- | MOBILIZATION (43651635201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (43651615201) | LS | 1.000 |
| | 0102- 1- | MAINTENANCE OF TRAFFIC (43651635201) | LS | 1.000 |
| | 0102- 2- 1 | SPECIAL DETOUR 1 (43651615201) | LS | 1.000 |
| | 0102- 2- 2 | SPECIAL DETOUR 2 (43651635201) | LS | 1.000 |
| | 0102- 2- 3 | SPECIAL DETOUR 3 (43651635201) | LS | 1.000 |
| | 0102- 2- 4 | SPECIAL DETOUR 4 (43651615201) | LS | 1.000 |
| | 0102- 60- | WORK ZONE SIGN | ED | 7,571.000 |
| | 0102- 71- 15 | TEMPORARY BARRIER, F&I, ANCHORED | LF | 4,394.000 |
| | 0102- 71- 16 | TEMPORARY BARRIER, F&I, FREE STANDING | LF | 2,700.000 |
| | 0102- 71- 25 | TEMPORARY BARRIER, RELOCATE, ANCHORED | LF | 2,400.000 |
| | 0102- 74- 1 | CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | ED | 9,558.000 |
| | 0102- 76- | ARROW BOARD / ADVANCE WARNING ARROW PANEL | ED | 115.000 |
| | 0102- 78- | TEMPORARY RETROREFLECTIVE PAVEMENT MARKER | EA | 3,269.000 |
| | 0102- 89- 1 | TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION | LO | 6.000 |
| | 0102- 99- | PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | ED | 435.000 |
| | 0102-150- 1 | PORTABLE REGULATORY, SIGN | ED | 115.000 |
| | 0102-150- 2 | RADAR SPEED DISPLAY UNIT | ED | 115.000 |
| | 0102-911- 2 | PAVEMENT MARKING REMOVABLE TAPE, WHITE OR BLACK,SOLID | LF | 185.000 |
| | 0102-912- 2 | PAVEMENT MARKING REMOVABLE TAPE, YELLOW, SOLID | LF | 370.000 |

Call Order: 002 Proposal: E8S01

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|------------|
| | 0104- 10- 3 | SEDIMENT BARRIER | LF | 4,619.000 |
| | 0104- 11- | FLOATING TURBIDITY BARRIER | LF | 152.000 |
| | 0104- 12- | STAKED TURBIDITY BARRIER- NYLON REINFORCED PVC | LF | 312.000 |
| | 0104- 18- | INLET PROTECTION SYSTEM | EA | 20.000 |
| | 0107- 1- | LITTER REMOVAL | AC | 170.020 |
| | 0107- 2- | MOWING | AC | 129.240 |
| | 0110- 1- 1 | CLEARING & GRUBBING (43651615201) | LS | 1.000 |
| | 0110- 1- 1 | CLEARING & GRUBBING (43651635201) | LS | 1.000 |
| | 0110- 4- 10 | REMOVAL OF EXISTING CONCRETE | SY | 14.000 |
| | 0120- 1- | REGULAR EXCAVATION | CY | 1,747.700 |
| | 0120- 6- | EMBANKMENT | CY | 2,117.600 |
| | 0160- 4- | TYPE B STABILIZATION | SY | 7,864.000 |
| | 0285-701- | OPTIONAL BASE, BASE GROUP 01 | SY | 3,572.000 |
| | 0285-715- | OPTIONAL BASE, BASE GROUP 15 | SY | 3,200.000 |
| | 0286- 1- | TURNOUT CONSTRUCTION/DRIVEWAY BASE- OPTIONAL MATERIALS | SY | 5,645.000 |
| | 0327- 70- 1 | MILLING EXIST ASPH PAVT, 1" AVG DEPTH | SY | 31,401.000 |
| | 0327- 70- 5 | MILLING EXIST ASPH PAVT, 2" AVG DEPTH | SY | 3,945.000 |
| | 0327- 70- 6 | MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH | SY | 9,701.000 |
| | 0327- 70- 10 | MILLING EXIST ASPH PAVT, 5" AVG DEPTH | SY | 3,200.000 |
| | 0327- 70- 11 | MILLING EXIST ASPH PAVT, 2 1/4" AVG DEPTH | SY | 13,692.000 |
| | 0327- 70- 15 | MILLING EXIST ASPH PAVT, 2 3/4" AVG DEPTH | SY | 23,685.000 |
| | 0327- 70- 19 | MILLING EXIST ASPH PAVT, 3/4" AVG DEPTH | SY | 1,585.000 |
| | 0327- 70- 20 | MILLING EXIST ASPH PAVT, 3 3/4" AVG DEPTH | SY | 14,346.000 |
| | 0327- 70- 26 | MILLING EXIST ASPH PAVT, 4 3/4" AVG DEPTH | SY | 27,143.000 |
| | 0334- 1- 12 | SUPERPAVE ASPHALTIC CONC, TRAFFIC B | TN | 2,311.300 |
| | 0334- 1- 14 | SUPERPAVE ASPHALTIC CONC, TRAFFIC D | TN | 6,473.300 |
| | 0334- 1- 54 | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC D, PG76-22 | TN | 8,248.600 |
| | 0337- 7- 25 | ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22 | TN | 3,519.000 |
| | 0339- 1- | MISCELLANEOUS ASPHALT PAVEMENT | TN | 381.600 |
| | 0425- 1-701 | INLETS, GUTTER, TYPE S, <10' | EA | 8.000 |
| | 0425- 82- | REPLACE GRATE | EA | 1.000 |
| | 0430-173-118 | PIPE CULVERT OPTIONAL MATERIAL, ROUND, 18", GUTTER DRAIN | LF | 142.000 |
| | 0430-175-118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD | LF | 552.000 |
| | 0430-611-225 | U-ENDWALL WITH BAFFLES, INDEX 261/430-011, 1:3 SLOPE, 18"PIPE | EA | 4.000 |
| | 0458- 1- 21 | BRIDGE DECK EXPANSION JOINT, REHABILITATION, POURED JOINT WITH BACKER ROD | LF | 1,171.000 |
| | 0458- 2- | POLYMER NOSING FOR BRIDGE DECK EXPANSION JOINT | CF | 215.400 |
| | 0460- 71- 1 | METAL TRAFFIC RAILING, THRIE BEAM RETROFIT | LF | 366.000 |
| | 0520- 6- | SHOULDER GUTTER- CONCRETE | LF | 1,660.000 |
| | 0524- 1- 2 | CONCRETE DITCH PAVEMENT, NON REINFORCED, 4" | SY | 25.000 |
| | 0524- 1- 49 | CONCRETE DITCH PAVEMENT, 6", REINFORCED | SY | 74.000 |
| | 0536- 1- 0 | GUARDRAIL -ROADWAY, GENERAL/LOW SPEED TL-2 | LF | 200.000 |
| | 0536- 1- 1 | GUARDRAIL -ROADWAY, GENERAL TL-3 | LF | 600.000 |
| | 0536- 1- 3 | GUARDRAIL- ROADWAY, DOUBLE FACE | LF | 831.000 |
| | 0536- 1- 11 | GUARDRAIL, ROADWAY, MODIFIED THRIE BEAM | LF | 56.000 |

Call Order: 002 Proposal: E8S01

| ALT | Item | Description | Unit | Quantity |
|-----------------------------|--------------|---|------|------------|
| | 0536- 5- 1 | RUB RAIL FOR GUARDRAIL, SINGLE SIDED RUB RAIL | LF | 2,881.000 |
| | 0536- 7- 2 | SPECIAL GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE STRUCTURE MOUNT | EA | 16.000 |
| | 0536- 7- 3 | SPECIAL GUARDRAIL POST- ENCASED POST FOR SHALLOW MOUNT | EA | 1.000 |
| | 0536- 73- | GUARDRAIL REMOVAL | LF | 1,097.000 |
| | 0536- 85- 20 | GUARDRAIL END TREATMENT- TRAILING ANCHORAGE | EA | 3.000 |
| | 0536- 85- 24 | GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL | EA | 6.000 |
| | 0536- 85- 27 | GUARDRAIL END TREATMENT- DOUBLE FACE APPROACH TERMINAL | EA | 2.000 |
| | 0538- 1- | GUARDRAIL RESET | LF | 4,013.000 |
| | 0544- 3- 1 | CRASH CUSHION, TL-3, NARROW | EA | 1.000 |
| | 0546- 72- 1 | GROUND-IN RUMBLE STRIPS, 16" | GM | 11.539 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 15,183.000 |
| | 0570- 1- 3 | PERFORMANCE TURF, SOD AND SOIL- SHOULDER TREATMENT INDEX 570-010 | SY | 28,619.000 |
| | 0710- 11-101 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6" | GM | 13.790 |
| | 0710- 11-131 | PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE | GM | 13.828 |
| | 0710- 11-201 | PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6" | GM | 13.790 |
| | 0999- 16- | PARTNERING, DO NOT BID (43651615201) | LS | 1.000 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (43651615201) | LS | 1.000 |
| | 0999- 25- | INITIAL CONTINGENCY AMOUNT, DO NOT BID (43651635201) | LS | 1.000 |
| Section 0002 Signing | | | | |
| | 0700- 1- 12 | SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF | AS | 2.000 |
| | 0700- 1- 50 | SINGLE POST SIGN, RELOCATE | AS | 2.000 |
| | 0700- 1- 60 | SINGLE POST SIGN, REMOVE | AS | 4.000 |
| | 0700- 2- 15 | MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF | AS | 1.000 |
| | 0700- 2- 60 | MULTI- POST SIGN, REMOVE | AS | 1.000 |
| | 0700- 3-102 | SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 12-20 SF | EA | 2.000 |
| | 0700- 3-602 | SIGN PANEL, REMOVE, 12-20 SF | EA | 2.000 |
| | 0705- 10- 2 | OBJECT MARKER, TYPE 2 | EA | 39.000 |
| | 0705- 10- 3 | OBJECT MARKER, TYPE 3 | EA | 18.000 |
| | 0710- 90- | PAINTED PAVEMENT MARKINGS, FINAL SURFACE (43651615201) | LS | 1.000 |
| | 0711- 11-124 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS | LF | 825.000 |
| | 0711- 11-224 | THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON | LF | 368.000 |
| | 0711- 15-101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6" | GM | 5.975 |
| | 0711- 15-131 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP | GM | 6.013 |
| | 0711- 15-201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 6.014 |
| | 0713-103-101 | PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES | GM | 0.086 |
| | 0713-103-201 | PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES | GM | 0.086 |

Florida Department of Transportation Bid Solicitation Notice and Approximate Quantities

This is a Business Development Initiative Contract. The work specified in this contract consists of providing all labor, materials, equipment, and incidentals to perform approximately 30.0 acres of clearing and grubbing and 15.0 acres of selective clearing and grubbing (remove and dispose nuisance species, trim, protect, and leave standing desirable trees, and the disposal of all vegetation and debris resulting from this process) and sodding at various locations on the Florida's Turnpike (SR-91), Mile Post (MP) 200.0 to 309.0, Beachline Expressway (SR-528) MP 0.0 to 8.4, East-West Expressway (SR-408) MP 0 to 0.8, Southern Connector Extension (SR-417) MP 2.0 to 5.0, Seminole Expressway (SR-417) MP 38.0 to 55.0.

Prior to beginning work under this Contract, the Contractor shall submit to the Engineer for approval, two copies of the Contractor's proposed plan and methods for performing the work, including a listing of equipment and personnel anticipated for use.

The Contractor shall perform all work during day hours in accordance with the Turnpike Lane Closure Policy.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item.

For this Contract in which specific sites are not identified at the time of letting, the Engineer will issue a Work Document. Work Documents will identify the location, description, amount of work to be accomplished, and the number of calendar days to complete the work. Some sites are identified at the time of letting (See Attachment).

The pay item for mobilization is described as follows: A Location is defined as item/items of work authorized by a single work order for work to be accomplished within a 5-mile length of highway.

No U-turns shall be permitted as a condition of this Contract, except at Service Plazas.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS PROJECT.

BUSINESS DEVELOPMENT INITIATIVE

Bidders must be a "Small Business" as defined by FDOT. Small business size standards can be found at <http://www.fdot.gov/equalopportunityoffice/bdi.shtm>.

For more information about bidding on BDI projects, please see the training guide located at <http://www.cmdpbgp.com/bdiprojects.html>

Prequalification per Rule 14-22 is not required.

Bidders must complete and submit the Small Business Affidavit (Form No. 275-000-01) for approval prior to receipt of bid documents.

The form may be accessed at: <http://www.fdot.gov/equalopportunityoffice/bdi.shtm>.

It is only necessary to submit the Small Business Affidavit (SBA) form once per year.

Send a completed and notarized affidavit as an attachment to: fdot.bdi@dot.state.fl.us.

All Sublet work must be contracted to a small business or businesses as defined by the Department. The subcontractor must also submit a notarized Small Business Affidavit Form provided by the Department prior to the start of work.

Bidders must submit the BDI Reference Sheet (Form No. 275-000-02) with the bid. Upload the completed BDI Reference Sheet (Form No. 275-000-02) as a zip file using the "File Attachment Upload" folder in the Expedite application.

BDI Reference Sheet may be found at: <http://www.fdot.gov/equalopportunityoffice/bdi.shtm>.

Proposal Guaranty of \$500 is required for bids over \$150,000 and may be in the form of a Cashier's Check, the BDI Bid or Proposal Bond (Form No. 375-020-16), or the standard Bid or Proposal Bond form, Form No. 375-020-09).

The Contractor shall supply to the Department and keep in force at all times during the term of this Contract, a Performance Bond provided by a surety authorized to do business in the State of Florida.

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Call Order: 006 Proposal: E8S10

| ALT | Item | Description | Unit | Quantity |
|---|------------|---|------|-----------|
| Section 0001 MAINTENANCE SUPPORT SERVICES (MH) | | | | |
| | 0110- 2- 2 | SELECTIVE CLEARING AND GRUBBING, AREAS WITH TREES TO REMAIN | AC | 15.000 |
| | E101- 1- 1 | MOBILIZATION | LO | 12.000 |
| | E110- 2- | CLEARING & GRUBBING | AC | 30.000 |
| | E575- 1- | SODDING | SY | 2,000.000 |

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting: 08191119 Call Order: 007 Proposal: E8S15-R0 District:08
 Counties: BROWARD, MIAMI-DADE, PALM BEACH, TURNPIKE
 Road Name: GUARDRAIL MAINTENANCE - ZONE 1
 Limits: Midpoint
 Project(s): 43791217202(*) Federal Aid No: N/A
 Total Roadway Length: 0.000 Miles Contract Days: 365
 Total Bridge Length: 0.000 Miles Letting Date: 11/19/19
 Total Proposal Length: 0.000 Miles Contract Execution Days: 10
 Special Start Date: N/A
 Aquis/Flexible Start Time: 14

Proposal Budget Estimate: \$350,000.00

Please read the full advertisement

Description:

The work specified in this contract consists of providing all labor, materials, equipment and incidentals necessary to perform guardrail maintenance including the removal, repair, and/or replacement of damaged or destroyed sections with all associated components at various locations on Florida's Turnpike (SR 91), Milepost (MP) 0X to 100.0, and Sawgrass Expressway (SR 869), MP 0.0 to 22.5.

Prior to beginning work under this Contract, the Contractor shall submit to the Engineer for approval, two copies of the Contractor's proposed plan and methods for performing the work, including a listing of equipment and personnel anticipated for use.

The Contractor shall perform all work during day hours in accordance with the Turnpike Lane Closure Policy.

No U-turns shall be permitted as a condition of this Contract, except at Service Plazas.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS PROJECT.

Call Order: 007 Proposal: E8S15-R0

| ALT | Item | Description | Unit | Quantity |
|--|-------------|---|------|----------|
| Section 0001 ASPHALT REPAIR (MANUAL) (TN) | | | | |
| | 0120- 6- | EMBANKMENT | CY | 10.000 |
| | 0160- 4- | TYPE B STABILIZATION | SY | 50.000 |
| | 0339- 1- | MISCELLANEOUS ASPHALT PAVEMENT | TN | 120.000 |
| | 0400- 0- 13 | CONCRETE CLASS NS, STEPS | CY | 10.000 |
| | 0536- 7- 1 | SPECIAL GUARDRAIL POST- DEEP POST FOR SLOPE BREAK CONDITION- TIMBER OR STEEL | EA | 1.000 |
| | 0536- 7- 2 | SPECIAL GUARDRAIL POST- SPECIAL STEEL POST FOR CONCRETE STRUCTURE MOUNT | EA | 1.000 |
| | 0536- 7- 3 | SPECIAL GUARDRAIL POST- ENCASED POST FOR SHALLOW MOUNT | EA | 1.000 |
| | 0536- 8- 13 | APPROACH TRANSITION CONNECTION TO RIGID BARRIER, FURNISH AND INSTALL, TL-3 | EA | 1.000 |
| | 0536- 73- | GUARDRAIL REMOVAL | LF | 100.000 |
| | 0538- 1- | GUARDRAIL RESET | LF | 500.000 |
| | E101- 72- | MOBILIZATION (EMERGENCY RESPONSE) | EA | 20.000 |
| | E102- 97- 1 | TRUCK MOUNTED ATTENUATOR (TEMPORARY) | ED | 2.000 |

Call Order: 007 Proposal: E8S15-R0

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|---|------|------------|
| | E536- 3-142 | GUARDRAIL STANDARD PANEL (REPLACE) (0' - 50') | LF | 14,500.000 |
| | E536- 3-144 | GUARDRAIL STANDARD PANEL (REPLACE) (> 200') | LF | 500.000 |
| | E536- 3-242 | GUARDRAIL THRIE BEAM (REPLACE) (0' - 50') | LF | 200.000 |
| | E536- 3-540 | GUARDRAIL (PIPE RAIL) (REPLACE) | LF | 100.000 |
| | E536- 5- 1 | THRIE BEAM (TERMINAL CONNECTOR) | EA | 5.000 |
| | E536- 5- 2 | THRIE BEAM (RAIL SPLICE) | EA | 2.000 |
| | E536- 5- 3 | THRIE BEAM (TRANSITION SECTION) | EA | 3.000 |
| | E536- 6- 46 | END ANCHORAGE ASSEM (REPLACE) (BRIDGE) | EA | 2.000 |
| | E536- 6- 47 | END ANCHORAGE ASSEM (REPLACE) (BARRIER WALL) | EA | 2.000 |
| | E536- 6- 48 | END ANCHORAGE ASSEM (REPLACE) (TYPE SRT-350) | EA | 1.000 |
| | E536- 6-414 | END ANCHORAGE ASSEM (REPLACE) (TYPE SRT-350/8) | EA | 1.000 |
| | E536- 6-423 | GUARDRAIL END TREATMENT-FLARED APPROACH TERMINAL, REPLACE, NCHRP 350 | EA | 5.000 |
| | E536- 6-424 | END ANCHORAGE ASSEM (REPLACE) (PARALLEL) | EA | 10.000 |
| | E536- 12-604 | GUARDRAIL REPAIRS (REPLACE) (STEEL POST IN CONC.) | EA | 1.000 |
| | E536- 12-605 | GUARDRAIL REPAIRS (REPLACE) (STEEL POST IN ASPH.) | EA | 700.000 |
| | E536- 12-606 | GUARDRAIL REPAIRS (REPLACE) (STEEL POST IN SOIL) | EA | 1.000 |
| | E536- 12-613 | GUARDRAIL REPAIRS (REPLACE) (RUB RAIL) | EA | 20.000 |
| | E536- 12-616 | GUARDRAIL REPAIRS(REPLACE)(OFFSET BLOCK) | EA | 3,000.000 |
| | E536- 15- | MISCELLANEOUS GUARDRAIL MAINTENANCE | LF | 5,000.000 |
| | E536-301-501 | END ANCHOR ASSEM TYPE II (REPL FLARED END SECT) | EA | 2.000 |
| | E536-301-503 | END ANCHOR ASSEM TYPE II (REPL BUFFER END SECT) | EA | 2.000 |
| | E536-301-506 | END ANCHOR ASSEM TYPE II (REPL GUARDRAIL BEAM) | EA | 2.000 |
| | E536-301-508 | END ANCHOR ASSEM TYPE II (REPL TIMBER BREAK POST) | EA | 2.000 |
| | E536-306-501 | END ANCHOR ASSEM BRIDGE (REPL SPECIAL END SHOE) | EA | 2.000 |
| | E536-306-503 | END ANCHOR ASSEM BRIDGE (REPL TIMBER FILL BLOCK) | EA | 10.000 |
| | E536-308-501 | END ANCHOR ASSEM SRT-350 (REPL CABLE ASSEMBLY) | EA | 15.000 |
| | E536-308-502 | END ANCHOR ASSEM SRT-350 (REPL DIAPHRAM PLATE) | EA | 1.000 |
| | E536-308-503 | END ANCHOR ASSEM SRT-350 (REPL AMBER REFL SHEET) | EA | 15.000 |
| | E536-308-504 | END ANCHOR ASSEM SRT-350 (REPL BEARING PLATE) | EA | 1.000 |
| | E536-308-505 | END ANCHOR ASSEM SRT-350 (REPL TIMBER BREAK POST) | EA | 15.000 |
| | E536-308-506 | END ANCHOR ASSEM SRT-350 (REPL STEEL TUBE/PLATE) | EA | 1.000 |
| | E536-308-507 | END ANCHOR ASSEM SRT-350 (REPL BUFFER END SECT) | EA | 20.000 |
| | E536-308-509 | END ANCHOR ASSEM SRT-350 (REPL STRUT & YOKE ASSM) | EA | 1.000 |
| | E536-308-510 | END ANCHOR ASSEM SRT-350 (REPL TIMBER LINE POST) | EA | 1.000 |
| | E536-308-511 | END ANCHOR ASSEM SRT-350 (REPL GUARDRAIL BEAM) | EA | 5.000 |
| | E536-314-501 | END ANCHOR ASSEM SRT-350/8 (REPL CABLE ASSEMBLY) | EA | 1.000 |
| | E536-314-503 | END ANCHOR ASSEM SRT-350/8 (REPL AMBER REFL SHT) | EA | 1.000 |
| | E536-314-504 | END ANCHOR ASSEM SRT-350/8 (REPL BEARING PLATE) | EA | 1.000 |
| | E536-314-505 | END ANCHOR ASSEM SRT-350/8 (REPL TIMBER BRK POST) | EA | 1.000 |
| | E536-314-506 | END ANCHOR ASSEM SRT-350/8 (REPL STEEL TUBE/PLT) | EA | 1.000 |
| | E536-314-507 | END ANCHOR ASSEM SRT-350/8 (REPL BUFFER END SECT) | EA | 1.000 |
| | E536-314-509 | END ANCHOR ASSEM SRT-350/8 (REPL STRUT/YOKE ASSM) | EA | 1.000 |
| | E536-314-510 | END ANCHOR ASSEM SRT-350/8 (REPL TMBR LINE POST) | EA | 1.000 |
| | E536-314-511 | END ANCHOR ASSEM SRT-350/8 (REPL GUARDRAIL BEAM) | EA | 1.000 |

Call Order: 007 Proposal: E8S15-R0

| ALT | Item | Description | Unit | Quantity |
|-----|--------------|--|------|----------|
| | E536-314-514 | END ANCHOR ASSEM SRT-350/8 (REPL SLOT GUARD) | EA | 1.000 |
| | E536-316-501 | END ANCHOR ASSEMBLY FLEAT-350 (REPL TMBER BRKWAY POST) | EA | 2.000 |
| | E536-316-503 | END ANCHOR ASSEMBLY FLEAT-350 (REPL CABLE ANCHOR ASSY) | EA | 1.000 |
| | E536-316-504 | END ANCHOR ASSEMBLY FLEAT-350 (REPL GROUND STRUT) | EA | 1.000 |
| | E536-316-505 | END ANCHOR ASSEMBLY FLEAT-350 (REPL BEARING PLATE) | EA | 1.000 |
| | E536-316-508 | END ANCHOR ASSEMBLY FLEAT-350 (REPL GUARDRAIL BEAM) | EA | 1.000 |

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

| | | | | |
|------------------------|---|----------------------------|--------------------|-------------|
| Letting: | 08191119 | Call Order: 008 | Proposal: E8S16-R0 | District:08 |
| Counties: | BROWARD, MIAMI-DADE, PALM BEACH, TURNPIKE | | | |
| Road Name: | FENCE MAINTENANCE - ZONE 1 | | | |
| Limits: | Midpoint | | | |
| Project(s): | 44592817201(*) | Federal Aid No: N/A | | |
| Total Roadway Length: | 0.000 Miles | Contract Days: | 365 | |
| Total Bridge Length: | 0.000 Miles | Letting Date: | 11/19/19 | |
| Total Proposal Length: | 0.000 Miles | Contract Execution Days: | 10 | |
| | | Special Start Date: | N/A | |
| | | Aquis/Flexible Start Time: | 14 | |

Proposal Budget Estimate: \$150,000.00

Please read the full advertisement

Description:

The work specified in this contract consists of providing all labor, materials, equipment and incidentals necessary to perform fence maintenance including the removal, repair, and/or replacement of damaged or destroyed sections with all associated components at various locations on the Homestead Extension of Florida's Turnpike, Milepost (MP) 0.0 to 46.5, Florida's Turnpike, Milepost (MP) 0X to 100.0, and Sawgrass Expressway, MP 0.0 to 22.5.

Prior to beginning work under this Contract, the Contractor shall submit to the Engineer for approval, two copies of the Contractor's proposed plan and methods for performing the work, including a listing of equipment and personnel anticipated for use.

The Contractor shall perform all work during day hours in accordance with the Turnpike Lane Closure Policy.

No U-turns shall be permitted as a condition of this Contract, except at Service Plazas.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific project needs.

The pay item for Fence Gate Repair used for this contract is the type B double gate.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS PROJECT.

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Call Order: 008 Proposal: E8S16-R0

| ALT | Item | Description | Unit | Quantity |
|---------------------------------------|--------------|---|------|-----------|
| Section 0001 FENCE REPAIR (LF) | | | | |
| | 0550- 10-210 | FENCING, TYPE B, 0.0-5.0', STANDARD FEATURES | LF | 200.000 |
| | 0550- 10-220 | FENCING, TYPE B, 5.1-6.0', STANDARD | LF | 4,000.000 |
| | 0550- 10-221 | FENCING, TYPE B, 5.1-6.0', W/ BARB WIRE ATTMT | LF | 1,500.000 |
| | 0550- 10-228 | FENCING, TYPE B, 5.1-6.0, RESET EXISTING | LF | 2,000.000 |
| | 0550- 60-222 | FENCE GATE, TYPE B, DOUBLE, 6.1-12.0' OPENING | EA | 1.000 |
| | E550- 6-221 | FENCE POST BRACE (TYPE B) (6') | EA | 15.000 |
| | E550- 6-222 | FENCE POST LINE (TYPE B) (6') | EA | 275.000 |
| | E550- 6-224 | FENCE POST PULL (TYPE B) (6') | EA | 20.000 |
| | E550- 7-221 | FENCE MAINTENANCE (TYPE B) (BARBED WIRE) (6') | LF | 7,500.000 |
| | E550- 7-222 | FENCE MAINTENANCE (TYPE B) (FENCE FABRIC) (6') | LF | 1,500.000 |
| | E550- 32- 30 | FENCE, CORNER POST ASSEMBLY (TYPE B) (6') | EA | 30.000 |
| | E550- 32- 31 | FENCE, CORNER POST ASSEM (TYP B, W/BARB WIRE ATTACH) (6') | EA | 10.000 |
| | E550- 51- 30 | FENCE, PULL POST ASSEMBLY (TYPE B, ZINC COAT) (6') | EA | 5.000 |
| | E550- 61- 30 | FENCE, END POST ASM (TYP B, ZINC) (6') | EA | 5.000 |
| | E550- 61- 40 | FENCE, END POST ASM (TYP B, ZINC) (8') | EA | 5.000 |
| | E550- 80- | FENCE GATE- REPAIR EXISTING | EA | 1.000 |

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

This is a Business Development Initiative Contract. The work specified in this contract consists of providing all labor, materials, equipment, and incidentals necessary to construct a 50' x 55' asphalt speed enforcement pad for Florida Highway Patrol's use adjacent to the northbound outside shoulder and other incidentals as needed on the Florida's Turnpike (SR 91) at Milepost (MP) 293.2.

Prior to beginning work under this Contract, the Contractor shall submit to the Engineer for approval, two copies of the Contractor's proposed plan and methods for performing the work, including a listing of equipment and personnel anticipated for use.

The Contractor shall perform all work during day hours in accordance with the Turnpike Lane Closure Policy.

The quantities shown on the Bid Price Proposal are approximate and only represent estimated planned requirements based on historical or specific needs. The Department does not guarantee any maximum or minimum quantity, any range of quantities, or the exact quantities shown for each bid item.

No U-turns shall be permitted as a condition of this Contract, except at Service Plazas.

NO PRE-BID CONFERENCE WILL BE HELD FOR THIS PROJECT.

BUSINESS DEVELOPMENT INITIATIVE

Bidders must be a "Small Business" as defined by FDOT. Small business size standards can be found at <http://www.fdot.gov/equalopportunityoffice/bdi.shtm>.

For more information about bidding on BDI projects, please see the training guide located at <http://www.cmdpbgp.com/bdiprojects.html>

Prequalification per Rule 14-22 is not required.

Bidders must complete and submit the Small Business Affidavit (Form No. 275-000-01) for approval prior to receipt of bid documents.

The form may be accessed at: <http://www.fdot.gov/equalopportunityoffice/bdi.shtm>.

It is only necessary to submit the Small Business Affidavit (SBA) form once per year.

Send a completed and notarized affidavit as an attachment to: fdot.bdi@dot.state.fl.us.

All Sublet work must be contracted to a small business or businesses as defined by the Department. The subcontractor must also submit a notarized Small Business Affidavit Form provided by the Department prior to the start of work.

Bidders must submit the BDI Reference Sheet (Form No. 275-000-02) with the bid. Upload the completed BDI Reference Sheet (Form No. 275-000-02) as a zip file using the "File Attachment Upload" folder in the Expedite application.

BDI Reference Sheet may be found at: <http://www.fdot.gov/equalopportunityoffice/bdi.shtm>.

Proposal Guaranty of \$500 is required for bids over \$150,000 and may be in the form of a Cashier's Check, the BDI Bid or Proposal Bond (Form No. 375-020-16), or the standard Bid or Proposal Bond form, Form No. 375-020-09).

A Performance Bond is not required for contracts \$250,000 and less.

**Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities**

Call Order: 009 Proposal: E8S17

| ALT | Item | Description | Unit | Quantity |
|---|-------------|--|------|----------|
| Section 0001 MAINTENANCE SUPPORT SERVICES (MH) | | | | |
| | 0101- 1- | MOBILIZATION | LS | 1.000 |
| | 0104- 10- 3 | SEDIMENT BARRIER | LF | 245.000 |
| | 0107- 1- | LITTER REMOVAL | AC | 0.200 |
| | 0107- 2- | MOWING | AC | 0.200 |
| | 0110- 1- 1 | CLEARING & GRUBBING | LS | 1.000 |
| | 0120- 1- | REGULAR EXCAVATION | CY | 15.000 |
| | 0120- 6- | EMBANKMENT | CY | 295.000 |
| | 0285-711- | OPTIONAL BASE, BASE GROUP 11 | SY | 312.000 |
| | 0327- 70- 5 | MILLING EXIST ASPH PAVT, 2" AVG DEPTH | SY | 5.000 |
| | 0334- 1- 12 | SUPERPAVE ASPHALTIC CONC, TRAFFIC B | TN | 34.500 |
| | 0570- 1- 2 | PERFORMANCE TURF, SOD | SY | 300.000 |
| | 0700- 1- 11 | SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF | AS | 1.000 |
| | E102- 1- 2 | MAINTENANCE OF TRAFFIC (SITE SPECIFIC CONTRACTS) | DA | 30.000 |

