STANDARD PLANS
FY 2019-20 REVISIONS LOG

Standard Plans Index	Description
000-506	Changed to Index 160-001.
000-510	**All Sheets:** Changed Title. **Sheet 1:** Deleted "DESIGN SPEED" table and "RADIUS OF CURVE" table; Deleted subtitle. **Sheet 2:** Added Concrete Pavement note to clarify shoulder slope transitions.
000-511	**All Sheets:** Changed Title, Subtitles, and Renumbered. **Sheet 1:** Deleted Superelevations Rates Tabulated and Charted Values (information can be found in FDM); combined General Notes with Old Sheet 2; Deleted all callouts for "CHARTED VALUES" on Old Sheet 2. **Sheet 2:** Updated Subtitle.
000-515	Deleted Index, Criteria information moved to New FDM Chapter 214. Construction details moved to New Indexes 522-003 or 330-001.
000-516	Deleted Index and moved information to Index 330-001.
102-200	**Sheet 1:** "STORAGE FACILITY" Note; Changed phone number to 407-278-2727.
102-600	**Sheet 3:** Updated "LENGTH OF LANE CLOSURES" Note.
102-655	**Sheet 1:** Changed Notes to remove limitations to Limited Access Facilities and Overhead work. Clarified "TRAFFIC PACING GUIDE" notes for the requirements of site specific traffic control plans. Added Note 6 to the "TRAFFIC PACING GENERAL NOTES" for short duration operations.
110-100	Changed Notes 1 and 8; Added Note 9; Changed the "Crown Dripline..." in the "TREE PROTECTION BARRIER-PLAN and ELEVATION" dimension; Changed the "No Open Trenching..." dimension; Added root pruning trenches; Changed the "Maintain Existing Grade..." call out in the "TREE PROTECTION BARRIER-ELEVATION" detail; Changed the "Crown Dripline" call out; Added Access to the "PROTECTION BARRIER FOR TREE GROUPINGS" detail; Changed Note 1 in the "TRUNK PROTECTION" detail; Added minimum requirements for barrier posts.
120-001	**Sheet 1:** Added "REMOVAL OF EXCESS BASE MATERIAL" details from FY 2018-19 Standard Plans, Index 000-506; Updated General Notes for plain language. Deleted DESIGN NOTES. **Old Sheet 2:** Deleted Sheet (TREATED PERMEABLE BASE OPTIONS no longer supported). **Old Sheet 3:** New Sheet 2; Deleted DESIGN NOTE. **Old Sheet 4:** New Sheet 3; Deleted DESIGN NOTE; Added Special Stabilized Subbase callout.
120-002	**Sheet 1:** Updated Reference to Index 160-001 in Note 5.
160-001	**New Index.** Previously Index 000-506; Updated Note 6 for plain language; Moved "REMOVAL OF EXCESS BASE MATERIAL" detail to Index 120-001.
330-001	**New Index.** Content relating to Paved or Graded Driveways moved from Sheets 5 & 6 of Old Index 000-515 and 000-516. **All:** Updated terminology from "Turnouts" to "Driveways"; Updated notes for plain language. **Sheet 2:** Added Material Types And Thicknesses Table from Old Index 000-515. Updated Asphalt Thickness values for Connections; Changed O.B.G. from type 1 to type 2.
350-001	**Sheet 1:** Updated Note 5 for expansion joints. **Sheet 3:** Deleted "KEYED JOINT" Detail; Updated the "JOINT ARRANGEMENT" Detail. **Sheet 4:** Updated Notes, and changed outside lane standard width to 13 ft. on all illustrations.
425-040	**Editorial:** Added back deleted note on "heavy wheel loads" in GENERAL NOTES.
450-010	**Sheet 1:** Added Note 13; Editorial – Note 11
450-036	**Sheet 1:** Corrected Note # references in "END VIEW".
450-045	**Sheet 1:** Corrected Note # references in "END VIEW".
450-054	**Sheet 1:** Corrected Note # references in "END VIEW".
450-063	**Sheet 1:** Corrected Note # references in "END VIEW".

STANDARD PLANS
FY 2019-20 REVISIONS LOG

Standard Plans Index	*Description*
450-072	***Sheet 1:*** *Corrected Note # references in "END VIEW".*
450-078	***Sheet 1:*** *Corrected Note # references in "END VIEW".*
450-084	***Sheet 1:*** *Editorial, moved top insert to distance shown; Corrected Note # references in "END VIEW".*
450-096	***Sheet 1:*** *Corrected Note # references in "END VIEW".*
450-120	***Sheet 1:*** *Changed Note 7 and 9.C; Added Note 13.*
455-400	***Sheet 1:*** *Editorial, deleted extra line in "SECTION THRU BULKHEAD".* ***Sheet 2:*** *Deleted Section Modulus and Prestress after Losses columns from Table (added same to SPI); Added Jacking Forces to Table.*
455-440	***Sheet 1:*** *Editorial, deleted extra line in "SECTION THRU BULKHEAD".* ***Sheet 2:*** *Added Initial Jacking Stress to Table; Deleted Section Modulus and Prestress after Losses columns from Table (added same to SPI); Corrected Dimension A for Bars S4 thru S7.*
460-250	*Editorial, VIEW A-A.*
460-252	*Editorial, Deleted extra spaces in Notes.*
462-002	*Added 100% acrylic aliphatic polyurethane top coating to Types 1, 4, 9, and 10 and Notes 1 & 2*
462-003	***Sheet 1:*** *Added pocket to "FILLER OUTLET DETAIL AT HORIZONTAL SURFACES".*
509-070	***Sheet 3:*** *Updated Notes and Details previously shown on Index 711-001, Sheet 12 of 14.*
515-022	***Sheet 1:*** *Editorial, Post C1.*
515-052	***Sheet 1:*** *Corrected Note 3.H Specification reference; Changed Note 3.F.a.*
515-062	***Sheet 1:*** *Corrected Note 3.H Specification reference.*
515-070	***Sheet 1:*** *Changed end hoop Note 3 to Alloy 6063-T5 to match Index 515-062.*
521-001	*Added New Sheets:* ***New Sheet 8:*** *Median Barrier – 56" Height Section for Barrier-Mounted Dual Sign Support Shielding.* ***New Sheet 23:*** *Wall Shielding Barrier- 38" Height Section – Approach and Trailing Transition.* ***New Sheet 24:*** *Wall Shielding Barrier – 38" Height Section – Guardrail Connection.* ***New Sheet 25:*** *Wall Shielding Barrier – 56" Height Section for Barrier-Mounted Sign Support Shielding.* *Revisions (By New Sheet Number):* ***All Sheets:*** *Updated sheet numbers and sheet references for the above additions.* ***Sheet 1:*** *Updated Table of Contents.* ***Sheet 4:*** *Added Begin/End Barrier Sta. callout point.* ***Sheet 6,7,9,10:*** *Added Begin/End Variable Section Width callout points.* ***Sheet 9:*** *Added Flowable Fill option in PLAN view; Added Note to define Flowable Fill material and NS Concrete Fill material; Replaced the stirrup with a new standardized Bar 4V3 in "SECTION B-B".* ***Sheet 26:*** *Updated Bar 5V2 to use one larger pin diameter for constructability; Added Bar 4V3 for use with Split and Half Section barrier.* ***Interim,*** *See Roadway Design Bulletin, RDB 18-06* ***Sheet 1:*** *Added "GFRP – Glass Fiber Reinforced Polymer" note.*
521-002	***Sheet 1:*** *Changed Note 3.* ***Sheets 4 & 5:*** *Changed "Shoulder Pavement" callout to "Shoulder Pavement & Fill"*

STANDARD PLANS
FY 2019-20 REVISIONS LOG

Standard Plans Index	Description
521-010	Redeveloped Standard **New Sheet 1:** Updated designs for all variations of single-slope and existing F-Shape barriers; Updated spacing of vertical and horizontal reinforcing steel, Added a minimum transverse joint spacing; Added leave-out concept for measurement; Added accommodation for welded wire reinforcing and variable barrier heights. **New Sheet 2:** Added detail for terminating at 56" height barrier sections; Added detail for continuing over 44" height barrier sections.
521-422	**Sheet 1:** Changed Barrier Delineator Note. **Sheet 2:** Editorial, sidewalk hook bars.
521-423	**Sheet 1:** Changed Barrier Delineator Note. **Sheet 2:** Editorial, "RAILING END DETAIL" and "VIEW A-A AND B-B".
521-426	**Sheet 1:** Changed Barrier Delineator Note.
521-427	**Sheet 1:** Changed Barrier Delineator Note.
521-428	**Sheet 1:** Changed Barrier Delineator Note. **Sheet 2:** Editorial
521-509	**All:** Reorganized sheets and renumbered; Updated sheet # references. **Sheet 1:** Added notes moved from other sheets; Added Note 6. **Sheet 2:** Changed reinforcing. **Sheet 3:** Changed reinforcing. **Sheet 4:** Changed reinforcing. **Sheet 5:** Changed Note references to new reinforcing bars.
521-510	**All:** Reorganized sheets and renumbered; Updated sheet # references. **Sheet 1**: Added notes moved from other sheets; Added Note 6. **Sheet 2:** Changed reinforcing. **Sheet 3:** Changed reinforcing. **Sheet 4**: Changed reinforcing. **Sheet 5:** Changed Note references to new reinforcing bars.
521-511	**Sheet 1:** Updated Notes. **Sheet 2:** Added Bar 5R3; Changed reinforcing. **Sheet 3:** Added Bar 5R3; Changed reinforcing.
521-512	**Sheet 1:** Updated Notes. **Sheet 2:** Added Note 6; changed asphalt description in SECTION B-B.
521-513	**Sheet 1:** Updated Notes.
521-514	**Sheet 1:** Clarified Notes 1, 2, and 7; Renumbered Notes 5 and 6. **Sheet 2:** Editorial **Sheet 4:** Editorial
521-515	Clarified Notes 1 and 2; Changed Notes 4 and 5.
521-610	**Sheet 2:** Added Note 4; Renumbered remaining notes; Changed pavement reference in Typical Section.
521-620	**Sheet 1:** Corrected Cross Reference; Deleted Note 12. **Sheet 2:** Corrected Note # references; Added Notes 7 and 8. **Sheet 3:** Changed Note 1 and 3. **Sheet 4:** Changed Title for End Transition; Corrected Note # references; Editorial, Note 4
521-630	**Sheet 2**: Corrected dimension for Bar 5U1.
521-640	Editorial: "Traffic Railing" to "Concrete Barrier".
521-660	**Sheet 1:** Changed Typical Section without sidewalk to Option 1. **Sheet 2:** New Sheet; Added Option 2. **Sheet 3:** Renumbered; Changed Typical Section Title. **Sheet 4:** Renumbered; Added Elevation of 4H2 Bars; Changed Note 4.

STANDARD PLANS
FY 2019-20 REVISIONS LOG

Standard Plans Index	*Description*
521-820	***Sheet 1:*** *Added Bar 4P2 as a contractor option; Changed Bar 4S placement; Moved Bar Bending Details, "REINFORCING STEEL NOTES", Estimated Quantities, and DETAIL "A" to new Sheet 2.* ***Sheet 2:*** *New Sheet*
522-001	***Sheet 1:*** *Deleted the 6" Min. for turnouts or curb ramps call out and 8" dimension behind the Return Curbs in the "LONGITUDINAL SECTION"; Deleted 4'-0" dimension from driveways; Changed curb ramp type in the "SIDEWALK WITH UTILITY STRIP" detail; Added example inlets to plan views.* ***Sheet 2:*** *Deleted 8" dimension behind the Return Curbs in the "LONGITUDINAL SECTION".*
522-002	***Sheet 1:*** *Updated General Note 1.* ***Sheet 2:*** *Updated CR-A dimensions to match FDOT standard sidewalk widths.* ***Sheet 3:*** *Moved Pavement Relief Details to Sheet 6.* ***Sheet 4:*** *Added Sidewalk and Clarified details for CR-E.* ***Sheet 5:*** *Updated Notes; Clarified dimensions.* ***Sheet 8:*** *Added dimensions for Curb Transitions.*
522-003	*New Index - Information for Concrete Flared Driveways moved from old Index 000-515.*
536-001	***Sheet 1:*** *Deleted optional conditions for washer under nuts (Notes 4 & 5); Deleted "Type II" from Table of Contents.* ***Sheet 9:*** *Updated Trailing Anchorage design and removed "Type II" designation; Deleted Soil Plate; Added Breakaway Post and Steel Tube Foundation at Second Post Location; Deleted Offset Block at Second Post Location; Added Two Ground Strut Supports; Changed Cable Anchor Plate to Opposite Side on Double Face Trailing Anchorage.* ***Sheet 10:*** *Changed the Steel Tube Foundation depth; Added new detail for ground strut (C Channel Shape).* ***Sheet 18:*** *Updated Trailing Anchorage drawing; Removed "Type II" designation* ***Sheet 22:*** *In Washer detail title, Removed "Type II" designation, Replaced with "Trailing Anchorage".*
536-002	***Sheet 3:*** *Removed Departure Line* ***Sheet 4:*** *Removed Crash Cushion sizing information.*
544-001	***Sheet 1:*** *Deleted Concrete Barrier and Guardrail Applications Tables; Changed the GENERAL NOTES; Updated Departure Lines, Length Restrictions, and other call outs.* ***Sheet 2:*** *Updated Design Length, Location Station, and other call outs.*
546-001	***Interim,*** *See Roadway Design Bulletin, RDB 18-07* ***Sheet 1:*** *Updated all details.* ***Sheet 2:*** *New Sheet; Added details for SHORT-TERM RAISED RUMBLE STRIPS.*
546-010	***Interim,*** *All Sheets; See Roadway Design Bulletin, RDB 18-03*
548-020	*Added durability requirements for FRP reinforcing to the FDOT MSE RETAINING WALL CLASSIFICATION TABLE.*
570-010	*Changed General Notes to remove Specification 162 reference.*
580-001	***Sheet 1:*** *Changed General Notes; Changed the Under 4" and 4" and Larger Caliper Tree sizes; Changed the Stake Spacing, Anchors and Mulch callouts.* ***Sheet 2:*** *Changed the Under 4" and 4" and Larger Caliper Tree sizes; Changed the Stake Spacing, Anchors and Mulch callouts; Changed the Palm Planting Note; Changed the Min. Wood Braces callout for the Palm Planting on Slope.*
630-001	***All Sheets:*** *Reorganized; Updated Notes.* ***Sheet 2:*** *Deleted FIGURE A "Pullbox Entry Of Conduit Under Sidewalks".*
630-010	***Sheet 1:*** *Clarified that EJB "A" is for double or triple conduit.* ***Sheet 2:*** *Corrected callout detailing so arrows pointed to EJB's correctly.* ***Sheet 4:*** *Changed Traffic Railing to Concrete Barrier.*
634-002	*Cleaned up, Reorganized, and Changed Notes.*
635-001	*Updated Notes; Added 6" Min. Depth to Ground Rod from top of Pull and Fiber Optic Boxes.*

STANDARD PLANS
FY 2019-20 REVISIONS LOG

Standard Plans Index	Description
649-010	**Sheet 1:** Note 5B Added "including plate washers". **Sheet 2:** ELEVATION, Deleted minimum threaded length for 'BC'; PLAN view, Deleted "Size And" from #11 bar description; Deleted "MAXIMUM ALLOWABLE MOMENT" column from table; Changed table "STEEL STRAIN POLE DATA TABLE".
649-020	**Sheet 1:** Changed Note 2; Note 3.E Deleted "ASTM F2329 galvanizing and added "ASTM A36" plate washers; Note 3.J added "including plate washers"; Changed Note 4. **Sheet 3:** ELEVATION corrected longitudinal bar callout, added reference to Table; Added cross reference to Tables on Sheet 2.
649-030	Added DS/25/5.0 to DRILLED SHAFT Table; Updated values of bolts, BA and BC values in POLE, BASE PLATE and ARM CONNECTION Table.
649-031	**Sheet 1:** Changed Notes 4.D.a, 5, and 6.B. **Sheet 3:** Clarified ARM SPLICE length; Clarified SECTION D-D Inside Bend Radius.
654-001	New Index; Moved details for Mid-Block Crossing RRFB signs from Index 700-120.
659-010	Updated Notes, "SIGN MOUNTING DETAIL", and "DETAIL OF OPPOSING SIGNS SPAN WIRE MOUNTED"; Deleted "ADJUSTABLE HANGER FOR SIGN MOUNTING" detail.
660-001	**All Sheets:** Reorganized; Clarified Notes.
665-001	**Sheet 1:** Added (See DETAIL "A") to the Concrete Pedestal and Strain Poles; Changed the Pushbutton distance to the edge of concrete; Changed Note 2; Deleted back-to-back pushbutton mounts in DETAIL "A".
676-010	Updated Notes; Reorganized Sheet; Added optional conduit to "POLE MOUNTED CONTROLLER CABINET- CONCRETE POLE" detail.
700-010	**Sheet 1:** Clarified Example Notes. **Sheet 2:** Changed title (lower right); **Sheet 3:** Clarified "OFFSET SIGN" Notes and * INSTALLING FRANGIBLE COLUMN SUPPORTS Notes; Changed Wall Thk for 8" OD column. **Sheet 4:** Clarified NOTES 1, 2.B, 3.A. Added galvanized steel to 3.A.2.c; Changed 8" post thickness and weld dimensions. **Sheet 5:** Added U-bolt to PLAN view and Max. column O.D. to ELEVATION view. **Sheet 6:** Deleted "WIND BEAM PLACEMENT DETAILS"; Changed Wind Beam Placement Notes; Changed "SECTION A-A" to "VIEW A-A"; Changed top cantilever dimension.
700-011	**Sheet 1:** Changed Note 2; Added Note 6; Changed "SECTION C-C" callouts; Corrected Bolt Spa. dimension lines and Min. sign panel length in Sign Detail; Added break lines in column and foundation in TYPICAL SECTION; Added NPS designation for column pipes to Table. **Sheet 2:** Added Class I Concrete for "BASE AND FOUNDATION DETAIL"; Added break lines to "STUB DETAIL".
700-012	**Sheet 1:** Corrected Note 3.D.b; Changed Note 3.C.
700-013	**Sheet 1:** Corrected Note 3.C.b; Table 1 changed NPS callout style.
700-020	**Sheet 1:** Changed spacing of three columns; Clarified Note 2.A and B; Changed Note 3.B.c. **Sheet 2:** Corrected weld symbols; Clarified column sections are steel. **Sheet 3:** Clarified Wind Beam Tables; Added nylon washer note; Changed % sign depth Wind Beam spacing.
700-030	Changed Title; Deleted the 12'-0' Max - Depth of Truss in the SIDE ELEVATION; Changed Washers (changed lock to std); Changed spacing of Hangers and Wind Beams to match 700-020 changes; Changed the WIND BEAMS AND VERTICAL HANGERS Table; Deleted Max. chord spacing from SIDE ELEVATION.
700-040	**Sheet 2:** Corrected callout for longitudinal bars (FC to FL) in PLAN and ELEVATION of DRILLED SHAFT.
700-041	**Sheet 1:** Changed Note 4.C.a
700-102	**Sheet 8:** Corrected text positioning. **Sheet 10:** Deleted M0T-2-06 and M0T-3-06. **Sheet 11:** Updated due to deleted signs on Sheet 10.

STANDARD PLANS
FY 2019-20 REVISIONS LOG

Standard Plans Index	Description
700-103	Deleted Index. Criteria located to FDM 230.
700-109	Changed "OBJECT MARKER DETAIL" to show two Wind Beams. Changed Notes; Deleted redundant material information; Changed "DEAD END" sign requirements.
700-110	Changed Index Title: Changed Notes; Changed bolt callouts on "SECTION A-A (Side Elevation)";
700-120	**All:** Redeveloped and Renamed Index; Added Alpha-Numeric Designation system; Clarified use of Conventional and Solar power option for all assembly types.
706-001	**Sheet 4:** Changed and Deleted RPMs in the "RPM PLACEMENT AT ISLANDS", Details "G" and "H". **Sheet 5:** Added new sheet showing the placement of raised pavement markers at limited access crossovers. **Sheet 6:** Added new sheet showing the placement of blue raised pavement markers.
711-001	**All:** Renumbered sheets. **Sheet 1:** Added Route Shield details; Added "PAVEMENT MESSAGE SPACING TABLE"; Added GENERAL NOTES; Updated Pavement Message Notes. **Sheet 7:** Added Note 3. **Sheet 8:** Deleted "100' max." for Right Turn Lane Drop Details. **Sheet 9:** Updated Pavement Message spacing distance to S. **Sheet 10:** Changed Intersection Details to Standard Crosswalk Details. Moved Note 3 to Sheet 7. **Sheet 11:** Updated Pavement Message spacing distance to S. **Sheet 12:** Deleted Sheet. Information included on Index 509-070.
715-002	**Sheet 1:** Changed GENERAL NOTE 4.B and Note 5.C. **Sheet 2:** Updated all details - deleted or revised pole dimensions. **Sheet 3:** Added dual dimensions to "ARM CONNECTION DETAIL" and "SECTION A-A". Deleted "ARM TABLE" and its Notes; Changed "ARM TUBE EXTRUSIONS NOTES". **Sheet 4:** Changed FOUNDATION Depth Requirement; Added dual dimensions to "POLE BASE ELEVATION"; Deleted All Table and Added new tables; Updated NOTES. **Sheet 5:** Added dual dimensions to the "BASE PLATE PLAN"; Deleted the "POLE TABLE"; Updated NOTES.
715-010	**Sheet 1:** Changed Notes 2 and 4. **Sheet 2:** ELEVATION - Editorial; Changed "POLE DESIGN TABLE" - Deleted Column, Editorial; "BASE PLATE AND BOLTS DESIGN TABLE" - Changed some Base Plate Thicknesses. **Sheet 3:** "SECTION E-E" Changed Inside Bend Radius details.