


Work Zone Sign

DESCRIPTION:

- Lane Identification and Direction of Traffic
- \overline{A} Truck/Trailer Mounted Attenuator (TMA)
- 5 Shadow (S) Vehicle With Warning Lights And Arrow Board

- 3. The "Speeding Fines Doubled When Workers Present" signs (MOT-13-06) and "End Road Work" Sign (G20-2), along with associated Work Zone Sign Distances, may be omitted when the work zone will be in place for 24 hours or less.
- 4. If closure of both inside lanes on multilane roadways is needed, duplicate lane closure and merge; signs, channelizing devices, taper, and arrow board, for both directions



= TEMPORARY TWO-WAY LEFT-TURN LANE CLOSURE, TWO-LANE, TWO-WAY ROADWAY, WORK WITHIN THE =TRAVELED WAY WITH LANE CLOSURES OF 24 HRS OR LESS AND WORK ZONE SPEED OF 45 MPH OR LESS

SYMBOLS:

Work Area

Channelizing Device (See Index 102-600)

Work Zone Sign

Lane Identification and Direction of Traffic

Flagger

≥ DESCRIPTION: REVISION 11/01/20




FY 2021-22 STANDARD PLANS

TWO-WAY LEFT-TURN LANES

INDEX 102-628

SHEET



SYMBOLS:

Work Area

■ Channelizing Device (See Index 102-600)

●○● Arrow Board

Work Zone Sign

Lane Identification and Direction of Traffic

- Flagger

LAST O DESCRIPTION:
REVISION IS 11/01/20

FDOT