From: Crawford, Stephanie
To: Castro, Joy
Subject: Fwd: 436675-1 Rowell"s Marina Section 4(f) -
Date: Wednesday, June 10, 2020 10:08:27 PM
Attachments: image001.png
image002.jpg
image003.jpg
image004.jpg

Get Outlook for iOS

From: Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>
Sent: Wednesday, June 10, 2020 9:39:32 PM
To: Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>
Cc: Salinger-Jordan <Salinger-Jordan@MonroeCounty-FL.Gov>; Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>; Vick-Cary <Vick-Cary@MonroeCounty-FL.Gov>; Carrie Read <cread@smeinc.com>; Crawford, Stephanie <Stephanie.Crawford2@stantec.com>; Starnes, Emily <Emily.Starnes@dot.state.fl.us>
Subject: FW: 436675-1 Rowell's Marina Section 4(f) -

Cary,

Thank you for your email below advising that Monroe County does not consider Rowell's Marina as a significant park. Upon review of the property, and based on the information provided, the Florida Department of Transportation and the Office of Environmental Management (OEM) agree with Monroe County's statement that the Rowell's Marina property is not a significant park within the meaning of Section 4(f). Therefore, Rowell's Marina is not considered a Section 4(f) resource.

This concludes the Section 4(f) review for the Rowell's Marina property for the above referenced LAP project FM# 436675-1.

Thank you,

Barbara Culhane

Barbara B. Culhane, M.S., A.I.C.P., F.C.C.M.
District Cultural Resources Coordinator/
Environmental Supervisor II

Planning and Environmental Management Office
Florida Department of Transportation, District 6
Adam Leigh Cann Building
1000 N.W. 111 Avenue, Room 6109
Miami, Florida 33172

Phone: (305) 470-5231; Fax (305) 470-5205
E-mail: barbara.culhane@dot.state.fl.us

From: Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>
Sent: Tuesday, December 3, 2019 1:21 PM
To: Carrie Read <cread@smeinc.com>; Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Cc: Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Condell, Kelsey <Kelsey.Condell@dot.state.fl.us>; Kimberly Jean Nagle <KNagle@smeinc.com>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>; Gonzalez, Gabriel <Gabriel.Gonzalez@dot.state.fl.us>; Crawford, Stephanie <Stephanie.Crawford2@stantec.com>; Vick-Cary <Vick-Cary@MonroeCounty-FL.Gov>
Subject: Re: FM 436675-1: Rowell's FDOT comments

The answer to the question of significance is no. The property is currently open as a passive park wit the majority of space to be left as an open park. The main addition to the park is this project which adds the ADA restrooms and parking area.

There is no current funding for improvements in the immediate future outside of this project.

Cary Knight
Director, Project Management
Public Works & Engineering
Monroe County – The Florida Keys
1100 Simonton Street, Suite 2-216
Key West, Florida 33040
305.292.4527 (O)

FLORIDA HAS A VERY BROAD RECORDS LAW. MOST WRITTEN COMMUNICATIONS TO OR FROM THE COUNTY REGARDING COUNTY BUSINESS ARE PUBLIC RECORDS AVAILABLE TO THE PUBLIC AND MEDIA UPON REQUEST. YOUR EMAIL COMMUNICATION MAY BE SUBJECT TO PUBLIC DISCLOSURE.

From: Carrie Read <cread@smeinc.com>
Sent: Tuesday, December 3, 2019 12:29:48 PM
To: Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>
Cc: Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Condell, Kelsey <Kelsey.Condell@dot.state.fl.us>; Kimberly Jean Nagle <KNagle@smeinc.com>; Bring-Keith <Bring-Keith@MonroeCounty-FL.Gov>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>; Gonzalez, Gabriel <Gabriel.Gonzalez@dot.state.fl.us>; Crawford, Stephanie <Stephanie.Crawford2@stantec.com>
Subject: RE: FM 436675-1: Rowell's FDOT comments

...

CAUTION: This email originated from outside of the County. Whether you know the sender or not, do not click links or open attachments you were not expecting.

Alfredo – we are in correspondence with Monroe County to resolve and provide a response for these couple of outstanding items and will pass that information along as soon as possible.

Thanks,

Carrie E. Read, PLA, LEED AP

Landscape Architecture Group Leader / Project Manager

S&ME
O: 407.975.1273

C: 502.337.5224
www.smeinc.com

LinkedIn | Twitter | Facebook | Instagram

This electronic message is subject to the terms of use set forth at www.smeinc.com/email. If you received this message in error please advise the sender by reply and delete this electronic message and any attachments. Please consider the environment before printing this email.

From: Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Sent: Wednesday, November 27, 2019 7:56 AM
To: Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Carrie Read <cread@smeinc.com>
Cc: Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Condell, Kelsey <Kelsey.Condell@dot.state.fl.us>; Kimberly Jean Nagle <KNagle@smeinc.com>; Bring-Keith <Bring-Keith@MonroeCounty-FL.Gov>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>; Gonzalez, Gabriel <Gabriel.Gonzalez@dot.state.fl.us>; Crawford, Stephanie <Stephanie.Crawford2@stantec.com>
Subject: RE: FM 436675-1: Rowell's FDOT comments
Importance: High

Cary, Carrie,

Please provide and update on the information requested below.

Alfredo Reyna, P.E.

LAP Coordinator – In House Consultant

KCI Technologies, Inc.

Florida Department of Transportation

(305) 470-5288 Fax (305) 470-6737

Alfredo.Reyna@dot.state.fl.us

From: Condell, Kelsey
Sent: Monday, November 4, 2019 3:25 PM
To: Carrie Read <cread@smeinc.com>; Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Cc: Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Kimberly Jean Nagle <KNagle@smeinc.com>; Bring-Keith <Bring-Keith@MonroeCounty-FL.Gov>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>; Gonzalez, Gabriel <Gabriel.Gonzalez@dot.state.fl.us>; Crawford, Stephanie <Stephanie.Crawford2@stantec.com>
Subject: RE: FM 436675-1: Rowell's FDOT comments

Good afternoon Carrie,

Could you please provide an update on the status of the email, below? This item is still pending, and once complete we still need to submit the report to the SHPO.

Could you please also provide an update on the status of the Park's significance, from Barbara's email, attached?

Thank you,

Kelsey Condell, M.S.

Environmental Specialist III

Planning and Environmental Management Office
Florida Department of Transportation- District 6
Adam Leigh Cann Building
1000 NW 111 Avenue
Miami, FL 33172

Phone (305) 470-5405; Fax: (305) 470-5205
E-mail: kelsey.condell@dot.state.fl.us

From: Condell, Kelsey
Sent: Thursday, August 8, 2019 2:11 PM
To: Carrie Read <cread@smeinc.com>; Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Cc: Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Kimberly Jean Nagle <KNagle@smeinc.com>; Bring-Keith <Bring-Keith@MonroeCounty-FL.Gov>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>
Subject: RE: FM 436675-1: Rowell's FDOT comments

Hi Carrie,

In discussion with our District Cultural Resources Coordinator, we have determined that if the Certified Local Government requests archaeological monitoring, then per the Department's Section 106 guidelines, an archaeologist who meets the U.S. Secretary of the Interior's Standards archaeologist will be needed.

Please let us know whether Monroe County would be providing these services through qualified County Staff or consultants. Our understanding is that Dr. Diane Silvia of the Historic Florida Keys Foundation is SOI Qualified, and there may be additional staff at HFKF that is also qualified to conduct archaeological monitoring.

Thank you,

Kelsey Condell, M.S.
Environmental Specialist III

Planning and Environmental Management Office
Florida Department of Transportation- District 6
Adam Leigh Cann Building
1000 NW 111 Avenue
Miami, FL 33172

Phone (305) 470-5405; Fax: (305) 470-5205
E-mail: kelsey.condell@dot.state.fl.us

From: Carrie Read [mailto:cread@smeinc.com]
Sent: Wednesday, August 7, 2019 4:57 PM
To: Condell, Kelsey <Kelsey.Condell@dot.state.fl.us>; Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Cc: Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Kimberly Jean Nagle <KNagle@smeinc.com>; Bring-Keith <Bring-Keith@MonroeCounty-FL.Gov>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>
Subject: RE: FM 436675-1: Rowell's FDOT comments

Kelsey – please see updated letter per our coordination with Monroe Co. and in response to the HFKF recommendations. Let us know if you have questions or need anything else.

Thanks,

Carrie E. Read, PLA, LEED AP

Landscape Architecture Group Leader / Project Manager

S&ME
O: 407.975.1273

C: 502.337.5224
www.smeinc.com

LinkedIn | Twitter | Facebook | Instagram

This electronic message is subject to the terms of use set forth at www.smeinc.com/email. If you received this message in error please advise the sender by reply and delete this electronic message and any attachments. Please consider the environment before printing this email.

From: Carrie Read
Sent: Tuesday, August 6, 2019 4:23 PM
To: Condell, Kelsey <Kelsey.Condell@dot.state.fl.us>; Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Cc: Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Kimberly Jean Nagle <KNagle@smeinc.com>; Bring-Keith <Bring-Keith@MonroeCounty-FL.Gov>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>
Subject: RE: FM 436675-1: Rowell's FDOT comments

Kelsey – in coordinating with Monroe Co. they have several staff that are ARM Certified to oversee job sites during ground disturbing activities (see attached). We will update the letter to say that Monroe Co. staff with this certification will be on-site during ground disturbing activities per the HFKF's recommendations. Let us know if this is adequate or if any additional info is needed.

Thanks,

Carrie E. Read, PLA, LEED AP

Landscape Architecture Group Leader / Project Manager

S&ME
O: 407.975.1273

C: 502.337.5224
www.smeinc.com

LinkedIn | Twitter | Facebook | Instagram

This electronic message is subject to the terms of use set forth at www.smeinc.com/email. If you received this message in error please advise the sender by reply and delete this electronic message and any attachments. Please consider the environment before printing this email.

From: Condell, Kelsey <Kelsey.Condell@dot.state.fl.us>
Sent: Tuesday, August 6, 2019 1:54 PM
To: Carrie Read <cread@smeinc.com>; Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Cc: Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Kimberly Jean Nagle <KNagle@smeinc.com>; Bring-Keith <Bring-Keith@MonroeCounty-FL.Gov>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>
Subject: RE: FM 436675-1: Rowell's FDOT comments

Hi Carrie,

I think there may have been a misunderstanding on one of our comments. The effects finding should be included in the letter, but has been removed. Our request was to instead remove the statement "and that no additional cultural resource investigations are necessary at this time," particularly because the Certified Local Government advised that monitoring should be considered. In addition to including an effects finding, we advise that the letter should state whether or not archaeological monitoring will be conducted.

Can you please advise concerning the discussion of archaeological monitoring with the Historic Florida Keys Foundation, and what the outcome was? Could you also please advise regarding S&ME's coordination with Monroe County regarding the HFKF's recommendation?

Thank you,

Kelsey Condell, M.S.
Environmental Specialist III

Planning and Environmental Management Office
Florida Department of Transportation- District 6
Adam Leigh Cann Building
1000 NW 111 Avenue
Miami, FL 33172

Phone (305) 470-5405; Fax: (305) 470-5205
E-mail: kelsey.condell@dot.state.fl.us

From: Carrie Read [mailto:cread@smeinc.com]
Sent: Tuesday, August 6, 2019 8:37 AM
To: Condell, Kelsey <Kelsey.Condell@dot.state.fl.us>; Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Cc: Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Kimberly Jean Nagle <KNagle@smeinc.com>; Bring-Keith <Bring-Keith@MonroeCounty-FL.Gov>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>
Subject: RE: FM 436675-1: Rowell's FDOT comments

Kelsey – please see attached for the revised letter per your comments. Let us know if you have comments or need anything else.

Thanks,

Carrie E. Read, PLA, LEED AP

Landscape Architecture Group Leader / Project Manager

S&ME
O: 407.975.1273

C: 502.337.5224
www.smeinc.com

LinkedIn | Twitter | Facebook | Instagram

This electronic message is subject to the terms of use set forth at www.smeinc.com/email. If you received this message in error please advise the sender by reply and delete this electronic message and any attachments. Please consider the environment before printing this email.

From: Condell, Kelsey <Kelsey.Condell@dot.state.fl.us>
Sent: Monday, July 29, 2019 1:12 PM
To: Carrie Read <cread@smeinc.com>; Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Cc: Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Kimberly Jean Nagle <KNagle@smeinc.com>; Bring-Keith <Bring-Keith@MonroeCounty-FL.Gov>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>
Subject: RE: FM 436675-1: Rowell's FDOT comments

Good afternoon Carrie,

We have performed our review, and the CRAS report has incorporated all of the comments we provided.

We have the following comments on the SHPO letter, which are also shown in the Word document attached:

- The Certified Local Government (CLG) recommended monitoring during construction. The cover letter notes this recommendation, but then makes the statement that "no additional cultural resource investigations are necessary at this time." Will archaeological monitoring take place? This will need to be clarified in the letter, as FDOT generally complies with CLG requests for monitoring.
- The signature block used is for state-funded projects. This letter should use the signature block for federal projects (includes the Section 4(f)) statement).
- Formatting- we typically include the recipient's name, letter date, and page number in the header of the pages of the cover letter aside from the cover page.

Please let me know if you have any questions regarding these comments.

Thank you,

Kelsey Condell, M.S.
Environmental Specialist III

Planning and Environmental Management Office
Florida Department of Transportation- District 6
Adam Leigh Cann Building
1000 NW 111 Avenue
Miami, FL 33172

Phone (305) 470-5405; Fax: (305) 470-5205
E-mail: kelsey.condell@dot.state.fl.us

From: Carrie Read [mailto:cread@smeinc.com]
Sent: Thursday, July 11, 2019 10:50 AM
To: Condell, Kelsey <Kelsey.Condell@dot.state.fl.us>; Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Cc: Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Kimberly Jean Nagle <KNagle@smeinc.com>; Bring-Keith <Bring-Keith@MonroeCounty-FL.Gov>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>
Subject: RE: FM 436675-1: Rowell's FDOT comments

Thanks, Kelsey – please see attached for updated documents per your request. Please see the link below for digital photos for review/submittal – there are a total of 9 files/images. Please let me know if you need anything else from our end.

https://sme.sharefile.com/f/fo24e9e4-1704-4da4-aa3e-1230a1ecdf91

Carrie E. Read, PLA, LEED AP
Landscape Architecture Group Leader / Project Manager

S&ME
O: 407.975.1273
C: 502.337.5224
www.smeinc.com

LinkedIn | Twitter | Facebook | Instagram

This electronic message is subject to the terms of use set forth at www.smeinc.com/email. If you received this message in error please advise the sender by reply and delete this electronic message and any attachments. Please consider the environment before printing this email.

From: Condell, Kelsey <Kelsey.Condell@dot.state.fl.us>
Sent: Thursday, July 11, 2019 9:39 AM
To: Carrie Read <cread@smeinc.com>; Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Cc: Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Kimberly Jean Nagle <KNagle@smeinc.com>; Bring-Keith <Bring-Keith@MonroeCounty-FL.Gov>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>
Subject: RE: FM 436675-1: Rowell's FDOT comments

Hi Carrie,

Please prepare the letter with our FDOT letterhead, attached. Please provide the digital files and we will review the documents and submit directly to the SHPO/DHR. The digital files can be sent through a File Transfer program or through a CD. I can provide a link to our File Transfer Appliance to send us the files if that will help facilitate the transfer.

Thank you,

Kelsey Condell, M.S.
Environmental Specialist III

Planning and Environmental Management Office
Florida Department of Transportation- District 6

Adam Leigh Cann Building
1000 NW 111 Avenue
Miami, FL 33172

Phone (305) 470-5405; Fax: (305) 470-5205
E-mail: kelsey.condell@dot.state.fl.us

From: Carrie Read [mailto:cread@smeinc.com]
Sent: Wednesday, July 10, 2019 4:18 PM
To: Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Cc: Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Condell, Kelsey <Kelsey.Condell@dot.state.fl.us>; Kimberly Jean Nagle <KNagle@smeinc.com>; Bring-Keith <Bring-Keith@MonroeCounty-FL.Gov>
Subject: RE: FM 436675-1: Rowell's FDOT comments

Alfredo – we are finalizing our updates based on the comments received. One question - for submittal of the structure card to DHR, we need to include digital files. Will FDOT be signing the letter on their letterhead and asking us to forward the information including the digital files to DHR on their behalf? Or do we need to provide a CD with the digital files for FDOT to send everything to DHR. Please let us know how to proceed.

Thanks,

Carrie E. Read, PLA, LEED AP
Landscape Architecture Group Leader / Project Manager

S&ME
O: 407.975.1273
C: 502.337.5224
www.smeinc.com

LinkedIn | Twitter | Facebook | Instagram

This electronic message is subject to the terms of use set forth at www.smeinc.com/email. If you received this message in error please advise the sender by reply and delete this electronic message and any attachments. Please consider the environment before printing this email.

From: Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Sent: Wednesday, June 26, 2019 2:42 PM
To: Carrie Read <cread@smeinc.com>; Bring-Keith <Bring-Keith@MonroeCounty-FL.Gov>
Cc: Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Condell, Kelsey <Kelsey.Condell@dot.state.fl.us>
Subject: FW: FM 436675-1: Rowell's FDOT comments

Carrie,
See some comments from our environmental office.
Let us know if you have any question or need some clarifications
Regards

Alfredo Reyna, P.E.
LAP Coordinator - KCI Technologies, Inc.
Florida Department of Transportation
(305) 470-5288 Fax (305) 470-6737
Alfredo.Reyna@dot.state.fl.us

From: Condell, Kelsey
Sent: Wednesday, June 26, 2019 1:48 PM
To: Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>; Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>
Cc: Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>; Crawford, Stephanie <Stephanie.Crawford2@stantec.com>; Westerman, Rudy <Rudy.Westerman@dot.state.fl.us>; Streelman, Amy <Amy_Streelman@janus-research.com>
Subject: RE: FM 436675-1: Rowell's FDOT comments

Good afternoon Alfredo,

Please see attached for our comments on the Cultural Resources Reports. Comments are provided in the PDFs, which are also detailed in the attached word document.

According to our review, it seems that they did not include the entire project area in their APE. The project plans we have reviewed show work on both the northern and southern half of the Rowell's waterfront park, but the report only considered the northern half as being within the APE.

In addition, Barbara had enquired with SM&E staff about the building on site that was razed by Monroe Co., the build date of that building, and the date of the TAP application for this project.

In the report, there is also mention of ongoing construction work in the existing conditions discussion, we would like to confirm whether or not that work is part of this project.

Please let me know if you have any questions about our comments,

Kelsey Condell, M.S.
Environmental Specialist III

Planning and Environmental Management Office
Florida Department of Transportation- District 6
Adam Leigh Cann Building
1000 NW 111 Avenue
Miami, FL 33172

Phone (305) 470-5405; Fax: (305) 470-5205
E-mail: kelsey.condell@dot.state.fl.us

From: Reyna, Alfredo
Sent: Tuesday, June 4, 2019 1:27 PM
To: Condell, Kelsey <Kelsey.Condell@dot.state.fl.us>
Subject: FW: FM 436675-1: Rowell's FDOT comments

FYI

Alfredo Reyna, P.E.
LAP Coordinator - KCI Technologies, Inc.
Florida Department of Transportation
(305) 470-5288 Fax (305) 470-6737
Alfredo.Reyna@dot.state.fl.us

From: Carrie Read [mailto:cread@smeinc.com]
Sent: Tuesday, June 4, 2019 10:30 AM
To: Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>

Cc: Bring-Keith@MonroeCounty-FL.Gov; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>; rudy_westerman@janus-research.com; Jason Bullard <jbullard@smeinc.com>
Subject: RE: FM 436675-1: Rowell's FDOT comments

Alfredo – please see attached for the Cultural Resources report. We are preparing our final set of plans for re-submittal and should have those to you shortly as well.

Thanks,

Carrie E. Read, PLA, LEED AP
Landscape Architecture Group Leader / Project Manager

S&ME
O: 407.975.1273
C: 502.337.5224
www.smeinc.com

LinkedIn | Twitter | Facebook | Instagram

This electronic message is subject to the terms of use set forth at www.smeinc.com/email. If you received this message in error please advise the sender by reply and delete this electronic message and any attachments. Please consider the environment before printing this email.

From: Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Sent: Thursday, May 30, 2019 11:27 AM
To: Carrie Read <cread@smeinc.com>
Cc: Bring-Keith@MonroeCounty-FL.Gov; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>; rudy_westerman@janus-research.com; Jason Bullard <jbullard@smeinc.com>
Subject: RE: FM 436675-1: Rowell's FDOT comments

Carrie,
Just send me the PDF and I will create the submittal in ERC or distribute it as needed.
Thank

Alfredo Reyna, P.E.
LAP Coordinator - KCI Technologies, Inc.
Florida Department of Transportation
(305) 470-5288 Fax (305) 470-6737
Alfredo.Reyna@dot.state.fl.us

From: Carrie Read [mailto:cread@smeinc.com]
Sent: Thursday, May 30, 2019 10:46 AM
To: Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Cc: Bring-Keith@MonroeCounty-FL.Gov; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>; rudy_westerman@janus-research.com; Jason Bullard <jbullard@smeinc.com>
Subject: RE: FM 436675-1: Rowell's FDOT comments

OK, thanks. We are finalizing our plans for resubmittal and will be submitting the Cultural Resource survey report as well. Since the project is closed, can you let me know how we can submit plans and documentation?

Thanks,

Carrie E. Read, PLA, LEED AP
Landscape Architecture Group Leader / Project Manager

S&ME
O: 407.975.1273
C: 502.337.5224
www.smeinc.com

LinkedIn | Twitter | Facebook | Instagram

This electronic message is subject to the terms of use set forth at www.smeinc.com/email. If you received this message in error please advise the sender by reply and delete this electronic message and any attachments. Please consider the environment before printing this email.

From: Reyna, Alfredo [mailto:Alfredo.Reyna@dot.state.fl.us]
Sent: Wednesday, May 29, 2019 10:43 AM
To: Carrie Read <cread@smeinc.com>
Cc: Bring-Keith@MonroeCounty-FL.Gov; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>; rudy_westerman@janus-research.com; Jason Bullard <jbullard@smeinc.com>
Subject: RE: FM 436675-1: Rowell's FDOT comments

Carrie,
As the ERC for the project is close, You will be able to see the comments if you search for the submittal. Under the "Submittal" tab "search for submittal"
On the FM add 436675 1
You will be able to see the comments but not make any changes.

cid:image001.png@01D52C24.F0DD7DF0

Regards

Alfredo Reyna, P.E.
LAP Coordinator - KCI Technologies, Inc.
Florida Department of Transportation
(305) 470-5288 Fax (305) 470-6737
Alfredo.Reyna@dot.state.fl.us

From: Carrie Read [mailto:cread@smeinc.com]
Sent: Wednesday, May 29, 2019 10:31 AM
To: Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Cc: Bring-Keith@MonroeCounty-FL.Gov; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>; rudy_westerman@janus-research.com; Jason Bullard <jbullard@smeinc.com>
Subject: RE: FM 436675-1: Rowell's FDOT comments

Alfredo – I have completed the online account set up if you can please add me to the project.

Barbara – we have completed the Cultural Resources report for Rowell's. Should I submit this through the online portal or submit to you directly via email? Just let me know how you'd like to proceed.

Thanks,

Carrie E. Read, PLA, LEED AP
Landscape Architecture Group Leader / Project Manager

S&ME
O: 407.975.1273
C: 502.337.5224
www.smeinc.com

LinkedIn | Twitter | Facebook | Instagram

This electronic message is subject to the terms of use set forth at www.smeinc.com/email. If you received this message in error please advise the sender by reply and delete this electronic message and any attachments. Please consider the environment before printing this email.

From: Reyna, Alfredo [mailto:Alfredo.Reyna@dot.state.fl.us]
Sent: Wednesday, May 15, 2019 12:11 PM
To: Carrie Read <cread@smeinc.com>
Cc: Bring-Keith@MonroeCounty-FL.Gov; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>; rudy_westerman@janus-research.com; Jason Bullard <jbullard@smeinc.com>
Subject: FM 436675-1: Rowell's FDOT comments

Carrie,
Attached is the Report and the last set we review.
In order to create an account follow the instruction below. Once he has created an account, I will add you to the project.

First Click here: ERC Link

Second:

cid:image002.jpg@01D52C24.F0DD7DF0

Third:

cid:image003.jpg@01D52C24.F0DD7DF0

Fourth:

cid:image004.jpg@01D52C24.F0DD7DF0

You will then receive an E-Mail from the system with a temporary password. The system will require you to set a user defined password the first time you log into the ERC system.

And finally, let me know when this has been completed so that I may add you to the project.
There is a video tutorial you can watch under the "Help" link on the main page.

Alfredo Reyna, P.E.
LAP Coordinator - KCI Technologies, Inc.
Florida Department of Transportation
(305) 470-5288 Fax (305) 470-6737
Alfredo.Reyna@dot.state.fl.us

From: Carrie Read [mailto:cread@smeinc.com]
Sent: Wednesday, May 15, 2019 10:05 AM
To: Reyna, Alfredo <Alfredo.Reyna@dot.state.fl.us>
Cc: Bring-Keith@MonroeCounty-FL.Gov; Knight-Cary <Knight-Cary@MonroeCounty-FL.Gov>; Nunez, Xiomara <Xiomara.Nunez@dot.state.fl.us>; Culhane, Barbara J <Barbara.Culhane@dot.state.fl.us>; rudy_westerman@janus-research.com; Jason Bullard <jbullard@smeinc.com>
Subject: Rowell's FDOT comments

EXTERNAL SENDER: Use caution with links and attachments.

Alfredo - can you please send me a full report of the FDOT comments for Rowell's as discussed in our meeting last week? Also, can you provide myself and Keith Bring with an account to access the comment site and submit responses?

Once we've received all comments we will be working to update our plans and generate a response to comments to resumbit to FDOT as discussed last week.

Thanks for your assistance,