

949 BRICK AND CONCRETE MASONRY UNITS FOR MANHOLES, INLETS AND OTHER STRUCTURES.

(REV ~~9-2410-16-12~~) (*FA 1-7-13*) (7-13)

**SECTION 949
BRICK AND CONCRETE MASONRY UNITS FOR
MANHOLES, INLETS AND OTHER STRUCTURES**

949-1 Clay Brick and Shale Brick.

This brick shall meet the requirements of ~~AASHTO M 114~~ *ASTM C62*, ~~for~~ Grade MW *or ASTM C32, Grade MM*.

949-2 Concrete Brick.

Concrete brick shall meet the requirements of ASTM C55 ~~for Grade S-II~~.

949-3 Concrete Masonry Units.

Concrete masonry units for use in manholes, inlets and similar structures shall meet the requirements of ASTM C139.

~~When the masonry units are produced by a manufacturer exercising quality control procedures acceptable to the Department, such units may be accepted on the basis of six test certificates furnished to the Department. Such certificates shall be signed by an authorized agent of the manufacturer, and identified by project number.~~

949-4 ~~Submittals~~Acceptance.

Provide the Engineer a certification from the manufacturer's certification stating that the bricks or concrete masonry units meet the requirements of this Section. Acceptance of materials will be in accordance with Section 6-1.3.1.