



Florida Department of TRANSPORTATION



FDOT Contractor QC Plan Review

July 17, 2026



Contents

Introduction.....	4
Chapter 1 – QC Program Material Types on the Contractor QC Plan	6
Chapter 2 – Contractor QC Plan Statuses.....	8
A. Materials other than Asphalt, Earthwork and Concrete.....	8
B. Asphalt and Earthwork Material Types	8
C. Structural Concrete Material Type.....	8
Chapter 3 – Navigating to an Existing Contractor QC Plan	9
A. Navigating to an existing Contractor QC Plan with the Go to field	9
B. Navigating to a Contractor QC Plan using the Search option	9
C. Viewing CQCP Entries not initially Displayed	11
Chapter 4 – Reviewing QC Program Material Types other than Asphalt, Earthwork or Concrete.....	13
A. Steel and Miscellaneous Metal Material Types.....	13
1. Bridge Bearings	13
2. Bridge Castings	13
3. Bridge Forgings	13
4. Bridge Machinery.....	14
5. Guardrail.....	14
6. Modular Joints (formerly Steel Modular Joints).....	14
7. Overhead Cantilever.....	15
8. Overhead Gantry	15
9. Overhead Monotube	15
10. Overhead Span / Truss.....	16
11. Shop Metalizing	16
12. Shop Painting	17
13. Steel Bridge Advanced (formerly Steel Bridge Vehicular).....	17
14. Steel Bridge Pedestrian Truss Category 1 (formerly Steel Bridge Pedestrian)	17
B. Precast and Prestressed Concrete Products.....	18
1. Incidental Precast Products	18
2. Precast Drainage Structures.....	18
3. Precast Pipe	19
4. Prestressed Concrete Products.....	19
C. Flexible Pipe and Fiber Reinforced Materials	19
1. Fiber Reinforced Polymers	19
2. Metal Pipe.....	19
3. Plastic Pipe.....	19
Chapter 5 – PA Review of the CQCP	20
A. Reviewing Contractor QC Manager (CQCM) Information	20
B. Reviewing the Asphalt, Earthwork and Structural Concrete Information	21
1. Technicians	21
2. Labs.....	21
3. Production Facilities	22

4. Structural Concrete Mix Designs	22
C. Reviewing other Materials	22
D. Accepting a Portion of the CQCP	23
E. Rejecting a Portion of the CQCP	24
F. Reviewing a Returned Corrected Portion of the CQCP	25
G. Reviewing the Laboratory Test Method Status	25
Chapter 6 – PA Commercial Inspection Review and Responses	28
A. Reviewing the QC Response to Question 1	28
B. Updating the PA Responses on Question 2 (formerly question 3)	29
Chapter 7 – Comments.....	31
A. Adding a Comment to the CQCP	31
B. Updating a Comment on the CQCP	31
C. Deleting a Comment on the CQCP.....	32
D. Responding to Another's Comment.....	33
E. Updating a Response.....	34
F. Deleting a Response.....	34
Chapter 8 – Documents.....	35
A. Adding a Document to the CQCP	35
B. Viewing Uploaded Documents	36
C. Updating a Document Description	38
D. Deleting an Uploaded Document.....	38
Chapter 9 – Viewing a CQCP for Print	40
Chapter 10 – CQCP Addendums	41
Chapter 11 – PA Routine CQCP Review.....	42
Chapter 12 - DMRO Structural Concrete Mix Design Addendum Review	43

Introduction

The Contractor QC Plan (CQCP) in MAC is how Contractors submit their QC plans to the Department per **Specifications Section 105** for contracts let on or after July 1, 2015.

Who creates the Contractor QC Plan? Who has access to it?

Any user with the company role of Data Entry can create a CQCP. Access to updating CQCPs cannot be shared with other companies by using the MAC Grant Access feature. *Once a CQCP is created by a company, it belongs to that company and cannot be updated* by users in another company. The CQCP does not have to be created by the Prime Contractor. It can be created by a subcontractor or QC firm, but that company must be responsible for all data entry for all companies. For example, if the Asphalt subcontractor creates a CQCP on a contract with other materials, the Asphalt subcontractor must maintain all the material entries (not just asphalt) on behalf of the Prime Contractor. Because of this, the different companies involved will need to discuss who is creating and maintaining the CQCP for the life of the contract. System Administrators can update the company name on a CQCP. If the name is changed, then only users under the new company can update the CQCP.

What is on a CQCP?

The CQCP may include, if applicable:

- The contractor QC Manager (CQCM) (always required)
- Technicians, Laboratories and Production Facilities for hot mix asphalt
- Technicians, Laboratories and Production Facilities, if applicable, for earthwork
- Technicians, Laboratories, Production Facilities, and mix designs for structural concrete
- Production Facilities for all other QC Program materials listed in **Specification Section 105** except for cementitious materials
- Information related to commercial inspection notification of order for steel and miscellaneous metals, also listed in **Specification Section 105** (required for some material types)
- Documents and comments related to entries on the CQCP
 - Comments for explanatory information related to statuses of technicians, laboratories, or production facilities
 - Documents for technician certification, such as QC grouting technicians or bridge personnel experience such as a résumé

Do I need a CQCP? Do I need a Contractor QC Manager?

These are two frequent questions about CQCPs:

1. Do I need a CQCP for my contract?
2. If there isn't asphalt, earthwork, or structural concrete on the contract, do I need a CQCM?

For most contracts, the answer is yes to both questions. If there is one QC Program material from ***Specifications Section 105*** on the contract, you need a CQCP and a CQCM even if the material is not asphalt, earthwork or structural concrete.

There are some contracts that do not have any of the QC Program materials such as a landscape project that does not require any other QC Program materials. They are rare, but they do occur. If there is no QC program material on the contract, a CQCP does not need to be created and a CQCM does not need to be designated.

Why would you need a CQCM when there is no asphalt, earthwork, or concrete, but there is one of the other materials? The material delivery, storage and placement of any QC Program material must be performed within the Contractor's QC Operations under the direction of a CQCM. A CQCP is needed to inform the Department which production facility or facilities will be producing the material.

PA's should not require a CQCP entry for contracts that do not include any of the QC Program Materials.

NOTE: Per ***Materials Bulletin 24-02/DCE Memo 24-04 - [Revised Procurement and Contractor's Quality Control Plan Requirements of Specific Structural Materials for Projects Let After July 1, 2024](#)***, some steel and miscellaneous metal material types have been removed from the QC Program. ***Specifications Section 105*** and MAC Programming has been revised to reflect this. Additional details can be found in this document.

Who is responsible for reviewing the CQCP?

These instructions describe the review of the CQCP entries by the PA and the District Materials and Research Office (DMRO) structural concrete Program Maintenance Users (PMUs) review of the mix design components at the structural concrete production facilities.

Chapter 1 – QC Program Material Types on the Contractor QC Plan

Article 105-3 lists the materials covered by the Quality Control Program. These materials have both Producer and Contractor QC Program requirements.

105-3 Quality Control Program.

Certain operations require personnel with specific qualifications. Certain materials require production under an approved Quality Control (QC) Plan to ensure that these materials meet the requirements of the Contract Documents. Applicable materials include hot mix asphalt, portland cement concrete (structural), earthwork, cementitious materials, steel and miscellaneous metals, galvanized metal products, prestressed and/or precast concrete products, drainage products, and fiber reinforced polymer products. For all applicable materials included in the Contract, submit a QC Plan prepared in accordance with the requirements of this Section to the Engineer. Do not incorporate any of these materials into the project prior to the Engineer's approval of the QC Plan.

Steel and miscellaneous metals is a category of products. Several of these material types have recently been removed from the **Specifications** and from MAC:

- Aluminum J-Arms
- Aluminum Light Poles
- Aluminum Railing
- CCTV Poles
- Coated Steel Fence
- Drainage (Castings)
- Drainage (Welded)
- Elastomeric Bearing Pads
- Galvanizing
- Laminated Bearing Pads
- Powder Coating
- Stay In-Place Forms – Coated
- Stay In-Place Forms – Uncoated
- Steel Mast Lighting
- Steel Railing
- Strain Pole
- Timber – not covered in [MB 24-02](#). **Removed by Specification Section update**

This does not eliminate any other method of acceptance requirements designated in the Contract Documents. For example, these steel related items must be confirmed that they are compliant with BABA requirements.

Table 1 – QC Program Materials & MAC Material Type (other than steel)		
Section 105 QC Program Material	MAC Material Type	On CQCP?
Hot Mix Asphalt	Asphalt	Yes
Portland Cement Concrete (structural)	Structural Concrete	Yes
Earthwork	Earthwork	Yes
Cementitious Materials	Cement	No
	Calcinated Clay	
	Fly Ash	
	GGBF Slag	
	Metakaolin	
	Silica Fume	
	Ultra Fine Fly Ash	
Steel (see Table 2)		
Prestressed and/or Precast Concrete Products	Incidental Precast Products	Yes
	Precast Drainage Structures	
	Precast Pipe	
	Prestressed Concrete Products	
Drainage Products	Metal Pipe	Yes
	Plastic Pipe	
Fiber Reinforced Polymer Products	Fiber Reinforced Polymers	Yes

Table 2 – Steel and Miscellaneous Metals QC Program Materials and MAC Material Type		
Section 105 QC Program Material	MAC Material Type	Triggers Commercial Inspection?
Steel and Miscellaneous Metals	Bridge Bearings	Yes
	Bridge Castings	No
	Bridge Forgings	No
	Bridge Machinery	Yes
	Guardrail	No
	Modular Joints ¹	Yes
	Overhead Cantilever	Yes
	Overhead Gantry	Yes
	Overhead Monotube	Yes
	Overhead Span / Truss	Yes
	Shop Metalizing	Yes
	Shop Painting	Yes
	Steel Bridge Pedestrian Truss Category ²	Yes
	Steel Bridge Advanced ³	Yes

Chapter 2 – Contractor QC Plan Statuses

The CQCP does not have a status. Each material type has an independent status. This results in different parts of the CQCP being in different statuses at the same time.

A. Materials other than Asphalt, Earthwork and Concrete

Function	Material Type Status
Data entry creates a CQCP with at least 1 material type	In Progress
Data entry updates a CQCP with a material type	In Progress
Data entry submits a CQCP material type	Submitted

B. Asphalt and Earthwork Material Types

Function	Material Type Status
Data entry creates a CQCP with asphalt or earthwork material type	In Progress
Data entry updates a CQCP to include asphalt or earthwork material type	In Progress
Data entry submits asphalt or earthwork material type	Submitted
PA returns asphalt or earthwork material type for data entry corrections	Rejected and Returned for Corrections
Data entry submits asphalt or earthwork material type with data entry corrections	Correction Made and Ready for Review
PA accepts asphalt or earthwork material type	Accepted
NOTE: Addendums have the same statuses as the original submission	

C. Structural Concrete Material Type


Function	Material Type Status
Data entry creates a CQCP with structural concrete material type	In Progress
Data entry updates a CQCP to include structural concrete material type	In Progress
Data entry submits structural concrete material type	Submitted*
<i>*PA cannot accept or reject without Concrete PMU review being complete</i>	
PMU reviews material availability	Submitted
PA returns structural concrete material type for data entry corrections	Rejected and Returned for Corrections
Data entry submits asphalt or earthwork material type with data entry corrections	Correction Made and Ready for Review
PA accepts structural concrete material type	Accepted
NOTE: Addendums have the same statuses as the original submission	

Chapter 3 – Navigating to an Existing Contractor QC Plan

There are two ways to navigate to an existing CQCP, the Go to field if you know the contract number and the Search option if you don't.

A. Navigating to an existing Contractor QC Plan with the Go to field

If you know the contract number, that is the unique identifier for CQCPs. The Go to field uses it for navigating to a specific entry.




1. Enter all or part of the contract number (at least 3 digits are needed).
2. Select an entry from the returned list.

You will be navigated to that entry.

B. Navigating to a Contractor QC Plan using the Search option

If you don't know the contract number, there are a few options to find a specific CQCP.



1. Select the Search option.

The Search subscreen appears above the CQCP screen in the background.

The screenshot shows a 'Filter Options' window with a 'Click to Collapse' link in the top right corner. The window contains several search filters: 'Company Profile' with a text input 'Start typing Company name to get a list of'; 'District' with a dropdown menu showing 'District 4'; 'Contracts' with a text input 'Type Contract Number/Description'; 'Project(s)' with a text input 'Type Item/Item Segment'; 'Statuses' with a dropdown menu; 'Material Types' with a dropdown menu; 'Production Facility' with a text input 'Type Production Facility Name'; 'Has Commercial Inspections?' with a dropdown menu showing 'Yes'; and 'Only Include Mix Designs Awaiting PMU Review' with a checkbox. At the bottom, there is a 'Mix Design' text input 'Type Mix Design Name', a status bar indicating 'Currently selected criteria will yield 5 results', and two buttons: 'Search' and 'Clear Search'.

2. Use Search fields to narrow down the list of returned values:

a. **Company Profile** – enter all or part of the MAC company name and select the entry from the returned list. The entries will be narrowed down to only those with that company name.

NOTE: This is the company name of the company who created and maintains the CQCP entry, not necessarily the Prime Contractor.

b. **District** – select the district the contract is assigned to from the dropdown.

c. **Contracts** – this field is multiselect. The Go to field is single select. Use this field if you want to search results to include more than one contract, otherwise, use the Go To field for a single entry.

d. **Project(s)** – enter all or part of one of the Financial Project Numbers (FPNs) and select an entry from the returned list. This field is multiselect.

e. **Statuses** – these are the statuses of the different Material Type entries ([Chapter 2 – Contractor QC Plan Statuses](#)). Select the appropriate status(es). This field is multiselect.

f. **Material Types** – select one or more material types from the dropdown. This field is multiselect.

g. **Production Facility** – enter the facility id, description or partial description and select an entry from the returned list.

h. **Has Commercial Inspections?** – select yes to include all CQCPs with commercial inspection. Select no to exclude them.

i. **Only Include Mix Designs Awaiting PMU Review** – select this indicator to include only CQCPs with structural concrete mix designs not yet reviewed by a PMU. It should be used in conjunction with other fields such as district or production facility.

j. **Mix Design** – enter all or part of a mix design number (asphalt or concrete) and select the entry from the returned list.

As you select filters, the Search subscreen denotes how many entries meet the filters.

3. Select the Search option to generate the list of results at the bottom of the Search subscreen.

The list appears below the search fields.

1	T4824 CRS CONTRACTS (HALLEY ENGINEERING CONTRACTORS, INC.)	Halley Engineering Contractors, Inc.	Asphalt is Accepted, Drainage Castings is In Progress, Earthwork is Accepted, Guardrail is In Progress, Incidental Precast Products is Submitted, Overhead Cantilever is Submitted, Overhead Span/Truss is Submitted, Precast Drainage Structures is Submitted, Structural Concrete is Accepted
2	T4583 CRS CONTRACTS (VECELLIO & GROGAN, INC.)	Pacific Engineering Services, LLC	All Materials are Accepted ("Some Addendums in Progress")
3	E4159 DISTRICT CONSTRUCTION CONTRACT (MASTEC CIVIL, LLC)	Conville America, Inc.	All Materials are Accepted ("Some Addendums in Progress")
4	E4544 DESIGN-BUILD CONTRACTS (ARCHER WESTERN-DE MOYA JOINT VE)	Universal Engineering Sciences, LLC	Aluminum J-Arms is Submitted, Asphalt is Accepted, Bridge Bearings is Submitted ("Addendum in Progress), Earthwork is Accepted ("Addendum in Progress), Elastic Bearing Pads is Submitted, Galvanizing is Submitted, Guardrail is Submitted ("Addendum in Progress), Incidental Precast Products is Submitted, Metal Pipe is Submitted ("Addendum in Progress), Overhead Cantilever is Submitted ("Addendum in Progress), Overhead Gantry is Submitted ("Addendum in Progress), Overhead Monotube is Submitted ("Addendum in Progress), Overhead Span/Truss is Submitted ("Addendum in Progress), Plastic Pipe is Submitted, Fiber Reinforced Polymers is Submitted, Precast Pipe is Submitted ("Addendum in Progress), Precast Drainage Structures is Submitted, Prestressed Concrete Products is Submitted, Shop Painting is In Progress, Stay In Place Forms Coated is Submitted ("Addendum in Progress), Structural Concrete is Accepted ("Addendum in Progress)
5	E4039 DISTRICT MAINTENANCE CONTRACTS (JORGENSEN CONTRACT SERVICES, LLC)	Universal Engineering Sciences, LLC	All Materials are Accepted

Showing 1 to 5 of 5 | [Export Results](#)

4. Select a row of the results to navigate to that CQCP.

NOTE: As long as you remain on the CQCP screen and do not change or clear your search results, the list will remain on the subscreen. Select the Search option again to open the subscreen and return to the results.

C. Viewing CQCP Entries not initially Displayed

Recently the CQPC display has been updated so that some of the tabs and subtabs do not display when navigating to a specific CQCP. This is due to slow response time on large CQCPs, especially when the contract lasts a long time and has many materials.

Contract

G0256: GRANT DISBURSEMENT [VOLUSIA COUNTY CONST ENG]

Contract Letting Date

Company

Material Types

☐ Asphalt ☐ Earthwork ☐ Precast Pipe ☐ Precast Drainage Structures ☐ Prestressed Concrete Products ☐ Structural Concrete

Related Projects [3]

QC Manager

☐ Show All Material Addendums

When a CQCP first appears on the screen, only the QC Manager and the Commercial Inspection tab (if the CQCP has one) appears. The material types currently listed on the CQCP appear on the header with indicator options. Selecting one or more indicators will display the tab for that material.

1. Select one or more material type indicators to display those materials.

The CQCP displays the tabs for the selected Material Types. If a Material Type has addendums, it will display the most recent addendum.

The screenshot shows a web interface for CQCP. At the top, under 'Material Types', there are checkboxes for 'Asphalt', 'Earthwork', 'Precast Pipe' (checked), 'Precast Drainage Structures' (checked), 'Prestressed Concrete Products', and 'Structural Concrete'. Below this is a 'Related Projects [3]' section. Then a 'QC Manager' section. A checkbox labeled 'Show All Material Addendums' is present. Below that are two tabs: 'Precast Pipe' and 'Precast Drainage Structures', both highlighted in yellow. A mouse cursor is pointing at the 'Precast Pipe' tab. At the bottom is a 'Comments [3]' section.

2. To see all the addendums for a Material Type, select the Show All Material Addendums option.
3. To see the information for a Material Type, click on the Material Type tab to expand it.

Chapter 4 – Reviewing QC Program Material Types other than Asphalt, Earthwork or Concrete

This section provides a description of some of the material types. The PA will review these entries but doesn't have a MAC function to accept or reject them. If you are not sure if a CQCP needs to include one of these materials, contact the appropriate local DAC or the SMO technical unit expert for that material type ([FDOT: State Materials Office - MAC Contacts](#)).

A. Steel and Miscellaneous Metal Material Types

1. *Bridge Bearings*

Select this material type when steel bridge bearings (such as rocker, roller, pot, disc, spherical, sliding, or guide) have been identified for use on the project.

NOTE: Selecting this material type activates the Commercial Inspection tab.

2. *Bridge Castings*

Select this material type when structural castings have been identified for use on the project. This applies to cast components for use in bridge machinery.

3. *Bridge Forgings*

Select this material type when bridge forgings have been identified for use on the project. This applies to forged components for use in bridge machinery.



4. *Bridge Machinery*

Select this material type when bridge machinery has been identified for use on the project.



NOTE: Selecting this material type activates the Commercial Inspection tab.

5. *Guardrail*

Select this material type when w-beam or thrie-beam guardrail have been identified for use on the project.



6. *Modular Joints (formerly Steel Modular Joints)*

Select this material type when steel modular joints have been identified for use on the project. This includes but is not limited to expansion and finger joints.

NOTE: Selecting this material type activates the Commercial Inspection

7. *Overhead Cantilever*

Select this material type when overhead cantilevers have been identified for use on the project.



NOTE: Selecting this material type activates the Commercial Inspection.

8. *Overhead Gantry*

Select this material type when overhead gantry has been identified for use on the project.

NOTE: Selecting this material type activates the Commercial Inspection tab.

9. *Overhead Monotube*

Select this material type when overhead monotube(s) have been identified for use on the project.

NOTE: Selecting this material type activates the Commercial Inspection tab.

10. Overhead Span / Truss

Select this material type when overhead span or trusses have been identified for use on the project.



NOTE: Selecting this material type activates the Commercial Inspection.

11. Shop Metalizing

If a metal element is being metalized in the fabrication shop, select the production facility that will be metalizing the element. If your company has not selected the metalizing production facility and you are not sure which metalizing production facility is being used, contact the fabricator to find out which metalizing production facility to select. Some Steel and Miscellaneous Metal Fabricators have metalizing capabilities at their own fabrication shop. This is covered under their PQCP, and these are not listed separately as a metalizer. If the fabricator does not have metalizing capabilities, the metalizing production facility used must be shown in the CQCP. This is only for shop metalizing not for field metalizing or painting of metal or concrete. On-site (project) metalizing is not governed by these requirements and is not considered a Quality Control Program Material under **Specifications Section 105**.

NOTE: Selecting this material type activates the Commercial Inspection tab.

12. *Shop Painting*

If a metal element is being painted in the fabrication shop, select the production facility that will be painting the element. If your company has not selected the painting production facility and you are not sure which painting production facility is being used, contact the fabricator to find out which painting production facility to select. Some Steel and Miscellaneous Metal Fabricators have painting capabilities at their own fabrication shop. This is covered under their PQCP, and these are not listed separately as a painter. If the fabricator does not have painting capabilities, the painting production facility used must be shown in the CQCP. This is only for shop painting not for field painting. Field painting falls under **Specification Section 561** which details the company and personnel requirements. On-site (project) painting is governed by these requirements and is not considered a Quality Control Program Material covered by **Specification Section 105**.

NOTE: Selecting this material type activates the Commercial Inspection tab.

13. *Steel Bridge Advanced (formerly Steel Bridge Vehicular)*

Select this material type if there is a steel bridge or steel bridge section that have been identified for use on the project. This will include steel bridge components, moveable bridge components for new or rehabilitation work.

Steel bridge components include but are not limited to bracing members, cross frames, gusset plates, splice plates, grid decking, stairs, and platforms. Components whose failure would impact the performance of the bridge, or its function are subject to commercial inspection.



NOTE: Selecting this material type activates the Commercial Inspection tab.

14. *Steel Bridge Pedestrian Truss Category 1 (formerly Steel Bridge Pedestrian)*


Select this material type when steel pedestrian bridges of a standard design or bridge grid decking have been identified for use on the project.

NOTE: Selecting this material type activates the Commercial Inspection tab.

B. Precast and Prestressed Concrete Products

1. *Incidental Precast Products*

If there are incidental precast products on the contract, select the incidental precast production facility or facilities producing and supplying the products. Some examples of this material would be sound barrier, retaining wall systems, concrete poles, temporary traffic barriers, light pole foundations, sign foundations, and pull and junction boxes.



NOTE: Some incidental precast products also have an Approved Products List (APL) requirement for the material acceptance. When selecting the production facility for incidental precast product, there is an optional APL number field that appears. You should enter the APL number(s) for these production facilities. For example, Sound Barriers (MAC Material 534) requires the product be produced by a production facility on the Incidental Precast Production Facility Listing. It also requires that the product is on the APL.

NOTE: The Contractor provides the Project Administrator (PA) with a Producer Certification Statement meeting the requirements of MAC Material 105 from each production facility.

NOTE: Ensure that incidental precast products come from a production facility with the material type of Incidental Precast. Some incidental precast products also produce concrete products that are prestressed. That does not mean that those products come from a prestressed production facility. If you are not sure if a product falls under incidental precast or prestressed products, contact the appropriate DMRO precast/prestressed personnel for assistance.

2. *Precast Drainage Structures*

If there are precast drainage structures on the contract, select the precast drainage structure production facility or facilities that will be producing and supplying the products. Examples include inlets, manholes, junction boxes, end walls, three-sided precast concrete culverts, and precast concrete box culverts.

NOTE: The Contractor provides the PA with a Producer Certification Statement meeting the requirements of MAC Material 449 from each production facility.

3. *Precast Pipe*

If there are precast pipes on the contract, select the precast pipe production facility or facilities that will be producing and supplying the products. Some examples of these materials include round concrete, elliptical concrete, and underdrain pipe.

NOTE: The Contractor provides the PA with a Producer Certification Statement meeting the requirements of MAC Material 449 from each production facility.

4. *Prestressed Concrete Products*

If there are prestressed concrete products on the contract, select the prestressed concrete products production facility or facilities that will be producing and supplying the products. Some examples are prestressed piles, beams, or sheet piles. If the product is prestressed but considered to be an incidental precast product (like lighting poles), do not select a prestressed production facility for those products.

NOTE: The Contractor should provide the PA with a Producer Certification Statement meeting the requirements of MAC Material 450 from each production facility.

C. Flexible Pipe and Fiber Reinforced Materials

1. *Fiber Reinforced Polymers*

If there are fiber reinforced polymer products on the contract, select the fiber reinforced polymer production facility or facilities producing and supplying the products. Some examples of this material would be glass, carbon, aramid, or basalt reinforced polymeric materials.

2. *Metal Pipe*

If there are metal pipe products on the contract, select the metal pipe production facility or facilities that will be producing and supplying the products. Some examples of this material are corrugated steel pipe, spiral ribbed steel pipe, corrugated aluminum pipe, and spiral ribbed aluminum pipe. Ductile steel pipe is not considered a flexible pipe and is not included in the steel and miscellaneous metals category. The producer of ductile steel pipe does not have to be included in the CQCP.

3. *Plastic Pipe*

If there are plastic pipe products on the contract, select the plastic pipe production facility or facilities that will be producing and supplying the products. Some examples of this material include polyethylene pipes, corrugated polypropylene pipes, corrugated polyvinyl chloride pipes, and steel reinforced ribbed polyethylene pipes.

Chapter 5 – PA Review of the CQCP

[Construction Project Administration Manual \(CPAM\) Section 3.3](#) provides detailed instructions for reviewing the CQCP. It includes checklists to assist the PA. If there is a conflict between these instructions and **CPAM 3.3**, the instructions in the **CPAM** take precedence over this document.

A. Reviewing Contractor QC Manager (CQCM) Information

Technician	Qualification Area	Qualification Status	Expiration Date
John Mcdoe [54154]	QC MANAGER	Not Qualified	

Phone Type	Number	Is Primary ?
Cell	(850) 555-1234	☒


Email
qcm@abcroads.com

1. Click on the QC Manager tab to expand it.
2. Review the person listed as QC manager.
 - a. Is the person's QC Manager Qualification valid?
 - b. If it has an expiration date, will the QC Manager's qualification remain valid throughout the life of the contract?
 - c. Is the contact information correct and complete?

NOTE: Most CQCM qualifications have an expiration date as shown in the example above. This is a designation that the CQCM has been designated as a “once and done” qualification and it will not expire in the life of the contract.

NOTE: Unqualified technicians, labs or production facilities are not grounds for the CQCP to not be accepted. If the qualification can be reinstated before the QC Operations begin, the PA does can accept that portion of the CQCP.

B. Reviewing the Asphalt, Earthwork and Structural Concrete Information



Contract
E8T58: DISTRICT MAINTENANCE CONTRACTS [CATES TRACTOR SERVICE LLC]


Contract Letting Date **Contract**
A

Status
Aluminum J-Arms is In Progress, Asphalt is In Progress, Earthwork is In Progress, Precast Pipe is In Progress, Precast Concrete is In Progress

Material Types

☐ Aluminum J-Arms ☒ Asphalt ☐ Earthwork ☐ Precast Pipe ☐ Precast Drainage Structures ☐ Structural Concrete

1. If the Material tab is not visible, select the Material Types indicator.



Material Types

☐ Aluminum J-Arms ☒ Asphalt ☐ Earthwork ☐ Precast Pipe ☐ Precast Drainage Structures ☐ Structural Concrete

Related Projects [1] Click to Expand

QC Manager Click to Expand

Asphalt Click to Expand

Commercial Inspection Click to Expand

2. Now that the Material tab is visible, click on it to expand it.

3. Click on each subtab to expand them.

4. Review the following information:

1. **Technicians**

- Ensure that the technicians listed have a valid qualification. Review the expiration date.
 - If the technicians are not qualified or if they will expire before the contract is complete, review with the CQCM steps to ensure the technician is in a satisfactory status by the time the sampling and testing is performed
 - If you are satisfied with the plan, you may accept the Asphalt portion of the CQCP even though the technician qualification status is not in a satisfactory status now

2. **Labs**

- Ensure that the labs listed have the appropriate test methods in a valid status (Chapter 5, [G. Reviewing the Laboratory Test Method Status](#))
 - If the labs are not qualified, review with the CQCM steps to ensure the lab test methods will be in a valid status by the time the testing is performed
 - If you are satisfied with the plan, you may accept the Asphalt portion of the CQCP even though the lab qualification status is not in a satisfactory status

3. ***Production Facilities***

- Ensure that the production facilities have an acceptable PQCP status
 - If the production facility PQCP status is not accepted, review with the CQCM steps to ensure the production facility will be in an acceptable status by the time the material or product is delivered to the contract
 - If you are satisfied with the plan, you may accept the Asphalt portion of the CQCP even though the production facility status is not in an accepted status now

4. ***Structural Concrete Mix Designs***

- Review the structural concrete mix designs that have been listed for each production facility
- Ensure that the DMRO structural concrete personnel have completed their review and indicated on any mix design if the material is available and the PMU review is selected
- Review the mix designs for project specific requirements
 - The DMRO review does not include any special contract specific considerations. It is up to the PA to ensure that the mix design(s) listed meet any contract specific requirements
 - For example, you may need to ensure that the mix design selected is appropriate for the environment listed in the plans
 - Or if there is a plan note requiring a higher strength of concrete than the typical strengths listed in ***Specifications Section 346***, ensure that the mixes listed have a minimum strength required by the plan note
 - The PA can request assistance from the DMRO structural concrete personnel as needed


C. **Reviewing other Materials**

- Ensure that the production facilities have an acceptable Producer QC Plan (PQCP) status
 - If the production facility PQCP status is not accepted, review with the CQCM steps to ensure the production facility will be in an acceptable status by the time the material or product is delivered to the contract
 - If you are satisfied with the plan, you need do nothing else since these materials are not accepted or rejected by the PA
- If a QC Program material is being delivered or is about to be delivered, ensure that the appropriate facilities have been submitted for each material type.
 - For example, if concrete light poles are being delivered, there should be:
 - An entry for the incidental precast production facility or facilities delivering the light poles
 - When the poles are delivered, the QC Stamp on the product should match the production facility listed

NOTE: Specifications Section 105 requires the Contractor to notify the Department in advance of the sources of the QC Program Materials. These materials should not be delivered to the contract before the CQCP has been updated to reflect the source. This is intended to give the PA and the Materials Offices time to coordinate any review of the facility and communicate if there are any issues with the facility before the product is delivered. In some cases, the source should be identified before the product is produced if the production facility is producing a project specific item, like some prestressed beams or a steel bridge.

D. Accepting a Portion of the CQCP

The PA can accept or reject the Asphalt, Earthwork or Structural Concrete portion of the CQCP. Rejection ([E. Rejecting a Portion of the CQCP](#)) should be reserved for corrections. The rejection of the CQCP in MAC does not impact the contractor's operations. To suspend operations for failure to provide adequate QC Operations, **CPAM 3.3** must be followed. Rejecting the CQCP entry in MAC does not satisfy the requirements for suspending the QC operations as defined in **CPAM 3.3**.



1. Select the Update Status option. Depending on the Material types and their statuses, you may see the ability to accept or reject Asphalt, Earthwork or Structural Concrete.


NOTE: You will not have the option to accept structural concrete until the DMRO concrete PMU has completed review and indicated that all design mixes have been reviewed ([Chapter 12 - DMRO Structural Concrete Mix Design Addendum Review](#)).

2. Select the Accept option for each material type that is correct and complete, or you have discussed with the CQCM and have an action plan to make it correct and complete by the time the material is produced or delivered.

The Material Type status will be updated to Accepted.


E. Rejecting a Portion of the CQCP

Rejecting a portion of the CQCP is only intended to give the company on the CQCP entry access to make data entry error corrections. If you reject a portion of the CQCP, you will need to provide a comment about why the portion is rejected. Keep in mind that **CPAM 3.3** allows for the acceptance of a portion even if all the entries are not in a valid status at the time of the submittal. If the CQCM has not provided enough information about the status of invalid entries, discuss the needed information. If it is still not provided, rejecting the portion of the will set in in a status of Rejected and Returned for Corrections.



1. Select the Update Status option.
2. Select the Reject [Material] option.

A Reject [Material] dialog box appears.



3. **Rejection Reason** – enter the reason you are rejecting the portion of the CQCP. What data needs to be corrected?
4. Select the Save option.


F. Reviewing a Returned Corrected Portion of the CQCP

When the data entry person revises the rejected portion and resubmits it, the status will be updated to [Material Type] is Corrections Made and Ready for Review.

Status

Aluminum J-Arms is In Progress, Asphalt is Corrections Made and Ready for Review, Earthwork is In Progress, Precast Pipe is In Progress, Precast Drainage Structures is In Progress, Structural Concrete is In Progress

1. Review the updates as described in the sections above.



2. Select the Update Status option.
3. If the data entry error revisions are acceptable, accept the CQCP portion that was rejected.
4. If they are not, reject it again and provide more information on what is needed.


G. Reviewing the Laboratory Test Method Status

You will receive an overall laboratory qualification status when the laboratory is selected on the CQCP. This qualification status does not guarantee that the laboratory is qualified in the specific test methods needed for each material area. There is a MAC report to assist the PA in reviewing the labs listed on the CQCP. The report reviews the test methods required and provides a status for each lab and test method.



1. Select the Reports menu option.
2. Under the Lab tab, select the Contractor QCP Lab Check option.

A Contractor QCP Lab Check dialog box appears.

A screenshot of a web-based dialog box titled "Contractor QCP Lab Check". It contains two input fields: "Contract" with a placeholder "Type Contract Number/Description" and a red star icon, and "Report Format" with a dropdown menu showing "4" and a red star icon. A "Submit" button is at the bottom right, with a mouse cursor hovering over it. Blue circles with numbers 3 and 4 are overlaid on the "Contract" and "Report Format" fields respectively.


3. **Contract** – enter the contract number and select the entry from the returned list.
4. **Report Format** – select Excel or pdf. If you select Excel, each material will appear on its own worksheet.
5. Select Submit.

MAC will download the report. A download dialog box appears according to the browser you are using.



6. Select the Open option.

The report will open in the format you selected.



If a Lab is suitable for the material, it will be indicated as Yes in **bold green highlighted font**.

Lab ID:	Lab Status:Qualified	Suitable for Asphalt : YES	Test status
AASHTOT312-Gyratation Compaction			Valid
FM1-T030-Mechanical Analysis of Extracted Aggregate			Valid
FM1-T166-Bulk Specific Gravity of Compacted Hot Mix Asphalt (HMA) Specimens			Valid
FM1-T209-Maximum Specific Gravity of Asphalt Paving Mixtures			Valid
FM5.563-Quantitative Determination of Asphalt Content from Asphalt Paving Mixtures by the Ignition			Valid

If a lab is not suitable, it will be indicated as No in **bold red highlighted font**. The test method(s) that are missing or not valid will be indicated in **red highlighted font**.

Lab ID:	Lab Status:Qualified	Suitable for Earthwork : NO	Test status
AASHTOT267-Determination of Organic Content in Soils by Loss on Ignition			Not Assigned
AASHTOT27-Sieve Analysis of Fine and Coarse Aggregates			Suspended
AASHTOT88-Particle Size Analysis of Soils			Suspended
AASHTOT89-Determining the Liquid Limit of Soils			Valid
AASHTOT90-Plastic Limit and Plasticity Index of Soils			Valid
AASHTOT99-Moisture-Density Relations of Soils Using a 2.5-kg (5.5-lb) Rammer and a 305-mm (12-in.) Drop			Valid
FM1-T011-Total Amount of Material Finer Than 0.075 mm (No. 200) Sieve in Aggregate			Valid
FM1-T180-Moisture Density Relations of Soils Using a 10-lb. (4.54kg) Rammer and an 18-in. (457mm) Drop			Valid
FM5.563-Quantitative Determination of Asphalt Content from Asphalt Paving Mixtures by the Ignition			Valid

Chapter 6 – PA Commercial Inspection Review and Responses

Specifications Section 105 requires the Contractor to notify the Department when the order is placed for fabrication that requires commercial inspection. By completing the Commercial Inspection tab on the CQCP, the Contractor meets the requirements of the notification of placing order in **Specifications Section 105**. On CQCPs where the data entry person has selected one of the material types that triggers the commercial inspection tab, the PA must provide additional information related to the commercial inspection. The PA must also complete the [Request for Inspection and Testing of Structural Metals and Coatings \(Form 675-070-7\)](#) to provide information not collected by MAC.

A. Reviewing the QC Response to Question 1

Overhead Cantilever Click to Collapse

Production Facilities [0] Click to Expand

Commercial Inspection Click to Collapse

Are there steel and/or miscellaneous metal items on this project that require commercial inspection per section 105 Notification of Placing Order? ? Update

Yes a

Items to be Inspected	Component
700 - Highway Signing	Overhead Truss Cantilever b

1. Review the Commercial Inspection tab.

a. Has the contractor indicated that commercial inspection is required?

NOTE: If the contractor selected No, confirm there are no items that require commercial inspection.

b. Are all the products that require commercial inspection selected?

2. Review the material types that triggered the commercial inspection tab.

c. Are all the material types selected for the products in the list in Question 1? Are there at least one production facility identified for each product category?

If there is/are item(s) requiring commercial inspection, the PA must complete [Request for Inspection and Testing of Structural Metals and Coatings \(Form 675-070-7\)](#) to provide additional details to the SMO regarding the scope of the inspection.


B. Updating the PA Responses on Question 2 (formerly question 3)

The PA question to request optional inspection has been removed from MAC because the PA would need to complete the [Request for Inspection and Testing of Structural Metals and Coatings \(Form 675-070-7\)](#) in order to officially submit the request. What was listed as question 3 is now question 2.

A screenshot of a software interface. At the top right, there is a link that says "Click to Collapse". Below this, on the right side, is a blue button labeled "Update" with a mouse cursor pointing at it. On the left side, there is a partially visible text label "ion of Placing Order?".

1. Select the Update option.

An Update Commercial Inspection dialog box appears.

A screenshot of a dialog box titled "Update Commercial Inspection". Inside the dialog box, there is a question: "Are there steel and miscellaneous metal items on the project that will NOT have commercial inspection?". Below the question is a dropdown menu with "No" selected. To the right of the dropdown menu is a "Save" button. The dialog box has a close button (X) in the top right corner.

2. **Are there steel and miscellaneous metal items on the project that will NOT have commercial inspection?** – If there are steel and miscellaneous metal items that will not have a commercial inspection, select Yes. If there are none, select No. If Yes is selected, a message for the PA and MC Reviewers that those items will require a certified mill analysis submitted to the SMO for review under MAC Spec 962 appears after you select the Save option.

3. Select the Save option.


NOTE: If there is no PA response to Question 3, the Accept function will not appear for ANY unsubmitted material type. If you do not see the Accept option, review the Commercial Inspection tab to ensure the required information has been provided by the Contractor and/or PA.

NOTE: The method of acceptance for steel and miscellaneous metals is a certified mill analysis. If the contract has components that are commercially inspected, part of that inspection includes a review of the certified mill analyses. This will be included in the commercial inspection final report. For contracts where all components are commercially inspected, the Materials Certification (MC) Review will have a manual finding added requesting a copy of the commercial inspection final report.

For contracts with steel and miscellaneous metals that do not have commercial inspection, the PA must collect the certified mill analyses from the Contractor and submit them to SMO for review (see Certification Documents Reviewed by the State Materials Office). The MC Reviewers will need to see that the documents were submitted and reviewed by SMO.

If the contract has both commercially inspected items and items that are not commercially inspected, the PA must submit both the commercial inspection final report and the certified mill analyses.

You will receive an error message if both questions have a No response. A contract with steel and miscellaneous metals must have either commercial inspection (Q1), certified mill analysis (Q2) or both. It cannot have neither commercial inspection nor certified mill analysis.



The screenshot shows a web-based form titled "Update Commercial Inspection". It contains two questions, each with a dropdown menu set to "No". The first question is "Are there steel and/or miscellaneous metal items on this project that require commercial inspection per section 105 Notification of Placing Order?". The second question is "Are there steel and miscellaneous metal items on the project that will NOT have commercial inspection?". Below the questions, a red error message states: "ERROR: Cannot answer 'No' for both questions". A "Save" button is located at the bottom right of the form.

Update Commercial Inspection

Are there steel and/or miscellaneous metal items on this project that require commercial inspection per section 105 Notification of Placing Order?

No ▾

Are there steel and miscellaneous metal items on the project that will NOT have commercial inspection?

No ▾

ERROR: Cannot answer 'No' for both questions

Save

Chapter 7 – Comments

You can add comments to the CQCP. Comments are helpful in providing detail for the FDOT review of the CQCP. For example, if there are items that might cause the PA to reject the CQCP you can add comments; for example, steps being taken to reinstate a technician, laboratory, or production facility.


A. Adding a Comment to the CQCP



The screenshot shows a horizontal bar for the 'Comments' section. On the left, it says 'Comments [0]'. On the right, there is a 'Click to Collapse' link and a 'New Comment' button with a plus icon. Below the bar, the text 'No Comments found' is visible.

1. Select the Comments tab to expand it.
2. Select the New Comment option.

A New Comment dialog box appears.



The 'New Comment' dialog box is open. It has a title bar with a close button. Inside, there is a text area labeled 'Comment' with a character count '243 of 2000'. The text area contains the following text: 'The technician has provided his certification documentation to CTQP and his qualification record will be updated within 30 days. The QC operations will not begin for another 60 days. His qualification will be reinstated before the work begins.' Below the text area is a 'Save' button.

3. **Comment** – enter your comment in the Comment field.
4. Select the Save option.

The Comments tab will be updated to include the comment.



The screenshot shows the 'Comments' section expanded. It now displays 'Comments [1]'. On the right, there is a 'Click to Collapse' link, a 'New Comment' button, and a 'Show Newest Comments First' checkbox. Below this, a comment by 'Susan Musselman' is shown with the timestamp '3/22/2017 10:52:21 AM'. The comment text is: 'The technician has provided his certification documentation to CTQP and his qualification record will be updated within 30 days. The QC operations will not being for another 60 days. His qualification will be reinstated before the work begins.' Below the comment is an 'Add Response' link.

B. Updating a Comment on the CQCP


To update a comment you previously entered:



This screenshot is identical to the previous one, showing the expanded 'Comments' section with the comment by Susan Musselman. The focus is on the update icon (a pencil) located next to the comment's timestamp.


1. Select the Update Comment icon ().

An Update Comment dialog box appears.

A screenshot of a software dialog box titled "Update Comment". It features a text area containing the comment: "The technician has provided his certification documentation to CTQP and his qualification record will be updated within 30 days. The QC operations will not being for another 40 days. His qualification will be reinstated before the work begins." The text area has a character count "243 of 2000" in the top right corner and vertical scroll bars on the right. Below the text area is an "Update" button.


2. **Comment** – make changes to the comment as desired.
3. Select the Update option to save the changes.

C. Deleting a Comment on the CQCP

A screenshot of a comment card. At the top, it shows the user "Susan Musselman" and the timestamp "[3/22/2017 11:16:04 AM]". To the right of the timestamp are icons for editing (a pencil) and deleting (an 'x' in a square). A mouse cursor is hovering over the delete icon. The main body of the card contains the text: "The technician has provided his certification documentation reinstated before the work begins." Below this text is a blue link that says "Add Response".

1. Select the Remove Comment icon (x).


A Remove Comment dialog box appears.

A screenshot of a software dialog box titled "Remove Comment". It contains the question: "Are you sure you want to delete this Contractor QC Plan Comment?". At the bottom of the dialog is a "Delete" button.

2. Select the Delete option. If you inadvertently selected the Remove Comment icon and don't want to delete it, select the x on the top of the dialog box to dismiss it.


D. Responding to Another's Comment

If someone else makes a comment, you can respond to the comment.



1. Select the Add Response option.


An Add Response dialog box appears.



2. Enter your response in the text field.

3. Select the Save option to save the response.


The response appears under the comment.



Once a response has been made to a comment, the comment cannot be updated or deleted until the response is deleted.


E. Updating a Response

To update a response you previously entered:



1. Select the Update Response icon ().


An Update Response dialog box appears.




2. Make changes to the response as desired.
3. Select the Update option to save the changes.

F. Deleting a Response

1. Select the Remove Response icon (x).



A Remove Response dialog box appears.



2. Select the Delete option. If you inadvertently selected the Remove Comment icon and don't want to delete it, select the x on the top of the dialog box to dismiss it.

Chapter 8 – Documents


There are times when documentation will need to be associated with the CQCP in MAC. For example, the contract has a bridge type that requires a foreman. Documentation for the foreman's experience, like a résumé, will need to be attached for the PA's review.

A. Adding a Document to the CQCP




1. Select the Documents tab to expand it.
2. Select the Upload Document option.

An Upload Document dialog box appears.




3. Select the Select File option to navigate to the file you want to upload.

An Open dialog box appears.



4. Navigate to the location of the file.
5. Select the file to be uploaded.
6. Select the Open option.

The Upload dialog box reappears indicating that the file upload is complete, 100%.



7. **Description** – enter a document description, if desired.

8. Select the Save option to complete the upload.


NOTE: If you discover that you selected the wrong document in step 5, select the X next to the Upload Complete message to delete the document and start over.

NOTE: Do NOT upload an asphalt or concrete mix design on the Contractor QC Plan. If a Department representative instructs you to do so, contact a system administrator. Do NOT upload any information that includes technicians' names and TINs on the same source. This is considered Personal Identification Information (PII) and will be removed if found by a system administrator.

NOTE: Some documents may be added to the CQCP documents tab for easy reference during the QC Operations that should have a final storage location not in MAC. Some examples are certification documents that are logged into MAC for SMO review; certification documents that are stored in the Department's Electronic Document Management System (EDMS), and other documents belonging in EDMS such as drilled shaft plans. These documents should be provided to the PA for storage purposes. They should be reviewed to ensure they do not contain any proprietary information such as mix designs or PII prior to being stored in EDMS. Finally, they should be removed from the documents tab when the contract is complete.

B. Viewing Uploaded Documents

Anyone can view documents uploaded to a CQCP. To view the uploaded documents:



1. Select the Documents tab to expand it.

2. Select the View Document option.

The document will be downloaded in the file format it was stored. You will need an application compatible with that format to be able to view the document. The example document is a pdf file. You would need an application like Adobe Reader or Nuance to view the file.

NOTE: Do not upload mix designs because any user with access to MAC can view documents attached to the CQCP.


NOTE: Do not allow documents with Technician Name and TIN on the same document to be uploaded into MAC. This is a violation of Personal Identification Information (PII) security policy. Per **Florida Statutes**, the Department is responsible for ensuring that PII data security requirements are followed. If you can delete the document, delete it from the Documents tab. If it was uploaded by another user, for example, the CQCM uploaded a spreadsheet of all the field technicians that includes columns for the technicians name and TIN, report it to a DAC or system administrator so they can delete it.

NOTE: It is okay to upload QC related documents temporarily during the life of the contract provided they do not contain mix design reports or PII. An example would be a copy of the Drilled Shaft Installation Plan (DSIP) while drilled shaft operations are being performed. Before the contract is final accepted and the Project Material Certification Letter (PMCL) is generated, the PA must ensure they are moved from MAC to the appropriate long-term retention location. For example DSIPs should be uploaded into the Electronic Document Management System (EDMS) under the appropriate Construction document group and type.

A download dialog box appears according to the browser you are using.


3. Select the Open option to open the file.

The document will be opened by the application applicable to the file type.



C. Updating a Document Description

If you find that you have entered the document description incorrectly, you can revise it. This option will not be available to some users. If the CQCP belongs to another company or you don't have the appropriate system roles, you will not see this function.



The screenshot shows a table titled "Documents [1]". The table has three columns: "Name", "Description", and "Date Uploaded". There is one row of data with the following values: "1", "Guardrail Cert.pdf", "This is a document.", and "8/27/2024". To the right of the data row are three links: "View Document", "Update", and "Delete". A mouse cursor is pointing at the "Update" link. Below the table, it says "Showing 1 to 1 of 1".

	Name	Description	Date Uploaded	
1	Guardrail Cert.pdf	This is a document.	8/27/2024	View Document Update Delete

Showing 1 to 1 of 1

1. Select the Update option.

An Update dialog box appears.



The screenshot shows an "Update" dialog box. It has a "Document Name" field with the value "Guardrail Cert.pdf". Below it is a "Description ?" field with the value "This is a document.". A mouse cursor is pointing at the "Save" button at the bottom of the dialog box.

Update

Document Name
Guardrail Cert.pdf

Description ?
This is a document.


Save

2. **Description** – revise the description, as needed.

3. Select the Save option to save the changes to the description.

D. Deleting an Uploaded Document

If you need to delete a document, you can if you have the appropriate role(s). This option will not be available to some users.



The screenshot shows a table titled "Documents [1]". The table has three columns: "Name", "Description", and "Date Uploaded". There is one row of data with the following values: "1", "Guardrail Cert.pdf", "This is a document.", and "8/27/2024". To the right of the data row are three links: "View Document", "Update", and "Delete". A mouse cursor is pointing at the "Delete" link. Below the table, it says "Showing 1 to 1 of 1".


	Name	Description	Date Uploaded	
1	Guardrail Cert.pdf	This is a document.	8/27/2024	View Document Update Delete

Showing 1 to 1 of 1

1. Select the Documents tab to expand it.

2. Select the Delete option on the row of the document you want to delete.


A Delete dialog box appears.



3. Select the Delete option to delete the document. If you inadvertently selected the Delete option and don't want to delete it, select the x on the top of the dialog box to dismiss it.

Chapter 9 – Viewing a CQCP for Print

When the CQCP is entered in MAC, there is no requirement to print the entry and submit it to the PA. It is submitted to the Department when the data entry person submits each section for asphalt, earthwork, and structural concrete for FDOT review or when entries for other QC Program Materials are submitted with the production facilities listed. PAs may want to print the most current CQCP to share with project personnel who do not have MAC access in the field.




1. Select the View for Print option.

A download dialog box appears according to the browser you are using.

2. Select the Open option.

The CQCP will be opened in pdf format.



You can save the document to another file location or print it.

NOTE: It is recommended to save or print the CQCP on a regular basis. If a user inadvertently deletes a material type that has been submitted and/or accepted, the entries cannot be retrieved, and the material type and all subentries will have to be recreated.

Chapter 10 – CQCP Addendums

Specification Section 105 has requirements for time frames for a CQCP addendum. An addendum is defined in MAC as a revision to an existing material. Adding a new material to a CQCP is not considered an addendum.

An addendum to a material can be created:

- Asphalt, Earthwork or Structural Concrete – when the material has been submitted, reviewed by PMU (for structural concrete) and accepted by the PA.
 - You cannot create an addendum if:
 - The material is in progress
 - The material has not yet been reviewed and accepted by the PA (and PMU for structural concrete mix designs)
- For all other materials:
 - If a material is In Progress, an addendum cannot be created. When an addendum is created, a new material tab is added with the status of [Active Addendum (In Progress)].

When an addendum is created, a new material tab is added with the status of [Active Addendum (In Progress)]. You will see both tabs. You may need to select the Material Types indicator to display the tabs. See Chapter 3, [C. Viewing CQCP Entries not initially Displayed](#) for how to display information that is hidden.

On the Addendum, MAC designates removed entries with red highlighted strike through font. Added data is designated in green highlighted font. This allows the reviewers to focus only on the added entries.

Mix Design	Category	Environment Code	Intended Use	Material Availability	Program Maintenance User Reviewed
03-1601 [Approved]	Class IV (5500 PSI) / Conventional			No	
03-1742 [Approved]	Class II (3400 PSI) / Conventional			No	

Mix Design	Category	Environment Code	Intended Use	Material Availability	Program Maintenance User Reviewed
03-1828-01 [Approved]	Class II (3400 PSI) / Conventional			No	
03-1661 [Approved]	Class IV (5500 PSI) / Conventional			No	
03-1991 [Approved]	Class IV (5500 PSI) / Conventional			No	

Chapter 11 – PA Routine CQCP Review

The PA should review the CQCP on a regular basis to see if new information has been added, if additional information is needed, or if there is information that has been submitted that needs to be reviewed. Look at the following items and any others that need attention on a regular basis:

1. Material types –
 - a. Are all the material types currently being produced and/or delivered identified?
 - b. If yes, are the material tabs complete?
 - i. Technicians (if applicable)
 - ii. Laboratories (if applicable)
 - iii. Production Facilities
 - iv. Structural Concrete Mix Designs (if applicable)
2. Statuses – are there any qualification statuses that have changed since the initial entry?
 - a. Technicians
 - b. Laboratories
 - i. The overall laboratory status is the only one that will change on the CQCP.
 - ii. See Chapter 5, [G. Reviewing the Laboratory Test Method Status](#) to confirm if any new or existing labs have the appropriate test methods
 - c. Production Facilities
3. Material Types that trigger Commercial Inspection –
 - a. Are the items that require commercial inspection designated?
 - b. Are any items that do not require commercial inspection, but the Department would like inspected included?
 - c. If there are items that will not be commercially inspected, has that been indicated?
4. Documents
 - a. Are there any proprietary documents such as mix designs that need to be deleted?
 - b. Are there any documents with PII such as name and TINS together mix designs that need to be deleted?
 - c. Are there any documents temporarily stored that are no longer needed for reference that need to be stored in their final retention location?
 - i. Documents that belong in EDMS
 - ii. Documents such as certified mill analysis that have already been attached to a sample?

NOTE: PAs can subscribe to specific CQCP notifications such as when a new Material Type has been added. See the [Project Administrator Notifications](#) instructions for more information.

Chapter 12 - DMRO Structural Concrete Mix Design Addendum Review

Before the PA can accept the Structural Concrete portion of the CQCP, a DMRO concrete PMU must review the mix design on each production facility entries to ensure that production facility can produce the mix designs. The DMRO review ensures the production facility has the materials on hand to produce or will have by the time the structural concrete is ready to be placed. The PMU review the mix designs does not include ensuring they meet project specific requirements. That is the PA's responsibility. The PA may request assistance with the project specific review from DMRO concrete PMU, if needed.

Structural Concrete

Technicians [5]

Labs [1]

Production Facilities [2]

Production Facility	City	Status			
26-998	HOMETOWN, FLORIDA	QC Plan Accepted for Structural Concrete [7/28/2015]			
Mix Design	Category	Environment Code	Intended Use	Suitability	Program Maintenance User Reviewed
01-0867	Class IV (5500 PSI) / Conventional			No	Update
01-1060	Class I (3000 PSI) / Conventional			No	Update
01-1164	Class IV (5500 PSI) / Conventional			No	Update
01-0583	Class II (3400 PSI) / Conventional			No	Update

Production Facility	City	Status			
26-998	Gainesville, FLORIDA	QC Plan Inactivated for Structural Concrete [7/20/2010]			
Mix Design	Category	Environment Code	Intended Use	Suitability	Program Maintenance User Reviewed
01-0867	Class IV (5500 PSI) / Conventional			No	Update
01-1060	Class I (3000 PSI) / Conventional			No	Update
01-1164	Class IV (5500 PSI) / Conventional			No	Update
01-0583	Class II (3400 PSI) / Conventional			No	Update

1. Click on the Structural Concrete Material tab to expand it.
2. Click on the Production Facilities subtab to expand it.

Production Facilities [1]

Production Facility	City	Status
01-41	PORT CHARLOTTE, FLORIDA	QC Plan Accepted for Structural Concrete [1/11/2017]

Mix Design	Category	Environment Code	Intended Use	Material Availability	Program Maintenance User Reviewed
01-0681	Class IV (5500 PSI) / Conventional			No	Update
01-0711	Class III Seal (3000 PSI) / Conventional			No	Update
01-1148	Class IV (5500 PSI) / Increased Slump			No	Update

Showing 1 to 3 of 3

3. Review the individual mix designs. You can open the mix design report for each mix design by clicking on the mix design number hotlink.
4. Select the Update option on the row of the first mix design.

An Update dialog box appears.



5. **Material Availability** – review the mix design component materials in the mix design to determine if the production facility can produce the mix design.

a. If the production facility can produce the mix design, select the Is Available option.

b. If the production facility cannot produce the mix design, select the Not Available option.

6. **Program Maintenance User Reviewed** – select this option to indicate the PMU review has been completed.

The Material Availability status and Program Maintenance User Reviewed fields will be updated.

7. Repeat for each mix design.

NOTE: The PA will not have the ability to accept the structural concrete portion of the CQCP until the PMU has review all mix designs and designated them as Program Maintenance User Reviewed.