PCRPJ03 PCRO103

FLORIDA DEPARTMENT OF TRANSPORTATION PAVEMENT CORING REPORTING

PAVEMENT EVALUATION CORING AND CONDITION DATA

FIN PROJ: 439827-1-31-01

TYP SECT: 01

FA PROJ:

COUNTY: HIGHLANDS

SR NUMBER: SR 25

MEDIAN: N

CURBED: NO

NAME: SR 70 CORED BY: TIM

FROM: @ US 27 DATE: 2017-04-11

TO: LANES: 2 @ 12 FEET

BEG MP: 11.97

END MP: 12.35 LENGTH: .37

INSIDE: 1 PAVED

PROJECT MEASUREMENT: ENGLISH OUTSIDE: 1 PAVED

CURB & GUTTER: NO

04/12/17

FLORIDA DEPARTMENT OF TRANSPORTATION PAVEMENT CORING REPORTING

PCRPJ03 PCRO203

PAVEMENT EVALUATION CORING AND CONDITION DATA

CORE	MILE		W	Ī					CORE				CRAC	CK		PMT	
NO.	POST	VFY	LN P	TOP		PA	VEMENT	LAYER	 LNGTH	BASE	SUB	DEPTH	TYP	CLSS	EXT	CND	COMMENTS
				F125	S	T1	BIND			LR	STAB						
1	14.406	N	R1 Y	1.00	2.30	.80)		4.10	11.0	12.0					F	
				F125	S	T1	BIND			ABC	STAB						
2	14.406	N	R1 N	1.90	1.80				3.70	7.9	12.0					F	LT TURN
				F125	S	T1	BIND			LR	STAB						
3	14.538	N	OL N	.70	1.80	1.50)		4.00	11.0	12.0					F	
4	14.538	N	L1 N	. 80	2.00	1.20	2.20	0	6.20	11.0	12.0					F	
5	14.538	N	L1 N	1.60	.50	1.30	2.1	0	5.50	12.5	12.0					F	LT TURN
	.000																

04/12/17

FLORIDA DEPARTMENT OF TRANSPORTATION PAVEMENT CORING REPORTING

PCRPJ03 PCRO303

PAVEMENT EVALUATION CORING AND CONDITION DATA

COMMENTS

SEQ	
5	TYPICAL SECTION 01 IS CORES 1-5 ON SR 70
10	SHOULDERS, MEDIAN AND WIDTHS VARY THROUGHOUT

PAVEMENT EVALUATION CORING AND CONDITION DATA

FIN PROJ: 439827-1-31-01

TYP SECT: 02

FA PROJ:

COUNTY: HIGHLANDS

SR NUMBER: SR 25

MEDIAN: 08 VEGETATION

CURBED: NO

NAME: US 27

FROM: @ SR 70

TO:

CORED BY: TIM

DATE: 2017-04-11

LANES: 2 @ 12 FEET

BEG MP: 11.97

END MP: 12.35 LENGTH: .37

SHOULDER TYPE
INSIDE: 1 PAVED

PROJECT MEASUREMENT: ENGLISH OUTSIDE: 1 PAVED

CURB & GUTTER: NO

PCRPJ03 PCRO203

FLORIDA DEPARTMENT OF TRANSPORTATION PAVEMENT CORING REPORTING

PAVEMENT EVALUATION CORING AND CONDITION DATA

CORE NO.	MILE	VEV	T.N	W	T'∩ D		- DAT	EMENT	LAYER	CORE	BACE	CITE	DEPTH					COMMENTS
140.	FODI	AT I	TITA	L	101		LIV	DUIDIA I	DATER	HINGIII	DADE	DOD	DEFIN	TIL	СПОО	LIZI	CIVID	COMMENTS
				-														
					FC5	SP2F	S	T1	BIND		ABC	STAB						
6	12.064	N	R2	N	.70	3.20				3.90	8.2	12.0					F	RT TURN
					FC5	SP2F	S	T1	BIND		LR	STAB						
7	12.064	N	R2	Y	1.00	1.10	1.50	.90	2.10	6.60	10.0	12.0					F	
8	12.064	N	R1	Y	.80	1.10	1.50	1.00	1.70	6.10	10.5	12.0					F	
9	12.064	N	R1	N	.90	1.50	1.50	2.20		6.10	10.5	12.0	6.10	C	IB	L	F	LT TURN
10	12.264	N	L2	N	1.40	.90	1.10	.80	2.30	6.50	9.5	12.0					F	RT TURN
11	12.264	N	L2	Y	.70	1.20	1.80	2.30	1.30	7.30	9.0	12.0					F	
12	12.264	N	L1	N	.60	1.00	2.00	4.60	1.30	9.50	9.5	12.0					F	
13	12.264	N	L1	N	.40	1.70	2.20	2.30		6.60	9.0	12.0					F	LT TURN
	.000																	

04/12/17

FLORIDA DEPARTMENT OF TRANSPORTATION PAVEMENT CORING REPORTING

PCRPJ03 PCRO303

PAVEMENT EVALUATION CORING AND CONDITION DATA

COMMENTS

SEQ	
5	TYPICAL SECTION 02 IS CORES 6-13 ON US 27
10	CORE 9 & 13 BASE, 1/2 LR 1/2 ABC (WIDENING JOINT)

FLORIDA DEPARTMENT OF TRANSPORTATION PAVEMENT CORING REPORTING

PCRPJ03 PCRO403

CODE DESCRIPTIONS

	TYPE DESCRIPTION
A	ALLIGATORING IN WHEELPATH
В	BLOCK CRACKING
C	COMBINATION OF TYPES
	EXTENT DESCRIPTION
L	LIGHT
М	MEDIUM
S	SEVERE
	CLASS DESCRIPTION
IB	UNKNOWN
II	UNKNOWN
III	UNKNOWN

CODE DESCRIPTIONS