

Pavement Evaluation Coring and Condition Data

Cored By: UNIVERSAL				Date: 03/01/18		Page 1 of 3		Typical Section: 1 of 3													
Project No.: 439300-1-52-01				Name: SR45 @ SW 15th AVE				Lanes: 2													
State Road No.: 45				From: SW15TH AVE				Shoulders													
County: Alachua				To: SW15TH AVE				Inside: paved median													
Section No: 26030000				Beg MP: 0.000		End MP: 13.087		Length: 13.087		Outside: 1' paved shoulder											
Core Number	Mile Post	Lane	Wheel Path	Pavement Layer						Core Length	Base Type	Crack				Pavement Condition	Rut Depth (inches)	Cross Slope (ft per 6 ft.)	Slope Direction (in / out)	Comments:	
				F125	SP	ARMI	T1	T2	ST			Depth	Type	Class	Extent						
1	13.080	R1	Y	1.5	1.7	0.5	0.2	0.5	0.8	5.0	LR					P					
2	13.158	R1	Y	1.0	2.8	0.5	0.2			4.5	LR					F					
3	13.066	L1	Y	1.3	1.9	0.5	0.2			3.9	LR	1.4	B	IB	M	F					
4	13.117	L1	Y	0.6	1.8	0.5	0.6	1.5	0.8	5.8	LR					G					
6	13.080	OR	N/A	1.1	1.3					2.4	LR					G				2' shoulder	
8	13.066	OL	N/A	1.5	1.0					2.5	LR					G					
9	OMITTED																				
B	13.087	TO	N		1.6					1.6	LR					G				TO to SW 15th Ave EB	
C	13.087	TO	N	1.4			1.2			2.6	LR					G				TO to SW 15th Ave WB	
Remarks:																					

