

Pavement Evaluation Coring and Condition Data

Cored By: D2 MATERIALS				Date: 12/16/24		Page 1 of 3				Mainline			
Project No.: 207790-2				Name: SR26A(SW 2ND AVE)				Lanes: 2					
State Road No.: SR26A				From: SR26(UNIVERSITY BLVD)				Shoulders					
County: ALACHUA				To: SR26(UNIVERSITY BLVD)				Inside: N/A					
Section No: 26070068				Beg MP: 0.000		End MP: 1.691		Length: 1.691		Outside: N/A			

Core Number	Mile Post	Lane	Wheel Path	Pavement Layer								Core Length (in.)	Base Type	Crack				Pavt. Condition	Rut Depth (inches)	Cross Slope %	Slope Direction (I=in / O=out)	Comments:
				FC12.5	SP12.5	ST								Depth (in.)	Type	Class	Extent					
1	0.041	R1	I	1.8	2.0							3.8	ABC=5.7"					P				SLR
2	0.295	R1	I	2.5	1.5							4.0	ABC=5.0"	3.0	B	II	M	P				+/-
3	0.537	R1	N	1.2	8.0							9.2	LR					P				RAVEL,SPAL
4	1.100	R1	I	1.2	1.1	0.5						2.8	LR=5.0"	1.2	B	IB	L	P				GRIND,RAVEL, SEP @ 1.2"
5	1.350	R1	N	1.3	1.6							2.9	LR	1.8	B	II	M	P				SPAL,RAVEL,SHOV
6	1.645	R1	I	1.5	1.6							3.1	LR	3.1	B	II	M	P				SPAL
7	0.247	R2	N	2.2	2.8							5.0	ABC=5.0"	2.0	B	II	L	P				SHOV
8	0.093	L1	I	1.5	2.5							4.0	ABC=5.0"					P				SHOV
9	0.262	L1	I	1.7	2.4							4.1	ABC=9.7"					P				+/-
10	0.365	L1	N	2.2	2.8							5.0	ABC=5.3"	2.8	B	II	M	P				MR
11	0.870	L1	I	1.4	3.4							4.8	ABC=6.0"					P				
12	1.226	L1	O	1.5	1.3							2.8	LR=5.9"	2.8	B	II	L	P				
13	1.645	L1	O	2.3	6.0							8.3	LR					P				
14	0.118	L2	O	1.5	2.0							3.5	ABC=6.4"					P				
20	0.351	LLTTL	N	1.7	2.5							4.2	ABC=5.3"	2.5	B	IB	L	P				SLR

Remarks: SLR=SLIGHTLY RAVEL MR=MODERATE RAVELING SEP=SEPARATED

[illegible]

Bridge Approach / Leave Slab / Deck

[illegible]