

Pavement Evaluation Coring and Condition Data

Cored By: CSI Geo, Inc.				Date: 06/26/24		Page 1 of 3			Mainlane												
Project No.: 424482-3				Name: SR 230 (E. Call St)		Lanes: 2															
State Road No.: SR 230				From: Saint Clair St.		Shoulders:															
County: Bradford				To: Clay C/L		Inside: N/A															
Section No: 28050000				Beg. MP: 0.379		End MP: 3.843	Length: 3.464	Outside: 4' paved													
Core Number	Mile Post	Lane	Wheel Path	Pavement Layer							Core Length	Base Type	Crack				Pave Condition	Rut Depth (inches)	Cross Slope (ft. per 6 ft.) %	Slope Direction (I=in / O=out)	Comments:
				FC 12.5	S-1	ARMI	Type 2	Type 1	Type 2	Retread			Depth	Type	Class	Extent					
1	0.400	R1	O	2.1	1.1	0.5	0.6			1.3	5.6	LR	0.9	B	II	L	P				Light spalling, Shoving
2	0.475	R1	O	1.4				1.0		0.9	3.3	LR	1.4	B	II	L	P				Spalling, Shoving, +/-
3	1.000	R1	O	2.0	1.8	0.5	1.3			1.0	6.6	LR	3.0	S	II	L	P				Spalling, Shoving
4	1.500	R1	I	2.3	1.8	0.5	0.9			1.6	7.1	LR=8.5"					P				Shoving
5	2.051	R1	I	2.1	2.2	0.5	2.5				7.3	CONC					P				15' from Bridge
6	2.500	R1	O	1.5	1.8		2.0	1.8		1.1	8.2	LR=7.8"	3.3	B	II	L	P				Spalling, Shoving, *
7	2.987	R1	O	1.6	2.9	0.5	1.7			1.3	8.0	LR	3.2	B	II	L	P				Spalling, Shoving
8	3.500	R1	O	1.9	2.2			2.4	1.9	1.1	9.5	LR	5.1	B	II	L	P				Spalling, Shoving, *
9	3.843	R1	I	2.4	1.9		1.6			1.0	6.9	LR=6.6"	1.4	B	II	L	P				Spalling, Shoving, *
45	0.450	L1	O	2.2	0.6					1.1	3.9	LR=9.6"	1.7	B	II	L	P				Spalling, Shoving
11	0.510	L1	N	2.0			0.7			0.6	3.3	LR	2.6	B	II	L	P				Spalling, Shoving, +/-, *
12	0.641	L1	N	2.2	0.9					0.9	4.0	LR	1.6	B	II	L	P				Spalling, Shoving, *
13	1.200	L1	N	1.8	2.0	0.5	1.0			1.1	6.4	LR	0.5	B	II	L	P				Spalling, Shoving, *
14	1.700	L1	I	2.0	1.7		0.9			1.1	5.7	LR=7.3"					P				Spalling, Shoving, *
15	2.065	L1	N	2.2	2.0		2.1			1.2	7.5	LR	1.1	B	II	L	P				Spalling, Shoving, +/-
16	2.300	L1	I	2.2	1.4		1.5	0.9		1.5	7.5	LR	1.7	B	II	L	P				*
18	3.400	L1	N	2.1	1.4	0.5	2.4				6.4	LR=7.7"	1.5	B	II	L	P				Shoving
19	0.400	OR	N	1.6	1.5					1.0	4.1	LR					F				
20	1.500	OR	N	2.5							2.5	LR					F				
21	2.500	OR	N	1.9	1.5						3.4	LR=4.6"					F				

Remarks: S= Single crack, +/- = just off approach/leave slab of bridge

* Rut depth checked in field by D2 Materials

Pavement Evaluation Coring and Condition Data

Cored By: CSI Geo, Inc.		Date	06/26/24		Page 2 of 3		Mainlane						
Project No.: 424482-3		Name	SR 230 (E. Call St)					Lanes:	2				
State Road No. SR 230		From	Saint Clair St.					Shoulders:					
County: Bradford		To	Clay C/L					Inside:	N/A				
Section No: 28050000		Beg. MP	0.379		End MP:	3.843		Length:	3.464		Outside:	4' paved	

Core Number	Mile Post	Lane	Wheel Path	Pavement Layer					Core Length	Base Type	Crack				Pave Condition	Rut Depth (inches)	Cross Slope (ft. per 6 ft.) %	Slope Direction (I=in / O=out)	Comments:
				FC 12.5	S-1	ARMI	Type 2	Type 1			Retread	Depth	Type	Class					
22	3.500	OR	N	2.1	1.9				4.0	LR					F				
23	0.510	OL	N	2.5					2.5	LR					F				
24	1.200	OL	N	1.7	0.6				2.3	LR					F				
26	3.400	OL	N	2.1					2.1	LR=6.4"					F				
27	0.423	RTO	N	1.5				1.0	2.5	SSG	2.5	S	IB	L	P				Raveling separated at 1.5", Redgrave St.
28	0.558	RTO	N	1.1	2.9				4.0	LR					F				Spalling, Colley Rd.
30	1.870	RTO	N	1.9	0.7			0.5	3.1	LR					F				Spalling, SE CR 230A
31	0.614	LTO	N	2.5	1.6				4.1	LR					F				Spalling, Bessent Rd.
33	2.371	LTO	N	1.0	0.9			2.0	3.9	LR					P				Spalling, Shoving, NE 17th Ave.
Bridge Decks																			
35	2.057	R1	O	1.9	2.0		0.8		4.7	CONC					F				BR. # 280043, Deck Overlay
36	2.989	R1	N	1.8	2.5	0.5	1.1		5.9	CONC					P				BR. # 280045, Deck Overlay, Spalling, Shoving
37	2.060	L1	N	1.9	1.0	0.5	0.9		4.3	CONC					P				BR. # 280045, Deck Overlay
38	3.000	L1	N	1.9		0.5	0.9		3.3	CONC					F				BR. # 280043, Deck Overlay

Remarks S= Single crack

Pavement Evaluation Coring and Condition Data									
---	--	--	--	--	--	--	--	--	--

Cored By:	CSI Geo, Inc.	Date	06/26/24	Page	3	of	3	Mainlane	
Project No.:	424482-3	Name	SR 230 (E. Call St)					Lanes:	2
State Road No.:	SR 230	From	Saint Clair St.					Shoulders	
County:	Bradford	To	Clay C/L					Inside:	N/A
Section No:	28050000	Beg. MP	0.379	End MP:	3.843	Length:	3.464	Outside:	10' warning / 4' paved

Comments:	Slope Direction (I=in / O=out)
	Cross Slope (ft. per 6 ft.) %
	Rut Depth (inches)
	Pave Condition
	Crack
Base Type	Extent
	Class
	Type
	Depth
Core Length	Pavement Layer
	Retread
	Type 2
	ARM1
Wheel Path	S-1
	FC 12.5
Lane	
Mile Post	
Core Number	

Bridge Approach and Leave Slabs	
---------------------------------	--

[illegible]

Remarks:	_____
