

Pavement Evaluation Coring and Condition Data

Cored By: D2 Materials				Date: 07/19/23				Page 1 of 1				Typical Section: 1 of 1							
Project No.: 210870-2				Name: Main St. over Pimple Creek Bridge #385080								Lanes: 2		17' Roadway					
State Road No.: N/A				From: 500' West								Shoulders							
County: Taylor				To: 500' East								Inside: N/A							
Section No: N/A				Beg MP: 0.000				End MP: 1.000				Length: 1.000				Outside: N/A			
Core Number	Ft. fr Bridge	Lane	Wheel Path	Pavement Layer				Core Length	Base Type	Crack				Pavement Condition	Rut Depth (inches)	Cross Slope (%)	Slope Direction (in / out)	Comments:	
				T-1	T-2	ST													
D	500' W	L1	N	2.6				2.6	LR	2.6	B	II	M	P					
C	300' W	R1	N	1.8	2.0	0.7		4.5	LR=6.0	4.5	B	II	M	P				Raveled, Stabiilized Subgrade 11.5"	
B	85' W	L1	OWP	1.8	0.7	0.6		3.1	LR	3.1	B	II	L	P					
A	10' W	R1	OWP	1.4	2.7	0.6		4.7	LR=9.6	4.7	B	II	L	F					
E	2' E	L1	N	2.5	4.0			6.5	LR=6.9	6.5	B	III	L	P					
F	30' E	R1	N	2.5				2.5	LR=14.2					P				Patch, Stabilized Subgrade 9.7"	
G	100' E	L1	N	0.9	2.1	0.7		3.7	LR	3.7	B	II	M	P					
H	300' E	R1	OWP	0.5	1.0	0.8		2.3	LR=6.7	2.3	B	II	M	P				Spall, Stabilized Subgrade 6.2"	
I	500' E	L1	OWP	1.1	0.8	0.8		2.7	LR	2.7	B	II	L	P					

Remarks: 2 Bridge Spans 32.7' long and 20' wide.