

TABLE 1
STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
PAVEMENT EVALUATION CORING AND CONDITION DATA

675-030-09
Materials
3/13

Cored by: E. PUCKETT, ENVIRONMENTAL AND GEOTECHNICAL SPECIALISTS, INC. (EGS) Date: 03/30/20 Page: 1 of 2 Typical Section No.: 1

Roadway Section: 39090000	Name: SR 121 AT SR 231	Lanes: 2
Fin. Proj. ID: 445726-1-52-01	From:	Shoulder Type and Condition:
F. A. Proj. No.:	To:	Inside: NONE
County: UNION SR No.: SR 231	Beg MP: 2.400 End MP: 2.600 Lgth: 0.200	Outside: PAVED / CURB & GUTTER
Median Curbed (Y / N): N	Paved Lawn Other:	Curb & Gutter (Y / N): Y

Core No.	Milepost	Lane	Wheel Path	Pavement Layer (in.)								Core Lgth. (in.)	Base (in.) ¹		Crack			Pvmt Cond	Rut Depth (in.)	Cross Slope (%)	Cross Slope Direct.	PROJECT COMMENTS
				Top	SP12.5	FC4	S1	ARMI	T1	T2	LR		Depth (in.)	Type	Class	Extent						
1	2.409	R1	I	1.8		1.0	0.8	0.5	1.3		5.4	--	5.4	B	II	M	P				LIGHT RAVELING, LONGITUDINAL CRACK	
2	2.421	R1	I	2.0		1.0	1.0	0.5	0.9		5.4	8.2	5.4	B	II	L	P				LIGHT RAVELING, LONGITUDINAL CRACK	
3	2.469	R1	O	1.2			1.0	0.5	1.2		3.9	--	3.9	B	IB	L	P				LIGHT RAVELING, TRANSVERSE CRACK	
4	2.551	R1	I	1.5			0.8	0.5	1.3		4.1	--	2.2	B	III	L	P				LIGHT RAVEING, LONGITUDINAL CRACK	
5	2.563	R1	O	1.9				0.5	1.1		3.5	--					P				LIGHT RAVELING	
6	2.595	R1	I	1.8			0.4	0.5	1.3		4.0	--	1.2	B	II	L	P				LIGHT RAVELING, LONGITUDINAL CRACK	
8	2.434	L1	O	1.3	0.6	0.8	0.7	0.5	1.4		5.3	--	1.9	B	IB	L	P				LIGHT RAVELING, LONGITUDINAL CRACK	
9	2.469	L1	O	1.6				0.5	1.3		3.4	7.5					F				LIGHT RAVELING	
10	2.540	L1	O	1.5			0.4	0.5	1.0		3.4	--					P				LIGHT RAVELING	
11	2.544	L1	O	1.6				0.5	1.1		3.2	5.4	3.2	B	II	L	P				LIGHT RAVELING, LONGITUDINAL CRACK	
12	2.561	L1	O	1.7			0.4	0.5	1.3		3.9	--					P				LIGHT RAVELING	
13	2.421	OR	N	1.3		1.4			1.2		3.9	8.8					F				LIGHT RAVELING	
14	2.563	OR	N	1.7					1.1		2.8	--	2.8	B	III	M	P				LIGHT RAVELING	
15	2.469	OL	N	1.8							1.8	--					F				LIGHT RAVELING	
16	2.540	OL	N	1.6					1.1		2.7	8.8					F				LIGHT RAVELING	
17	2.561	OL	N	1.5						1.2	2.7	8.3					F				PARKING SHOULDER, 1.1 in. BOTTOM-UP CRACK	
18	2.596	TO	N	1.7					1.0		2.7	--					F				SW 4TH ST, LIGHT RAVELING	
19	2.596	TO	N	1.7		0.5			1.2		3.4	--					F				SW 4TH ST, LIGHT RAVELING	
A	2.434	OL	N	1.9			1.5		1.0		4.4	4.6					F				LIGHT RAVELING	

- NOTES:** 1. DASHES INDICATE BASE WAS ENCOUNTERED BUT THICKNESS WAS NOT MEASURED. 4. MP 2.498: BEGIN CURB AND GUTTER
2. MP 2.479: PAVEMENT CHANGE L1, R1, OL, OR. 5. PAVEMENT CORE 7 OMITTED IN THE FIELD.
3. MP 2.524: PAVEMENT CHANGE L1, R1, OL, OR.

TABLE 1

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION

675-030-09
Materials
3/13

PAVEMENT EVALUATION CORING AND CONDITION DATA

Cored by: E. PUCKETT, ENVIRONMENTAL AND GEOTECHNICAL SPECIALISTS, INC. (EGS) Date: 3/30/2020 Page: 2 of 2 Typical Section No.: 1

Roadway Section: 39020000	Name: SR 121 AT SR 231	Lanes: 2
Fin. Proj. ID: 445726-1-52-01	From:	Shoulder Type and Condition:
F. A. Proj. No.:	To:	Inside: NONE
County: UNION SR No.: SR 121	Beg MP: 2.400	End MP: 2.600
	Lgth: 0.200	Outside: CURB & GUTTER
Median Curbed (Y / N): N	Paved	Lawn
	Other:	Curb & Gutter (Y / N): Y

Core No.	Milepost	Lane	Wheel Path	Pavement Layer (in.)			Base (in.) ¹	Crack				Pvmt Cond	Rut Depth (in.)	Cross Slope (%)	Cross Slope Direct.	PROJECT COMMENTS
				Top		Core Lgth. (in.)		Depth (in.)	Type	Class	Extent					
20	8.819	R1	O	1.4	1.5	2.9	--					P				LIGHT RAVELING, SPALLING
21	8.914	L1	O	1.4	1.5	2.9	--					F				LIGHT RAVELING

NOTES: 1. DASHES INDICATE BASE WAS ENCOUNTERED BUT THICKNESS WAS NOT MEASURED.