

**TABLE 1**  
STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION  
**PAVEMENT EVALUATION CORING AND CONDITION DATA**

675-030-09  
Materials  
3/13

Cored by: E. PUCKETT, ENVIRONMENTAL AND GEOTECHNICAL SPECIALISTS, INC. (EGS) Date: 12/2/2020 Page: 1 of 4 Typical Section No.: 1

Roadway Section: 71020000		Name: SR 15 FROM EAGLE HARBOR PARKWAY TO CREIGHTON ROAD				Lanes: 6	
Fin. Proj. ID: 447180-1-52-01		From: EAGLE HARBOR PARKWAY				Shoulder Type and Condition:	
F. A. Proj. No.:		To: CREIGHTON ROAD				Inside: CURB AND GUTTER	
County: CLAY		SR No.: SR 15 (US 17)		Beg MP: 8.494	End MP: 11.321	Lgth: 2.827	Outside: PAVED
Median Curbed (Y / N): Y		Paved		Lawn		Other:	
						Curb & Gutter (Y / N): Y	

Core No.	Milepost	Lane	Wheel Path	Pavement Layer (in.)							Base (in.) <sup>1</sup>		Crack				Pvmt Cond	Rut Depth (in.)	Cross Slope (%)	Cross Slope Direct.	PROJECT COMMENTS
				Top FC12.5	Top FC5	SP12.5	S1	ARMI	T1	Core Lgth. (in.)	LR	ABC	Depth (in.)	Type	Class	Extent					
1	8.700	R1	N		0.9	1.5	2.0			4.4	--						F				MODERATE RAVELING, SPALLING
2	9.000	R1	O		0.8	1.4	1.3	0.5	0.8	4.8	--						P				MODERATE RAVELING, SPALLING
3	9.300	R1	O		0.8	1.1	2.2			4.1	--						P				MODERATE RAVELING, SPALLING
4	9.700	R1	I		1.0	1.5	2.3			4.8	--						F				MODERATE RAVELING, SPALLING
5	10.000	R1	I		1.0	1.5	2.8			5.3	--						P				MODERATE RAVELING, SPALLING
6	10.300	R1	O		0.9	1.5	1.0	0.5	1.8	5.7	--		0.90	B	II	L	P				MODERATE RAVELING, SPALLING
7	10.725	R1	I		0.5	1.5	1.4			3.4	7.7						F				MODERATE RAVELING, SPALLING
8	11.040	R1	I	1.3		3.3				4.6	--						F				MODERATE RAVELING, SPALLING
9	11.300	R1	I	1.5		2.5				4.0		7.5					P				MODERATE RAVELING, SPALLING
10	8.525	R3	O		0.9	1.4	3.9			6.2	--		6.20	B	III	S	P				GRINDING, MODERATE RAVELING, SPALLING
11	8.800	R3	O		0.8	1.5	1.2	0.5	1.4	5.4	8.4		0.80	B	II	M	P				MODERATE RAVELING, SPALLING
12	9.100	R3	O		0.8	1.8	0.5		2.1	5.2	--		0.80	B	II	M	P				MODERATE RAVELING, SPALLING
13	9.450	R3	O		1.0	1.2	1.5			3.7	--		2.50	B	III	S	P				MODERATE RAVELING, SPALLING, TRANSVERSE CRACK
14	9.945	R3	I			2.7				2.7	--		2.70	B	III	S	P				GRINDING, PUMPING, RAVELED TO STRUCTURAL, SEVERE RAVELING, SPALLING
15	10.015	R3	I		1.1	1.4	0.4			2.9	--		2.90	B	III	S	P				GRINDING, PUMPING, SEVERE RAVELING, SPALLING
16	10.230	R3	I		1.0	1.6	0.5			3.1	8.8		3.10	B	III	S	P				GRINDING, MODERATE RAVELING, PUMPING, SPALLING
17	10.800	R3	O		0.8	1.5	2.1			4.4	--						P				MODERATE RAVELING, SPALLING
18	11.100	R3	N		1.5	2.5	1.2			5.2	--		5.20	B	IB	M	P				LIGHT RAVELING, SPALLING

**NOTES:** 1. DASHES INDICATE BASE WAS ENCOUNTERED BUT THICKNESS WAS NOT MEASURED.

2. MP 10.976: PAVEMENT CHANGE.

3. MP 10.985: PAVEMENT CHANGE.

**TABLE 1**  
STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION  
**PAVEMENT EVALUATION CORING AND CONDITION DATA**

675-030-09  
Materials  
3/13

Cored by: E. PUCKETT, ENVIRONMENTAL AND GEOTECHNICAL SPECIALISTS, INC. (EGS) Date: 12/2/2020 Page: 2 of 4 Typical Section No.: 1

Roadway Section: 71020000				Name: SR 15 FROM EAGLE HARBOR PARKWAY TO CREIGHTON ROAD				Lanes: 6			
Fin. Proj. ID: 447180-1-52-01				From: EAGLE HARBOR PARKWAY				Shoulder Type and Condition:			
F. A. Proj. No.:				To: CREIGHTON ROAD				Inside: CURB AND GUTTER			
County: CLAY		SR No.: SR 15 (US 17)		Beg MP: 8.494	End MP: 11.321	Lgth: 2.827	Outside: PAVED				
Median Curbed (Y / N): Y		Paved		Lawn		Other:		Curb & Gutter (Y / N): Y			

Core No.	Milepost	Lane	Wheel Path	Pavement Layer (in.)							Base (in.) <sup>1</sup>		Crack				Pvmt Cond	Rut Depth (in.)	Cross Slope (%)	Cross Slope Direct.	PROJECT COMMENTS
				Top FC12.5	Top FC5	SP12.5	S1	ARMI	T1	Core Lgth. (in.)	LR	ABC	Depth (in.)	Type	Class	Extent					
19	8.500	L1	O		0.8	1.5	2.3	0.5	1.1	6.2	--		0.80	B	II	M	P				MODERATE RAVELING, SPALLING
20	8.800	L1	I		0.9	1.4	2.2			4.5	11.4						P				MODERATE RAVELING, SPALLING
21	9.100	L1	O		0.9	1.4	0.7	0.5	1.4	4.9	--						F				MODERATE RAVELING, SPALLING
22	9.490	L1	I		1.0	1.6	1.6			4.2	--						P				MODERATE RAVELING, SPALLING
23	9.800	L1	I		0.8	1.3	1.5			3.6	--						P				MODERATE RAVELING, SPALLING
24	10.100	L1	O		0.9	1.5	2.0			4.4	--						P				MODERATE RAVELING, SPALLING
25	10.500	L1	I		1.0	1.6	2.2			4.8	--						P				MODERATE RAVELING, SPALLING
26	10.800	L1	O		0.8	1.3	3.0		4.5	9.6	--						P				MODERATE RAVELING, SPALLING
27	11.100	L1	I	1.4		3.0				4.4	--						P				MODERATE RAVELING, SPALLING
29	9.000	L3	O		0.7	1.5	1.7			3.9	--		3.90	B	II	M	P				MODERATE RAVELING, SPALLING
30	9.300	L3	O			1.0	1.4			2.4	--		2.40	B	III	S	P				GRINDING, RAVELED TO STRUCTURAL, SEVERE RAVELING, SPALLING
31	9.605	L3	O		0.9	1.3	0.5			2.7	--		2.70	B	III	S	P				1.8 in. DIP, GRINDING, MODERATE RAVELING, PUMPING, SPALLING
32	10.000	L3	O		0.9	1.4	1.2			3.5	--						F				MODERATE RAVELING, SPALLING
33	10.300	L3	I		0.9	1.6	1.6	0.5	0.9	5.5	--						F				MODERATE RAVELING, SPALLING
34	10.720	L3	O		0.8	1.8		0.5	0.7	3.8	9.2						P				MODERATE RAVELING, SPALLING
35	11.000	L3	N	1.0		2.2	0.7	0.5	0.8	5.2	--						P				LIGHT RAVELING, SPALLING
36	11.312	L3	N	1.2		3.0				4.2		8.4					P				LIGHT RAVELING, SPALLING
37	8.500	OR	N		1.0	0.9	1.2			3.1	--						F				MODERATE RAVELING, SPALLING

**NOTES:** 1. DASHES INDICATE BASE WAS ENCOUNTERED BUT THICKNESS WAS NOT MEASURED.

2. MP 10.976: PAVEMENT CHANGE.

3. MP 10.985: PAVEMENT CHANGE.

**TABLE 1**  
STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION  
**PAVEMENT EVALUATION CORING AND CONDITION DATA**

675-030-09  
Materials  
3/13

Cored by: E. PUCKETT, ENVIRONMENTAL AND GEOTECHNICAL SPECIALISTS, INC. (EGS) Date: 12/2/2020 Page: 3 of 4 Typical Section No.: 1

Roadway Section: 71020000	Name: SR 15 FROM EAGLE HARBOR PARKWAY TO CREIGHTON ROAD	Lanes: 6
Fin. Proj. ID: 447180-1-52-01	From: EAGLE HARBOR PARKWAY	Shoulder Type and Condition:
F. A. Proj. No.:	To: CREIGHTON ROAD	Inside: CURB AND GUTTER
County: CLAY	SR No.: SR 15 (US 17)	Beg MP: 8.494
		End MP: 11.321
		Lgth: 2.827
Median Curbed (Y / N): Y	Paved	Lawn
		Other:
		Outside: PAVED
		Curb & Gutter (Y / N): Y

Core No.	Milepost	Lane	Wheel Path	Pavement Layer (in.)				Core Lgth. (in.)	Base (in.) <sup>1</sup>		Crack				Pvmt Cond	Rut Depth (in.)	Cross Slope (%)	Cross Slope Direct.	PROJECT COMMENTS
				Top FC12.5	Top FC5	SP12.5	S1		LR	Depth (in.)	Type	Class	Extent						
38	9.450	OR	N		0.9		2.7	3.6	11.0					F				MODERATE RAVELING, SPALLING	
39	10.490	OR	N		1.0		0.7	1.7	11.3					F				MODERATE RAVELING, SPALLING	
40	9.000	OL	N		1.0		2.7	3.7	--					F				MODERATE RAVELING	
41	10.000	OL	N		1.4		2.7	4.1	6.2					F					
42	11.000	OL	N	1.1		1.3	2.7	5.1	--					F				LIGHT RAVELING	
43	8.567	LRTTL	O		0.9	1.3	1.7	3.9	--					P				1.7 in. BOTTOM UP CRACK, MODERATE RAVELING, SPALLING	
44	8.730	LRTTL	I		1.0	1.0	3.7	5.7	--					P				MODERATE RAVELING, SPALLING	
45	9.500	RRTTL	O		0.9	1.7	5.4	8.0	--					P				MODERATE RAVELING, SPALLING	
46	10.689	RRTTL	N		0.8	1.0	1.3	3.1	--					P				MODERATE RAVELING, SPALLING	
47	10.689	LRTTL	N		0.7	1.0	0.5	2.2	--					F				MODERATE RAVELING, SPALLING	
48	9.070	CO	N		1.0	1.1	2.7	4.8	--					P				SEPARATION AT 2.7 in., SEVERE RAVELING	
49	10.471	CO	N		0.8	1.8	2.6	5.2	--					P				SEVERE RAVELING	
50	8.494	RTO	N		0.8	2.0	2.7	5.5	--					F				EAGLE HARBOR, MODERATE RAVELING	
51	9.543	LTO	N		1.0	2.1		3.1	--					F				PACE ISLAND TRL, MODERATE RAVELING, SPALLING	

- NOTES:** 1. DASHES INDICATE BASE WAS ENCOUNTERED BUT THICKNESS WAS NOT MEASURED.  
2. MP 10.976: PAVEMENT CHANGE.  
3. MP 10.985: PAVEMENT CHANGE.

**TABLE 1**  
STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION  
**PAVEMENT EVALUATION CORING AND CONDITION DATA**

675-030-09  
Materials  
3/13

Cored by: E. PUCKETT, ENVIRONMENTAL AND GEOTECHNICAL SPECIALISTS, INC. (EGS) Date: 12/2/2020 Page: 4 of 4 Typical Section No.: 1

Roadway Section: 71020000	Name: SR 15 FROM EAGLE HARBOR PARKWAY TO CREIGHTON ROAD	Lanes: 6
Fin. Proj. ID: 447180-1-52-01	From: EAGLE HARBOR PARKWAY	Shoulder Type and Condition:
F. A. Proj. No.:	To: CREIGHTON ROAD	Inside: CURB AND GUTTER
County: CLAY	SR No.: SR 15 (US 17)	Beg MP: 8.494
		End MP: 11.321
		Lgth: 2.827
Median Curbed (Y / N): Y	Paved	Lawn
		Other:
		Outside: PAVED
		Curb & Gutter (Y / N): Y

Core No.	Milepost	Lane	Wheel Path	Pavement Layer (in.)					Base (in.) <sup>1</sup>	Crack				Pvmt Cond	Rut Depth (in.)	Cross Slope (%)	Cross Slope Direct.	PROJECT COMMENTS
				Top FC12.5	Top FC5	SP12.5	S1	Core Lgth. (in.)	LR	Depth (in.)	Type	Class	Extent					
A	10.500	R3	O		1.0	1.5	1.1	3.6	--	3.60	B	IB	L	P				MODERATE RAVELING, SPALLING
B	8.730	L3	O		0.9	1.6	2.2	4.7	--					P				MODERATE RAVELING, SPALLING
C	11.308	R3	N	1.6		2.9		4.5	--					P				LIGHT RAVELING

- NOTES:** 1. DASHES INDICATE BASE WAS ENCOUNTERED BUT THICKNESS WAS NOT MEASURED.  
2. MP 10.976: PAVEMENT CHANGE.  
3. MP 10.985: PAVEMENT CHANGE.