

## Pavement Evaluation Coring and Condition Data

Cored By: UNIVERSAL	Date: 09/06/21	Page 1 of 4	Typical Section: 1 of 1
Project No.: 446808-1-52-01	Name: SR21 from S. of Wells Rd. to N. of Argyle Forest		Lanes: 6
State Road No.: SR21	From: South of Wells Road		Shoulders
County: Clay	To: North of Argyle Forest Boulevard		Inside: curb and gutter
Section No: 71070000	Beg MP: 14.013	End MP: 14.498	Length: 0.485 Outside: 2' paved

Core Number	Mile Post	Lane	Wheel Path	Pavement Layer						Core Length	Base Type	Crack				Pavement Condition	Rut Depth (inches)	Cross Slope (%)	Slope Direction (in / out)	Comments:
				FC125	FC95	SP125	S1	T1	T2			Depth	Type	Class	Extent					
1	14.051	R1	N	1.9			0.6	2.4		4.9	LR					F				
2	14.229	R1	O	1.4			0.7	2.5		4.6	LR					P				
3	14.175	R2	O	1.5			0.4	2.3		4.2	LR	0.9	B	IB	L	F				
4	14.402	R2	I	1.3			1.1	2.1		4.5	LR					F				
5	14.117	R3	N	1.2			1.1	2.6		4.9	LR					F				
6	14.285	R3	I	1.5			0.8	2.1		4.4	LR=10.6					F				
7	14.375	R3	O	1.3			1.3	2.7		5.3	LR	0.2	B	IB	L	F				
8	14.438	R3	O	1.4			1.2	2.0		4.6	LR	1.0	B	II	L	P				
9		L1																		omit
10	14.150	L1	I	1.4			1.0	2.4		4.8	LR	1.4	B	II	M	P				
11	14.355	L1	O	1.3			0.7	1.9		3.9	LR	1.4	B	II	M	P				
12	14.098	L2	O	1.4			0.6	1.5		3.5	LR=11.8					F				
13	14.232	L2	I	1.3			0.4	1.8		3.5	LR					F				
14	14.041	L3	I	1.5			0.3	1.9		3.7	LR					F				
15		L3																		omit
16	14.391	L3	N	1.2			1.0	2.3		4.5	LR=10.7					F				
17		L3																		see core A on sheet 3
18		OR																		omit
19	14.375	OR	N	0.7			0.8	2.4		3.9	LR=11.1					F				~8' from white line
20	14.438	OR	N	1.4						1.4	RAP=3.5					F				

Remarks: \_\_\_\_\_

\_\_\_\_\_

## Pavement Evaluation Coring and Condition Data

Cored By: UNIVERSAL      Date: 09/06/21      Page 2 of 4      Typical Section 1 of 1

Project No.: 446808-1-52-01      Name: SR21 from S. of Wells Rd. to N. of Argyle Forest

Core Number	Mile Post	Lane	Wheel Path	← top Pavement Layer						Core Length	Base Type	Crack				Pavement Condition	Rut Depth (inches)	Cross Slope (%)	Slope Direction (in / out)	Comments:
				FC125	FC95	SP125	S1	T1	T2			Depth	Type	Class	Extent					
21	14.391	OL	N	1.5			3.2			4.7	LR=3.7				F					
22	14.215	RLTTL	O	1.6			2.0			3.6	LR				F					
23		LLTTL																	omit	
24		LLTTL																	omit	
25	14.150	LLTTL	O	1.5			1.0	2.3		4.8	LR				F					
26	14.480	LLTTL1	N	1.6			1.2	1.8		4.6	LR=10.7				F					
27	14.365	LLTTL2	I	1.7			0.8	1.6		4.1	LR				F					
28		RRTTL	N		1.3		1.4	4.7		7.4	LR=5.5				F				Wells Rd, 60' from east stop bar	
29		LLTTL2	N	1.3					0.7	2.0	LR				F				Wells Rd, 30' from west stop bar	
B	14.419	R1	N	1.5			1.4	2.0		4.9	LR=11.5				F					

Remarks: \_\_\_\_\_  
 \_\_\_\_\_

## Pavement Evaluation Coring and Condition Data

Cored By: UNIVERSAL	Date: 09/06/21	Page 3 of 4	Typical Section: 1 of 1
Project No.: 446808-1-52-01	Name: SR21 from S. of Wells Rd. to N. of Argyle Forest		Lanes: 6
State Road No.: SR21	From: South of Wells Road		Shoulders
County: Duval	To: North of Argyle Forest Boulevard		Inside: curb and gutter
Section No: 72170000	Beg MP: 0.000	End MP: 0.182	Length: 0.182
			Outside: 2' paved

Core Number	Mile Post	Lane	Wheel Path	Pavement Layer						Core Length	Base Type	Crack				Pavement Condition	Rut Depth (inches)	Cross Slope (%)	Slope Direction (in / out)	Comments:	
				← top								Depth	Type	Class	Extent						
				FC125	FC95	SP125	S1	T1	T2												
30	0.030	R1	I	1.5			1.7	0.8		4.0	LR					F					
31	0.139	R2	N	1.6			1.6	3.0		6.2	LR					F					
32	0.163	R3	I	1.3			1.7	3.6		6.6	LR					F					
33	0.137	L1	I	1.3			1.9	1.3		4.5	LR					F					
34	0.052	L3	N	1.9			2.1	1.0		5.0	LR					F					
35	0.142	L4	O	1.5			1.6	2.6		5.7	LR					F					
36	0.127	RLTTL2	O	1.5			1.8	1.7		5.0	LR					F					
37	0.190	LRTTL	N	1.9			1.7	0.9		4.5	LR					F					
38		L2	I	1.8			1.4		1.5	4.7	LR	4.7	B	II	M	P				Argyle Forest Blvd, 305' from stop bar	
39		RRTTL	I	1.7		1.2				2.9	LR	1.2	B	II	M	P				Argyle Forest Blvd, 110' from stop bar	
A	0.010	L3	O	1.3			1.6	0.3		3.2	LR					F					

Remarks: pavt. change all lanes: 0.000-0.017