

03/06/23

FLORIDA DEPARTMENT OF TRANSPORTATION
PAVEMENT CORING REPORTING

PCRPJ03
PCRO003

PAVEMENT EVALUATION CORING AND CONDITION DATA
INPUT DATA REPORT

| MANDIST | FINPROJ | TYPSECT | MESSAGE |
|---------|----------------|---------|-----------------------------|
| 06 | 447810-1-52-01 | 01 | THE CONTROL CARD IS CORRECT |

03/06/23

FLORIDA DEPARTMENT OF TRANSPORTATION
PAVEMENT CORING REPORTING

PCRPJ03
PCRO103

PAVEMENT EVALUATION CORING AND CONDITION DATA

FIN PROJ: 447810-1-52-01

NAME: OVERSEAS HIGHWAY

CORED BY: HRES

TYP SECT: 01

FROM: MM 87.16

DATE: 2023-03-03

TO: MM 90.02

LANES: 2 @ FEET

FA PROJ:

BEG MP: 13.41

SHOULDER TYPE

COUNTY: MONROE

END MP: 16.35 LENGTH: 2.94

INSIDE:

SR NUMBER: SR 5

PROJECT MEASUREMENT: ENGLISH

OUTSIDE:

MEDIAN:

CURB & GUTTER: NO

CURBED: NO

PAVEMENT EVALUATION CORING AND CONDITION DATA

COMMENTS

SEQ

- 1 MILLINNG RECOMMENDATIONS: MILL 2.50 INCHES AND
- 2 REPAVE 3.00 INCHES AS FOLLOW: 1.50 INCHES SP-12.5
- 3 (STRUCTURAL COURSE) AND 1.50 INCHES FC-12.5
- 4 (FRICTION COURSE).

CODE DESCRIPTIONS

CRACK TYPE TYPE DESCRIPTION
=====

A ALLIGATORING IN WHEELPATH

B BLOCK CRACKING

C COMBINATION OF TYPES

CRACK EXTNT EXTENT DESCRIPTION
=====

L LIGHT

M MEDIUM

S SEVERE

CRACK CLASS CLASS DESCRIPTION
=====

IB UNKNOWN

II UNKNOWN

III UNKNOWN

CODE DESCRIPTIONS

| SURFACE LAYER CODE ===== | DESCRIPTION ===== |
|-----------------------------------|--------------------------------|
| ARMI | ASPHALT RUBBER MEMBRANE INTERL |
| BIND | ASPHALT BINDER COURSE |
| BRCK | BRICK PAVERS |
| CONC | PORTLAND CEMENT CONCRETE |
| CRL | CRACK RELIEF LAYER |
| FAB | PAVEMENT OVERLAY FABRIC |
| FC | FRICTION COURSE |
| FC1 | FRICTION COURSE 1 |
| FC2 | FRICTION COURSE 2 |
| FC3 | FRICTION COURSE 3 |
| FC4 | FRICTION COURSE 4 |
| FC5 | FRICTION COURSE 5 |
| FC5B | FRICTION COURSE 5 BONDED |
| FC6 | FRICTION COURSE 6 |
| F12M | FRIC. COURSE 12.5 MODIFIED |
| F125 | FRICTION COURSE 12.5 |
| F95 | FRICTION COURSE 9.5 |
| F95M | FRIC. COURSE 9.5 MODIFIED |
| S | TYPE S ASPHALTIC CONCRETE |
| SAHM | SAND ASPHALT HOT MIX |
| SP1C | 9.5 SUPERPAVE COARSE GRADED |
| SP1F | 9.5 SUPERPAVE FINE GRADED |
| SP2C | 12.5 SUPERPAVE COARSE GRADED |
| SP2F | 12.5 SUPERPAVE FINE GRADED |
| SP3C | 19.0 SUPERPAVE COARSE GRADED |
| SP3F | 19.0 SUPERPAVE FINE GRADED |
| ST | SURFACE TREATMENT |
| S1 | TYPE S-I ASPHALTIC CONCRETE |
| S2 | TYPE S-II ASPHALTIC CONCRETE |
| S3 | TYPE S-III ASPHALTIC CONCRETE |
| T1 | TYPE I ASPHALTIC CONCRETE |
| T2 | TYPE II ASPHALTIC CONCRETE |
| T3 | TYPE III ASPHALTIC CONCRETE |
| UNIM | UNIMPROVED SURFACE |
| UNKW | UNKNOWN |
| WC | WEARING COURSE |
| WC1 | WEARING COURSE 1 |
| WC2 | WEARING COURSE 2 |
| WC3 | WEARING COURSE 3 |
| WC4 | WEARING COURSE 4 |
| WC5 | WEARING COURSE 5 |
| WC6 | WEARING COURSE 6 |
| WC7 | WEARING COURSE 7 |
| WC8 | WEARING COURSE 8 |