

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = CHARLOTTE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-M	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(PMRS)
ITMSEG-P																					
ITMSEG-F																					
01010000	0.000	4.983	R	1	1	65	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 41				2	11.3	21289	RIDE	8.7	8.8	8.6	7.8	8.2		7.8	7.8	7.9	7.8	7.8	7.8	7.8	7.7
EVERGREEN AVE(0.1R)																					
4316151	0.000	4.983	C	2015		0227	CRACKING	10.0	10.0	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0
AJAX PAVING INDUSTRIES OF				(2017)			SPRIDE	7.6	7.3	7.9	8.4	8.4	8.3	8.3	8.4	8.3	8.3	8.3	8.3	8.2	8.0
01010000	4.983	7.720	R	1	7	60	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 41				2	11.3	21289	RIDE	8.7	8.8	8.6	7.8	8.2		7.8	7.8	7.9	7.8	7.8	7.8	7.8	7.7
DIV OF FORESTRY(5.2R)																					
4489311	4.983	7.710	C	2025		0226	CRACKING	10.0	10.0	8.5	8.5	7.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2026)			SPRIDE	7.6	7.3	7.9	7.8	7.7	7.6	7.8	7.7	7.6	7.7	7.7	7.5	8.6	8.4
01010000	7.720	11.833	R	1	1	50	CRACKING	8.5	8.5	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.0	7.0
45 41				2	8.5	31500	RIDE	8.7	8.6	8.7	8.2	8.2	8.1	8.1	8.1	8.2	8.1	8.1	8.1	8.1	8.0
PAYNE ST(8.0R)																					
4444851	7.710	11.822	C	2022		0012	CRACKING	7.0	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0	9.0
OHIA USA, INC.				(2025)			SPRIDE	7.9	7.8	8.1	8.1	8.0	8.0	8.1	8.0	8.0			8.4	8.3	8.1
01010000	11.833	13.274	R	1	1	40	CRACKING	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
45 41				2	6.1	35000	RIDE	7.0	6.9	6.8	7.7	7.6	7.5	7.4	7.6	7.5	7.4	7.1	7.1	7.1	6.8
AQUIESTA(12.0R)																					
1938231	11.842	14.165	C	2002		0012	CRACKING	9.0	8.5	8.5	8.5	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.8	6.9	4.0*
BETTER ROADS INC				(2004)			SPRIDE	6.6	6.7	6.7	6.6	6.7	6.3	6.5	6.3	6.5	6.3	6.3	6.3	6.3	6.0
4511011	11.829	13.246	C	2027		0226															
01010000	13.274	13.518	C	1	8	35	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 41				2	6.3	19000	RIDE	6.3*	5.9	6.3	7.3	7.3	7.7	7.0	6.9	7.0	7.3	6.7	6.6	6.6	6.7
CROSS ST TURNOUT(13.4L)																					
1938231	11.842	14.165	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
BETTER ROADS INC				(2004)			SPRIDE	6.7	6.8	6.2	6.2	6.0	6.4	6.0	5.9	6.0	5.9	5.9	5.9	5.9	5.9
4415241	13.250	14.160	C	2024		0012															
01010000	13.518	14.160	C	1	1	35	CRACKING	8.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	8.5
45 41				3	6.3	19000	RIDE	5.3*	6.5	4.6*	6.7	7.0	6.5	6.3	6.2	6.5	6.4	6.8	6.8	6.8	6.7
CHARLOTTE AVE *(13.6R)																					
1938231	11.842	14.165	C	2002		0012	CRACKING	8.5	7.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.5	6.3*	3.5*
BETTER ROADS INC				(2004)			SPRIDE	6.6	6.5	6.4	6.3	6.2	6.0	6.1	5.9	5.9	6.0	5.9	6.1	6.2	5.9
4415241	13.250	14.160	C	2024		0012															
01010000	15.133	15.235	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0
45 41				2	5.1	30500	RIDE														
(2011)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.6	9.0	7.0
							RIDE													7.3	7.0
01010000	15.235	21.003	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	6.5	6.5	6.5	6.5
45 41				3	6.4	45500	RIDE	8.9	8.7	8.8	8.2	8.1	8.1	8.0	8.0	8.5	7.9	7.8	7.7	7.8	7.8
MELBOURNE ST(15.3R)																					
4313161	15.520	21.003	C	2016		0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5
AJAX PAVING INDUSTRIES OF				(2018)			SPRIDE	7.6	7.3	7.9	7.9	8.0	8.5	8.4	8.4	8.4	8.4	8.3	8.3	8.4	8.1
01010000	21.003	22.167	R	1	1	45	CRACKING	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0
45 41				3	4.1	55000	RIDE	8.4	8.2	8.1	7.1	6.9	6.8	6.6	6.6	8.2	8.2	8.1	8.1	7.8	7.8
COCHRAN BLVD(21.1C)																					
4172371	21.021	22.142	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.0	7.8	5.5*
PREFERRED MATERIALS, INC.				(2009)			SPRIDE	7.7	7.6	7.3	7.3	7.1	7.2	7.1	7.1	7.2	7.0	7.0	7.1	6.9	6.6
01010000	22.167	25.946	R	1	1	55	CRACKING	8.5	8.5	8.5	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
45 41				3	5.5	38000	RIDE	8.0	7.9	7.9	7.1	6.9	7.5	7.5	7.6	7.6	7.6	7.6	7.5	7.5	7.5
PAULSON DR(22.3R)																					
4227102	22.325	25.946	C	2015		0218	CRACKING	7.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0
GUYMANN CONSTRUCTION OF FL				(2019)			SPRIDE	7.4	7.3				8.4	8.5	8.5	8.5	8.5	8.2	8.4	8.4	8.2
01010000	22.167	25.946	L	1	1	55	CRACKING	7.5	7.5	7.5	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
45 41				3	5.5	38000	RIDE	8.4	8.2	8.2	7.8	7.6	7.5	7.7	7.7	7.7	7.7	7.8	7.6	7.6	7.4
ENTERPRISE DR(22.3L)																					
4227102	22.325	25.946	C	2015		0218	CRACKING	7.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.0	7.0
GUYMANN CONSTRUCTION OF FL				(2019)			SPRIDE	7.5	7.3				8.4	8.5	8.4	8.4	8.4	8.5	8.4	8.4	8.2

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = CHARLOTTE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
01010000	21.021	22.167	L	1	1	45	CRACKING	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
45 41			3	4.1		55000	RIDE	7.9	7.9	7.7	7.1	7.1	7.0	6.9	7.0	8.0	8.0	8.0	7.9	7.7	
COCHRAN BLVD(21.1C)																					
4172371	21.021	22.142	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.9	7.8	5.5*
PREFERRED MATERIALS, INC.				(2009)			SPRIDE	7.8	7.7	7.5	7.5	7.4	7.4	7.3	7.3	7.2	7.1	7.0	6.8	7.2	6.9
01010000	15.235	21.021	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	
45 41			3	6.4		45500	RIDE	8.3	8.3	8.2	7.8	7.7	7.6	7.5	7.5	7.4	7.2	7.2	7.2	7.1	
CROSS ST(15.3L)																					
4313161	15.520	21.003	C	2016		0012	CRACKING	6.5	6.5	6.5	6.5	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF				(2019)			SPRIDE	6.9	6.8	6.9	6.8	6.8	8.1	8.0	8.0	7.9	8.0	7.8	7.8	7.9	7.6
01010000	11.833	13.274	L	1	1	40	CRACKING	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	
45 41			2	6.1		35000	RIDE	7.3	7.5	7.4	7.4	7.3	7.0	7.1	7.4	7.3	7.4	7.2	7.1	6.9	
AQUI ESTA DR(12.0L)																					
1938231	11.842	14.165	C	2002		0012	CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.3*	3.5*
BETTER ROADS INC				(2004)			SPRIDE	6.9	6.9	6.7	6.8	6.6	6.3	6.5	6.4	6.4	6.2	6.2	6.2	6.4	6.1
4511011	11.829	13.246	C	2027		0226															
01010000	7.720	11.833	L	1	1	50	CRACKING	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.0	
45 41			2	8.5		31500	RIDE	8.2	7.9	8.5	8.0	8.0	7.9	7.9	7.9	7.9	8.0	7.9	7.7	7.6	
LEMON ST(8.0L)																					
4444851	7.710	11.822	C	2022		0012	CRACKING	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	9.0
OHLA USA, INC.				(2025)			SPRIDE	7.6	7.5	7.9	7.9	7.8	7.7	7.8	7.7	7.8	7.7		8.3	8.2	8.0
01010000	4.983	7.720	L	1	7	60	CRACKING	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	11.3		21289	RIDE	8.0	7.8	7.7	7.2	6.9		7.7	7.8	7.8	7.8	7.7	7.7	7.7	
MORNINGSIDE DR(5.6L)																					
4489311	4.983	7.710	C	2025		0226	CRACKING	10.0	10.0	10.0	10.0	7.5	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2026)			SPRIDE	7.6	7.5	7.9	8.0	7.8	7.6	7.8	7.7	7.7	7.8	7.8	7.7	8.6	8.4
01010000	1.150	4.983	L	1	4	65	CRACKING	4.7*	7.6	7.4	6.7	5.8*	4.5*	5.2*	5.2*	6.4*	6.6	6.7	7.9	7.3	
45 41			2	11.3		21289	RIDE	7.8	7.7	7.7	7.0	7.1	6.8	6.8	6.6	6.6	6.5	6.5	6.4*	6.1*	
ZEMEL RD(2.3L)																					
4316151	0.000	4.983	C	2015		0227	CRACKING	6.7	6.3*	6.6	9.1	9.1	9.1	8.9	8.8	8.6	8.0	8.0	7.9	8.0	7.5
AJAX PAVING INDUSTRIES OF				(2017)			RIDE	6.2*	6.1*	6.3*	7.8	7.7	7.8	8.2	8.1	8.0	8.0	8.0	7.8	7.9	7.8
01010000	0.526	1.150	L	1	1	65	CRACKING	4.7*	7.6	7.4	6.7	5.8*	4.5*	5.2*	5.2*	6.4*	6.6	6.7	7.9	7.3	
45 41			2	12.6		26000	RIDE	7.8	7.7	7.7	7.0	7.1	6.8	6.8	6.6	6.6	6.5	6.5	6.4*	6.1*	
AJAX PAVING INDUSTRIES OF (2017)																					
4316151	0.000	4.983	C	2015		0227	CRACKING	6.7	6.3*	6.6	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0
AJAX PAVING INDUSTRIES OF				(2017)			SPRIDE	6.2*	6.1*	6.3*	8.6	8.5	8.5	8.6	8.6	8.6	8.7	8.7	8.6	8.7	8.5
01010000	0.000	0.526	L	1	1	65	CRACKING	5.5*	5.5*	5.5*	3.0*	3.0*	3.0*	10.0	10.0	10.0	9.0	9.0	9.0		
45 41			2	12.6		26000	RIDE	6.5	7.0	6.4*	3.9*	4.6*	4.4*	7.3	7.5	7.5	7.5	7.5	7.5	7.3	
AJAX PAVING INDUSTRIES OF (2017)																					
4316151	0.000	4.983	C	2015		0227	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.9	6.0*
AJAX PAVING INDUSTRIES OF				(2017)			SPRIDE	7.3	7.3	7.5	8.6	8.5	8.5	8.6	8.6	8.6	8.7	8.7	8.6	8.7	8.5
01010101	0.000	0.118	C	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	5.7		29500	RIDE														
SR 45 NB(0.0C)																					
				(2026)			DGFC	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
							CRACKING														7.8
							RIDE														
01010101	1.326	1.812	C	1	7	30	CRACKING	7.5	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	5.7		29500	RIDE	5.8*	5.5	5.3*	4.8*	4.7*	4.3*		7.3	7.0	7.1	7.1	7.0	6.7	
RETTA ESPLANADE ST *(1.4C)																					
4511021	1.326	1.812	C	2025		0226	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.0*	6.0*	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2026)			RIDE	6.4	6.3	6.2	6.0	6.1	6.0	6.0	5.9	5.9	5.7	5.5	5.7	7.9	7.6
01010101	1.812	2.042	C	1	1	35	CRACKING	7.5	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	5.2		20000	RIDE	5.8*	5.5	5.3*	4.8*	4.7*	4.3*		7.3	7.0	7.1	7.1	7.0	6.7	
HELEN AVE W(1.9R)																					
4154441	1.326	2.042	L	2006		0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.0*	6.0*	5.5*	3.0*
AJAX PAVING INDUSTRIES, IN				(2008)			RIDE	6.4	6.3	6.2	6.0	6.1	6.0	6.0	5.9	5.9	5.7	5.5	5.7	5.5	5.2*

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = CHARLOTTE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		WKMX-P														
		(AGE_ONE YEAR)		RW		ASTYPE														(PMRS)		
				RW		FY-F																
						WKMX-F																
01030000	0.000	0.844	C	1	1	60	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		
31			2	18.4		17364	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.6	8.7	8.7	8.6	8.6	8.5		
INDIAN ESTATES(0.1L)																						
4319591	0.000	2.000	C	2015		0012	CRACKING	10.0	10.0	8.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.0*	6.1*	4.5*	
AJAX PAVING INDUSTRIES OF				(2017)			SPRIDE	8.4	8.5	8.1	9.0	8.7	8.6	8.6	8.5	8.5	8.5	8.4	8.4	8.3	8.0	
01030000	1.498	1.753	C	1	1	60	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		
31			2	18.4		17364	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.6	8.7	8.7	8.6	8.6	8.5		
AJAX PAVING INDUSTRIES OF (2017)																						
01030000	1.753	2.186	C	1	1	60	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		
31			2	18.4		17364	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.6	8.7	8.7	8.6	8.6	8.5		
GREENWAY BLVD(2.0R)																						
				(2026)			CRACKING	10.0	10.0	8.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.0*	9.6	8.5	
							RIDE	8.4	8.5	8.1	9.0	8.7	8.6	8.6	8.5	8.5	8.5	8.4	8.4	8.3	8.0	
01030000	2.186	2.504	C	1	1	60	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		
31			2	30.8		9000	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.6	8.7	8.7	8.6	8.6	8.5		
AJAX PAVING INDUSTRIES OF (2017)																						
01030000	2.504	2.892	C	1	8	60	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		
31			2	30.8		9000	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.6	8.7	8.7	8.6	8.6	8.5		
AJAX PAVING INDUSTRIES OF (2017)																						
01030000	2.892	11.720	C	1	1	60	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		
31			2	30.8		9000	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.6	8.7	8.7	8.6	8.6	8.5		
AJAX PAVING INDUSTRIES OF (2017)																						
01030000	11.720	12.485	C	1	8	60	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		
31			2	30.8		9000	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.5	8.5	8.4	8.3	8.4	8.3		
AJAX PAVING INDUSTRIES, IN(2008)																						
01030000	12.485	16.498	C	1	1	60	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		
31			2	45.8		7400	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.5	8.5	8.4	8.3	8.4	8.3		
AJAX PAVING INDUSTRIES, IN(2008)																						
01030000	16.498	17.690	C	1	1	60	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		
31			2	45.8		7400	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.5	8.5	8.4	8.3	8.4	8.3		
AJAX PAVING INDUSTRIES, IN(2008)																						
01030000	17.690	18.397	C	1	1	60	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		
31			2	45.8		7400	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.5	8.5	8.4	8.3	8.4	8.3		
AJAX PAVING INDUSTRIES, IN(2008)																						
01030000	0.844	1.498	L	1	1	60	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		
31			1	18.4		17364	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.6	8.7	8.7	8.6	8.6	8.5		
AJAX PAVING INDUSTRIES OF (2017)																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = CHARLOTTE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
01040000	0.000	0.328	C	1	8	30	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
35 17			3	3.3	13500		RIDE	4.6*	4.8*	4.1*	3.5*	3.3*	3.4*	4.0*	6.2	5.7	5.4*	5.4*	5.4*	5.1*	
CROSS ST(0.0C)																					
1938112	0.010	0.889	C	2006	0012		CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	5.5*	5.5*	5.5*	5.0*		
AJAX PAVING INDUSTRIES, IN(2008)							SPRIDE	5.0*	4.7*	4.7*	4.2*	4.2*	4.2*	4.0*	3.8*	3.5*	3.4*	3.4*	2.3*		
4415521	0.000	3.506	C	2024	0012																
01040000	0.328	0.949	C	1	8	35	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
35 17			3	5.5	9800		RIDE	4.6*	4.8*	4.1*	3.5*	3.3*	3.4*	4.0*	6.2	5.7	5.4*	5.4*	5.4*	5.1*	
DUPONT ST(0.3R)																					
1938112	0.010	0.889	C	2006	0012		CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	5.5*	5.5*	5.5*			
AJAX PAVING INDUSTRIES, IN(2008)							SPRIDE	5.0*	4.7*	4.7*	4.2*	4.2*	4.2*	4.0*	3.8*	3.5*	3.4*	3.4*			
4415521	0.000	3.506	C	2024	0012																
01040000	0.949	1.470	C	1	8	45	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
35 17			3	5.7	13000		RIDE	8.8	8.7	8.8	7.6	7.7	7.4	7.4	7.5	7.2	7.0	7.1	6.8	6.7	
SCOTT ST(0.9C)																					
1938261	0.882	3.728	C	1999	0012		CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.0*	6.0*	6.0*	6.0*		
BETTER ROADS INC							S RIDE	6.6	6.8	6.6	6.6	6.9	6.4	6.6	6.6	6.4	6.4	6.3	6.2		
4415521	0.000	3.506	C	2024	0012																
01040000	1.470	2.055	R	1	8	55	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	
35 17			3	7.9	22500		RIDE	8.6	8.6	8.5	7.7	7.8	7.7	7.2	6.9	7.1	7.1	7.1	6.9	7.0	
FC5M																					
4252071	1.532	2.203	C	2012	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	5.5*		
COMMUNITY ASPHALT CORP. (2014)							RIDE	7.5	7.4	7.3	7.1	7.1	6.9	6.9	6.7	6.5	6.3*	6.2*	6.2*		
4415521	0.000	3.506	C	2024	0012																
01040000	2.055	2.580	R	1	1	55	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	
35 17			3	7.9	22500		RIDE	8.6	8.6	8.5	7.7	7.8	7.7	7.2	6.9	7.1	7.1	7.1	6.9	7.0	
FC5M																					
4252071	2.203	2.549	C	2012	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	5.5*	2.8*	0.5*
COMMUNITY ASPHALT CORP. (2014)							RIDE	7.5	7.4	7.3	7.1	7.1	6.9	6.9	6.7	6.5	6.3*	6.2*	6.2*	6.1*	5.9*
4415521	0.000	3.506	C	2024	0012																
01040000	2.580	3.506	R	1	1	55	CRACKING	10.0	10.0		10.0	9.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	
35 17			2	21.1	29500		RIDE	8.3	8.4		7.7	7.8	7.5	7.5	7.2	6.6	6.7	6.6	6.2*	7.3	
FC5M																					
4236381	2.558	3.486	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	3.9*	1.5*
S. T. WOOTEN CORPORATION (2013)							RIDE	7.4	7.5	7.7	7.6	7.7	7.4	7.5	7.6	7.6	7.5	7.4	7.3	7.3	7.1
4415521	0.000	3.506	C	2024	0012																
01040000	3.506	6.080	R	1	1	55	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			2	20.6	19300		RIDE	7.4	7.2		8.3	8.4	8.3	8.3	8.3	8.2	7.7	8.0	8.0	7.9	
FC5HP																					
4365991	3.506	6.123	C	2018	0012		CRACKING	8.5	6.5	6.5	6.5	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	9.2	7.5	
PREFERRED MATERIALS, INC. (2020)							SPRIDE	7.9	7.7	7.4	6.9	6.5	6.3*	8.7	8.7	8.6	8.6	8.5	8.6	8.6	8.4
01040000	6.080	6.425	R	1	1	55	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			2	20.6	19300		RIDE	7.4	7.2		8.3	8.4	8.3	8.3	8.2	7.7	8.0	8.0	7.9		
FC125																					
4511041	6.084	6.425	C	2026	0012		CRACKING	8.5	6.5	6.5	6.5	3.5*	1.0*	10.0	8.5	8.5	8.5	8.5	8.5	8.4	7.0
							RIDE	7.9	7.7	7.4	6.9	6.5	6.3*	8.7	7.3	7.3	7.4	7.4	7.3	7.2	6.9
01040000	6.120	6.425	L	1	1	55	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
35 17			2	20.6	19300		RIDE	7.4	7.2		8.4	8.4	8.2	8.1	8.1	8.0	8.1	7.5	7.6	7.5	
FC125																					
4511041	6.084	6.425	C	2026	0012		CRACKING	8.5	6.5	6.5	6.5	3.5*	0.0*	10.0	8.5	8.5	8.5	8.5	7.8	8.5	7.0
							RIDE	7.1	6.4*	6.4*	5.9*	5.5*	5.3*	8.6	6.8	6.8	6.8	6.8	6.7	6.6	6.3*
01040000	3.506	6.120	L	1	1	55	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
35 17			2	20.6	19300		RIDE	7.4	7.2		8.4	8.4	8.2	8.1	8.1	8.0	8.1	7.5	7.6	7.5	
FC5HP																					
4365991	3.506	6.123	C	2018	0012		CRACKING	8.5	6.5	6.5	6.5	3.5*	0.0*	10.0	10.0	10.0	10.0	10.0	8.6	9.0	7.5
PREFERRED MATERIALS, INC. (2020)							SPRIDE	7.1	6.4*	6.4*	5.9*	5.5*	5.3*	8.6	8.5	8.4	8.4	8.3	8.2	8.2	8.0
01040000	2.580	3.506	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.0*	6.0*	6.0*	6.0*	10.0	
35 17			2	21.1	29500		RIDE	8.5	8.4	8.7	8.2	8.3	8.0	8.0	7.9	7.5	7.4	7.0	7.0	7.6	
FC5M																					
4236381	2.558	3.486	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.5	4.5*	3.5*	3.5*	2.2*	0.0*
S. T. WOOTEN CORPORATION (2013)							RIDE	7.6	7.6	7.9	7.9	7.8	7.6	7.6	7.5	7.3	7.4	7.3	7.0	6.9	6.7
4415521	0.000	3.506	C	2024	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = CHARLOTTE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	#T	AADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)			FY-F	WKM-X-F																(PMRS)	
ITMSEG-F																						
01040000	2.055	2.580	L	1	1 55	CRACKING		10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.0*	6.0*	6.0*		
35 17				3	7.9	22500	RIDE	8.6	8.6	8.4	7.6	7.7	7.4	7.3	7.4	7.0	7.1	6.9	6.7	7.1		
ACCESS RD(2.6L)						FC5M																
4252071	2.203	2.549	C	2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	4.8*	4.0*	1.5*
COMMUNITY ASPHALT CORP. (2014)						RIDE		8.0	7.8	8.0	7.9	7.9	7.7	7.8	7.7	7.6	6.7	6.2*	6.3*	6.9	6.7	
4415521	0.000	3.506	C	2024	0012																	
01040000	1.470	2.055	L	1	8 55	CRACKING		10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.0*	6.0*	6.0*		
35 17				3	7.9	22500	RIDE	8.6	8.6	8.4	7.6	7.7	7.4	7.3	7.4	7.0	7.1	6.9	6.7	7.1		
LEG 101(1.5L)						FC5M																
4252071	1.532	2.203	C	2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	4.8*			
COMMUNITY ASPHALT CORP. (2014)						RIDE		8.0	7.8	8.0	7.9	7.9	7.7	7.8	7.7	7.6	6.7	6.2*	6.3*			
4415521	0.000	3.506	C	2024	0012																	
01040101	0.000	1.668	C	1	8 35	CRACKING		3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 17				3	6.3	11500	RIDE	6.2*	6.3	6.1	5.2*	7.4	7.2	6.9	7.3	7.5	7.1	6.9	6.7	6.7		
MARION(0.0L)						FC125																
1938291	0.064	1.654	R	2003	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.0		
APAC-FLORIDA INC (2005)						RIDE		6.8	6.7	6.6	6.4	6.3	6.1	6.2	6.0	5.9	5.8	5.6	5.9			
01040201	0.000	1.754	R	1	1 55	CRACKING								10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 17				2	15.9	16800	RIDE							8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.9	
CR 764/WASH LOOP RD(0.0R)						DGFC																
							CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	7.0	4.5*	
							RIDE	7.9	8.0	7.8	7.8	7.8	7.7	7.7	7.7	7.5	7.2	7.3	7.1	7.3	7.0	
01040201	1.754	4.425	R	1	1 60	CRACKING								10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 17				2	20.5	16100	RIDE							8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.9	
						FC5M																
4415631	1.754	4.425	C	2022	0012	CRACKING		10.0	10.0	10.0	10.0	9.0	8.0	8.0	6.5	6.5	10.0	10.0	9.8	9.0	7.5	
AJAX PAVING INDUSTRIES OF (2023)						SPRIDE		7.9	8.0	7.8	7.8	7.8	7.7	7.7	7.7	7.5	8.9	8.9	8.8	8.8	8.6	
01040201	1.754	4.425	L	1	1 60	CRACKING								10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	
35 17				2	20.5	16100	RIDE							7.8	7.9	7.9	7.9	7.8	7.8	7.6		
SAM WAY(2.1L)						FC5M																
4415631	1.754	4.425	C	2022	0012	CRACKING		9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	10.0	10.0	9.7	9.0	7.5	
AJAX PAVING INDUSTRIES OF (2023)						SPRIDE		7.9	7.9	7.6	7.6	7.6	7.5	7.5	7.5	7.4	8.7	8.7	8.7	8.7	8.5	
01040201	0.000	1.754	L	1	1 55	CRACKING								10.0	10.0	9.5	9.5	9.5	9.5	9.5		
35 17				2	15.9	16800	RIDE							7.8	7.9	7.9	7.9	7.8	7.8	7.6		
CR 764(0.0C)						DGFC																
							CRACKING	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	7.0	4.5*	
							RIDE	7.9	7.9	7.6	7.6	7.6	7.5	7.5	7.5	7.4	6.9	7.0	6.8	6.9	6.6	
01050000	2.237	4.550	R	1	1 45	CRACKING		7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.0	7.0	7.0		
776				2	5.1	29000	RIDE	8.0	8.4	8.2	7.9	7.9	7.7	7.7	7.8	7.8	7.8	7.8	7.6	7.6		
MANOR RD(2.5C)						FC125M																
4365971	2.237	5.285	C	2020	0012	CRACKING		7.0	7.0	6.5	6.5	6.5	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.0	
PREFERRED MATERIALS, INC. (2022)						SPRIDE		7.5	7.5	7.0	7.0	7.1	6.9	6.9	6.9	7.9	7.8	7.9	7.8	7.9	7.6	
01050000	4.550	5.285	R	1	1 55	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0		
776				2	5.9	32000	RIDE		8.9	8.8	8.1	8.1	8.1	8.0	7.9	8.0	7.9	7.8	7.7	7.7		
MAYPORT ST(4.8R)						FC5M																
4365971	2.237	5.285	C	2020	0012	CRACKING		8.0	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.9	8.9	7.5	
PREFERRED MATERIALS, INC. (2022)						SPRIDE		7.6	7.5	7.6	7.7	7.7	7.5	7.8	7.7	8.6	8.6	8.6	8.6	8.6	8.4	
01050000	5.285	6.371	R	1	1 55	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0		
776				2	7.6	30000	RIDE		8.9	8.8	8.1	8.1	8.1	8.0	7.9	8.0	7.9	7.8	7.7	7.7		
SPINNAKER BLVD(5.3C)						FC5M																
4394261	5.285	6.371	C	2020	0012	CRACKING		8.0	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
AJAX PAVING INDUSTRIES OF (2021)						RIDE		7.6	7.5	7.6	7.7	7.7	7.5	7.8	8.6	8.5	8.6	8.6	8.5	8.6	8.4	
01050000	6.371	9.260	R	1	1 55	CRACKING		8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
776				2	9.7	26500	RIDE	8.6	8.6		8.5	8.5	8.4	8.4	8.5	8.4	8.4	8.4	8.4	8.3	8.2	
CERVANTES ST(6.6C)						FC5M																
4394251	6.371	9.260	C	2020	0012	CRACKING		8.0	8.0	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	10.0	9.7	9.0	7.5	
PREFERRED MATERIALS, INC. (2023)						SPRIDE		8.1	8.0	8.1	8.1	8.0	7.9	8.0	7.9		8.8	8.8	8.8	8.8	8.6	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @# INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = CHARLOTTE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
01050000	9.260	11.166	R	1	1	55	CRACKING	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
776			2	9.8		34853	RIDE	8.1		8.8	8.2	8.3	8.2	8.2	8.3	8.3	8.3	8.3	8.3	8.2	8.2
CR 771(9.4R)						FC125M															
4415171	9.260	11.183	C	2022		0012	CRACKING	9.0	9.0	8.5	8.5	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF (2023)							RIDE	8.2	8.1	8.0	8.1	8.0	7.9	7.9	7.8	7.9	8.1	8.0	8.1	8.1	7.8
01050000	11.403	13.164	R	1	1	55	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
776			2	9.8		34853	RIDE	8.7		8.6	8.1	8.2	8.1	8.1	8.1	8.1	8.2	8.1	8.0	8.0	8.0
RIVER BEACH DR(11.7R)						FC125M															
4454751	11.426	13.174	R	2023		0012	CRACKING	10.0	10.0	8.5	8.5	7.5	7.0	7.0	7.0	6.0*	6.0*	10.0	9.4	10.0	9.0
AJAX PAVING INDUSTRIES OF (2024)							SPRIDE	7.9	8.0	7.8	7.9	7.8	7.8	7.8	7.7	7.8	7.7	8.4	8.4	8.4	8.1
01050000	13.164	17.001	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	5.5*	5.5*	
776			2	8.4		39000	RIDE	8.6	8.7	8.6	8.2	8.2	8.1	8.0	8.0	8.0	8.0	7.9	7.7	7.6	
WOOSTER ST(15.3R)						FC5M															
4312101	13.164	17.001	C	2015		0012	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	6.8	6.5	4.5*
AJAX PAVING INDUSTRIES OF (2017)							SPRIDE	7.4	7.2		8.4	8.4	8.3	8.4	8.3	8.2	8.1	8.0	8.0	8.0	7.8
4556291	14.460	17.549	C	2025		6060															
01050000	17.001	17.562	R	1	1	50	CRACKING	7.5	7.5	7.5	6.5	6.5	6.5	6.5	3.5*	10.0	10.0	10.0	10.0	10.0	
776			2	10.6		28500	RIDE	7.9	8.3	8.0	7.3	7.1	7.0	6.8	6.6	7.3	7.5	7.5	6.8	7.3	
MURDOCK CIR(17.1R)						FC5															
4171291	16.963	17.549	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	6.4*	3.5*
AJAX PAVING INDUSTRIES, IN(2009)							SPRIDE	7.4	7.5	7.5	7.5	7.6	7.5	7.5	7.6	7.3	7.5	7.4	7.5	7.4	7.2
4556291	14.460	17.549	C	2025		6060															
01050000	17.001	17.562	L	1	1	50	CRACKING	9.0	9.0	9.0	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
776			2	10.6		28500	RIDE	8.2	8.1	8.0	6.9	7.3	6.5	7.0	6.7	7.2	7.2	7.2	7.1	7.2	
ENTERPRISE DR(17.1L)						FC5															
4171291	16.963	17.549	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	4.5*	4.5*	4.5*	3.3*	0.5*
AJAX PAVING INDUSTRIES, IN(2009)							SPRIDE	7.2	7.2	7.3	7.4	7.4	7.3	7.3	7.1	7.4	7.0	7.2	6.8	7.0	6.8
4556291	14.460	17.549	C	2025		6060															
01050000	13.164	17.001	L	1	1	55	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	5.5*	5.5*	
776			2	8.4		39000	RIDE	8.9	8.8	8.8	8.4	8.4	8.3	8.3	8.2	8.2	8.1	8.0	7.9	7.8	
RIVERWOOD DR(13.4L)						FC5M															
4312101	13.164	17.001	C	2015		0012	CRACKING	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	6.4*	6.5	4.5*
AJAX PAVING INDUSTRIES OF (2017)							SPRIDE	7.6	7.4	7.6	8.3	8.3	8.2	8.3	8.2	8.2	8.1	8.2	8.0	8.0	7.8
4556291	14.460	17.549	C	2025		6060															
01050000	11.403	13.164	L	1	1	55	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	
776			2	9.8		34853	RIDE	8.7		8.7	8.0	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.8	
STURKIE AVE(11.8L)						FC125M															
4454751	11.426	13.174	L	2023		0012	CRACKING	8.5	8.5	8.0	8.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	9.2	10.0	9.0
AJAX PAVING INDUSTRIES OF (2024)							SPRIDE	7.8	7.8	7.4	7.5	7.4	7.3	7.3	7.2	7.1	6.9	8.5	8.5	8.5	8.2
01050000	9.260	11.166	L	1	1	55	CRACKING	9.0		10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.0	7.0	7.0	
776			2	9.8		34853	RIDE	8.1		8.6	8.0	8.1	8.0	7.9	8.0	8.0	7.9	7.9	7.8	7.8	
SAILORS WAY(9.4L)						FC125M															
4415171	9.260	11.183	C	2022		0012	CRACKING	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF (2023)							RIDE	7.7	7.8	7.6	7.5	7.4	7.4	7.3	7.3	7.3	8.0	8.0	8.0	8.0	7.7
01050000	6.371	9.260	L	1	1	55	CRACKING	8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
776			2	9.7		26500	RIDE	8.6	8.6		8.4	8.5	8.4	8.5	8.4	8.4	8.4	8.4	8.3	8.2	
CERVANTES ST(6.6C)						FC5M															
4394251	6.371	9.260	C	2020		0012	CRACKING	9.0	9.0	7.0	7.0	6.5	4.5*	4.5*	4.5*		10.0	10.0	9.8	9.0	7.5
PREFERRED MATERIALS, INC. (2023)							SPRIDE	8.2	8.1	8.1	8.1	8.1	8.1	8.0	8.1	8.0		8.9	8.8	8.9	8.8
01050000	5.285	6.371	L	1	1	55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	
776			2	7.6		30000	RIDE		9.0	8.8	8.2	8.3	8.2	8.0	8.1	8.2	8.2	8.0	7.9	7.9	
SPINNAKER BLVD(5.3C)						FC5M															
4394261	5.285	6.371	C	2020		0012	CRACKING	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	9.5	9.0	7.5
AJAX PAVING INDUSTRIES OF (2021)							RIDE	7.8	7.7	7.8	7.8	7.8	7.6	7.8	8.6	8.5	8.4	8.4	8.5	8.6	8.4
01050000	4.550	5.285	L	1	1	55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	
776			2	5.9		32000	RIDE		9.0	8.8	8.2	8.3	8.2	8.0	8.1	8.2	8.2	8.0	7.9	7.9	
MONTAUK TERR(4.6L)						FC5M															
4365971	2.237	5.285	C	2020		0012	CRACKING	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.6	9.3	8.0
PREFERRED MATERIALS, INC. (2022)							SPRIDE	7.8	7.7	7.8	7.8	7.8	7.6	7.8	7.6	8.5	8.5	8.5	8.5	8.5	8.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = CHARLOTTE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
ITMSEG-P	ITMSEG-F																					
01050000	2.237	4.550	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.5	6.5	
776				2	5.1	29000	RIDE	7.9	7.9	7.7	7.4	7.4	7.2	6.9	7.0	7.1	7.2	7.0	6.9	6.9	6.9	
MANOR RD(2.5C) FC125M																						
4365971	2.237	5.285	C	2020	0012	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.6	9.7	8.5
PREFERRED MATERIALS, INC. (2022) SPRIDE																						
01060000	9.230	10.428	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
776				2	2.4	34500	RIDE	8.7	8.5	8.6	8.1	8.1	8.0	7.9	8.1	8.2	8.2	8.1	7.9	7.9	7.9	
GREAZA ST(9.5R) FC3																						
1937861	9.239	10.177	C	1994	0005	0005	CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	8.3	5.0*	
GATOR ASPHALT CO (1998) S RIDE																						
4511051	9.322	10.385	R	2027	0012	0012	CRACKING	7.8	7.8	7.7	7.7	7.6	7.5	7.6	7.5	7.5	7.5	7.6	7.4	7.5	7.2	
NEW POINT COMFORT RD(9.5L) FC3																						
01060000	9.230	10.428	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
776				2	2.4	34500	RIDE	8.5	8.7	8.4	8.0	8.2	8.0	7.8	8.0	8.1	8.1	8.1	8.0	7.8	7.8	
NEW POINT COMFORT RD(9.5L) FC3																						
4511051	9.360	10.385	L	2027	0012	0012	CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	8.6	7.5	
(2026) RIDE																						
01075000	0.000	8.102	R	4	1	70	CRACKING	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	9.0	9.0	8.5	8.5	8.5		
93 175	148.6	156.7	3	13.5	68000	RIDE	8.9	8.9	8.9	8.2	8.1			8.0	8.1	8.0	8.1	8.1	8.0	7.9		
AJAX PAVING INDUSTRIES OF (2018) FC5M SPRIDE																						
4130422	0.000	8.102	C	2014	0213	0213	CRACKING	8.5	8.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.5	7.5	
AJAX PAVING INDUSTRIES OF (2018) SPRIDE																						
01075000	8.102	10.277	R	4	1	70	CRACKING	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	9.0	9.0	8.5	8.5			
93 175	156.7	158.9	3	17.2	69500	RIDE	8.9	8.9	8.9	8.2	8.1			8.0	8.1	8.0	8.1	8.1	8.0			
AJAX PAVING INDUSTRIES OF (2014) FC5M SPRIDE																						
4130423	8.102	11.553	C	2011	0213	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	8.5	9.0	6.5	
AJAX PAVING INDUSTRIES OF (2014) SPRIDE																						
01075000	10.277	15.770	R	4	1	70	CRACKING	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	9.0	9.0	8.5	8.5			
93 175	158.9	164.3	3	16.7	74436	RIDE	8.9	8.9	8.9	8.2	8.1			8.0	8.1	8.0	8.1	8.1	8.0			
AJAX PAVING INDUSTRIES OF (2020) FC5M RIDE																						
4130424	11.545	15.092	C	2018	0213	0213	CRACKING	9.0	9.0	9.0	9.0	7.5		10.0	10.0	10.0	10.0	10.0	9.6	9.7	8.0	
(2020) RIDE																						
01075000	17.295	21.968	R	4	1	70	CRACKING	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	7.5	7.0	9.0	9.0	9.0		
93 175	165.9	170.5	3	15.8	72000	RIDE	8.9	8.8	8.6			7.8	7.8	7.9	7.7	7.7	7.7	7.7	7.7	7.6		
AJAX PAVING INDUSTRIES OF (2019) FC5M RIDE																						
4130432	17.736	22.008	C	2016	0213	0213	CRACKING	6.5	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	8.7	9.4	7.5	
(2019) RIDE																						
01075000	17.295	21.968	L	4	1	70	CRACKING	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	7.5	7.0	9.0	9.0	9.0		
93 175	165.9	170.5	3	15.8	72000	RIDE	8.7	8.7	8.5			8.0	8.2	8.2	8.1	8.1	8.0	8.0	7.9	7.9		
AJAX PAVING INDUSTRIES OF (2019) FC5M RIDE																						
4130432	17.736	22.008	C	2016	0213	0213	CRACKING	6.5	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	8.7	9.0	7.0	
(2019) RIDE																						
01075000	11.205	15.770	L	4	1	70	CRACKING	6.5	6.5	6.5	6.5	3.5*		10.0	10.0	9.0	9.0	8.5	8.5			
93 175	159.8	164.3	3	16.7	74436	RIDE	9.0	8.9	8.6	8.0	7.7			8.1	8.1	8.1	8.1	8.1	8.0			
AJAX PAVING INDUSTRIES OF (2020) FC5M RIDE																						
4130424	11.545	15.092	C	2018	0213	0213	CRACKING	9.0	9.0	9.0	9.0	7.5		10.0	10.0	10.0	10.0	10.0	9.7	9.8	8.0	
(2020) RIDE																						
01075000	8.786	11.205	L	4	1	70	CRACKING	6.5	6.5	6.5	6.5	3.5*		10.0	10.0	9.0	9.0	8.5	8.5			
93 175	157.4	159.8	3	17.2	69500	RIDE	9.0	8.9	8.6	8.0	7.7			8.1	8.1	8.1	8.1	8.1	8.0			
AJAX PAVING INDUSTRIES OF (2014) FC5M SPRIDE																						
4130423	8.102	11.553	C	2011	0213	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	8.8	9.0	
AJAX PAVING INDUSTRIES OF (2014) SPRIDE																						
01075000	8.402	8.786	L	4	1	70	CRACKING	6.5		3.5*	3.5*	3.5*		10.0	10.0	9.0	9.0	8.5	8.5			
93 175	157.0	157.4	3	17.2	69500	RIDE	9.0		8.7	7.9	7.7			8.1	8.1	8.1	8.1	8.1	8.0			
AJAX PAVING INDUSTRIES OF (2025) FC5M RIDE																						
(2025) CRACKING RIDE																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = CHARLOTTE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP	SIDE)				SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																
01075000	0.000	8.402	L	4	1	70	CRACKING	6.5	6.5	6.5	3.5*	3.5*		10.0	10.0	9.0	9.0	8.5	8.5	8.5	
93	I75	148.6	157.0	3	13.5	68000	RIDE	9.0	8.9	8.6	7.9	7.7		8.1	8.1	8.1	8.1	8.1	8.0	7.8	
						FC5M															
4130422	0.000	8.102	C	2014		0213	CRACKING	8.5	8.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.8	9.6	7.5
AJAX PAVING INDUSTRIES OF				(2018)			SPRIDE	7.9	7.9			8.4	8.4	8.5	8.5	8.6	8.6	8.5	8.5	8.5	8.4

01511000	4.884	5.069	R	1	1	45	CRACKING														
768			2	15.9		4000	RIDE														
							CRACKING														7.6
							RIDE														6.6
01511000	5.069	5.214	R	1	1	45	CRACKING														
768			2	15.9		4000	RIDE														
							CRACKING														0.0*
							RIDE														6.5
01511000	5.214	5.620	R	1	1	45	CRACKING														
768			2	15.9		4000	RIDE														
							CRACKING														9.1
							RIDE														8.0
							(2026)														8.2
							CRACKING														7.9
							RIDE														
01511000	5.620	5.949	R	1	1	45	CRACKING														
768			2	19.9		26000	RIDE														
							CRACKING														2.8*
							RIDE														6.4

01511000	5.620	5.949	L	1	1	45	CRACKING														
768			2	19.9		26000	RIDE														
							CRACKING														6.3*
							RIDE														6.1
01511000	5.214	5.620	L	1	1	45	CRACKING														
768			2	15.9		4000	RIDE														
							CRACKING														9.2
							RIDE														8.5
							(2026)														8.4
							CRACKING														8.1
							RIDE														
01511000	5.069	5.214	L	1	1	45	CRACKING														
768			2	15.9		4000	RIDE														
							CRACKING														3.0*
							RIDE														7.0
01511000	4.884	5.069	L	1	1	45	CRACKING														
768			2	15.9		4000	RIDE														
							CRACKING														8.9
							RIDE														8.0
							(2026)														6.6
							CRACKING														6.3
							RIDE														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).