

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = CHARLOTTE																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P	ASTYPE		2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)
CONTRACTOR (AGE ONE YEAR)	W BMP	W EMP	RW	FY-F	WKMX-F																
ITMSEG-F																					
01010000	0.000	4.983	R	1	1 65	CRACKING		7.0	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	12.0	22918	RIDE		8.7	8.7	8.8	8.6	7.8	8.2		7.8	7.8	7.9	7.8	7.8	7.8	
EVERGREEN AVE(0.1R)					FC5A																
4316151	0.000	4.983	C	2015	0227	CRACKING		10.0	10.0	10.0	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5
AJAX PAVING INDUSTRIES OF				(2017)	SPRIDE			7.7	7.6	7.3	7.9	8.4	8.4	8.3	8.3	8.4	8.3	8.3	8.3	8.3	8.1
01010000	4.983	7.720	R	1	1 60	CRACKING		7.0	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	12.0	22918	RIDE		8.7	8.7	8.8	8.6	7.8	8.2		7.8	7.8	7.9	7.8	7.8	7.8	
DIV OF FORESTRY(5.2R)					FC5A																
4118641	5.415	7.717	C	2005	0012	CRACKING		10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	0.5*
PREFERRED MATERIALS, INC. (2007)					RIDE			7.7	7.6	7.3	7.9	7.8	7.7	7.6	7.8	7.7	7.6	7.7	7.7	7.5	7.3
4489311	4.983	7.710	C	2025	0226																
01010000	7.720	11.833	R	1	7 50	CRACKING		8.5	8.5	8.5	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.0	7.0	
45 41			2	8.5	31500	RIDE		8.7	8.7	8.6	8.7	8.2	8.2	8.1	8.1	8.1	8.2	8.1	8.1	8.1	
PAYNE ST(8.0R)					FC5A																
4444851	7.710	11.822	C	2022	0012	CRACKING		7.0	7.0	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*			10.0	9.0
OHLA USA, INC.				(2025)	SPRIDE			8.0	7.9	7.8	8.1	8.1	8.0	8.0	8.1	8.0	8.0			8.4	8.2
01010000	11.833	13.274	R	1	1 40	CRACKING		7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	6.1	35000	RIDE		6.8	7.0	6.9	6.8	7.7	7.6	7.5	7.4	7.6	7.5	7.4	7.1	7.1	
AQUIESTA(12.0R)					FC125																
1938231	11.842	14.165	C	2002	0012	CRACKING		9.0	9.0	8.5	8.5	8.5	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.8	4.0*
BETTER ROADS INC				(2004)	SPRIDE			6.8	6.6	6.7	6.7	6.6	6.7	6.3	6.5	6.3	6.5	6.3	6.3	6.3	6.0
4511011	11.829	13.246	C	2027	0226																
01010000	13.274	13.469	C	1	8 40	CRACKING		6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	4.9	17500	RIDE		6.2*	6.3*	5.9	6.3	7.3	7.3	7.7	7.0	6.9	7.0	7.3	6.7	6.6	
CROSS ST TURNOUT(13.4L)					FC125																
1938231	11.842	14.165	C	2002	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0		
BETTER ROADS INC				(2004)	SPRIDE			6.7	6.7	6.8	6.2	6.2	6.0	6.4	6.0	5.9	6.0	5.9	5.9		
4415241	13.250	14.160	C	2024	0012																
01010000	13.469	14.160	C	1	1 35	CRACKING		8.0	8.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	
45 41			2	4.9	17500	RIDE		6.5	5.3*	6.5	4.6*	6.7	7.0	6.5	6.3	6.2	6.5	6.4	6.8	6.8	
TAYLOR ST(13.5C)					FC125																
1938231	11.842	14.165	C	2002	0012	CRACKING		8.5	8.5	7.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.5	4.0*
BETTER ROADS INC				(2004)	SPRIDE			6.7	6.6	6.5	6.4	6.3	6.2	6.0	6.1	5.9	5.9	6.0	5.9	6.1	5.8
4415241	13.250	14.160	C	2024	0012																
01010000	15.133	15.235	C	1	6 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	
45 41			2	5.1	30000	RIDE															
				(2011)	FC125M																
					CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.6	6.5
					RIDE																
01010000	15.235	21.003	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	6.5	6.5	
45 41			3	6.4	45500	RIDE		8.8	8.9	8.7	8.8	8.2	8.1	8.1	8.0	8.0	8.5	7.9	7.8	7.7	7.8
MELBOURNE ST(15.3R)					FC125M																
4313161	15.520	21.003	C	2016	0012	CRACKING		6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5
AJAX PAVING INDUSTRIES OF				(2018)	SPRIDE			7.8	7.6	7.3	7.9	7.9	8.0	8.5	8.4	8.4	8.4	8.4	8.3	8.3	8.0
01010000	21.003	22.167	R	1	1 45	CRACKING		6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	
45 41			3	3.5	51500	RIDE		8.3	8.4	8.2	8.1	7.1	6.9	6.8	6.6	6.6	8.2	8.2	8.1	8.1	
COCHRAN BLVD(21.1C)					FC125																
4172371	21.021	22.142	C	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.0	6.0*
PREFERRED MATERIALS, INC. (2009)					SPRIDE			7.8	7.7	7.6	7.3	7.3	7.1	7.2	7.1	7.1	7.2	7.0	7.0	7.1	6.8
01010000	22.167	25.946	R	1	1 55	CRACKING		8.5	8.5	8.5	8.5	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
45 41			3	5.5	38000	RIDE		7.9	8.0	7.9	7.9	7.1	6.9	7.5	7.5	7.6	7.6	7.6	7.6	7.5	
PAULSON DR(22.3R)					FC5M																
4227102	22.325	25.946	C	2015	0218	CRACKING		9.0	7.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0
GUYMANN CONSTRUCTION OF FL				(2019)	SPRIDE			7.5	7.4	7.3				8.4	8.5	8.5	8.5	8.5	8.2	8.4	8.2
01010000	22.167	25.946	L	1	1 55	CRACKING		7.5	7.5	7.5	7.5	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
45 41			3	5.5	38000	RIDE		8.3	8.4	8.2	8.2	7.8	7.6	7.5	7.7	7.7	7.7	7.8	7.6	7.6	
ENTERPRISE DR(22.3L)					FC5M																
4227102	22.325	25.946	C	2015	0218	CRACKING		9.0	7.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0	9.7	8.0
GUYMANN CONSTRUCTION OF FL				(2019)	SPRIDE			7.4	7.5	7.3				8.4	8.5	8.4	8.4	8.4	8.5	8.4	8.2

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = CHARLOTTE																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR															FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012			
INTERSECT AT (MP SIDE)																							
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-X-P																		
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																		
01010000	21.021	22.167	L	1	1 45	CRACKING		6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0			
45 41			3	3.5	51500	RIDE		7.8	7.9	7.9	7.7	7.1	7.1	7.0	6.9	7.0	8.0	8.0	8.0	7.9			
COCHRAN BLVD(21.1C)					FC125																		
4172371	21.021	22.142	C	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.9	5.5*		
PREFERRED MATERIALS, INC. (2009)					SPRIDE			7.7	7.8	7.7	7.5	7.5	7.4	7.4	7.3	7.3	7.2	7.1	7.0	6.8	6.5		
01010000	15.235	21.021	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	6.5	6.5			
45 41			3	6.4	45500	RIDE		8.4	8.3	8.3	8.2	7.8	7.7	7.6	7.5	7.5	7.4	7.2	7.2	7.2			
CROSS ST(15.3L)					FC125M																		
4313161	15.520	21.003	C	2016	0012	CRACKING		6.5	6.5	6.5	6.5	6.5	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5		
AJAX PAVING INDUSTRIES OF (2019)					SPRIDE			7.1	6.9	6.8	6.9	6.8	6.8	8.1	8.0	8.0	7.9	8.0	7.8	7.8	7.5		
01010000	11.833	13.274	L	1	1 40	CRACKING		9.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5			
45 41			2	6.1	35000	RIDE		7.4	7.3	7.5	7.4	7.4	7.3	7.0	7.1	7.4	7.3	7.4	7.2	7.1			
AQUI ESTA DR(12.0L)					FC125																		
1938231	11.842	14.165	C	2002	0012	CRACKING		8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	3.5*		
BETTER ROADS INC (2004)					SPRIDE			6.9	6.9	6.9	6.7	6.8	6.6	6.3	6.5	6.4	6.4	6.4	6.2	6.2	5.9		
4511011	11.829	13.246	C	2027	0226																		
01010000	7.720	11.833	L	1	7 50	CRACKING		1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5			
45 41			2	8.5	31500	RIDE		8.2	8.2	7.9	8.5	8.0	8.0	7.9	7.9	7.9	7.9	8.0	7.9	7.7			
LEMON ST(8.0L)					FC5M																		
4444851	7.710	11.822	C	2022	0012	CRACKING		7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	9.0		
OHLA USA, INC. (2025)					SPRIDE			7.6	7.6	7.5	7.9	7.9	7.8	7.7	7.8	7.7	7.8	7.7		8.3	8.1		
01010000	5.382	7.720	L	1	1 60	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0			
45 41			2	12.0	22918	RIDE		8.0	8.0	7.8	7.7	7.2	7.0	6.9	7.7	7.8	7.8	7.8	7.7	7.7			
MORNINGSIDE DR(5.6L)					FC5M																		
4118641	5.415	7.717	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	7.5	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	1.5*		
PREFERRED MATERIALS, INC. (2007)					RIDE			7.7	7.6	7.5	7.9	8.0	7.8	7.6	7.8	7.7	7.7	7.8	7.8	7.7	7.5		
4489311	4.983	7.710	C	2025	0226																		
01010000	4.983	5.382	L	1	1 65	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0			
45 41			2	12.0	22918	RIDE		8.0	8.0	7.8	7.7	7.2	6.9		7.7	7.8	7.8	7.8	7.7	7.7			
(2017)					FC5A																		
4489311	4.983	7.710	C	2025	0226	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	4.5*		
						RIDE		7.7	7.6	7.5	7.9	8.1	7.9	7.7	7.9	7.9	7.6	7.7	7.5	7.4	7.2		
01010000	1.150	4.983	L	1	4 65	CRACKING		5.6*	4.7*	7.6	7.4	6.7	5.8*	4.5*	5.2*	5.2*	6.4*	6.6	6.7	7.9			
45 41			2	12.0	22918	RIDE		7.7	7.8	7.7	7.7	7.0	7.1	6.8	6.8	6.6	6.6	6.5	6.5	6.4*			
ZEMEL RD(2.3L)					LGD																		
4316151	0.000	4.983	C	2015	0227	CRACKING		7.3	6.7	6.3*	6.6	9.1	9.1	9.1	8.9	8.8	8.6	8.0	8.0	7.9	7.5		
AJAX PAVING INDUSTRIES OF (2017)					RIDE			6.1*	6.2*	6.1*	6.3*	7.8	7.7	7.8	8.2	8.1	8.0	8.0	8.0	7.8	7.6		
01010000	0.000	1.150	L	1	1 65	CRACKING		5.6*	4.7*	7.6	7.4	6.7	5.8*	4.5*	5.2*	10.0	10.0	10.0	9.0	9.0			
45 41			2	12.6	26000	RIDE		7.7	7.8	7.7	7.7	7.0	7.1	6.8	6.8	7.5	7.5	7.5	7.5	7.5			
					FC5A																		
4316151	0.000	4.983	C	2015	0227	CRACKING		9.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5		
AJAX PAVING INDUSTRIES OF (2017)					SPRIDE			7.3	7.3	7.3	7.5	8.6	8.5	8.5	8.6	8.6	8.6	8.7	8.7	8.6	8.4		
01010101	0.000	0.118	C	1	6 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
45 41			2	5.7	29000	RIDE																	
SR 45 NB(0.0C)					DGFC																		
(2019)						CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5		
01010101	1.326	2.042	C	1	1 35	CRACKING		7.5	7.5	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0			
45 41			3	6.0	18500	RIDE		5.9*	5.8*	5.5	5.3*	4.8*	4.7*	4.3*		7.3	7.0	7.1	7.1	7.0			
RETTA ESPLANADE ST *(1.4C)					FC4																		
4154441	1.326	2.042	L	2006	0012	CRACKING		10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.0*	6.0*	3.5*		
AJAX PAVING INDUSTRIES, IN(2008)					RIDE			6.7	6.4	6.3	6.2	6.0	6.1	6.0	6.0	5.9	5.9	5.7	5.5	5.7	5.4*		
4511021	1.326	1.812	C	2025	0226																		
01030000	0.000	12.020	C	1	1 60	CRACKING		6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0			
31			2	30.8	8200	RIDE		8.8	8.7	8.6	8.6	7.7	7.7	7.5		8.6	8.7	8.7	8.6	8.6			
INDIAN ESTATES(0.1L)					FC125M																		
4319591	2.000	12.020	C	2015	0012	CRACKING		10.0	10.0	10.0	8.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.0*	4.5*		
AJAX PAVING INDUSTRIES OF (2017)					SPRIDE			8.5	8.4	8.5	8.1	9.0	8.7	8.6	8.6	8.5	8.5	8.5	8.4	8.4	8.1		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = CHARLOTTE

RDWYID	SR	US	BMP	G_BMP	EMP	RW	SYS	TYP	SPD	AADT	DISTRESS	SURVEYED	YEAR	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE
INTERSECT	AT	(MP)	(SIDE)																								
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	W_KMX-P	ASTYPE																					
CONTRACTOR	(AGE)	ONE	YEAR																								
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	W_KMX-F																						
												2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030		
																										(PMRS)	
01030000	12.020	16.498	C	1	1 60	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*														
31			2	45.8	6800	RIDE	8.8	8.7	8.6	8.6	7.7	7.7	7.5														
BELMONT RD(12.1C)					FC125M																						
1937503	12.026	18.337	C	2005	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.0	6.5	6.5	4.5*	4.5*	2.0*							
AJAX PAVING INDUSTRIES,			IN(2008)		SPRIDE		8.3	8.3	8.3	8.2	8.1	8.0	7.9	8.0	7.9	7.9	7.8	7.8	7.7	7.4							
4511031	12.432	18.397	C	2027	0226																						
01030000	16.498	17.690	C	1	1 60	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*														
31			2	45.8	6800	RIDE	8.8	8.7	8.6	8.6	7.7	7.7	7.5														
FARABEE RD(17.1R)					FC125M																						
						CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.0	10.0	10.0	10.0	10.0	8.9	8.0						
						RIDE	8.3	8.3	8.3	8.2	8.1	8.0	7.9	8.0	7.9	8.2	8.2	8.1	8.1	7.8							
4511031	12.432	18.397	C	(2022) 2027	0226																						
01030000	17.690	18.397	C	1	1 60	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*														
31			2	45.8	6800	RIDE	8.8	8.7	8.6	8.6	7.7	7.7	7.5														
					FC125M																						
1937503	12.026	18.337	C	2005	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.0	6.5	6.5	4.5*	4.5*	2.0*							
AJAX PAVING INDUSTRIES,			IN(2008)		SPRIDE		8.3	8.3	8.3	8.2	8.1	8.0	7.9	8.0	7.9	8.0	7.9	7.8	7.8	7.7	7.5						
4511031	12.432	18.397	C	2027	0226																						
01040000	0.000	0.328	C	1	1 30	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35			3	3.6	12000	RIDE	4.6*	4.6*	4.8*	4.1*	3.5*	3.3*	3.4*	4.0*	6.2	5.7	5.4*	5.4*	5.4*								
CROSS ST(0.0C)					FC4																						
1938112	0.010	0.889	C	2006	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	5.5*	5.5*	5.5*	5.0*	2.5*							
AJAX PAVING INDUSTRIES,			IN(2008)		SPRIDE		5.1*	5.0*	4.7*	4.7*	4.2*	4.2*	4.2*	4.0*	3.8*	3.5*	3.4*	3.4*	2.3*	2.0*							
4415521	0.000	3.506	C	2024	0012																						
01040000	0.328	0.949	C	1	8 35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35			3	6.9	9400	RIDE	4.6*	4.6*	4.8*	4.1*	3.5*	3.3*	3.4*	4.0*	6.2	5.7	5.4*	5.4*	5.4*								
DUPONT ST(0.3R)					FC4																						
1938112	0.010	0.889	C	2006	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	5.5*	5.5*	5.5*									
AJAX PAVING INDUSTRIES,			IN(2008)		SPRIDE		5.1*	5.0*	4.7*	4.7*	4.2*	4.2*	4.2*	4.0*	3.8*	3.5*	3.4*	3.4*									
4415521	0.000	3.506	C	2024	0012																						
01040000	0.949	1.470	C	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
35			3	5.7	13000	RIDE	8.7	8.8	8.7	8.8	7.6	7.7	7.4	7.4	7.5	7.2	7.0	7.1	6.8								
SCOTT ST(0.9C)					FC3																						
1938261	0.882	3.728	C	1999	0012	CRACKING	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.0*	6.0*	6.0*	6.0*	3.0*							
BETTER ROADS INC			(2000)		S	RIDE	6.7	6.6	6.8	6.6	6.6	6.9	6.4	6.6	6.6	6.4	6.4	6.3	6.2	5.9							
4415521	0.000	3.506	C	2024	0012																						
01040000	1.470	2.580	R	1	1 55	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*								
35			3	6.8	22500	RIDE	8.8	8.6	8.6	8.5	7.7	7.8	7.7	7.2	6.9	7.1	7.1	7.1	6.9								
COPELY DR(2.6R)					FC5M																						
4252071	1.532	2.203	C	2012	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	5.5*	2.5*							
COMMUNITY ASPHALT CORP.			(2014)		RIDE		7.0	7.5	7.4	7.3	7.1	7.1	6.9	6.9	6.7	6.5	6.3*	6.2*	6.2*	6.0*							
4415521	0.000	3.506	C	2024	0012																						
01040000	2.580	3.506	R	1	1 55	CRACKING	10.0	10.0	10.0		10.0	9.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*								
35			2	19.4	29500	RIDE	8.5	8.3	8.4		7.7	7.8	7.5	7.5	7.2	6.6	6.7	6.6	6.2*								
REGENT RD(2.8C)					FC5M																						
4236381	2.558	3.486	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	1.5*							
S. T. WOOTEN CORPORATION			(2013)		RIDE		7.3	7.4	7.5	7.7	7.6	7.7	7.4	7.5	7.6	7.6	7.5	7.4	7.3	7.1							
4415521	0.000	3.506	C	2024	0012																						
01040000	3.506	6.080	R	1	1 55	CRACKING	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35			2	20.6	18700	RIDE	7.4	7.4	7.2		8.3	8.4	8.3	8.3	8.3	8.2	7.7	8.0	8.0								
RIDGE RD(3.8R)					FC5HP																						
4365991	3.506	6.123	C	2018	0012	CRACKING	10.0	8.5	6.5	6.5	6.5	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.2	7.5						
PREFERRED MATERIALS, INC.			(2020)		SPRIDE		7.9	7.9	7.7	7.4	6.9	6.5	6.3*	8.7	8.7	8.6	8.6	8.5	8.6	8.4							
01040000	6.080	6.425	R	1	1 55	CRACKING	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35			2	20.6	18700	RIDE	7.4	7.4	7.2		8.3	8.4	8.3	8.3	8.3	8.2	7.7	8.0	8.0								
PINEGROVE CIR(6.1R)					FC125																						
						CRACKING	10.0	8.5	6.5	6.5	6.5	3.5*	1.0*	10.0	10.0	8.5	8.5	8.5	8.5	7.0							
						RIDE	7.9	7.9	7.7	7.4	6.9	6.5	6.3*	8.7	7.3	7.3	7.4	7.4	7.3	7.0							

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = CHARLOTTE																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W BMP	W_EMP	RW	FY-P	WKMX-P																				
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(PMRS)				
01040000	3.506	6.120	L 2	1 20.6	1 55 18700	CRACKING RIDE		3.5* 7.4	3.5* 7.4	3.5* 7.2		10.0 8.4	10.0 8.4	10.0 8.2	10.0 8.1	10.0 8.1	10.0 8.0	10.0 8.1	10.0 7.5	10.0 7.6					
CONSTITUTIONAL AVE(3.7L) FC5HP																									
4365991	3.506	6.123	C 2018	0012	CRACKING			9.0 7.5	8.5 7.1	6.5 6.4*	6.5 6.4*	6.5 5.9*	3.5* 5.5*	0.0* 5.3*	10.0 8.6	10.0 8.5	10.0 8.4	10.0 8.4	10.0 8.3	10.0 8.2	8.6 8.2	7.0 8.0			
PREFERRED MATERIALS, INC. (2020) SPRIDE																									
01040000	2.580	3.506	L 2	1 19.4	1 55 29500	CRACKING RIDE		10.0 8.6	10.0 8.5	10.0 8.4	10.0 8.7	10.0 8.2	10.0 8.3	9.0 8.0	7.5 8.0	7.5 7.9	6.0* 7.5	6.0* 7.4	6.0* 7.0	6.0* 7.0					
REGENT RD(2.8C) FC5M																									
4236381	2.558	3.486	C 2011	0012	CRACKING			10.0 7.6	10.0 7.6	10.0 7.6	10.0 7.9	10.0 7.9	10.0 7.8	10.0 7.6	10.0 7.6	8.0 7.5	6.5 7.3	4.5* 7.4	3.5* 7.3	3.5* 7.0	0.5* 6.8				
S. T. WOOTEN CORPORATION (2013) 0012																									
4415521	0.000	3.506	C 2024	0012																					
01040000	1.470	2.580	L 3	1 6.8	1 55 22500	CRACKING RIDE		10.0 8.5	10.0 8.6	10.0 8.6	10.0 8.4	9.0 7.6	9.0 7.7	7.5 7.4	6.5 7.3	6.5 7.4	6.5 7.0	6.5 7.1	6.0* 6.9	6.0* 6.7					
LEG 101(1.5L) FC5M																									
4252071	1.532	2.203	C 2012	0012	CRACKING			6.0* 7.1	10.0 8.0	10.0 7.8	10.0 8.0	10.0 7.9	10.0 7.9	10.0 7.7	10.0 7.8	9.0 7.7	9.0 7.6	6.5 6.7	4.5* 6.2*	4.8* 6.3*	2.0* 6.1*				
COMMUNITY ASPHALT CORP. (2014) 0012																									
4415521	0.000	3.506	C 2024																						
01040101	0.000	1.668	C 3	1 6.1	1 35 12000	CRACKING RIDE		3.5* 6.1*	3.5* 6.2*	3.5* 6.3	3.5* 6.1	3.5* 5.2*	10.0 7.4	10.0 7.2	10.0 6.9	10.0 7.3	10.0 7.5	10.0 7.1	10.0 6.9	10.0 6.7					
MARION(0.0L) FC125																									
1938291	0.064	1.654	R 2003	0012	CRACKING			10.0 6.7	10.0 6.8	10.0 6.7	9.0 6.6	9.0 6.4	9.0 6.3	9.0 6.1	9.0 6.2	8.0 6.0	8.0 5.9	8.0 5.8	8.0 5.6	7.0 5.9	4.5* 5.6				
APAC-FLORIDA INC (2005) RIDE																									
01040201	0.000	1.754	R 2	1 15.9	1 55 16200	CRACKING RIDE									10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 7.9					
CR 764/WASH LOOP RD(0.0R) DGFC																									
35 17								10.0 7.9	10.0 7.9	10.0 8.0	10.0 7.8	10.0 7.8	9.0 7.8	8.0 7.7	8.0 7.7	6.5 7.7	6.5 7.5	6.5 7.2	6.5 7.3	6.5 7.1	4.0* 6.8				
(2007) CRACKING RIDE																									
01040201	1.754	4.425	R 2	1 20.5	1 60 15500	CRACKING RIDE									10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 7.9					
35 17 FC5M																									
4415631	1.754	4.425	C 2022	0012	CRACKING			10.0 7.9	10.0 7.9	10.0 8.0	10.0 7.8	10.0 7.8	9.0 7.8	8.0 7.7	8.0 7.7	6.5 7.7	6.5 7.5	10.0 8.9	10.0 8.9	9.8 8.8	8.5 8.6				
AJAX PAVING INDUSTRIES OF (2023) SPRIDE																									
01040201	1.754	4.425	L 2	1 20.5	1 60 15500	CRACKING RIDE									10.0 7.8	10.0 7.9	9.5 7.9	9.5 7.9	9.5 7.8	9.5 7.8					
35 17 FC5M																									
4415631	1.754	4.425	C 2022	0012	CRACKING			9.5 7.6	9.5 7.9	9.5 7.9	8.0 7.6	8.0 7.6	8.0 7.6	6.5 7.5	6.5 7.5	6.5 7.5	6.5 7.4	10.0 8.7	10.0 8.7	9.7 8.7	8.5 8.5				
AJAX PAVING INDUSTRIES OF (2023) SPRIDE																									
01040201	0.000	1.754	L 2	1 15.9	1 55 16200	CRACKING RIDE									10.0 7.8	10.0 7.9	9.5 7.9	9.5 7.9	9.5 7.8	9.5 7.8					
CR 764(0.0C) DGFC																									
35 17								9.5 7.6	9.5 7.9	9.5 7.9	8.0 7.6	8.0 7.6	8.0 7.6	6.5 7.5	6.5 7.5	6.5 7.5	6.5 7.4	6.5 6.9	6.5 7.0	6.5 6.8	4.0* 6.5				
(2007) CRACKING RIDE																									
01050000	2.237	4.550	R 2	1 5.1	1 45 29000	CRACKING RIDE		7.5 8.2	7.5 8.0	7.5 8.4	10.0 8.2	10.0 7.9	10.0 7.9	10.0 7.7	10.0 7.7	10.0 7.8	9.5 7.8	9.0 7.8	7.0 7.8	7.0 7.6					
MANOR RD(2.5C) FC125M																									
4365971	2.237	5.285	C 2020	0012	CRACKING			7.0 7.6	7.0 7.5	7.0 7.5	6.5 7.0	6.5 7.0	6.5 7.1	6.0* 6.9	6.0* 6.9	6.0* 6.9	10.0 7.9	10.0 7.8	10.0 7.9	10.0 7.8	9.0 7.5				
PREFERRED MATERIALS, INC. (2022) SPRIDE																									
01050000	4.550	5.285	R 2	1 5.9	1 55 32000	CRACKING RIDE				10.0 8.9	10.0 8.8	10.0 8.1	10.0 8.1	10.0 8.1	10.0 8.0	10.0 7.9	10.0 8.0	9.0 7.9	9.0 7.8	9.0 7.7					
MAYPORT ST(4.8R) FC5M																									
4365971	2.237	5.285	C 2020	0012	CRACKING			9.0 7.7	8.0 7.6	6.5 7.5	4.5* 7.6	4.5* 7.7	4.5* 7.7	3.5* 7.5	3.5* 7.8	3.5* 7.7	10.0 8.6	10.0 8.6	10.0 8.6	9.9 8.6	8.5 8.4				
PREFERRED MATERIALS, INC. (2022) SPRIDE																									
01050000	5.285	6.371	R 2	1 6.2	1 55 31000	CRACKING RIDE				10.0 8.9	10.0 8.8	10.0 8.1	10.0 8.1	10.0 8.1	10.0 8.0	10.0 7.9	10.0 8.0	9.0 7.9	9.0 7.8	9.0 7.7					
SPINNAKER BLVD(5.3C) FC5M																									
4394261	5.285	6.371	C 2020	0012	CRACKING			9.0 7.7	8.0 7.6	6.5 7.5	4.5* 7.6	4.5* 7.7	4.5* 7.7	3.5* 7.5	3.5* 7.8	10.0 8.6	10.0 8.5	10.0 8.6	10.0 8.6	10.0 8.5	8.5 8.3				
AJAX PAVING INDUSTRIES OF (2021) RIDE																									

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = CHARLOTTE -----																								
RDWYID	SR	US	BMP	G	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE	
INTERSECT	AT	(MP SIDE)				LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2030
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P						2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	(PMRS)
CONTRACTOR	(AGE ONE YEAR)	ASTYPE																						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																			
01050000	6.371	9.260	R	1	55	CRACKING	8.5	8.5	8.5					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
776			2	9.7	26500	RIDE	8.6	8.6	8.6					8.5	8.5	8.4	8.4	8.5	8.4	8.4	8.4	8.4	8.3	
CERVANTES ST(6.6C)					FC5M																			
4394251	6.371	9.260	C	2020	0012	CRACKING	10.0	8.0	8.0				6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	10.0	9.7	8.5	
PREFERRED MATERIALS, INC. (2023)					SPRIDE		8.2	8.1	8.0				8.1	8.1	8.0	7.9	8.0	7.9		8.8	8.8	8.8	8.6	
01050000	9.260	11.166	R	1	55	CRACKING	9.0	9.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
776			2	9.3	35194	RIDE	8.1	8.1					8.8	8.2	8.3	8.2	8.2	8.3	8.3	8.3	8.3	8.3	8.2	
CR 771(9.4R)					FC125M																			
4415171	9.260	11.183	C	2022	0012	CRACKING	9.0	9.0	9.0				8.5	8.5	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	9.0	
AJAX PAVING INDUSTRIES OF (2023)					RIDE		8.2	8.2	8.1				8.0	8.1	8.0	7.9	7.9	7.8	7.9	8.1	8.0	8.1	7.8	
01050000	11.403	13.164	R	1	55	CRACKING	10.0	10.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
776			2	9.3	35194	RIDE	8.9	8.7					8.6	8.1	8.2	8.1	8.1	8.1	8.1	8.1	8.2	8.1	8.0	
RIVER BEACH DR(11.7R)					FC125M																			
4454751	11.426	13.174	R	2023	0012	CRACKING	10.0	10.0	10.0				8.5	8.5	7.5	7.0	7.0	7.0	6.0*	6.0*	10.0	9.4	8.5	
AJAX PAVING INDUSTRIES OF (2024)					SPRIDE		8.0	7.9	8.0				7.8	7.9	7.8	7.8	7.8	7.7	7.8	7.7	8.4	8.4	8.1	
01050000	13.164	17.001	R	1	55	CRACKING		10.0	10.0				10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	5.5*		
776			2	8.4	38000	RIDE		8.6	8.7				8.6	8.2	8.2	8.1	8.0	8.0	8.0	8.0	7.9	7.7		
WOOSTER ST(15.3R)					FC5M																			
4312101	13.164	17.001	C	2015	0012	CRACKING	5.5*	5.5*	5.5*				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	6.8	4.5*	
AJAX PAVING INDUSTRIES OF (2017)					SPRIDE		7.6	7.4	7.2				8.4	8.4	8.3	8.4	8.3	8.3	8.3	8.2	8.1	8.0	7.8	
4556291	14.460	17.549	C	2025	6060																			
01050000	17.001	17.549	R	1	50	CRACKING	7.5	7.5	7.5				7.5	6.5	6.5	6.5	6.5	3.5*	10.0	10.0	10.0	10.0		
776			2	9.1	30500	RIDE	8.1	7.9	8.3				8.0	7.3	7.1	7.0	6.8	6.6	7.3	7.5	7.5	7.5	6.8	
MURDOCK CIR(17.1R)					FC5																			
4171291	16.963	17.549	C	2007	0012	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	2.5*
AJAX PAVING INDUSTRIES, IN(2009)					SPRIDE		7.3	7.4	7.5				7.5	7.5	7.6	7.5	7.5	7.6	7.3	7.5	7.4	7.5	7.3	
4556291	14.460	17.549	C	2025	6060																			
01050000	17.001	17.549	L	1	50	CRACKING	9.0	9.0	9.0				9.0	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0		
776			2	9.1	30500	RIDE	8.2	8.2	8.1				8.0	6.9	7.3	6.5	7.0	6.7	7.2	7.2	7.2	7.1		
ENTERPRISE DR(17.1L)					FC5																			
4171291	16.963	17.549	C	2007	0012	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	4.5*	4.5*	4.5*	0.5*
AJAX PAVING INDUSTRIES, IN(2009)					SPRIDE		7.2	7.2	7.2				7.3	7.4	7.4	7.3	7.3	7.1	7.4	7.0	7.2	6.8	6.6	
4556291	14.460	17.549	C	2025	6060																			
01050000	13.164	17.001	L	1	55	CRACKING		10.0	10.0				10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	5.5*		
776			2	8.4	38000	RIDE		8.9	8.8				8.8	8.4	8.4	8.3	8.3	8.2	8.2	8.1	8.0	7.9		
RIVERWOOD DR(13.4L)					FC5M																			
4312101	13.164	17.001	C	2015	0012	CRACKING	5.5*	5.5*	5.5*				3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	6.4*	4.0*	
AJAX PAVING INDUSTRIES OF (2017)					SPRIDE		7.8	7.6	7.4				7.6	8.3	8.3	8.3	8.2	8.3	8.2	8.2	8.1	8.2	8.0	
4556291	14.460	17.549	C	2025	6060																			
01050000	11.403	13.164	L	1	55	CRACKING	10.0	10.0					10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0		
776			2	9.3	35194	RIDE	8.9	8.7					8.7	8.0	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	
STURKIE AVE(11.8L)					FC125M																			
4454751	11.426	13.174	L	2023	0012	CRACKING	9.0	8.5	8.5				8.0	8.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	9.2	8.0	
AJAX PAVING INDUSTRIES OF (2024)					SPRIDE		7.8	7.8	7.8				7.4	7.5	7.4	7.3	7.3	7.2	7.1	6.9	8.5	8.5	8.2	
01050000	9.260	11.166	L	1	55	CRACKING	9.0	9.0					10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.0	7.0		
776			2	9.3	35194	RIDE	8.1	8.1					8.6	8.0	8.1	8.0	7.9	8.0	8.0	7.9	7.9	7.8		
SAILORS WAY(9.4L)					FC125M																			
4415171	9.260	11.183	C	2022	0012	CRACKING	7.0	7.0	7.0				7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	9.0	
AJAX PAVING INDUSTRIES OF (2023)					RIDE		7.8	7.7	7.8				7.6	7.5	7.4	7.4	7.3	7.3	7.3	7.3	8.0	8.0	8.0	7.7
01050000	6.371	9.260	L	1	55	CRACKING	8.5	8.5	8.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
776			2	9.7	26500	RIDE	8.6	8.6	8.6					8.4	8.5	8.4	8.5	8.4	8.4	8.4	8.4	8.3		
CERVANTES ST(6.6C)					FC5M																			
4394251	6.371	9.260	C	2020	0012	CRACKING	10.0	9.0	9.0				7.0	7.0	6.5	4.5*	4.5*	4.5*		10.0	10.0	9.8	8.5	
PREFERRED MATERIALS, INC. (2023)					SPRIDE		8.2	8.2	8.1				8.1	8.1	8.1	8.0	8.1	8.0		8.9	8.8	8.9	8.7	
01050000	5.285	6.371	L	1	55	CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5		
776			2	6.2	31000	RIDE							9.0	8.8	8.2	8.3	8.2	8.0	8.1	8.2	8.2	8.0	7.9	
SPINNAKER BLVD(5.3C)					FC5M																			
4394261	5.285	6.371	C	2020	0012	CRACKING	8.5	7.5	7.5				6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	9.5	8.0	
AJAX PAVING INDUSTRIES OF (2021)					RIDE		7.9	7.8	7.7				7.8	7.8	7.8	7.6	7.8	8.6	8.5	8.4	8.4	8.5	8.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

```

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2030 FORECASTED BY PAVEMARS (PMRS).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

							DISTRICT = 1 COUNTY = CHARLOTTE																
RDWYID	SR	US	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
INTERSECT	AT	(MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	AADT	RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
ITMSEG-P	CONTRACTOR	(AGE ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKMX-F	ASTYPE		2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)
01075000			8.402	8.786	L	4	1 70	CRACKING															
93	I75		157.0	157.4	3	17.6	64000	RIDE		8.0	6.5		3.5*	3.5*	3.5*		10.0	10.0	9.0	9.0	8.5	8.5	
							FC5M			9.0	9.0		8.7	7.9	7.7		8.1	8.1	8.1	8.1	8.1	8.0	
							(2025)	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	9.0	8.0
								RIDE			8.0	8.0	8.2	8.2	8.6	8.5	8.7	8.8	8.8	8.7	8.7	8.7	8.6
01075000			0.000	8.402	L	4	1 70	CRACKING		8.0	6.5	6.5	6.5	3.5*	3.5*		10.0	10.0	9.0	9.0	8.5	8.5	
93	I75		148.6	157.0	3	13.5	65000	RIDE		9.0	9.0	8.9	8.6	7.9	7.7		8.1	8.1	8.1	8.1	8.1	8.0	
							FC5M																
4130422			0.000	8.102	C	2014	0213	CRACKING		8.5	8.5	8.5				10.0	10.0	10.0	10.0	10.0	10.0	9.8	8.0
AJAX PAVING INDUSTRIES OF						(2018)		SPRIDE		7.8	7.9	7.9				8.4	8.4	8.5	8.5	8.6	8.6	8.5	8.4

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 "*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).