FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = CITRUS ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN	%T	AADT	SURFTYPE / ASTYPE / WKMX-P / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
02010000	0.000	6.127	C	1	1	55	1	2	6200	FC125M	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.0*	6.0*													
45 41								8.6			RIDE	8.8	8.9	8.7	8.3	8.2	8.0	7.7	7.9	7.7	7.5	7.3	7.0	6.8													
E MARK RD(0.5R)																																					
4271481	0.000	6.127	C	2013		0012				CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.9	6.0*													
RAINEY CONSTRUCTION CO				(2015)						SPRIDE		8.3	8.2	8.1	7.9	7.7	7.8	7.7	7.7	7.6	7.5	7.3	7.3	6.9													
02010000	6.127	8.731	C	1	1	55				CRACKING	8.5	8.5	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
45 41							2	8.6	13700	RIDE	8.6	8.7	8.4	8.0	8.4	8.2	8.3	8.4	8.4	8.3	8.2	8.1	8.0													
CEMETERY LN(6.1L)										FC125																											
2571811	6.100	9.048	C	2004		0012				CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.1	6.7	4.0*													
D.A.B. CONSTRUCTORS, INC				(2005)						RIDE	7.9	7.7	7.8	7.7	7.9	7.6	7.7	7.7	7.7	7.7	7.7	7.6	7.6	7.2													
02010000	8.731	11.280	R	1	1	45				CRACKING	8.5	8.5	9.0	7.5	7.0			10.0	10.0	10.0	10.0	10.0	10.0														
45 41							2	8.6	13700	RIDE	8.6	8.7	8.4	8.0	7.8			8.4	8.1	8.2	8.3	8.2	8.2														
E LAPERLE LN(8.8R)										FC125																											
2571841	8.808	12.198	C	2005		0213				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.2	7.6	5.0*													
C. W. ROBERTS CONTRACTING,				(2008)						SPRIDE	8.1	8.1	7.7	7.7	7.8	7.6	7.6	7.7	7.6	7.6	7.6	7.6	7.5	7.1													
02010000	11.280	12.198	R	1	1	45				CRACKING	10.0	10.0	10.0	8.5	8.5			10.0	10.0	10.0	10.0	10.0	10.0														
45 41							3	8.6	26500	RIDE	8.7	8.0	8.6	8.2	8.1			8.1	8.3	8.3	8.2	8.1	8.1														
E EDEN DR(11.4C)										FC125																											
2571841	8.808	12.198	C	2005		0213				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.3	7.5	5.0*													
C. W. ROBERTS CONTRACTING,				(2008)						SPRIDE	8.2	8.2	7.7	7.9	8.0	7.8	7.9	8.0	7.8	7.8	7.9	7.7	7.8	7.4													
02010000	12.198	12.502	R	1	1	35				CRACKING	10.0	10.0	10.0	8.5	8.5	8.5		10.0	9.0	9.0	7.5	7.5	7.5														
44 41							2	13.6	29500	RIDE	8.6	8.4	8.2	7.8	8.1	7.8		7.7	7.6	7.4	7.6	7.7	7.5														
SR-44 E(12.2R)										FC125A																											
4271551	12.245	12.502	C	2015		0012				CRACKING	7.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.8	7.0													
PAVE-RITE, INC.				(2017)						SPRIDE	7.6	7.4											7.4	7.0													
02010000	12.720	13.136	R	1	1	35				CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.5														
44 41							2	16.5	42000	RIDE	8.2	8.3	8.1	7.5	7.3	7.4	7.3	7.6	7.0	7.0	7.2	7.0	7.2														
N OSCEOLA AVE(12.8R)										FC125M																											
4271551	12.720	13.061	C	2015		0012				CRACKING	6.5	6.0*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	10.0	8.5													
PAVE-RITE, INC.				(2017)						SPRIDE	7.2	7.4	8.0										7.9	7.5													
02010000	13.136	13.177	C	1	7	35				CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	10.0	9.0	7.5	10.0	10.0														
45 41							1	8.6	6900	RIDE	8.5	8.3	8.1	7.5	7.3	7.4	7.3	7.5																		
MAIN ST(13.1L)										FC125M																											
										CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	9.0													
				(2026)						RIDE													6.0	5.6													
02010000	13.177	14.207	R	1	7	35				CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	9.5	8.5	8.5	7.5	10.0	10.0														
45 41							2	8.6	19000	RIDE	8.5	8.5	8.3	8.2	8.0	7.8	7.9	7.5	7.4	7.2	7.1	8.4	8.4														
CR-581/TOMPKINS ST(13.2R)										FC125M																											
2571653	13.447	13.959	C	2023		0213				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0		10.0	9.0													
WATSON CIVIL CONSTRUCTION,				(2026)						RIDE	8.4	8.4	8.0	7.9	7.9	7.7	7.7	7.8	7.7	7.7	7.6		7.9	7.5													
02010000	14.207	14.603	C	1	1	45				CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	9.5	8.5	8.5	7.5	10.0	10.0														
45 41							2	8.6	25500	RIDE	8.5	8.5	8.3	8.2	8.0	7.8	7.9	8.3	8.2	8.2	8.6	8.4	8.4														
ANDREW ST(14.6L)										FC125R																											
2571861	13.177	17.872	C	2011		0226				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.6	7.5	5.5*													
D.A.B. CONSTRUCTORS, INC				(2012)						SPRIDE	8.4	8.4	8.0	7.9	7.9	7.7	7.7	7.8	7.7	7.7	7.6	7.7	7.7	7.3													
2571654	14.116	15.310	C	2028		0213																															
02010000	14.603	15.620	R	1	1	45				CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	9.5	7.0	7.0	6.5	10.0	10.0														
45 41							1	8.6	25500	RIDE	8.7	8.7	8.5	8.2	8.0	7.8	7.9	8.2	8.2	8.1	7.7	8.4	8.4														
E MIMOSA LN(14.8R)										FC125R																											
2571861	13.177	17.872	C	2011		0226				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.1	7.2	5.0*													
D.A.B. CONSTRUCTORS, INC				(2012)						SPRIDE	8.4	8.4	8.0	7.9	7.9	7.7	7.7	7.8	7.7	7.7	7.9	7.8	7.7	7.3													
2571654	14.116	15.310	C	2028		0213																															
02010000	15.620	18.425	C	1	1	50				CRACKING	10.0	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0														
45 41							2	8.6	20200	RIDE	8.3	8.2	7.7	7.2	7.1	7.4	7.1	7.0	6.7	6.5	6.0*	8.4	8.4														
ARLINGTON ST E(15.9L)										FC125R																											
2571861	13.177	17.872	C	2011		0226				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	5.9*	5.7*	3.5*													
D.A.B. CONSTRUCTORS, INC				(2012)						SPRIDE	8.4	8.4	8.0	7.9	7.9	7.7	7.7	7.8	7.7	7.7	7.7	7.6	7.3	6.9													
4479261	16.273	18.572	C	2029		0012																															

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = CITRUS ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN	%T	AADT	SURFTYPE	DISTRESS / RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
02010000	18.425	29.685	C	1	1	55	1			CRACKING	10.0	10.0	8.5	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*		10.0	10.0													
45	41		2	7.1	19500					RIDE	8.5	8.3	8.2	7.7	7.5	7.3	7.2	6.9	6.7	6.4*		8.4	8.4													
CARL ROSE HWY N(18.5R)						FC125R																															
2571911	18.425	29.670	C	2010		0012				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	6.6	4.5*													
D.A.B. CONSTRUCTORS, INC		(2012)				SPRIDE				RIDE	8.3	8.3	8.0	8.0	7.9	7.8	7.8	7.9	7.9	7.9	7.9	7.8	7.8	7.4													
02010000	29.685	30.062	R	1	1	45				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0		10.0	10.0													
45	41		2	30.2	21500					RIDE	8.0	7.9	7.2	7.1	7.3	6.4	6.8	6.4	6.6	7.1		8.4	8.4													
TEST CT W(29.9C)						FC125R																															
2571911	29.670	30.039	C	2010		0012				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	4.7*	2.5*													
D.A.B. CONSTRUCTORS, INC		(2012)				SPRIDE				RIDE	8.3	8.3	8.0	8.0	7.9	7.8	7.8	7.9	7.9	7.9	7.9	7.8	4.7*	4.3*													
02010000	29.685	30.062	L	1	1	45				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0		10.0	10.0													
45	41		2	30.2	21500					RIDE	8.0	7.9	7.2	7.1	7.3	6.4	6.8	6.4	6.6	7.1		8.4	8.4													
CR 488(29.8L)						FC125R																															
2571911	29.670	30.039	C	2010		0012				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	5.9*	4.0*													
D.A.B. CONSTRUCTORS, INC		(2012)				SPRIDE				RIDE	8.3	8.3	8.0	8.0	7.9	7.8	7.8	7.9	7.9	7.9	7.9	7.8	5.8	5.4*													
02010000	14.603	15.620	L	1	1	45				CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.0	7.0	7.0	6.5	10.0	10.0													
45	41		1	8.6	25500					RIDE	8.7	8.7	8.5	8.2	8.0	7.8	7.9	7.8	8.2	8.1	7.7	8.4	8.4													
CARL ST(14.6L)						FC125R																															
2571861	13.177	17.872	C	2011		0226				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.4	5.5*													
D.A.B. CONSTRUCTORS, INC		(2012)				SPRIDE				RIDE	8.4	8.4	8.0	7.9	7.9	7.7	7.7	7.8	7.7	7.7	7.9	7.7	7.7	7.3													
2571654	14.116	15.310	C	2028		0213																															
02010000	13.177	14.207	L	1	5	35				CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	9.5	8.5	8.5	7.5	10.0	10.0													
45	41		2	8.6	19000					RIDE	8.5	8.5	8.3	8.2	8.0	7.8	7.9	7.6	7.4	7.2	7.1	8.4	8.4													
FLORIDA AVE(13.2L)						FC125M																															
2571653	13.447	13.959	C	2023		0213				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0		10.0	9.0													
WATSON CIVIL CONSTRUCTION,		(2026)								RIDE	8.4	8.4	8.0	7.9	7.9	7.7	7.7	7.8	7.7	7.7	7.6		8.1	7.7													
02010000	12.720	13.136	L	1	1	35				CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.0*													
44	41		2	16.5	42000					RIDE	8.5	7.4	7.4	8.0	8.1	8.2	7.3	7.5	8.0	7.5	7.8	7.7	7.5													
S OSCEOLA AVE(12.8L)						FC125A																															
4271551	12.720	13.061	C	2015		0012				CRACKING	6.0*	6.0*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5													
PAVE-RITE, INC.		(2017)				SPRIDE				RIDE	7.3	7.4	8.0								8.0	8.1	7.9	8.1	7.7												
02010000	12.198	12.502	L	1	2	35				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	9.0	9.0	9.0	8.0	7.5													
44	41		2	13.6	29500					RIDE	8.6	8.6	8.2	8.1	7.8	7.5		7.7	7.5	7.6	7.6	7.6	7.6													
GULF TO LAKE HWY(12.2L)						FC125A																															
4271551	12.245	12.502	C	2015		0012				CRACKING	7.5	7.0	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	9.5	8.0													
PAVE-RITE, INC.		(2017)				SPRIDE				RIDE	7.5	7.2	7.1										7.9	7.5													
02010000	11.280	12.198	L	1	1	45				CRACKING	10.0	10.0	10.0	8.5	8.5			10.0	10.0	10.0	10.0	10.0	10.0													
45	41		3	8.6	26500					RIDE	8.7	8.0	8.6	8.2	8.1			8.4	8.3	8.4	8.3	8.4	8.3													
E EDEN DR(11.4C)						FC125																															
2571841	8.808	12.198	C	2005		0213				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.4	7.9	5.5*													
C. W. ROBERTS CONTRACTING,		(2008)				SPRIDE				RIDE	8.2	8.2	8.0	8.2	7.9	7.8	8.1	7.9	7.9	7.8	7.8	7.8	7.6	7.2													
02010000	8.731	11.280	L	1	1	45				CRACKING	8.5	8.5	9.0	7.5	7.0			10.0	10.0	10.0	10.0	10.0	10.0													
45	41		2	8.6	13700					RIDE	8.6	8.7	8.4	8.0	7.8			8.4	8.4	8.3	8.3	8.2	8.1													
E WATSON ST(9.0C)						FC125																															
2571841	8.808	12.198	C	2005		0213				CRACKING	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.2	7.8	5.5*													
C. W. ROBERTS CONTRACTING,		(2008)				SPRIDE				RIDE	8.2	8.1	8.0	8.0	8.0	7.8	7.8	7.8	7.8	7.8	7.8	7.7	7.7	7.3													
02010001	0.000	0.066	C	1	7	30				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
44	41		3	13.6	29500					RIDE																													
US-41/SR-45(0.0L)										CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0													
		(2026)								RIDE														5.2*	4.8*													
02010005	0.000	0.207	R	1	1	30				CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5													
44	41		2	9.9	34000					RIDE																													
COURTHOUSE SQUARE(0.0R)						FC125A																															
4271551	0.000	0.207	C	2015		0012				CRACKING	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.1	7.5													
PAVE-RITE, INC.		(2017)				SPRIDE				RIDE														8.0	7.6													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = CITRUS

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN	%T	AADT	SURFTYPE	DISTRESS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
02010005	0.000	0.207	L	1	1	30					CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5													
44 41			2	9.9	34000						RIDE																											
APOPKA AVE N(0.0L)										FC125A																												
4271551	0.000	0.207	C	2015		0012					CRACKING	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.1	7.5												
PAVE-RITE, INC.				(2017)		SPRIDE																		7.6	7.2												
02030000	0.000	6.811	R	1	1	55					CRACKING	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0													
55 19			2	8.6	19021						RIDE	8.3	8.1	7.6	8.6	8.6	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.2													
W SOUTHLAND LN(0.0R)						FC5M																															
											CRACKING	9.0	7.5	6.5	4.5*	9.0	7.0	6.5	4.5*	4.5*		10.0	9.6	10.0	8.5												
				(2024)							RIDE	8.0	7.8	8.3	8.2	8.2	8.0	8.3	8.2	8.0		8.4	8.3	8.3	8.1												
02030000	6.811	8.865	R	1	1	45					CRACKING	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
55 19			3	9.7	27000						RIDE	8.3	8.1	7.6	8.6	8.6	8.4	8.4	8.3	8.3	8.3	8.4	8.3	8.3													
GREEN ACRES ST W(6.8R)						FC5M																															
4058222	6.811	8.880	C	2016		0218					CRACKING	10.0	10.0	10.0	8.5					10.0	10.0	10.0	8.8	10.0	8.0												
ARCH INSURANCE COMPANY				(2022)		SPRIDE					RIDE	8.2	8.1	8.2	8.1					7.9	7.7	7.6	7.6	7.4	7.2												
02030000	8.865	13.675	R	1	7	55					CRACKING	3.5*	3.5*	1.0*	1.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0													
55 19			3	8.6	24500						RIDE	8.2	8.0	7.5	6.3*	6.0*	5.6*	5.3*	8.3	8.3	8.3	8.4	8.3	8.3													
JUMP CT W(8.9R)						FC5M																															
											CRACKING	10.0	10.0	10.0	8.5	8.5	7.5	7.5						10.0	9.0												
				(2026)							RIDE	8.2	8.1	8.2	8.1	8.1	8.0	8.0						8.2	8.0												
02030000	13.675	14.396	R	1	1	45					CRACKING	10.0	10.0	8.5	8.5	8.5	7.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0													
55 19			3	14.5	27500						RIDE	8.2	8.3	8.0	7.6	7.5	7.5	7.2	7.6	7.9	7.6	8.6	8.6	8.5													
EIGHTH TERR SE(13.9R)						FC4																															
											CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	6.6	4.5*												
				(2011)							RIDE	8.5	8.4	8.4	8.3	8.3	8.3	8.3	8.2	8.3	8.2	8.0	7.9	7.3	6.9												
4479271	13.513	14.337	C	2029		0012																															
02030000	14.396	15.570	R	1	1	40					CRACKING	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	8.5	8.5	7.0	10.0	8.5													
55 19			2	11.4	15200						RIDE	7.9	7.7	7.3	6.8	6.7	8.2	8.1	8.0	7.8	7.8	7.7	8.0	7.8													
FIRST ST NE(14.4R)						FC4																															
											CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.0*	4.5*	2.5*												
				(2012)							RIDE	7.4	7.6	7.4	7.4	7.4	7.3	7.1	7.2	7.1	7.0	6.8	6.7	6.7	6.3												
4375151	14.337	15.570	C	2026		0012																															
02030000	15.570	16.145	R	1	1	45					CRACKING	10.0	10.0	8.5	7.0	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0													
55 19			2	11.4	15200						RIDE	8.9	8.8	8.6	8.1	8.0	7.6	7.6	7.5	7.3	7.2	6.9	8.3	8.1													
CRYSTAL RIVER MALL(16.0R)						FC125R																															
4168441	15.570	15.933	C	2010		0012					CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	6.5	6.5	5.5*	6.5	4.5*												
D.A.B. CONSTRUCTORS, INC				(2012)		SPRIDE					RIDE	7.9	7.7	8.0	7.9	7.9	7.7	7.8	7.7	7.7	7.7	7.6	7.5	7.5	7.1												
4479281	15.570	25.049	C	2027		0012																															
02030000	16.145	16.465	R	1	1	45					CRACKING	10.0	10.0	8.5	7.0	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0													
55 19			3	11.4	15200						RIDE	8.9	8.8	8.6	8.1	8.0	7.6	7.6	7.5	7.3	7.2	6.9	8.3	8.1													
N TURKEY OAK DR(16.5R)						FC5																															
4168441	15.933	16.368	C	2010		0012					CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	6.5	6.5	5.5*	3.5*	0.0*												
D.A.B. CONSTRUCTORS, INC				(2012)							RIDE	7.9	7.7	8.0	7.9	7.9	7.7	7.8	7.7	7.7	7.7	7.6	7.5	7.8	7.6												
4479281	15.570	25.049	C	2027		0012																															
02030000	16.465	19.211	R	1	1	60					CRACKING	10.0	10.0	8.5	7.0	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0													
55 19			2	11.4	15200						RIDE	8.9	8.8	8.6	8.1	8.0	7.6	7.6	7.5	7.3	7.2	6.9	8.3	8.1													
ASHBURN LN W(17.2R)						FC5																															
4168441	16.368	19.211	C	2010		0012					CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	6.5	6.5	5.5*	3.5*	0.0*												
D.A.B. CONSTRUCTORS, INC				(2012)							RIDE	7.9	7.7	8.0	7.9	7.9	7.7	7.8	7.7	7.7	7.7	7.6	7.5	7.3	7.1												
4479281	15.570	25.049	C	2027		0012																															
02030000	19.211	23.365	R	1	1	60					CRACKING	10.0	10.0	8.5	7.0	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0													
55 19			2	14.5	11000						RIDE	8.9	8.8	8.6	8.1	8.0	7.6	7.6	7.5	7.3	7.2	6.9	8.2	8.0													
EMERALD OAKS ST W(19.4R)						FC5																															
4168441	19.530	23.365	C	2010		0012					CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	4.5*	3.8*	3.1*	0.0*												
D.A.B. CONSTRUCTORS, INC				(2012)							RIDE	7.8	7.7	7.9	7.9	7.8	7.5	7.7	7.7	7.5	7.5	7.5	7.3	7.0	6.8												
4479281	15.570	25.049	C	2027		0012																															
02030000	23.365	25.107	R	1	1	55					CRACKING	10.0											10.0	10.0												
55 19			2	14.5	11000						RIDE	8.8											8.2	8.2												
SIDE ROAD(24.5C)						FC5																															
											CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	4.5*	4.5*	3.8*	0.0*												
				(2012)							RIDE	8.2	8.1	8.1	8.1	8.1	7.9	8.0	7.9	7.8	7.7	7.7	7.7	7.5	7.3												
4479281	15.570	25.049	C	2027		0012																															

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = CITRUS ----------

RDWYID / SR / US / G_BMP / G_EMP / LN / %T / AADT / INTERSECT AT (MP|SIDE) / SURFTYPE / ITMSEG-P / W_BMP / W_EMP / RW / FY-P / WKMX-P / CONTRACTOR (AGE_ONE YEAR) / ASTYPE / ITMSEG-F / W_BMP / W_EMP / RW / FY-F / WKMX-F	DISTRESS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
02030000 23.365 25.107 L 1 1 55 55 19 2 14.5 11000 SIDE ROAD(24.5C) FC5	CRACKING	10.0											10.0	10.0													
	RIDE	8.8											8.1	8.1													
(2012)	CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	8.5	6.5	6.5	6.5	4.5*	4.4*	4.1*	0.0*												
4479281 15.570 25.049 C 2027 0012	RIDE	8.1	8.1	8.1	8.1	8.1	7.9	8.0	8.0	8.0	7.9	7.9	7.8	7.8	7.6												
02030000 19.211 23.365 L 1 1 60 55 19 2 14.5 11000 POWERLINE RD L(19.9L) FC5	CRACKING	10.0	10.0	8.5	8.5	8.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0													
	RIDE	8.8	8.7	8.6	8.3	8.2	7.9	7.9	7.8	7.7	7.6	7.4	8.3	8.3													
4168441 19.530 23.365 C 2010 0012 D.A.B. CONSTRUCTORS, INC (2012) 4479281 15.570 25.049 C 2027 0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	7.0	6.5	6.5	4.5*	4.0*	0.0*												
	RIDE	8.3	8.3	8.4	8.4	8.4	8.3	8.4	8.4	8.3	8.3	8.4	8.3	8.3	8.1												
02030000 16.145 19.211 L 1 1 60 55 19 2 11.4 15200 NW 19 ST(16.5L) FC5	CRACKING	10.0	10.0	8.5	8.5	8.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0													
	RIDE	8.8	8.7	8.6	8.3	8.2	7.9	7.9	7.8	7.7	7.6	7.4	8.3	8.3													
4168441 16.368 19.211 C 2010 0012 D.A.B. CONSTRUCTORS, INC (2012) 4479281 15.570 25.049 C 2027 0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	6.5	6.5	4.5*	4.5*	0.0*												
	RIDE	8.3	8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.2	8.2	8.3	8.1												
02030000 15.570 16.145 L 1 1 45 55 19 2 11.4 15200 NW SNUG HARBOR RD(15.7L) FC125R	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0													
	RIDE	8.6	8.6	8.3	8.2	8.1	7.7	7.8	7.8	8.0	7.7	7.7	8.3	8.3													
4168441 15.570 15.933 C 2010 0012 D.A.B. CONSTRUCTORS, INC (2012) SPRIDE 4479281 15.570 25.049 C 2027 0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	6.5	6.5	4.5*	6.5	4.5*												
	RIDE	8.3	8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.2	8.2	7.6	7.2												
02030000 14.850 15.570 L 1 1 40 55 19 2 11.4 15200 NE 2 AVE(14.9C) FC4	CRACKING	8.0	6.5	6.5	6.5	3.5*	10.0	10.0	9.5	7.5	7.5	7.5	7.5	7.5													
	RIDE	7.3	7.3	6.9	6.5	6.6	8.2	8.1	7.7	7.5	7.2	7.2	7.8	7.6													
4089061 14.856 15.616 C 2005 0012 D.A.B. CONSTRUCTORS, INC (2006) 4375151 14.337 15.570 C 2026 0012	CRACKING	7.5	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	2.7*	2.3*	0.0*												
	RIDE	7.5	7.3	7.1	7.2	6.8	6.8	6.8	6.8	6.6	6.4	6.3	6.3	6.2	5.8												
02030000 14.396 14.850 L 1 1 40 55 19 2 14.5 27500 NE 1 ST(14.4L) FC4	CRACKING	8.5	8.5	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0													
	RIDE	7.7	7.7	7.4	7.6	7.1	6.6	6.7	7.8	7.5	7.8	6.8	7.8	7.8													
(2012)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	6.0*	6.0*	5.2*	5.2*	3.0*												
4375151 14.337 15.570 C 2026 0012	RIDE	7.8	7.8	7.1	7.2	7.0	6.8	7.1	7.0	6.9	6.8	6.6	6.7	6.5	6.1												
02030000 13.675 14.396 L 1 1 45 55 19 3 14.5 27500 KINGS BAY DR(14.2L) FC4	CRACKING	8.5	8.5	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0													
	RIDE	7.7	7.7	7.4	7.6	7.1	6.6	6.7	7.8	7.5	7.8	7.9	8.0	7.7													
(2011)	CRACKING	9.5	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	5.3*	6.0*	4.0*												
4479271 13.513 14.337 C 2029 0012	RIDE	7.9	7.5	7.2	7.1	6.9	6.9	6.9	6.7	6.6	6.5	6.6	6.5	6.6	6.2												
02030000 8.865 13.675 L 1 7 55 55 19 3 8.6 24500 W JUMP CT(8.9L) FC5M	CRACKING	10.0	10.0	8.5	7.0	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0													
	RIDE	8.8	8.8	8.6	8.1	8.0	7.7	7.5	8.5	8.3	8.3	8.4	8.3	8.3													
(2026)	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0						10.0	9.0												
	RIDE	8.3	8.3	8.3	8.3	8.2	8.2	8.2						8.3	8.1												
02030000 6.811 8.865 L 1 1 45 55 19 3 9.7 27000 UNSIGNED(6.8L) FC5M	CRACKING	8.5	8.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
	RIDE	8.8	8.8	8.6	8.7	8.6	8.4	8.5	8.5	8.3	8.3	8.4	8.3	8.3													
4058222 6.811 8.880 C 2016 0218 ARCH INSURANCE COMPANY (2022) SPRIDE	CRACKING	10.0	10.0	10.0	9.0					10.0	10.0	10.0	10.0	10.0	8.0												
	RIDE	8.3	8.3	8.3	8.3					8.0	7.9	7.9	7.9	7.8	7.6												
02030000 0.000 6.811 L 1 1 55 55 19 2 8.6 19021 CHASSAHOWITZKA ST W(0.0L) FC5M	CRACKING	8.5	8.5	7.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0													
	RIDE	8.8	8.8	8.6	8.7	8.6	8.4	8.5	8.5	8.5	8.4	8.4	8.4	8.3													
(2024)	CRACKING	9.0	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	9.5	10.0	8.5												
	RIDE	8.2	8.1	8.4	8.4	8.3	8.2	8.4	8.3	8.2		8.3	8.3	8.3	8.1												
02040000 0.137 6.681 C 1 1 55 200 2 8.0 8600 APEX LN E(0.2L) FC125M	CRACKING	10.0	8.5	8.5	7.0	7.0	7.0	7.0	9.5	6.5	6.0*		10.0	10.0													
	RIDE	8.7	8.7	8.5	8.3	8.2	8.0	7.9	7.7	7.7	7.6		8.5	8.4													
4168341 2.245 6.564 C 2010 0012 C. W. ROBERTS CONTRACTING,(2012) SPRIDE	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.6	7.0	5.0*												
	RIDE	8.4	8.3	8.1	8.0	8.0	7.8	7.7	7.8	7.6	7.7	7.7	7.5	7.4	7.0												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = CITRUS ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T	AADT	DISTRESS / RATINGS / SURFTYPE / ASTYPE / WKMX-P / WKMX-F	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
02040002	0.000	0.024	C	1	1	40			CRACKING																											
200			2	8.0		8600			RIDE																											
FLORIDA AVE N(0.0C)																																				
									CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.1	8.5	6.5													
		(2012)							RIDE														2.2*	1.8*												
4479261	0.000	0.024	C	2029		0012																														
02050000	0.000	0.604	R	1	1	45			CRACKING	7.5	7.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5															
44			2	6.5		31500			RIDE	6.0*	5.3*	4.6*	7.4	7.4	6.8	6.8	7.0	7.3	7.0	7.1	7.1	7.3															
SR 55(0.0C)									FC125M																											
4416651	0.100	0.604	C	2022		0012			CRACKING	9.5	7.5	7.5	6.0*	6.0*	6.0*	5.0*	5.0*	5.0*	3.5*		10.0	10.0	9.0														
C. W. ROBERTS CONTRACTING,(2025)									RIDE	7.0	6.5	6.4	6.4	6.2	6.4	6.2	6.0	6.0	5.9		7.3	7.1	6.7														
02050000	0.604	2.365	R	1	1	45			CRACKING	8.5	7.5	7.0	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0															
44			2	6.5		31500			RIDE	8.3	8.5	8.3	7.6	7.1	7.0	6.7	8.7	8.7	8.6	8.6	8.6	8.5														
CRYSTAL ST W(0.9R)									FC95																											
2571822	0.622	2.461	C	2007		0012			CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	7.5	7.0	7.0	7.0	7.0	6.4*	6.5	4.0*														
C. W. ROBERTS CONTRACTING,(2008)									SPRIDE	8.5	8.5	8.3	8.3	8.3	8.2	8.2	8.3	8.2	8.1	8.1	8.2	8.0	7.6														
02050000	2.365	4.711	R	1	1	50			CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5															
44			2	8.0		18500			RIDE	8.4	8.3	8.0	8.1	8.1	7.5	7.9	7.8	7.7	7.9	7.7	7.4	7.8														
N DUNKENFIELD AVE(2.4R)									FC125M																											
4325821	2.342	4.711	C	2023		0012			CRACKING	7.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.0														
SUPERIOR ASPHALT, INC.		(2025)							SPRIDE	7.4	6.9	7.5	7.4	7.4	7.2	7.3	7.1	7.1	7.0	6.9	8.3	8.1	7.7														
02050000	4.711	5.335	R	1	1	55			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5															
44			2	8.0		18500			RIDE	8.8	8.8	8.5	8.3	8.2	8.0	8.1	8.0	8.0	7.9	7.8	7.7															
LOPP PT N(4.7R)									FC5																											
4215271	4.711	6.486	C	2012		0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.3	3.0*													
D.A.B. CONSTRUCTORS, INC		(2014)							SPRIDE	8.2	8.2	8.4	8.4	8.4	8.3	8.4	8.3	8.3	8.4	8.3	8.3	8.3	8.1													
4576131	4.710	15.200	C	2027		0012																														
02050000	5.335	5.900	R	1	8	55			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5															
44			2	8.0		18500			RIDE	8.8	8.8	8.5	8.3	8.2	8.0	8.1	8.0	8.0	7.9	7.8	7.7															
CRYSTAL OAKS DR W(5.5R)									FC5M																											
4215271	4.711	6.486	C	2012		0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5															
D.A.B. CONSTRUCTORS, INC		(2014)							SPRIDE	8.2	8.2	8.4	8.4	8.4	8.3	8.4	8.3	8.3	8.4	8.3	8.3															
4576131	4.710	15.200	C	2027		0012																														
02050000	5.900	15.200	R	1	1	60			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5															
44			2	18.4		25500			RIDE	8.8	8.8	8.5	8.3	8.2	8.0	8.1	8.0	8.0	7.9	7.8	7.7															
OLD CITRUS RD W(5.9R)									FC5																											
4215272	10.381	15.906	C	2012		0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.0	3.0*													
D.A.B. CONSTRUCTORS, INC		(2014)							SPRIDE	8.2	8.2	8.4	8.4	8.4	8.3	8.4	8.3	8.3	8.4	8.3	8.3	8.3	8.1													
4576131	4.710	15.200	C	2027		0012																														
02050000	15.200	15.801	R	1	1	45			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5															
44			2	7.1		34000			RIDE	8.8	8.8	8.5	8.3	8.2	8.0	8.1	8.0	8.0	7.9	7.8	7.7															
HARRIET DR(15.3R)									FC95R																											
4215272	10.381	15.906	C	2012		0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.8	6.0*													
D.A.B. CONSTRUCTORS, INC		(2014)							SPRIDE	8.2	8.2	8.4	8.4	8.4	8.3	8.4	8.3	8.3	7.8	7.7	7.8	7.7	7.3													
02050000	15.801	16.668	R	1	1	45			CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.0*	6.0*															
44			2	7.7		28500			RIDE	8.8	8.7	8.7	8.3	8.1	8.0	7.9	8.2	8.1	7.9	7.7	7.7	7.6														
C581/S PLEASNT GR RD(15.9R)									FC125M																											
4271541	15.817	16.668	C	2014		0012			CRACKING	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	7.5													
C. W. ROBERTS CONTRACTING,(2016)									RIDE	7.2	7.6	8.4	8.3	7.9	8.1	8.2	8.1	8.1	8.0	8.2	8.1	7.7	7.3													
02050000	17.626	22.161	R	1	8	50			CRACKING	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
44			2	7.1		34000			RIDE	7.8	7.6				7.9	7.7	8.1	8.0	8.1	8.0	7.9	7.9													
FROM US-41(17.7R)									FC125M																											
2571631	17.635	21.300	C	2002		0213			CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	7.0	6.0*															
THE MIDDLESEX CORPORATION		(2006)							SPRIDE	7.9	7.8	7.5	7.5	7.5	7.2	7.4	7.4	7.3	7.3	6.9	6.8															
4480401	17.663	24.330	C	2024		0012																														
02050000	22.161	24.330	R	1	8	60			CRACKING	6.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
44			2	8.6		17500			RIDE	7.6	7.6				7.9	7.7	8.1	8.0	8.1	8.0	7.9	7.9													
E BOY SCOUT RD(23.8R)									FC125M																											
2571641	21.126	24.342	C	2003		0213			CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	3.5*	0.9*															
C. W. ROBERTS CONTRACTING,(2006)									SPRIDE	7.9	7.8	7.5	7.5	7.5	7.2	7.4	7.4	7.3	7.3	7.9	7.6															
4480401	17.663	24.330	C	2024		0012																														

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = CITRUS ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T	AADT	SURFTYPE / ASTYPE / WKMX-P / WKMX-F	DISTRESS RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
02050000	22.161	24.330	L	1	8	60				CRACKING	6.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
44			2	8.6	17500					RIDE	7.6	7.6				7.8	7.9	8.1	8.1	8.0	8.0	7.9	7.9													
LITTLE JOHN AVE S(22.9L)									FC125M																											
2571641	21.126	24.342	C	2003			0213			CRACKING	10.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*	0.6*														
C. W. ROBERTS CONTRACTING,(2006)									SPRIDE		7.9	7.8	7.5	7.5	7.4	7.2	7.3	7.3	7.1	7.0	6.7	6.2*													
4480401	17.663	24.330	C	2024			0012																													
02050000	17.626	22.161	L	1	8	50				CRACKING	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
44			2	7.1	34000					RIDE	7.8	7.6				7.8	7.9	8.1	8.1	8.0	8.0	7.9	7.9													
TO US-41(17.7L)									FC125M																											
2571631	17.635	21.300	C	2002			0213			CRACKING	10.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	6.0*	5.5*														
THE MIDDLESEX CORPORATION (2006)									SPRIDE		7.9	7.8	7.5	7.5	7.4	7.2	7.3	7.3	7.1	7.0	7.0	6.9													
4480401	17.663	24.330	C	2024			0012																													
02050000	15.801	16.668	L	1	1	45				CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	9.5	7.0	7.0	6.5	6.0*	6.0*													
44			2	7.7	28500					RIDE	8.7	8.5	8.6	7.9	7.9	7.4	6.8	7.9	7.7	7.6	7.4	7.0	6.8													
CR 581(15.9L)									FC125M																											
4271541	15.817	16.668	C	2014			0012			CRACKING	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.1	7.5													
C. W. ROBERTS CONTRACTING,(2016)										RIDE	7.0	6.6	8.3	8.1	8.1	8.0	8.1	8.0	7.9	8.0	7.8	7.9	7.8	7.4													
02050000	15.200	15.801	L	1	1	45				CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5														
44			2	7.1	34000					RIDE	8.8	8.8	8.6	8.3	8.3	8.1	8.1	8.1	8.0	7.9	7.8	7.6														
CENTRAL AVE(15.3L)									FC95R																											
4215272	10.381	15.906	C	2012			0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.7	7.4	5.5*													
D.A.B. CONSTRUCTORS, INC	(2014)								SPRIDE		8.4	8.3	8.4	8.3	8.3	8.2	8.4	8.3	8.3	7.8	7.8	7.8	7.6	7.2													
02050000	5.900	15.200	L	1	1	60				CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5														
44			2	18.4	25500					RIDE	8.8	8.8	8.6	8.3	8.3	8.1	8.1	8.1	8.0	7.9	7.8	7.6														
MAYLEN AVE S(6.0L)									FC5																											
4215272	10.381	15.906	C	2012			0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.7	3.5*													
D.A.B. CONSTRUCTORS, INC	(2014)								SPRIDE		8.4	8.3	8.4	8.3	8.3	8.2	8.4	8.3	8.3	8.3	8.3	8.2	8.2	8.0													
4576131	4.710	15.200	C	2027			0012																													
02050000	5.335	5.900	L	1	8	55				CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5														
44			2	8.0	18500					RIDE	8.8	8.8	8.6	8.3	8.3	8.1	8.1	8.1	8.0	7.9	7.8	7.6														
SHADY KNOLL PL(5.5L)									FC5M																											
4215271	4.711	6.486	C	2012			0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5														
D.A.B. CONSTRUCTORS, INC	(2014)								SPRIDE		8.4	8.3	8.4	8.3	8.3	8.2	8.4	8.3	8.3	8.3	8.3	8.2														
4576131	4.710	15.200	C	2027			0012																													
02050000	4.711	5.335	L	1	1	55				CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5														
44			2	8.0	18500					RIDE	8.8	8.8	8.6	8.3	8.3	8.1	8.1	8.1	8.0	7.9	7.8	7.6														
MAYNARD AVE N(4.9L)									FC5																											
4215271	4.711	6.486	C	2012			0012			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	3.5*													
D.A.B. CONSTRUCTORS, INC	(2014)								SPRIDE		8.4	8.3	8.4	8.3	8.3	8.2	8.4	8.3	8.3	8.3	8.3	8.2	8.3	8.1													
4576131	4.710	15.200	C	2027			0012																													
02050000	2.365	4.711	L	1	1	50				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0													
44			2	8.0	18500					RIDE	8.8	8.8	8.6	8.4	8.2	8.1	8.2	8.3	8.2	8.2	8.1	8.2	8.1													
BRYANT HWY(2.4L)									FC125M																											
4325821	2.342	4.711	C	2023			0012			CRACKING	9.0	9.0	9.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	9.0													
SUPERIOR ASPHALT, INC.	(2025)								SPRIDE		8.0	8.0	7.6	7.6	7.5	7.5	7.5	7.5	7.4	7.3	7.3	8.3	8.1	7.7													
02050000	0.604	2.365	L	1	1	45				CRACKING	8.5	8.5	8.5	7.0	7.0	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0													
44			2	6.5	31500					RIDE	8.7	8.6	8.4	7.9	7.8	7.3	7.4	8.7	8.7	8.7	8.6	8.5	8.5													
FROM W CRYSTAL ST(0.8L)									FC95																											
2571822	0.622	2.461	C	2007			0012			CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.3	5.0*													
C. W. ROBERTS CONTRACTING,(2008)									SPRIDE		8.5	8.6	8.3	8.3	8.3	8.2	8.2	8.2	8.2	8.1	8.0	8.1	8.0	7.6													
02050000	0.000	0.604	L	1	1	45				CRACKING	8.5	7.5	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
44			2	6.5	31500					RIDE	6.3*	6.4*	5.7*	8.0	7.7	7.4	7.5	7.4	7.4	7.4	7.3	7.5	7.3													
SR 55(0.0C)									FC125M																											
4416651	0.100	0.604	C	2022			0012			CRACKING	8.5	8.5	8.5	7.5	7.5	7.0	5.0*	5.0*	5.0*	3.5*		10.0	10.0	9.0													
C. W. ROBERTS CONTRACTING,(2025)										RIDE	7.2	6.7	6.6	6.4	6.3	6.0	6.3	5.8	5.7	5.5		7.6	7.7	7.3													
02050001	0.000	0.087	C	1	1	25				CRACKING						10.0	10.0																			
412			2	8.3	1200					RIDE																											
										CRACKING														6.5	4.0*												
	(2004)									RIDE														3.2*	2.8*												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = CITRUS ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / RW	SYS / %T / FY-P	TYP / AADT / SURFTYPE / ASTYPE / WKMX-P / WKMX-F	SPD	DISTRESS / RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
02050003 413	0.000 0.000	0.081 0.081	C 2	1 8.3	1 1200	25 RIDE	CRACKING																										6.5	
							RIDE																										2.7*	
02100000 700 98 LONE PINE ST(1.0R) 4402501 SUPERIOR ASPHALT, INC.	0.000 0.000	3.382 3.254	R 2 C	1 8.6 2024 (2026)	7 9000 FC125M 0012 SPRIDE	60	CRACKING RIDE CRACKING RIDE	8.5 8.4 10.0 8.4	8.5 8.3 10.0 8.4	8.5 8.1 9.0 8.1	8.5 7.7 9.0 8.1	10.0 8.6 9.0 8.0	10.0 8.2 8.5 8.0	10.0 8.6 7.5 8.1	10.0 8.6 4.5* 8.0	10.0 8.6 4.5* 8.0	10.0 8.5 4.5* 8.2	10.0 8.6 4.5* 7.9	10.0 8.5 4.5* 7.9	10.0 8.5 10.0 8.5	9.0 8.1											
02100000 700 98 GRASS ST(0.2L) 4402501 SUPERIOR ASPHALT, INC.	0.000 0.000	3.382 3.254	L 2 C	1 8.6 2024 (2026)	7 9000 FC125H 0012 SPRIDE	60	CRACKING RIDE CRACKING RIDE	8.5 8.4 8.5 8.3	8.5 8.3 8.5 8.3	8.5 8.1 7.0 8.3	8.5 7.7 6.5 8.3	10.0 8.4 6.5 8.2	10.0 8.4 6.5 8.1	10.0 8.4 6.5 8.3	10.0 8.5 4.5* 8.3	10.0 8.4 4.5* 8.2	10.0 8.4 4.5* 7.9	10.0 8.4 4.5* 8.1	8.5 8.4 4.5* 8.1	8.5 8.4 10.0 8.6	9.0 8.2											
02470000 589 4052703 LANE CONSTRUCTION CORPORAT	0.000 53.8 0.000	11.315 65.1 7.410	R 2 C	5 12.2 2018 (2024)	1 9700 FC5M 0002 SPRIDE	70	CRACKING RIDE CRACKING SPRIDE															10.0 8.6	9.4 8.6	10.0 8.6	8.5 8.5									
02470000 589 (2026)	11.315 65.1	12.171 66.0	R 2	5 12.2	7 9700 FC5M	70	CRACKING RIDE															10.0 8.6	9.4 8.6	10.0 8.6	9.0 8.5									
02470000 589 (2026)	11.545 65.4	12.171 66.0	L 2	5 12.2	7 9700 FC5M	70	CRACKING RIDE															10.0 8.5	9.4 8.5	10.0 8.7	9.0 8.6									
02470000 589 4052703 LANE CONSTRUCTION CORPORAT	0.000 53.8 0.000	11.545 65.4 7.410	L 2 C	5 12.2 2018 (2024)	1 9700 FC5M 0002 SPRIDE	70	CRACKING RIDE CRACKING SPRIDE															10.0 8.5	9.4 8.5	10.0 8.5	8.5 8.4									

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).