

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = DESOTO -----																				
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
INTERSECT AT (MP SIDE)		SURFTYPE		=====																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P															2029
CONTRACTOR	(AGE_ONE	YEAR)	ASTYPE																	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															
04020000	15.780	16.693	R	1	1	45	CRACKING	7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
35	17		2	26.7		12300	RIDE	8.3	8.2	8.1	7.7	8.4	7.9	8.1	7.7	7.8	8.0	7.7	7.9	7.9
BEGIN EXCEPTION(16.7C)																				
FC125																				
1939061	16.112	16.858	C	2001		0213	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0
FREEDOM PIPELINE CORP	(2003)						SPRIDE	8.0	7.8	7.7	7.4	7.2	7.3	7.4	7.4	7.3	7.2	7.3	7.3	7.4
04020000	15.780	16.693	L	1	1	45	CRACKING	7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
35	17		2	26.7		12300	RIDE	8.3	8.2	8.1	7.7	7.9	7.8	7.8	7.9	7.7	7.9	7.6	7.1	7.7
DESOTO AVE N(15.8L)																				
FC125																				
1939061	16.112	16.858	C	2001		0213	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0
FREEDOM PIPELINE CORP	(2003)						SPRIDE	7.9	7.8	7.8	7.9	7.1	7.1	7.1	7.0	7.0	7.1	7.0	7.0	7.1
04020000	13.375	14.021	L	1	1	40	CRACKING	9.0		10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0
35	17		2	16.0		16700	RIDE	8.1		8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2
M L KING ST(13.7L)																				
FC125A																				
1938982	9.513	13.693	C	2015		0218	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0
CNA	(2019)						SPRIDE	8.1	8.1	8.0	6.8	7.8	7.9		8.0	8.0	8.0	8.0	7.8	7.9
04020000	11.092	13.375	L	1	1	50	CRACKING	9.0		10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0
35	17		2	17.0		14100	RIDE	8.1		8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2
FLETCHER ST SW(11.3C)																				
FC5A																				
1938982	9.513	13.693	C	2015		0218	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0
CNA	(2019)						SPRIDE	8.1	8.1	8.0	6.8	7.8	7.9		8.6	8.6	8.6	8.5	8.5	8.5
04020000	9.513	11.092	L	1	1	45	CRACKING	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5
35	17		2	17.0		14100	RIDE	7.7		8.5	7.9	8.6	8.1	8.0	8.0	8.0	7.9	7.8	7.8	7.7
CR 760A(9.6L)																				
FC125A																				
1938982	9.513	13.693	C	2015		0218	CRACKING	8.0	8.0	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0
CNA	(2019)						SPRIDE	7.7	7.3	7.3	6.4	7.1			8.4	8.4	8.3	8.3	8.3	8.2
04020000	3.759	9.513	L	1	1	60	CRACKING	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
35	17		2	18.7		12000	RIDE	8.2	8.0	8.0	7.6		8.1	8.1	8.0	7.8	8.0	7.6	7.8	7.7
COLLINS ST SW(4.3L)																				
FC5M																				
4178761	3.847	9.512	C	2013		0213	CRACKING	10.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.1
AJAX PAVING INDUSTRIES OF	(2016)						SPRIDE	7.9	7.6	7.8	6.8	8.6	8.6	8.5	8.5	8.4	8.3	8.4	8.3	8.3
04020000	0.000	3.759	L	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5
35	17		2	19.9		10600	RIDE	8.7	8.7	8.6	8.4	8.6	8.0	8.0	7.8	7.9	7.8	7.7	7.7	7.6
GARDEN ACRES(0.8L)																				
FC5																				
4154901	0.000	3.878	C	2011		0218	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.4
BETTER ROADS INC.	(2014)						SPRIDE	7.5		8.2	8.1	8.3	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.4
04020101	0.000	1.400	C	1	1	35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
35	17		3	17.0		8200	RIDE		8.5	8.6	8.2	8.6	8.0	7.9	7.7	7.7	7.6	7.5	7.2	7.6
SR 35(0.0C)																				
FC125A																				
4291091	0.195	1.204	C	2015		0012	CRACKING	7.0	7.0	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0
CNA	(2019)						SPRIDE	7.9	7.6	7.5	7.6	7.6			8.5	8.5	8.4	8.4	8.3	8.3
04020101	1.400	1.736	C	1	1	35	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
35	17		2	17.0		8300	RIDE					8.6	8.0	7.9	7.7	7.7	7.6	7.5	7.2	6.7
MAGNOLIA ST(1.4C)																				
FC125A																				
4291091	1.430	1.736	C	2015		0012	CRACKING	8.0	8.0	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0
CNA	(2019)						SPRIDE	6.9	6.9	7.5	6.7	7.2			8.3	8.4	8.2	8.1	8.2	8.1
04020102	0.000	6.971	R	1	1	65	CRACKING										10.0	10.0	10.0	10.0
35	17		2	18.5		15100	RIDE										7.9	7.8	8.0	8.0
LIVINGSTON ST(0.0C)																				
FC5M																				
4369201	0.000	6.627	C	2017		0012	CRACKING	10.0	10.0	9.5	9.0	8.0	8.0				10.0	10.0	10.0	10.0
AJAX PAVING INDUSTRIES OF	(2020)						SPRIDE	7.9	7.9	7.9	7.7	7.8	7.9				8.6	8.6	8.5	8.6
04020102	0.000	6.971	L	1	1	65	CRACKING										10.0	10.0	10.0	10.0
35	17		2	18.5		15100	RIDE										7.6	7.4	7.6	7.6
LIVINGSTON ST(0.0C)																				
FC5M																				
4369201	0.000	6.627	C	2017		0012	CRACKING	10.0	9.5	9.0	8.0	8.0	6.5				10.0	10.0	10.0	10.0
AJAX PAVING INDUSTRIES OF	(2020)						SPRIDE	7.5	7.4	7.2	7.0	7.4	7.4				8.6	8.5	8.5	8.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = DESOTO -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE											
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	W_KMX-P	ASTYPE	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	W_KMX-F																(REG)
ITMSEG-P																					
ITMSEG-F																					
04040000	0.000	12.105	C	1	1	60	CRACKING	8.0	8.0	7.5	7.5	7.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	
70			2	24.5		5187	RIDE	7.9	7.9	7.8	7.8	7.6		8.0	7.9	8.0	7.8	7.9	7.9	7.9	
COUNTY LINE RD(0.0R)																					
1938891	6.101	11.731	C	2002		0221	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	4.4
BETTER ROADS INC				(2005)		SPRIDE		7.9	7.9	7.7	7.3	7.6	7.6	7.4	7.2	7.3	7.3	7.1	7.1	7.2	6.9
4454731	0.010	11.296	C	2023		0012															
04040000	12.105	12.601	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
70			2	21.0		16100	RIDE	7.5	7.2	7.5	6.9	7.2	6.7	7.8	7.3	7.8	7.5	7.8	7.7	7.7	
N PARKER AVE(12.4C)																					
1939121	11.760	14.701	C	2002		0012	CRACKING	9.5	9.5	8.0	7.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	3.4
AJAX PAVING INDUSTRIES INC				(2005)		SPRIDE		7.6	7.7	7.7	7.3	7.1	7.3	7.0	7.3	7.2	7.1	6.9	7.0	7.0	6.8
04040000	12.601	14.167	C	1	1	40	CRACKING	7.5	7.5	4.5*	4.5*	1.0*	1.0*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
70			2	16.7		11500	RIDE	5.9*	5.3*	5.1*	3.2*	5.0*	4.9*	7.1	6.4	6.3	6.2	6.2	6.5	6.6	
HICKORY ST(12.6L)																					
1939121	11.760	14.701	C	2002		0012	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	2.0
AJAX PAVING INDUSTRIES INC				(2005)		SPRIDE		6.1	6.1	6.1	6.0	5.7	5.4*	5.3*	5.0*	5.3*	5.2*	5.2*	4.9*	5.0*	4.4
4415621	12.365	14.193	C	2023		0005															
04040000	14.167	14.663	R	1	1	40	CRACKING	9.0	9.0	9.0	7.0	7.0	5.0*	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
70			2	17.6		23500	RIDE	6.7	7.0	7.1	6.1	6.6	6.2	7.4	6.0	6.1	5.8	6.5	7.5	7.6	
BAKER ST(14.2R)																					
4365801	14.108	14.689	C	2018		0012	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0
AJAX PAVING INDUSTRIES OF				(2021)		SPRIDE		7.2	6.9	6.5	6.5						8.0	8.0	8.0	8.0	8.0
04040000	14.663	15.863	R	1	1	40	CRACKING	9.0	9.0	9.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	3.5*	10.0		10.0	
70			2	14.9		13600	RIDE	8.3	8.2	7.8	8.1	8.3	7.5	7.4	7.2	6.0	6.6	8.4		7.9	
CANAL ST NE(15.1R)																					
1938961	14.681	15.733	C	2009		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	4.3
BETTER ROADS INC.				(2011)		SPRIDE		7.9	7.9	7.8	7.8	8.1	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.8	7.8
4462021	14.685	15.851	C	2024		0226															
04040000	15.863	22.843	C	1	1	60	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	
70			2	14.9		13600	RIDE	8.4	8.4	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	
SE TOWNSEND AVE(16.7R)																					
1938482	15.632	31.790	C	2005		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.0	8.0	7.9
BETTER ROADS INC.				(2008)		SPRIDE		8.8	8.8	8.7	8.1	8.3	8.6	8.5	8.4	8.5	8.4	8.4	8.4	8.4	8.2
04040000	22.843	23.910	C	1	1	60	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	
70			3	29.4		5600	RIDE	8.4	8.4	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	
FOUR MILE GRADE(23.7L)																					
1938482	15.632	31.790	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	8.0	8.0	7.9
BETTER ROADS INC.				(2008)		SPRIDE		8.7	8.6	8.5	8.3	8.4	8.5	8.5	8.5	8.4	8.4	8.3	8.3	8.3	8.2
04040000	23.910	28.619	C	1	1	60	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	
70			2	29.4		5600	RIDE	8.4	8.4	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	
ORANGE CO ENT(24.8L)																					
1938482	15.632	31.790	C	2005		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0
BETTER ROADS INC.				(2008)		SPRIDE		8.6	8.6	8.5	8.2	7.6	8.5	8.4	8.3	8.4	8.3	8.3	8.2	8.3	8.0
04040000	28.619	29.656	C	1	1	60	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	
70			3	29.4		5600	RIDE	8.4	8.4	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	
EIGHTEENTH AVE(14.7L)																					
1938482	15.632	31.790	C	2005		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	8.5
BETTER ROADS INC.				(2008)		SPRIDE		8.7	8.6	8.5	8.7	7.9	8.5	8.5	8.4	8.5	8.4	8.4	8.3	8.2	8.2

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = DESOTO -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR											FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKMX-P												
		(AGE_ONE YEAR)		ASTYPE		FY-F		WKMX-F														
04040000	14.167	14.663	L	1	1	40	CRACKING	9.0	9.0	7.5	7.5	7.5	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0		
70			2	17.6		23500	RIDE	6.3*	6.0*	6.2*	5.8	6.2	4.9*	7.8	7.4	6.9	6.0	6.9	7.5	7.7		
TENTH AVE(14.2L)																						
4365801	14.108	14.689	C	2018		0012	CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	7.0	6.0*		10.0	10.0	10.0	10.0	10.0	
AJAX PAVING INDUSTRIES OF		(2021)				SPRIDE		7.5	7.3	7.4	6.4						8.0	7.9	7.8	7.7	7.2	

04040000	12.105	12.601	L	1	1	45	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
70			2	21.0		16100	RIDE	7.5	7.4	7.4	6.9	7.3	6.0*	7.9	7.4	7.5	7.8	7.8	7.7	7.8		
N PARKER AVE(12.4C)																						
1939121	11.760	14.701	C	2002		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	4.5	
AJAX PAVING INDUSTRIES INC		(2005)				SPRIDE		7.8	7.5	7.4	7.2	6.5	6.6	6.6	6.5	6.7	6.6	6.7	6.6	6.6	6.0	

04040101	0.000	1.503	C	1	1	35	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0		
70			2	17.9		9900	RIDE	5.1*	5.8*	5.7*	7.4	7.4	7.0	6.9	6.9	6.6	5.8	6.5	6.4	6.4		
N ROGER AVE(0.0R)																						
1939091	0.000	1.544	C	2000		0005	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	5.5*		4.5*	4.5*	4.5*	4.5*	3.3	
BETTER ROADS INC		(2002)				SPRIDE		6.1	6.2	6.0	5.6	5.1*	5.3*	5.1*	4.7*		6.0	5.9	5.7	5.5	4.7	
4415621	0.000	1.503	C	2023		0005																

04060000	0.000	4.119	C	1	7	60	CRACKING	7.5		10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0		
72			2	18.4		2500	RIDE	7.0		8.6	8.4	8.6	8.2	8.2	8.0	8.1	6.9	7.5	7.8	7.5		
FLINT RD NW(0.2L)																						
4462031	0.000	4.085	C	2023		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0		
PREFERRED MATERIALS, INC.		(2024)				SPRIDE		7.5	7.5	7.2	7.4	7.4	7.3	7.5	7.5	7.4	7.3	7.4	7.3	8.3		

04060000	4.564	10.991	C	1	1	60	CRACKING	4.0*		10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0		
72			2	18.8		6200	RIDE	6.4*		8.6	8.4	8.6	8.2	8.2	8.0	8.1	6.9	7.5	7.9	7.7		
BARROW AVE(5.4L)																						
1938851	0.000	10.977	C	1999		0221	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.5
GATOR ASPHALT PAVING INC		(2001)				S RIDE		7.7	7.6	7.5	7.6	7.1	7.6	7.7	7.6	7.5	7.5	7.5	7.5	7.5	7.5	7.1
4512641	4.564	10.312	C	2026		0226																

04060101	0.000	0.442	C	1	1	60	CRACKING													8.0	8.0	8.0
72			2	16.3		2900	RIDE													7.6	7.5	7.4
SW RODGERS AVE(0.0R)																						
							CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0		7.0	7.0	7.0	7.0	7.0	7.0	
							RIDE	7.4	7.3	7.4	6.8	7.2	7.4	7.6		7.4	7.3	7.2	7.5	7.3		
4512641	0.000	0.442	C	2026		0226																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).