FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = DESOTO

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T	AADT	DISTRESS RATINGS / SURFTYPE / ASTYPE	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
04010000	0.000	1.280	C	1	1	60			CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0													
31			2	45.8				7400	RIDE	8.6	7.7	8.2	7.8	7.4	7.3	6.8	8.1	8.1	8.2	8.1	8.1	8.1													
NOTTS DAIRY RD(0.6L)									FC125																										
4042011	0.000	5.966	C	2005				0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.3	7.1	4.5*											
BETTER ROADS INC.				(2008)					SPRIDE	8.1	7.9	7.5	8.1	8.1	8.0	8.0	8.0	8.0	8.0	8.0	7.9	8.0	7.7											
04010000	1.280	1.580	C	1	1	60			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
31			2	45.8				7400	RIDE	8.0	7.8	8.5	8.1	7.9	8.1	8.0	7.9	7.4	7.9	7.6	7.7	7.5													
									FC125																										
									CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.1	6.5	3.5*											
				(2001)					RIDE	7.0	7.0	6.5	7.1	7.2	7.1	7.1	7.4	7.2	7.1	7.2	7.2	6.8	6.5											
04010000	1.580	5.933	C	1	1	60			CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0													
31			2	33.1				6400	RIDE	8.4	7.5	8.4	7.8	7.6	7.3	6.9	8.1	8.0	8.1	8.1	8.1	8.0													
CR 763(2.3L)									FC125																										
4042011	0.000	5.966	C	2005				0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.9	4.5*											
BETTER ROADS INC.				(2008)					SPRIDE	8.0	7.9	7.6	8.1	8.1	8.0	7.9	8.0	8.0	7.9	7.9	7.8	7.9	7.6											
04010000	5.933	13.198	C	1	1	60			CRACKING	7.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.5													
31			2	26.7				9300	RIDE	8.8	8.2	8.6	7.8	7.8	7.8		8.4	8.0	8.4	8.2	8.2	8.0													
NAVAJO DR(6.0L)									FC95																										
4042031	5.966	12.903	C	2005				0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.0*	6.0*	6.2*	6.1*	3.5*											
BETTER ROADS INC.				(2008)					SPRIDE	7.9	7.4	7.9	7.9	7.9	7.9	7.8	7.8	7.8	7.7	7.7	7.6	7.7	7.4											
4512631	5.966	13.170	C	2028				0226																											
04020000	0.000	3.557	R	1	1	60			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	4.5*													
35	17		2	20.5				16100	RIDE	8.6	8.4	8.6	8.0	8.0	7.8	7.9	7.8	7.7	7.7	7.6	7.5													
ENTERPRISE BLVD(0.7R)									FC5																										
4154901	0.000	3.878	C	2011				0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	7.3	5.0*											
BETTER ROADS INC.				(2014)					SPRIDE	8.4	8.4	8.4	8.4	8.4	8.5	8.5	8.3	8.4	8.4	8.4	8.4	8.3	8.1											
04020000	3.557	8.885	R	1	1	60			CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5													
35	17		2	18.0				14500	RIDE	8.0	7.6		8.1	8.1	8.0	7.8	8.0	7.6	7.8	7.7	7.9	7.6													
KENTUCKY ST SW(3.6C)									FC5M																										
4178761	3.847	9.512	C	2013				0213	CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.6	9.8	7.5											
AJAX PAVING INDUSTRIES OF				(2016)					SPRIDE	7.8	6.8	8.6	8.6	8.6	8.7	8.5	8.4	8.5	8.4	8.5	8.5	8.5	8.3											
04020000	8.885	9.513	R	1	1	55			CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5													
35	17		2	19.4				13400	RIDE	8.0	7.6		8.1	8.1	8.0	7.8	8.0	7.6	7.8	7.7	7.9	7.6													
									FC5A																										
4178761	3.847	9.512	C	2013				0213	CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.8	8.8	7.0											
AJAX PAVING INDUSTRIES OF				(2019)					SPRIDE	7.8	6.8	8.6	8.6	8.6	8.4	8.4	8.3	8.3	8.2	8.3	8.3	8.3	8.1											
04020000	9.513	11.092	R	1	1	45			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0													
35	17		2	19.4				18200	RIDE	8.5	7.9	8.6	8.1	8.0	8.0	8.0	7.9	7.8	7.8	7.7	7.7	7.3													
CR-760A(9.6R)									FC125A																										
1938982	9.513	13.693	C	2015				0218	CRACKING	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	7.9	8.5	7.0											
CNA				(2019)					SPRIDE	7.3	6.4	7.1			8.5	8.4	8.4	8.4	8.4	8.3	8.3	8.3	8.0											
04020000	11.092	13.375	R	1	1	50			CRACKING	10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0													
35	17		2	19.4				18200	RIDE	8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2	8.1	8.1													
FLETCHER ST SW(11.3C)									FC5A																										
1938982	9.513	13.693	C	2015				0218	CRACKING	9.5	9.5	9.5	9.5		10.0	10.0	9.0	9.0	9.0	9.0	9.3	9.1	7.5											
CNA				(2019)					SPRIDE	8.0	6.8	7.8	7.9		8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.3											
04020000	13.375	14.021	R	1	1	40			CRACKING	10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0													
35	17		2	16.0				18500	RIDE	8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2	8.1	8.1													
LOU'S DR SW(13.4R)									FC125A																										
1938982	9.513	13.693	C	2015				0218	CRACKING	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.6	7.0											
CNA				(2019)					SPRIDE	8.0	6.8	7.8	7.9		8.0	8.0	8.1	8.0	7.8	7.9	7.8	7.7	7.4											
04020000	14.021	15.780	C	1	1	35			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*													
35	17		2	22.4				9600	RIDE	8.2	7.1	8.0	7.3	7.2	7.0	7.1	6.8	6.4	6.9	6.6	6.8	7.1													
E PINE ST(14.2C)									FC125A																										
4291101	14.470	15.780	C	2015				0012	CRACKING	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	8.1	7.7	6.0*											
CNA				(2019)					SPRIDE	7.0	6.4	6.5			8.0	7.9	7.8	7.8	7.8	7.7	7.6	7.4	7.1											

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 1 COUNTY = DESOTO ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	DISTRESS RATINGS / SURFTYPE / ASTYPE / WKMX-P / WKMX-F	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2031 (PMRS)
04020000 / 35 / 17 / BEGIN EXCEPTION(16.7C) / 1939061 / FREEDOM PIPELINE CORP	15.780 / 16.693 / 16.858	16.693 / 16.858 / 16.858	R / 2 / C	1 / 26.7 / 2001	1 / 13600 / 0213	45 / FC125 / SPRIDE	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
							RIDE	8.1	7.7	8.4	7.9	8.1	7.7	7.8	8.0	7.7	7.9	7.9	8.0	7.8	
							CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.1	6.9	4.0*
					(2003)		SPRIDE	7.7	7.4	7.2	7.3	7.4	7.4	7.3	7.2	7.3	7.3	7.4	7.3	7.3	7.0
04020000 / 35 / 17 / DESOTO AVE N(15.8L) / 1939061 / FREEDOM PIPELINE CORP	15.780 / 16.693 / 16.858	16.693 / 16.858 / 16.858	L / 2 / C	1 / 26.7 / 2001	1 / 13600 / 0213	45 / FC125 / SPRIDE	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
							RIDE	8.1	7.7	7.9	7.8	7.8	7.9	7.7	7.9	7.6	7.1	7.7	7.9	7.8	
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	6.7	4.0*
					(2003)		SPRIDE	7.8	7.9	7.1	7.1	7.1	7.0	7.0	7.1	7.0	7.0	7.1	7.0	7.0	6.7
04020000 / 35 / 17 / M L KING ST(13.7L) / 1938982 / CNA	13.375 / 13.693 / 14.021	14.021 / 14.021 / 13.693	L / 2 / C	1 / 16.0 / 2015	1 / 18500 / 0218	40 / FC125A / SPRIDE	CRACKING	10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	
							RIDE	8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2	8.1	8.1	
							CRACKING	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	8.4	8.3	7.0
					(2019)		SPRIDE	8.0	6.8	7.8	7.9		8.0	8.0	8.0	8.0	7.8	7.9	7.8	7.7	7.4
04020000 / 35 / 17 / FLETCHER ST SW(11.3C) / 1938982 / CNA	11.092 / 13.375 / 13.693	13.375 / 13.693 / 13.693	L / 2 / C	1 / 19.4 / 2015	1 / 18200 / 0218	50 / FC5A / SPRIDE	CRACKING	10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	
							RIDE	8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2	8.1	8.1	
							CRACKING	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	8.9	9.2	7.5
					(2019)		SPRIDE	8.0	6.8	7.8	7.9		8.6	8.6	8.6	8.5	8.5	8.5	8.5	8.5	8.3
04020000 / 35 / 17 / CR 760A(9.6L) / 1938982 / CNA	9.513 / 9.513 / 13.693	11.092 / 13.693 / 13.693	L / 2 / C	1 / 19.4 / 2015	1 / 18200 / 0218	45 / FC125A / SPRIDE	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	
							RIDE	8.5	7.9	8.6	8.1	8.0	8.0	8.0	7.9	7.8	7.8	7.7	7.7	7.3	
							CRACKING	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.7	7.0
					(2019)		SPRIDE	7.3	6.4	7.1			8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.0
04020000 / 35 / 17 / COLLINS ST SW(4.3L) / 4178761 / AJAX PAVING INDUSTRIES OF	3.759 / 3.847 / 3.878	9.513 / 9.512 / 9.513	L / 2 / C	1 / 18.0 / 2013	1 / 14500 / 0213	60 / FC5M / SPRIDE	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
							RIDE	8.0	7.6		8.1	8.1	8.0	7.8	8.0	7.6	7.8	7.7	7.9	7.6	
							CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.2	8.7	6.5
					(2016)		SPRIDE	7.8	6.8	8.6	8.6	8.5	8.5	8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.1
04020000 / 35 / 17 / GARDEN ACRES(0.8L) / 4154901 / BETTER ROADS INC.	0.000 / 0.000 / 3.878	3.759 / 3.759 / 3.878	L / 2 / C	1 / 20.5 / 2011	1 / 16100 / 0218	60 / FC5 / SPRIDE	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	4.5*		
							RIDE	8.6	8.4	8.6	8.0	8.0	7.8	7.9	7.8	7.7	7.7	7.6	7.5		
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.3	8.3	6.0*
					(2014)		SPRIDE	8.2	8.1	8.3	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.3	8.3	8.1
04020101 / 35 / 17 / SR 35(0.0C) / 4291091 / CNA	0.000 / 0.195 / 1.204	1.400 / 1.204 / 1.204	C / 3 / C	1 / 20.0 / 2015	1 / 9600 / 0012	35 / FC125A / SPRIDE	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	
							RIDE	8.6	8.2	8.6	8.0	7.9	7.7	7.7	7.6	7.5	7.2	7.6	7.9	7.6	
							CRACKING	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.7	7.0
					(2019)		SPRIDE	7.5	7.6	7.6			8.5	8.5	8.4	8.4	8.3	8.3	8.2	8.1	7.8
04020101 / 35 / 17 / MAGNOLIA ST(1.4C) / 4291091 / CNA	1.400 / 1.430 / 1.736	1.736 / 1.736 / 1.736	C / 2 / C	1 / 17.0 / 2015	1 / 9200 / 0012	35 / FC125A / SPRIDE	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	
							RIDE			8.6	8.0	7.9	7.7	7.7	7.6	7.5	7.2	6.7	6.9	6.9	
							CRACKING	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.8	7.5
					(2019)		SPRIDE	7.5	6.7	7.2			8.3	8.4	8.2	8.1	8.2	8.1	8.1	8.1	7.8
04020102 / 35 / 17 / LIVINGSTON ST(0.0C) / 4369201 / AJAX PAVING INDUSTRIES OF	0.000 / 0.000 / 6.627	6.971 / 6.971 / 6.627	R / 2 / C	1 / 18.5 / 2017	1 / 16800 / 0012	65 / FC5M / SPRIDE	CRACKING								10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE								7.9	7.8	8.0	8.0	7.9	7.9	
							CRACKING	9.5	9.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	9.2	9.0	7.5	
					(2020)		SPRIDE	7.9	7.7	7.8	7.9		8.6	8.6	8.5	8.6	8.6	8.6	8.5	8.3	
04020102 / 35 / 17 / LIVINGSTON ST(0.0C) / 4369201 / AJAX PAVING INDUSTRIES OF	0.000 / 0.000 / 6.627	6.971 / 6.971 / 6.627	L / 2 / C	1 / 18.5 / 2017	1 / 16800 / 0012	65 / FC5M / SPRIDE	CRACKING								10.0	10.0	10.0	10.0	10.0	9.5	
							RIDE								7.6	7.4	7.6	7.6	7.5	7.4	
							CRACKING	9.0	8.0	8.0	6.5		10.0	10.0	10.0	10.0	10.0	9.5	8.9	7.0	
					(2020)		SPRIDE	7.2	7.0	7.4	7.4		8.6	8.5	8.5	8.4	8.4	8.4	8.4	8.2	

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 1 COUNTY = DESOTO ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	DISTRESS / RATINGS / SURFTYPE / RW FY-P / ASTYPE / RW FY-F	AADT / WKMX-P / WKMX-F	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
04040000	0.000	11.100	C	1	7	60	CRACKING		7.5	7.5	7.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0														
70		2 25.4		5643			RIDE		7.8	7.8	7.6		8.0	7.9	8.0	7.8	7.9	7.9	7.9	7.9	7.9														
MANATEE COUNTY LINE(0.0C)						FC125M																													
4454731	0.010	11.064	C	2023		0012	CRACKING		9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*		10.0	9.0													
SUPERIOR ASPHALT, INC.		(2026)					SPRIDE		7.7	7.3	7.6	7.6	7.4	7.2	7.3	7.3	7.1	7.1	7.2		8.5	8.2													
04040000	11.100	11.329	R	1	7	45	CRACKING		7.5	6.5	6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0														
70		1 24.2		8400			RIDE		6.7	6.1*	6.7		8.0	7.9	8.0	7.8	7.9	7.9	7.9	7.9	7.9														
						FC125M																													
4454731	11.064	11.296	R	2023		0012	CRACKING		9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*		10.0	9.0													
SUPERIOR ASPHALT, INC.		(2026)					SPRIDE		7.7	7.3	7.6	7.6	7.4	7.2	7.3	7.3	7.1	7.1	7.2		8.3	8.0													
04040000	11.329	11.655	R	1	1	45	CRACKING		7.5	6.5	6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0														
70		1 21.0		18700			RIDE		6.7	6.1*	6.7		8.0	7.9	8.0	7.8	7.9	7.9	7.9	7.9	7.9														
SR 72(11.5R)						FC125																													
1938891	6.101	11.731	C	2002		0221	CRACKING		9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*		1.3*	0.0*													
BETTER ROADS INC		(2005)					SPRIDE		7.7	7.3	7.6	7.6	7.4	7.2	7.3	7.3	7.1	7.1	7.2		6.8	6.5													
04040000	11.655	12.399	C	1	1	45	CRACKING		7.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0														
70		2 21.0		18700			RIDE		6.7	6.1*	6.7		7.9	7.6	8.0	7.8	7.9	7.9	7.9	7.9	7.9														
AMERICAN LEGION DR NW(11.9L)						FC125																													
1939121	11.760	14.701	C	2002		0012	CRACKING		9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*		0.0*	0.0*													
AJAX PAVING INDUSTRIES INC		(2005)					SPRIDE		7.7	7.3	7.6	7.6	7.4	7.2	7.3	7.3	7.1	7.1	7.2		6.8	6.5													
04040000	12.399	12.601	R	1	8	45	CRACKING		9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5														
70		2 21.0		18700			RIDE		7.5	6.9	7.2	6.7	7.8	7.3	7.8	7.5	7.8	7.7	7.7	7.6	7.7														
N PARKER AVE(12.4C)						FC125																													
1939121	11.760	14.701	C	2002		0012	CRACKING		8.0	7.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*																
AJAX PAVING INDUSTRIES INC		(2005)					SPRIDE		7.7	7.3	7.1	7.3	7.0	7.3	7.2	7.1	6.9	7.0	7.0																
4415621	12.365	14.193	C	2023		0005																													
04040000	12.601	14.244	C	1	8	40	CRACKING		4.5*	4.5*	1.0*	1.0*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0														
70		2 16.7		13500			RIDE		5.1*	3.2*	5.0*	4.9*	7.1	6.4	6.3	6.2	6.2	6.5	6.6	6.1	6.1														
HICKORY ST(12.6L)						FC125																													
1939121	11.760	14.701	C	2002		0012	CRACKING		9.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*																
AJAX PAVING INDUSTRIES INC		(2005)					SPRIDE		6.1	6.0	5.7	5.4*	5.3*	5.0*	5.3*	5.2*	5.2*	4.9*	5.0*																
4415621	12.365	14.193	C	2023		0005																													
04040000	14.244	14.663	R	1	1	40	CRACKING		9.0	7.0	7.0	5.0*	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0														
70		2 17.6		27000			RIDE		7.1	6.1	6.6	6.2	7.4	6.0	6.1	5.8	6.5	7.5	7.6	7.2	6.9														
ELEVENTH AVE N(14.3R)						FC125M																													
4365801	14.108	14.689	C	2018		0012	CRACKING		6.5	6.5	6.5	6.5	5.5*	5.5*				10.0	10.0	10.0	10.0	8.9	9.0	7.5												
AJAX PAVING INDUSTRIES OF		(2021)					SPRIDE		6.5	6.5								8.0	8.0	8.0	8.0	7.9	7.7	7.4												
04040000	14.663	15.544	R	1	7	40	CRACKING		9.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	3.5*	3.5*		10.0	10.0	10.0														
70		2 17.6		27000			RIDE		7.8	8.1	8.3	7.5	7.4	7.2	6.0	6.6	6.1		7.9	7.9	7.9														
CANAL ST NE(15.1R)						FC125M																													
4462021	14.685	15.470	R	2024		0226	CRACKING		10.0	10.0	10.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5		10.0	9.0													
PREFERRED MATERIALS, INC.		(2026)					SPRIDE		7.8	7.8	8.1	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.8		8.3	8.0													
04040000	15.544	15.852	R	1	1	55	CRACKING		7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0		10.0	10.0	10.0														
70		1 14.9		13900			RIDE		8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4		7.9	7.9	7.9														
						FC125M																													
4462021	15.470	15.851	R	2024		0226	CRACKING		10.0	10.0	10.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.0													
PREFERRED MATERIALS, INC.		(2025)					SPRIDE		7.8	7.8	8.1	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.8	8.5	8.5	8.2													
04040000	15.852	22.843	C	1	1	60	CRACKING		7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5														
70		2 14.9		13900			RIDE		8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.8	8.8														
SE TOWNSEND AVE(16.7R)						FC95																													
							CRACKING		9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.0	8.0	9.5	8.5	7.5													
		(2025)					RIDE		8.7	8.1	8.3	8.6	8.5	8.4	8.5	8.4	8.4	8.4	8.4	8.3	8.4	8.1													
04040000	22.843	23.910	C	1	1	60	CRACKING		7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0														
70		3 29.4		6600			RIDE		8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.7	8.6														
FOUR MILE GRADE(23.7L)						FC95																													
1938482	15.632	31.790	C	2005		0012	CRACKING		10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	8.0	8.0	5.5*	5.4*	3.0*													
BETTER ROADS INC.		(2008)					SPRIDE		8.5	8.3	8.4	8.5	8.5	8.5	8.4	8.4	8.3	8.3	8.3	8.1	8.2	7.9													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = DESOTO

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	LN / RW / SURFTYPE / RW	SYS / %T / FY-P / ASTYPE / FY-F	TYP / AADT / WKMX-P / WKMX-F	SPD	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
04040000	23.910	25.872	C 1	1	60		CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5														
70			2 29.4		6600		RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.6	8.6														
ORANGE CO ENT(24.8L)					FC95																													
1938482	15.632	31.790	C 2005		0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.8	7.0	4.5*													
BETTER ROADS INC.			(2008)				SPRIDE	8.5	8.2	7.6	8.5	8.4	8.3	8.4	8.3	8.3	8.2	8.3	8.2	8.1	7.8													
04040000	25.872	26.587	R 1	1	60		CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5														
70			1 29.4		6600		RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.6	8.6														
SIDE ROAD(26.0R)					FC95																													
1938482	15.632	31.790	C 2005		0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.8	7.0	4.5*													
BETTER ROADS INC.			(2008)				SPRIDE	8.5	8.2	7.6	8.5	8.4	8.3	8.4	8.3	8.3	8.2	8.3	8.2	8.5	8.2													
04040000	26.587	28.619	C 1	1	60		CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5														
70			2 29.4		6600		RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.6	8.6														
LAKE BROWNING GRADE SE(28.3R)					FC95																													
1938482	15.632	31.790	C 2005		0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.8	7.0	4.5*													
BETTER ROADS INC.			(2008)				SPRIDE	8.5	8.2	7.6	8.5	8.4	8.3	8.4	8.3	8.3	8.2	8.3	8.2	8.4	8.1													
04040000	28.619	29.656	C 1	1	60		CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0														
70			3 29.4		6600		RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.8	8.8														
					FC95																													
1938482	15.632	31.790	C 2005		0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	7.5	5.0*													
BETTER ROADS INC.			(2008)				SPRIDE	8.7	8.9	8.6	8.7	8.7	8.6	8.6	8.6	8.5	8.6	8.6	8.6	8.6	8.3													
04040000	29.656	31.770	C 1	1	60		CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5														
70			2 29.4		6600		RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.7	8.6														
HIGHLANDS COUNTY LINE RD(31.8R)					FC95																													
1938482	15.632	31.790	C 2005		0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	7.2	7.5	5.0*													
BETTER ROADS INC.			(2008)				SPRIDE	8.5	8.7	7.9	8.5	8.5	8.4	8.5	8.4	8.4	8.3	8.2	8.3	8.3	8.0													
04040000	14.663	15.852	L 1	1	40		CRACKING	9.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	3.5*	10.0		10.0	10.0	10.0															
70			2 14.9		13900		RIDE	7.8	8.1	8.3	7.5	7.4	7.2	6.0	6.6	8.4		7.8	7.6	7.5															
EIGHTEENTH AVE(14.7L)					FC125M																													
4462021	14.685	15.851	L 2024		0226		CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	6.5	4.5*	4.5*	4.5*	1.0*		10.0	9.0													
PREFERRED MATERIALS, INC.			(2026)				SPRIDE	7.4	7.2	7.5	7.6	7.5	7.6	7.6	7.4	7.3	7.3	7.2		8.3	8.0													
04040000	14.244	14.663	L 1	1	40		CRACKING	7.5	7.5	7.5	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0															
70			2 17.6		27000		RIDE	6.2*	5.8	6.2	4.9*	7.8	7.4	6.9	6.0	6.9	7.5	7.7	7.5	7.3															
N ELEVENTH AVE(14.3L)					FC125M																													
4365801	14.108	14.689	C 2018		0012		CRACKING	8.0	8.0	8.0	8.0	7.0	6.0*		10.0	10.0	10.0	10.0	8.3	7.8	6.5													
AJAX PAVING INDUSTRIES OF			(2021)				SPRIDE	7.4	6.4						8.0	7.9	7.8	7.7	7.6	7.5	7.2													
04040000	12.399	12.601	L 1	1	45		CRACKING	9.5	9.5	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5															
70			2 21.0		18700		RIDE	7.4	6.9	7.3	6.0*	7.9	7.4	7.5	7.8	7.8	7.7	7.8	7.8	7.5															
N PARKER AVE(12.4C)					FC125																													
1939121	11.760	14.701	C 2002		0012		CRACKING	9.5	9.5	9.5	9.5	8.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*																	
AJAX PAVING INDUSTRIES INC			(2005)				SPRIDE	7.4	7.2	6.5	6.6	6.6	6.5	6.7	6.6	6.7	6.6	6.6																	
4415621	12.365	14.193	C 2023		0005																													
04040101	0.000	1.503	C 1	1	35		CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0															
70			2 21.9		11000		RIDE	5.7*	7.4	7.4	7.0	6.9	6.9	6.6	5.8	6.5	6.4	6.4	6.1	6.2															
SR70 / MAGNOLIA ST(0.0L)					FC125																													
1939091	0.000	1.544	C 2000		0005		CRACKING	8.0	8.0	8.0	8.0	7.0	5.5*		4.5*	4.5*	4.5*	4.5*																	
BETTER ROADS INC			(2002)				SPRIDE	6.0	5.6	5.1*	5.3*	5.1*	4.7*		6.0	5.9	5.7	5.5																
4415621	0.000	1.503	C 2023		0005																													
04060000	0.000	4.119	C 1	1	60		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0															
72			2 18.4		2900		RIDE	8.6	8.4	8.6	8.2	8.2	8.0	8.1	6.9	7.5	7.8	7.5	7.5	7.5															
FLINT RD NW(0.2L)					FC125M																													
4462031	0.000	4.085	C 2023		0012		CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	9.6	10.0	9.0													
PREFERRED MATERIALS, INC.			(2024)				SPRIDE	7.2	7.4	7.4	7.3	7.5	7.5	7.4	7.3	7.4	7.3	8.3	8.4	8.3	8.0													
04060000	4.564	10.991	C 1	1	60		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0															
72			2 18.8		7200		RIDE	8.6	8.4	8.6	8.2	8.2	8.0	8.1	6.9	7.5	7.9	7.7	7.7	7.6															
BARROW AVE(5.4L)					FC3																													
1938851	0.000	10.977	C 1999		0221		CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.5*	5.4*	2.5*													
GATOR ASPHALT PAVING INC			(2001)				S RIDE	7.5	7.6	7.1	7.6	7.7	7.6	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.2													
4512641	4.564	10.312	C 2028		0226																													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 1 COUNTY = DESOTO ----------

RDWYID / SR / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / US / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	DISTRESS / RATINGS / SURFTYPE / ASTYPE	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
04060101	0.000	0.442	C	1	1	60	CRACKING																					8.0	8.0	8.0	7.0	7.0	
72			2	17.3		3600	RIDE																					7.6	7.5	7.4	7.4	7.3	
RODGERS AVE SW(0.0C)						FC3																												
							CRACKING	7.0	7.0	7.0	7.0	7.0		7.0	7.0	7.0	7.0	7.0	7.0	7.4													
							RIDE	7.4	6.8	7.2	7.4	7.6		7.4	7.3	7.2	7.5	7.3	7.4	7.4													
4512641	0.000	0.442	C	2028		0226																												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).