

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = DESOTO -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKMX-P		ASTYPE										2031
		(AGE_ONE YEAR)		(YEAR)																(PMRS)		
04010000	0.000	1.280	C	1	1	60	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
31			2	45.8		7400	RIDE	8.6	7.7	8.2	7.8	7.4	7.3	6.8	8.1	8.1	8.2	8.1	8.1	8.1	8.1	
NOTTS DAIRY RD(0.6L)						FC125																
4042011	0.000	5.966	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.3	7.1	4.5*	
BETTER ROADS INC.				(2008)		SPRIDE																
04010000	1.280	1.580	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
31			2	45.8		7400	RIDE	8.0	7.8	8.5	8.1	7.9	8.1	8.0	7.9	7.4	7.9	7.6	7.7	7.5	7.5	
						FC125																
				(2001)		CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.1	6.5	3.5*	
						RIDE		7.0	7.0	6.5	7.1	7.2	7.1	7.1	7.4	7.2	7.1	7.2	7.2	6.8	6.5	
04010000	1.580	5.933	C	1	1	60	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
31			2	33.1		6400	RIDE	8.4	7.5	8.4	7.8	7.6	7.3	6.9	8.1	8.0	8.1	8.1	8.1	8.1	8.0	
CR 763(2.3L)						FC125																
4042011	0.000	5.966	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.9	4.5*	
BETTER ROADS INC.				(2008)		SPRIDE																
04010000	5.933	13.198	C	1	1	60	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.5	
31			2	26.7		9300	RIDE	8.8	8.2	8.6	7.8	7.8	7.8		8.4	8.0	8.4	8.2	8.2	8.0	8.0	
NAVAJO DR(6.0L)						FC95																
4042031	5.966	12.903	C	2005	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.0*	6.0*	6.2*	6.1*	3.5*	
BETTER ROADS INC.				(2008)		SPRIDE																
4512631	5.966	13.170	C	2028	0226																	
04020000	0.000	3.557	R	1	1	60	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*		
35	17		2	20.5		16100	RIDE	8.6	8.4	8.6	8.0	8.0	7.8	7.9	7.8	7.7	7.7	7.6	7.5	7.5		
ENTERPRISE BLVD(0.7R)						FC5																
4154901	0.000	3.878	C	2011	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	7.3	5.0*	
BETTER ROADS INC.				(2014)		SPRIDE																
04020000	3.557	8.885	R	1	1	60	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
35	17		2	18.0		14500	RIDE	8.0	7.6		8.1	8.1	8.0	7.8	8.0	7.6	7.8	7.7	7.9	7.6	7.6	
KENTUCKY ST SW(3.6C)						FC5M																
4178761	3.847	9.512	C	2013	0213	CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.6	9.8	7.5	
AJAX PAVING INDUSTRIES OF				(2016)		SPRIDE																
04020000	8.885	9.513	R	1	1	55	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
35	17		2	19.4		13400	RIDE	8.0	7.6		8.1	8.1	8.0	7.8	8.0	7.6	7.8	7.7	7.9	7.6	7.6	
						FC5A																
4178761	3.847	9.512	C	2013	0213	CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.8	8.8	7.0	
AJAX PAVING INDUSTRIES OF				(2019)		SPRIDE																
04020000	9.513	11.092	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0	
35	17		2	19.4		18200	RIDE	8.5	7.9	8.6	8.1	8.0	8.0	8.0	7.9	7.8	7.8	7.7	7.7	7.3	7.3	
CR-760A(9.6R)						FC125A																
1938982	9.513	13.693	C	2015	0218	CRACKING	7.5	7.5	7.5				10.0	10.0	10.0	10.0	10.0	10.0	7.9	8.5	7.0	
CNA				(2019)		SPRIDE																
04020000	11.092	13.375	R	1	1	50	CRACKING	10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	
35	17		2	19.4		18200	RIDE	8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2	8.1	8.1	8.1	
FLETCHER ST SW(11.3C)						FC5A																
1938982	9.513	13.693	C	2015	0218	CRACKING	9.5	9.5	9.5	9.5			10.0	10.0	9.0	9.0	9.0	9.0	9.3	9.1	7.5	
CNA				(2019)		SPRIDE																
04020000	13.375	14.021	R	1	1	40	CRACKING	10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	
35	17		2	16.0		18500	RIDE	8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2	8.1	8.1	8.1	
LOU'S DR SW(13.4R)						FC125A																
1938982	9.513	13.693	C	2015	0218	CRACKING	9.5	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.6	7.0	
CNA				(2019)		SPRIDE																
04020000	14.021	15.780	C	1	1	35	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	
35	17		2	22.4		9600	RIDE	8.2	7.1	8.0	7.3	7.2	7.0	7.1	6.8	6.4	6.9	6.6	6.8	7.1	7.1	
E PINE ST(14.2C)						FC125A																
4291101	14.470	15.780	C	2015	0012	CRACKING	4.5*	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	8.1	7.7	6.0*	
CNA				(2019)		SPRIDE																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = DESOTO -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)		SURFTYPE		=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X	P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)		ASTYPE																				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X	F																(PMRS)
04020000	15.780	16.693	R	1	1	45	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
35	17		2	26.7		13600	RIDE	8.1	7.7	8.4	7.9	8.1	7.7	7.8	8.0	7.7	7.9	7.9	8.0	7.8		
BEGIN EXCEPTION(16.7C)		FC125																				
1939061	16.112	16.858	C	2001		0213	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.1	6.9	4.0*	
FREEDOM PIPELINE CORP		(2003)		SPRIDE																		
04020000	15.780	16.693	L	1	1	45	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		
35	17		2	26.7		13600	RIDE	8.1	7.7	7.9	7.8	7.8	7.9	7.7	7.9	7.6	7.1	7.7	7.9	7.8		
DESOTO AVE N(15.8L)		FC125																				
1939061	16.112	16.858	C	2001		0213	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	6.7	4.0*	
FREEDOM PIPELINE CORP		(2003)		SPRIDE																		
04020000	13.375	14.021	L	1	1	40	CRACKING	10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0		
35	17		2	16.0		18500	RIDE	8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2	8.1	8.1		
M L KING ST(13.7L)		FC125A																				
1938982	9.513	13.693	C	2015		0218	CRACKING	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	8.4	8.3	7.0	
CNA		(2019)		SPRIDE																		
04020000	11.092	13.375	L	1	1	50	CRACKING	10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0		
35	17		2	19.4		18200	RIDE	8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2	8.1	8.1		
FLETCHER ST SW(11.3C)		FC5A																				
1938982	9.513	13.693	C	2015		0218	CRACKING	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	8.9	9.2	7.5	
CNA		(2019)		SPRIDE																		
04020000	9.513	11.092	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0		
35	17		2	19.4		18200	RIDE	8.5	7.9	8.6	8.1	8.0	8.0	8.0	7.9	7.8	7.8	7.7	7.7	7.3		
CR 760A(9.6L)		FC125A																				
1938982	9.513	13.693	C	2015		0218	CRACKING	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.7	7.0	
CNA		(2019)		SPRIDE																		
04020000	3.759	9.513	L	1	1	60	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
35	17		2	18.0		14500	RIDE	8.0	7.6		8.1	8.1	8.0	7.8	8.0	7.6	7.8	7.7	7.9	7.6		
COLLINS ST SW(4.3L)		FC5M																				
4178761	3.847	9.512	C	2013		0213	CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.2	8.7	6.5	
AJAX PAVING INDUSTRIES OF		(2016)		SPRIDE																		
04020000	0.000	3.759	L	1	1	60	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	4.5*			
35	17		2	20.5		16100	RIDE	8.6	8.4	8.6	8.0	8.0	7.8	7.9	7.8	7.7	7.7	7.6	7.5			
GARDEN ACRES(0.8L)		FC5																				
4154901	0.000	3.878	C	2011		0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.3	8.3	6.0*	
BETTER ROADS INC.		(2014)		SPRIDE																		
04020101	0.000	1.400	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0		
35	17		3	20.0		9600	RIDE	8.6	8.2	8.6	8.0	7.9	7.7	7.7	7.6	7.5	7.2	7.6	7.9	7.6		
SR 35(0.0C)		FC125A																				
4291091	0.195	1.204	C	2015		0012	CRACKING	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.7	7.0	
CNA		(2019)		SPRIDE																		
04020101	1.400	1.736	C	1	1	35	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0		
35	17		2	17.0		9200	RIDE			8.6	8.0	7.9	7.7	7.7	7.6	7.5	7.2	6.7	6.9	6.9		
MAGNOLIA ST(1.4C)		FC125A																				
4291091	1.430	1.736	C	2015		0012	CRACKING	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.8	7.5	
CNA		(2019)		SPRIDE																		
04020102	0.000	6.971	R	1	1	65	CRACKING								10.0	10.0	10.0	10.0	10.0	10.0		
35	17		2	18.5		16800	RIDE								7.9	7.8	8.0	8.0	7.9	7.9		
LIVINGSTON ST(0.0C)		FC5M																				
4369201	0.000	6.627	C	2017		0012	CRACKING	9.5	9.0	8.0	8.0			10.0	10.0	10.0	10.0	10.0	9.2	9.0	7.5	
AJAX PAVING INDUSTRIES OF		(2020)		SPRIDE																		
04020102	0.000	6.971	L	1	1	65	CRACKING								10.0	10.0	10.0	10.0	10.0	9.5		
35	17		2	18.5		16800	RIDE								7.6	7.4	7.6	7.6	7.5	7.4		
LIVINGSTON ST(0.0C)		FC5M																				
4369201	0.000	6.627	C	2017		0012	CRACKING	9.0	8.0	8.0	6.5			10.0	10.0	10.0	10.0	10.0	9.5	8.9	7.0	
AJAX PAVING INDUSTRIES OF		(2020)		SPRIDE																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = DESOTO -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	CONTRACTOR	(AGE_ONE YEAR)																			(PMRS)
ITMSEG-F	CONTRACTOR	(AGE_ONE YEAR)																			(PMRS)
04040000	0.000	11.100	C	1	7	60	CRACKING	7.5	7.5	7.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
70				2	25.4		5643 RIDE	7.8	7.8	7.6		8.0	7.9	8.0	7.8	7.9	7.9	7.9	7.9	7.9	
MANATEE COUNTY LINE(0.0C)																					
4454731	0.010	11.064	C	2023	0012		CRACKING	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*		10.0	9.0
SUPERIOR ASPHALT, INC.		(2026)					SPRIDE	7.7	7.3	7.6	7.6	7.4	7.2	7.3	7.3	7.1	7.1	7.2		8.5	8.2
04040000	11.100	11.329	R	1	7	45	CRACKING	7.5	6.5	6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
70				1	24.2		8400 RIDE	6.7	6.1*	6.7		8.0	7.9	8.0	7.8	7.9	7.9	7.9	7.9	7.9	
FC125M																					
4454731	11.064	11.296	R	2023	0012		CRACKING	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*		10.0	9.0
SUPERIOR ASPHALT, INC.		(2026)					SPRIDE	7.7	7.3	7.6	7.6	7.4	7.2	7.3	7.3	7.1	7.1	7.2		8.3	8.0
04040000	11.329	11.655	R	1	1	45	CRACKING	7.5	6.5	6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
70				1	21.0		18700 RIDE	6.7	6.1*	6.7		8.0	7.9	8.0	7.8	7.9	7.9	7.9	7.9	7.9	
SR 72(11.5R)																					
1938891	6.101	11.731	C	2002	0221		CRACKING	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*		1.3*	0.0*
BETTER ROADS INC		(2005)					SPRIDE	7.7	7.3	7.6	7.6	7.4	7.2	7.3	7.3	7.1	7.1	7.2		6.8	6.5
04040000	11.655	12.399	C	1	1	45	CRACKING	7.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
70				2	21.0		18700 RIDE	6.7	6.1*	6.7		7.9	7.6	8.0	7.8	7.9	7.9	7.9	7.9	7.9	
AMERICAN LEGION DR NW(11.9L)																					
1939121	11.760	14.701	C	2002	0012		CRACKING	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*		0.0*	0.0*
AJAX PAVING INDUSTRIES INC(2005)		(2005)					SPRIDE	7.7	7.3	7.6	7.6	7.4	7.2	7.3	7.3	7.1	7.1	7.2		6.8	6.5
04040000	12.399	12.601	R	1	8	45	CRACKING	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
70				2	11.0		18700 RIDE	7.5	6.9	7.2	6.7	7.8	7.3	7.8	7.5	7.8	7.7	7.7	7.6	7.6	
N PARKER AVE(12.4C)																					
1939121	11.760	14.701	C	2002	0012		CRACKING	8.0	7.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*			
AJAX PAVING INDUSTRIES INC(2005)		(2005)					SPRIDE	7.7	7.3	7.1	7.3	7.0	7.3	7.2	7.1	6.9	7.0	7.0			
4415621	12.365	14.193	C	2023	0005																
04040000	12.601	14.244	C	1	8	40	CRACKING	4.5*	4.5*	1.0*	1.0*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
70				2	16.7		13500 RIDE	5.1*	3.2*	5.0*	4.9*	7.1	6.4	6.3	6.2	6.2	6.5	6.6	6.1	6.1	
HICKORY ST(12.6L)																					
1939121	11.760	14.701	C	2002	0012		CRACKING	9.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*			
AJAX PAVING INDUSTRIES INC(2005)		(2005)					SPRIDE	6.1	6.0	5.7	5.4*	5.3*	5.0*	5.3*	5.2*	5.2*	4.9*	5.0*			
4415621	12.365	14.193	C	2023	0005																
04040000	14.244	14.663	R	1	1	40	CRACKING	9.0	7.0	7.0	5.0*	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
70				2	17.6		27000 RIDE	7.1	6.1	6.6	6.2	7.4	6.0	6.1	5.8	6.5	7.5	7.6	7.2	6.9	
ELEVENTH AVE N(14.3R)																					
4365801	14.108	14.689	C	2018	0012		CRACKING	6.5	6.5	6.5	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	8.9	9.0	7.5
AJAX PAVING INDUSTRIES OF (2021)		(2021)					SPRIDE	6.5	6.5						8.0	8.0	8.0	8.0	7.9	7.7	7.4
04040000	14.663	15.544	R	1	7	40	CRACKING	9.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	3.5*	3.5*		10.0	10.0	10.0	
70				2	17.6		27000 RIDE	7.8	8.1	8.3	7.5	7.4	7.2	6.0	6.6	6.1		7.9	7.9	7.9	
CANAL ST NE(15.1R)																					
4462021	14.685	15.470	R	2024	0226		CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5		10.0	9.0
PREFERRED MATERIALS, INC. (2026)		(2026)					SPRIDE	7.8	7.8	8.1	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.8		8.3	8.0
04040000	15.544	15.852	R	1	1	55	CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0		10.0	10.0	10.0	
70				1	14.9		13900 RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4		7.9	7.9	7.9	
FC125M																					
4462021	15.470	15.851	R	2024	0226		CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.0
PREFERRED MATERIALS, INC. (2025)		(2025)					SPRIDE	7.8	7.8	8.1	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.8	8.5	8.5	8.2
04040000	15.852	22.843	C	1	1	60	CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5	
70				2	14.9		13900 RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.8	8.8	
SE TOWNSEND AVE(16.7R)																					
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.0	8.0	8.0	9.5	7.5
							RIDE	8.7	8.1	8.3	8.6	8.5	8.4	8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.4
04040000	22.843	23.910	C	1	1	60	CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	
70				3	29.4		6600 RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.7	8.6	
FOUR MILE GRADE(23.7L)																					
1938482	15.632	31.790	C	2005	0012		CRACKING	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	8.0	8.0	5.5*	5.4*	3.0*
BETTER ROADS INC. (2008)		(2008)					SPRIDE	8.5	8.3	8.4	8.5	8.5	8.5	8.4	8.4	8.3	8.3	8.3	8.1	8.2	7.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = DESOTO -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE				
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	P	*****																	
ITMSEG-P	(AGE_ONE	YEAR)	ASTYPE																					
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	F																		
ITMSEG-F																								
04040000	23.910	25.872	C	1	1	60	CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5				
70			2	29.4		6600	RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.6	8.6				
ORANGE CO ENT(24.8L) FC95																								
1938482	15.632	31.790	C	2005	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.8	7.0	4.5*			
BETTER ROADS INC.				(2008)		SPRIDE	8.5	8.2	7.6	8.5	8.4	8.3	8.4	8.3	8.3	8.2	8.3	8.2	8.1	7.8				
04040000	25.872	26.587	R	1	1	60	CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5				
70			1	29.4		6600	RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.6	8.6				
SIDE ROAD(26.0R) FC95																								
1938482	15.632	31.790	C	2005	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.8	7.0	4.5*			
BETTER ROADS INC.				(2008)		SPRIDE	8.5	8.2	7.6	8.5	8.4	8.3	8.4	8.3	8.3	8.2	8.3	8.2	8.5	8.2				
04040000	26.587	28.619	C	1	1	60	CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5				
70			2	29.4		6600	RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.6	8.6				
LAKE BROWNING GRADE SE(28.3R) FC95																								
1938482	15.632	31.790	C	2005	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.8	7.0	4.5*			
BETTER ROADS INC.				(2008)		SPRIDE	8.5	8.2	7.6	8.5	8.4	8.3	8.4	8.3	8.3	8.2	8.3	8.2	8.4	8.1				
04040000	28.619	29.656	C	1	1	60	CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0				
70			3	29.4		6600	RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.8	8.8				
FC95																								
1938482	15.632	31.790	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	7.5	5.0*			
BETTER ROADS INC.				(2008)		SPRIDE	8.7	8.9	8.6	8.7	8.7	8.6	8.6	8.6	8.6	8.5	8.6	8.6	8.6	8.6				
04040000	29.656	31.770	C	1	1	60	CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5				
70			2	29.4		6600	RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.7	8.6				
HIGHLANDS COUNTY LINE RD(31.8R) FC95																								
1938482	15.632	31.790	C	2005	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	7.2	7.5	5.0*			
BETTER ROADS INC.				(2008)		SPRIDE	8.5	8.7	7.9	8.5	8.5	8.4	8.5	8.4	8.4	8.3	8.2	8.3	8.3	8.0				
04040000	14.663	15.852	L	1	7	40	CRACKING	9.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	3.5*	10.0		10.0	10.0	10.0				
70			2	14.9		13900	RIDE	7.8	8.1	8.3	7.5	7.4	7.2	6.0	6.6	8.4		7.8	7.6	7.5				
EIGHTEENTH AVE(14.7L) FC125M																								
4462021	14.685	15.851	L	2024	0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.5	4.5*	4.5*	4.5*	1.0*		10.0	9.0			
PREFERRED MATERIALS, INC.				(2026)		SPRIDE	7.4	7.2	7.5	7.6	7.5	7.6	7.6	7.6	7.4	7.3	7.3	7.2		8.3	8.0			
04040000	14.244	14.663	L	1	1	40	CRACKING	7.5	7.5	7.5	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0				
70			2	17.6		27000	RIDE	6.2*	5.8	6.2	4.9*	7.8	7.4	6.9	6.0	6.9	7.5	7.7	7.5	7.3				
N ELEVENTH AVE(14.3L) FC125M																								
4365801	14.108	14.689	C	2018	0012	CRACKING	8.0	8.0	8.0	8.0	7.0	6.0*		10.0	10.0	10.0	10.0	10.0	8.3	7.8	6.5			
AJAX PAVING INDUSTRIES OF				(2021)		SPRIDE	7.4	6.4						8.0	7.9	7.8	7.7	7.7	7.6	7.5				
04040000	12.399	12.601	L	1	8	45	CRACKING	9.5	9.5	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5				
70			2	21.0		18700	RIDE	7.4	6.9	7.3	6.0*	7.9	7.4	7.5	7.8	7.8	7.7	7.8	7.8	7.5				
N PARKER AVE(12.4C) FC125																								
1939121	11.760	14.701	C	2002	0012	CRACKING	9.5	9.5	9.5	9.5	8.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*							
AJAX PAVING INDUSTRIES INC				(2005)		SPRIDE	7.4	7.2	6.5	6.6	6.6	6.5	6.7	6.6	6.7	6.6	6.6							
4415621	12.365	14.193	C	2023	0005																			
04040101	0.000	1.503	C	1	8	35	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0				
70			2	21.9		11000	RIDE	5.7*	7.4	7.4	7.0	6.9	6.9	6.6	5.8	6.5	6.4	6.4	6.1	6.2				
SR70 / MAGNOLIA ST(0.0L) FC125																								
1939091	0.000	1.544	C	2000	0005	CRACKING	8.0	8.0	8.0	8.0	7.0	5.5*		4.5*	4.5*	4.5*	4.5*							
BETTER ROADS INC				(2002)		SPRIDE	6.0	5.6	5.1*	5.3*	5.1*	4.7*		6.0	5.9	5.7	5.5							
4415621	0.000	1.503	C	2023	0005																			
04060000	0.000	4.119	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0				
72			2	18.4		2900	RIDE	8.6	8.4	8.6	8.2	8.2	8.0	8.1	6.9	7.5	7.8	7.5	7.5	7.5				
FLINT RD NW(0.2L) FC125M																								
4462031	0.000	4.085	C	2023	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	9.6	10.0	9.0			
PREFERRED MATERIALS, INC.				(2024)		SPRIDE	7.2	7.4	7.4	7.3	7.5	7.5	7.4	7.3	7.4	7.3	8.3	8.4	8.3	8.0				
04060000	4.564	10.991	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0				
72			2	18.8		7200	RIDE	8.6	8.4	8.6	8.2	8.2	8.0	8.1	6.9	7.5	7.9	7.7	7.7	7.6				
BARROW AVE(5.4L) FC3																								
1938851	0.000	10.977	C	1999	0221	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.5*	5.4*	2.5*			
GATOR ASPHALT PAVING INC				(2001)		S RIDE	7.5	7.6	7.1	7.6	7.7	7.6	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5				
4512641	4.564	10.312	C	2028	0226																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = DESOTO -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE) SURFTYPE =====																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR) ASTYPE																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F														(PMRS)	
04060101	0.000	0.442	C	1	1	60	CRACKING									8.0	8.0	8.0	7.0	7.0	
72			2	17.3		3600	RIDE									7.6	7.5	7.4	7.4	7.3	
RODGERS AVE SW(0.0C) FC3																					
							CRACKING	7.0	7.0	7.0	7.0	7.0		7.0	7.0	7.0	7.0	7.0	7.0	7.4	
							RIDE	7.4	6.8	7.2	7.4	7.6		7.4	7.3	7.2	7.5	7.3	7.4	7.4	
4512641	0.000	0.442	C	2028		0226															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).