

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = DESOTO																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012					
INTERSECT AT (MP SIDE)																									
ITMSEG-P	W BMP	W_EMP	RW	FY-P	WKMX-P																				
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																				2030 (PMRS)
04010000	0.000	1.280	C	1	1 60	CRACKING		7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0					
31			2	37.9	5200	RIDE		8.5	8.6	7.7	8.2	7.8	7.4	7.3	6.8	8.1	8.1	8.2	8.1	8.1					
NOTTS DAIRY RD(0.6L)					FC125																				
4042011	0.000	5.966	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.3					5.0*
BETTER ROADS INC.				(2008)	SPRIDE			8.1	8.1	7.9	7.5	8.1	8.1	8.0	8.0	8.0	8.0	8.0	8.0	7.9					7.6
04010000	1.280	1.580	C	1	1 60	CRACKING		7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
31			2	37.9	5200	RIDE		8.5	8.0	7.8	8.5	8.1	7.9	8.1	8.0	7.9	7.4	7.9	7.6	7.7					
					FC125																				
						CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.1					4.0*
					(2001)	RIDE		7.5	7.0	7.0	6.5	7.1	7.2	7.1	7.1	7.4	7.2	7.1	7.2	7.2					6.9
04010000	1.580	5.933	C	1	1 60	CRACKING		7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0					
31			2	33.1	6000	RIDE		8.5	8.4	7.5	8.4	7.8	7.6	7.3	6.9	8.1	8.0	8.1	8.1	8.1					
SE EAST FARMS RD(2.3R)					FC125																				
4042011	0.000	5.966	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0					4.5*
BETTER ROADS INC.				(2008)	SPRIDE			8.0	8.0	7.9	7.6	8.1	8.1	8.0	7.9	8.0	8.0	7.9	7.9	7.8					7.5
04010000	5.933	13.198	C	1	1 60	CRACKING		7.5	7.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0					
31			2	26.7	8700	RIDE		8.6	8.8	8.2	8.6	7.8	7.8	7.8		8.4	8.0	8.4	8.2	8.2					
NAVAJO DR(6.0L)					FC95																				
4042031	5.966	12.903	C	2005	0012	CRACKING		9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.0*	6.0*	6.2*					4.0*
BETTER ROADS INC.				(2008)	SPRIDE			8.0	7.9	7.4	7.9	7.9	7.9	7.9	7.8	7.8	7.8	7.7	7.7	7.6					7.3
4512631	5.966	13.170	C	2028	0226																				
04020000	0.000	3.557	R	1	1 60	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*						
35 17			2	19.9	11400	RIDE		8.7	8.6	8.4	8.6	8.0	8.0	7.8	7.9	7.8	7.7	7.7	7.6	7.5					
ENTERPRISE BLVD(0.7R)					FC5																				
4154901	0.000	3.878	C	2011	0218	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0					5.0*
BETTER ROADS INC.				(2014)	SPRIDE				8.4	8.4	8.4	8.4	8.4	8.5	8.5	8.3	8.4	8.4	8.4	8.4					8.2
04020000	3.557	8.885	R	1	1 60	CRACKING		5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
35 17			2	18.0	14000	RIDE		8.0	8.0	7.6		8.1	8.1	8.0	7.8	8.0	7.6	7.8	7.7	7.9					
KENTUCKY ST SW(3.6C)					FC5M																				
4178761	3.847	9.512	C	2013	0213	CRACKING		9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.6					7.0
AJAX PAVING INDUSTRIES OF				(2016)	SPRIDE			7.6	7.8	6.8	8.6	8.6	8.6	8.7	8.5	8.4	8.5	8.4	8.5	8.5					8.3
04020000	8.885	9.513	R	1	1 55	CRACKING		5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
35 17			2	19.4	13000	RIDE		8.0	8.0	7.6		8.1	8.1	8.0	7.8	8.0	7.6	7.8	7.7	7.9					
					FC5A																				
4178761	3.847	9.512	C	2013	0213	CRACKING		9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0						7.0
AJAX PAVING INDUSTRIES OF				(2019)	SPRIDE			7.6	7.8	6.8	8.6	8.6	8.6	8.4	8.4	8.3	8.3	8.2	8.3	8.3					8.1
04020000	9.513	11.092	R	1	1 45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0						
35 17			2	19.4	17600	RIDE			8.5	7.9	8.6	8.0	8.0	8.0	8.0	7.9	7.8	7.8	7.7	7.7					
CR-760A(9.6R)					FC125A																				
1938982	9.513	13.693	C	2015	0218	CRACKING		8.0	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	7.9					6.5
CNA				(2019)	SPRIDE			7.3	7.3	6.4	7.1			8.5	8.4	8.4	8.4	8.4	8.3	8.3					8.0
04020000	11.092	13.375	R	1	1 50	CRACKING			10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0					
35 17			2	19.4	17600	RIDE			8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2	8.1					
FLETCHER ST SW(11.3C)					FC5A																				
1938982	9.513	13.693	C	2015	0218	CRACKING		10.0	9.5	9.5	9.5	9.5		10.0	10.0	9.0	9.0	9.0	9.0	9.3					7.5
CNA				(2019)	SPRIDE			8.1	8.0	6.8	7.8	7.9		8.5	8.5	8.5	8.5	8.5	8.5	8.5					8.3
04020000	13.375	14.021	R	1	1 40	CRACKING			10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0					
35 17			2	16.0	17900	RIDE			8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2	8.1					
LOU'S DR SW(13.4R)					FC125A																				
1938982	9.513	13.693	C	2015	0218	CRACKING		10.0	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	8.7					7.5
CNA				(2019)	SPRIDE			8.1	8.0	6.8	7.8	7.9		8.0	8.0	8.1	8.0	7.8	7.9	7.8					7.5
04020000	14.021	15.780	C	1	1 35	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	6.0*	6.0*	6.0*					
35 17			2	18.2	9700	RIDE		8.2	8.2	7.1	8.0	7.3	7.2	7.0	7.1	6.8	6.4	6.9	6.6	6.8					
E PINE ST(14.2C)					FC125A																				
4291101	14.470	15.780	C	2015	0012	CRACKING		6.0*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	8.1					6.5
CNA				(2019)	SPRIDE			7.1	7.0	6.4	6.5			8.0	7.9	7.8	7.8	7.8	7.7	7.6					7.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = DESOTO

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR												FUTURE	
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKMX-P																	
CONTRACTOR (AGE ONE YEAR)					ASTYPE																	
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																	
04020000	15.780	16.693	R	1	1 45	CRACKING		7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
35 17			2	26.7	13200	RIDE		8.2	8.1	7.7	8.4	7.9	8.1	7.7	7.8	8.0	7.7	7.9	7.9	8.0		
BEGIN EXCEPTION(16.7C)					FC125																	
1939061	16.112	16.858	C	2001	0213	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.1	4.5*	
FREEDOM PIPELINE CORP				(2003)	SPRIDE			7.8	7.7	7.4	7.2	7.3	7.4	7.4	7.3	7.2	7.3	7.3	7.4	7.3	7.0	
04020000	15.780	16.693	L	1	1 45	CRACKING		7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
35 17			2	26.7	13200	RIDE		8.2	8.1	7.7	7.9	7.8	7.8	7.9	7.7	7.9	7.6	7.1	7.7	7.9		
DESOTO AVE N(15.8L)					FC125																	
1939061	16.112	16.858	C	2001	0213	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	4.5*	
FREEDOM PIPELINE CORP				(2003)	SPRIDE			7.8	7.8	7.9	7.1	7.1	7.1	7.0	7.0	7.1	7.0	7.0	7.1	7.0	6.7	
04020000	13.375	14.021	L	1	1 40	CRACKING			10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0		
35 17			2	16.0	17900	RIDE			8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2	8.1		
M L KING ST(13.7L)					FC125A																	
1938982	9.513	13.693	C	2015	0218	CRACKING		10.0	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	8.4	7.0	
CNA				(2019)	SPRIDE			8.1	8.0	6.8	7.8	7.9		8.0	8.0	8.0	8.0	7.8	7.9	7.8	7.5	
04020000	11.092	13.375	L	1	1 50	CRACKING			10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0		
35 17			2	19.4	17600	RIDE			8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2	8.1		
FLETCHER ST SW(11.3C)					FC5A																	
1938982	9.513	13.693	C	2015	0218	CRACKING		10.0	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	8.9	7.0	
CNA				(2019)	SPRIDE			8.1	8.0	6.8	7.8	7.9		8.6	8.6	8.6	8.5	8.5	8.5	8.5	8.3	
04020000	9.513	11.092	L	1	1 45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0		
35 17			2	19.4	17600	RIDE			8.5	7.9	8.6	8.1	8.0	8.0	8.0	7.9	7.8	7.8	7.7	7.7		
CR 760A(9.6L)					FC125A																	
1938982	9.513	13.693	C	2015	0218	CRACKING		8.0	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	8.9	7.5	
CNA				(2019)	SPRIDE			7.3	7.3	6.4	7.1			8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.0	
04020000	3.759	9.513	L	1	1 60	CRACKING		5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
35 17			2	18.0	14000	RIDE		8.0	8.0	7.6		8.1	8.1	8.0	7.8	8.0	7.6	7.8	7.7	7.9		
COLLINS ST SW(4.3L)					FC5M																	
4178761	3.847	9.512	C	2013	0213	CRACKING		9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.2	6.5	
AJAX PAVING INDUSTRIES OF				(2016)	SPRIDE			7.6	7.8	6.8	8.6	8.6	8.5	8.5	8.4	8.3	8.4	8.3	8.3	8.3	8.1	
04020000	0.000	3.759	L	1	1 60	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	4.5*		
35 17			2	19.9	11400	RIDE		8.7	8.6	8.4	8.6	8.0	8.0	7.8	7.9	7.8	7.7	7.7	7.6	7.5		
GARDEN ACRES(0.8L)					FC5																	
4154901	0.000	3.878	C	2011	0218	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.3	5.5*	
BETTER ROADS INC.				(2014)	SPRIDE				8.2	8.1	8.3	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.3	8.1	
04020101	0.000	1.400	C	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0		
35 17			3	17.0	8800	RIDE		8.5	8.6	8.2	8.6	8.0	7.9	7.7	7.7	7.6	7.5	7.2	7.6	7.9		
SR 35(0.0C)					FC125A																	
4291091	0.195	1.204	C	2015	0012	CRACKING		7.0	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	8.9	7.5	
CNA				(2019)	SPRIDE			7.6	7.5	7.6	7.6			8.5	8.5	8.4	8.4	8.3	8.3	8.2	7.9	
04020101	1.400	1.736	C	1	1 35	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0		
35 17			2	17.0	8900	RIDE					8.6	8.0	7.9	7.7	7.7	7.6	7.5	7.2	6.7	6.9		
MAGNOLIA ST(1.4C)					FC125A																	
4291091	1.430	1.736	C	2015	0012	CRACKING		8.0	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	
CNA				(2019)	SPRIDE			6.9	7.5	6.7	7.2			8.3	8.4	8.2	8.1	8.2	8.1	8.1	7.8	
04020102	0.000	6.971	R	1	1 65	CRACKING										10.0	10.0	10.0	10.0	10.0		
35 17			2	18.5	16200	RIDE										7.9	7.8	8.0	8.0	7.9		
LIVINGSTON ST(0.0C)					FC5M																	
4369201	0.000	6.627	C	2017	0012	CRACKING		10.0	9.5	9.0	8.0	8.0			10.0	10.0	10.0	10.0	10.0	9.2	7.5	
AJAX PAVING INDUSTRIES OF				(2020)	SPRIDE			7.9	7.9	7.7	7.8	7.9			8.6	8.6	8.5	8.6	8.6	8.6	8.4	
04020102	0.000	6.971	L	1	1 65	CRACKING										10.0	10.0	10.0	10.0	10.0		
35 17			2	18.5	16200	RIDE										7.6	7.4	7.6	7.6	7.5		
LIVINGSTON ST(0.0C)					FC5M																	
4369201	0.000	6.627	C	2017	0012	CRACKING		9.5	9.0	8.0	8.0	6.5			10.0	10.0	10.0	10.0	10.0	9.5	8.0	
AJAX PAVING INDUSTRIES OF				(2020)	SPRIDE			7.4	7.2	7.0	7.4	7.4			8.6	8.5	8.5	8.4	8.4	8.4	8.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = DESOTO

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR												FUTURE	
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)																						
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-X	P		2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030	
CONTRACTOR (AGE ONE YEAR)					ASTYPE																(PMRS)	
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-X	F																
04040000	0.000	12.105	C	1	8 60	CRACKING		8.0	7.5	7.5	7.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0		
70			2	23.8	5416	RIDE		7.9	7.8	7.8	7.6		8.0	7.9	8.0	7.8	7.9	7.9	7.9	7.9		
COUNTY LINE RD(0.0R)					FC125																	
1938891	6.101	11.731	C	2002	0221	CRACKING		9.0	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*			
BETTER ROADS INC				(2005)	SPRIDE			7.9	7.7	7.3	7.6	7.6	7.4	7.2	7.3	7.3	7.1	7.1	7.2			
4454731	0.010	11.296	C	2023	0012																	
04040000	12.105	12.601	R	1	8 45	CRACKING		9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
70			2	21.0	17700	RIDE		7.2	7.5	6.9	7.2	6.7	7.8	7.3	7.8	7.5	7.8	7.7	7.7	7.6		
N PARKER AVE(12.4C)					FC125																	
1939121	11.760	14.701	C	2002	0012	CRACKING		9.5	8.0	7.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*			
AJAX PAVING INDUSTRIES INC(2005)				(2005)	SPRIDE			7.7	7.7	7.3	7.1	7.3	7.0	7.3	7.2	7.1	6.9	7.0	7.0			
04040000	12.601	14.167	C	1	8 40	CRACKING		7.5	4.5*	4.5*	1.0*	1.0*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0		
70			2	16.7	12500	RIDE		5.3*	5.1*	3.2*	5.0*	4.9*	7.1	6.4	6.3	6.2	6.2	6.5	6.6	6.1		
HICKORY ST(12.6L)					DGFC																	
1939121	11.760	14.701	C	2002	0012	CRACKING		9.0	9.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*			
AJAX PAVING INDUSTRIES INC(2005)				(2005)	SPRIDE			6.1	6.1	6.0	5.7	5.4*	5.3*	5.0*	5.3*	5.2*	5.2*	4.9*	5.0*			
4415621	12.365	14.193	C	2023	0005																	
04040000	14.167	14.663	R	1	1 40	CRACKING		9.0	9.0	7.0	7.0	5.0*	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
70			2	17.6	25500	RIDE		7.0	7.1	6.1	6.6	6.2	7.4	6.0	6.1	5.8	6.5	7.5	7.6	7.2		
BAKER ST(14.2R)					FC125M																	
4365801	14.108	14.689	C	2018	0012	CRACKING		9.0	6.5	6.5	6.5	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	8.9	7.5	
AJAX PAVING INDUSTRIES OF (2021)				(2021)	SPRIDE			6.9	6.5	6.5						8.0	8.0	8.0	8.0	7.9	7.6	
04040000	14.663	15.544	R	1	8 40	CRACKING		9.0	9.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	3.5*	3.5*		10.0	10.0		
70			2	17.6	25500	RIDE		8.2	7.8	8.1	8.3	7.5	7.4	7.2	6.0	6.6	6.1		7.9	7.9		
CANAL ST NE(15.1R)					FC125M																	
1938961	14.681	15.733	C	2009	0213	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5			
BETTER ROADS INC.				(2011)	SPRIDE			7.9	7.8	7.8	8.1	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.8			
4462021	14.685	15.851	C	2024	0226																	
04040000	15.544	15.852	R	1	7 55	CRACKING		7.0	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0		10.0	10.0		
70			2	14.9	14900	RIDE		8.4	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4		7.9	7.9		
					FC125M																	
4462021	15.470	15.851	R	2024	0226	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	10.0	9.0	
PREFERRED MATERIALS, INC. (2025)				(2025)	SPRIDE			7.9	7.8	7.8	8.1	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.8	8.5	8.2	
04040000	15.852	22.843	C	1	1 60	CRACKING		7.0	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0		
70			2	14.9	14900	RIDE		8.4	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.8		
SE TOWNSEND AVE(16.7R)					FC95																	
				(2025)	CRACKING			9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.0	8.0	9.5	8.5	
					RIDE			8.8	8.7	8.1	8.3	8.6	8.5	8.4	8.5	8.4	8.4	8.4	8.4	8.3	8.0	
04040000	22.843	23.910	C	1	1 60	CRACKING		7.0	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0		
70			3	29.4	6200	RIDE		8.4	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.7		
FOUR MILE GRADE(23.7L)					FC95																	
1938482	15.632	31.790	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	8.0	8.0	5.5*	3.0*	
BETTER ROADS INC.				(2008)	SPRIDE			8.6	8.5	8.3	8.4	8.5	8.5	8.5	8.4	8.4	8.3	8.3	8.3	8.1	7.8	
04040000	23.910	28.619	C	1	1 60	CRACKING		7.0	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0		
70			2	29.4	6200	RIDE		8.4	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.6		
ORANGE CO ENT(24.8L)					FC95																	
1938482	15.632	31.790	C	2005	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.8	4.5*	
BETTER ROADS INC.				(2008)	SPRIDE			8.6	8.5	8.2	7.6	8.5	8.4	8.3	8.4	8.3	8.3	8.2	8.3	8.2	7.9	
04040000	28.619	29.656	C	1	1 60	CRACKING		7.0	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0		
70			3	29.4	6200	RIDE		8.4	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.8		
					FC95																	
1938482	15.632	31.790	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	4.5*	
BETTER ROADS INC.				(2008)	SPRIDE			8.8	8.7	8.9	8.6	8.7	8.7	8.6	8.6	8.6	8.5	8.6	8.6	8.6	8.3	
04040000	29.656	31.770	C	1	1 60	CRACKING		7.0	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0		
70			2	29.4	6200	RIDE		8.4	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.7		
HIGHLANDS COUNTY LINE RD(31.8R)					FC95																	
1938482	15.632	31.790	C	2005	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	7.2	5.0*	
BETTER ROADS INC.				(2008)	SPRIDE			8.6	8.5	8.7	7.9	8.5	8.5	8.4	8.5	8.4	8.4	8.3	8.2	8.3	8.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = DESOTO																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W BMP	W_EMP	RW	FY-P	WKM-X-P																				
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																				
04040000	15.544	15.852	L 2	1 14.9	55 14900	CRACKING RIDE		7.0 8.4	7.0 8.2	7.0 8.1	7.0 8.3	7.0 7.5	5.5* 7.4	5.5* 7.2		10.0 8.7	10.0 8.4		10.0 7.8	10.0 7.6					
1938961	14.681	15.733	C 2009		0213	CRACKING		10.0 7.5	10.0 7.4	10.0 7.2	10.0 7.5	10.0 7.6	10.0 7.5	8.0 7.6	6.5 7.6	4.5* 7.4	4.5* 7.3	4.5* 7.3	1.0* 7.2	7.8 8.6	5.5* 8.3				
BETTER ROADS INC.			(2011)		SPRIDE																				
4462021	14.685	15.851	C 2024		0226																				
04040000	14.663	15.544	L 2	1 17.6	40 25500	CRACKING RIDE		9.0 8.2	9.0 7.8	7.0 8.1	7.0 8.3	7.0 7.5	5.5* 7.4	5.5* 7.2	5.5* 6.0	3.5* 6.6	3.5* 6.1		10.0 7.8	10.0 7.6					
EIGHTEENTH AVE(14.7L)					FC125M																				
1938961	14.681	15.733	C 2009		0213	CRACKING		10.0 7.5	10.0 7.4	10.0 7.2	10.0 7.5	10.0 7.6	10.0 7.5	8.0 7.6	6.5 7.6	4.5* 7.4	4.5* 7.3	4.5* 7.3	1.0* 7.2						
BETTER ROADS INC.			(2011)		SPRIDE																				
4462021	14.685	15.851	C 2024		0226																				
04040000	14.167	14.663	L 2	1 17.6	40 25500	CRACKING RIDE		9.0 6.0*	7.5 6.2*	7.5 5.8	7.5 6.2	4.5* 4.9*	10.0 7.8	10.0 7.4	10.0 6.9	9.0 6.0	9.0 6.9	9.0 7.5	9.0 7.7	9.0 7.5					
TENTH AVE(14.2L)					FC125M																				
4365801	14.108	14.689	C 2018		0012	CRACKING		9.0 7.3	8.0 7.4	8.0 6.4	8.0	8.0	7.0	6.0*		10.0 8.0	10.0 7.9	10.0 7.8	10.0 7.7	8.3 7.6	7.0 7.3				
AJAX PAVING INDUSTRIES OF			(2021)		SPRIDE																				
04040000	12.105	12.601	L 2	1 21.0	45 17700	CRACKING RIDE		9.5 7.4	9.5 7.4	9.5 6.9	8.0 7.3	8.0 6.0*	10.0 7.9	10.0 7.4	10.0 7.5	10.0 7.8	10.0 7.8	10.0 7.7	9.5 7.8	9.5 7.8					
N PARKER AVE(12.4C)					FC125																				
1939121	11.760	14.701	C 2002		0012	CRACKING		9.5 7.5	9.5 7.4	9.5 7.2	9.5 6.5	9.5 6.6	8.0 6.6	6.0* 6.5	6.0* 6.7	6.0* 6.6	6.0* 6.7	5.5* 6.6	5.5* 6.6						
AJAX PAVING INDUSTRIES INC(2005)			(2005)		SPRIDE																				
04040101	0.000	1.503	C 2	1 21.9	35 10500	CRACKING RIDE		4.5* 5.8*	4.5* 5.7*	10.0 7.4	10.0 7.4	10.0 7.0	10.0 6.9	10.0 6.9	10.0 6.6	10.0 5.8	9.5 6.5	9.5 6.4	8.0 6.4	8.0 6.1					
N ROGER AVE(0.0R)					FC125																				
1939091	0.000	1.544	C 2000		0005	CRACKING		8.0 6.2	8.0 6.0	8.0 5.6	8.0 5.1*	8.0 5.3*	7.0 5.1*	5.5* 4.7*		4.5* 6.0	4.5* 5.9	4.5* 5.7	4.5* 5.5						
BETTER ROADS INC			(2002)		SPRIDE																				
4415621	0.000	1.503	C 2023		0005																				
04060000	0.000	4.119	C 2	1 18.4	60 2700	CRACKING RIDE			10.0 8.6	10.0 8.4	10.0 8.6	10.0 8.2	10.0 8.2	10.0 8.0	8.0 8.1	8.0 6.9	8.0 7.5	8.0 7.8	8.0 7.5	8.0 7.5					
FLINT RD NW(0.2L)					FC125M																				
4462031	0.000	4.085	C 2023		0012	CRACKING		8.0 7.5	8.0 7.2	8.0 7.4	8.0 7.4	8.0 7.3	8.0 7.5	7.0 7.5	6.0* 7.4	6.0* 7.3	6.0* 7.4	6.0* 7.3	10.0 8.3	9.6 8.4	8.5 8.1				
PREFERRED MATERIALS, INC. (2024)			(2024)		SPRIDE																				
04060000	4.564	10.991	C 2	1 18.8	60 6800	CRACKING RIDE			10.0 8.6	10.0 8.4	10.0 8.6	10.0 8.2	10.0 8.2	10.0 8.0	8.0 8.1	8.0 6.9	8.0 7.5	8.0 7.9	8.0 7.7	8.0 7.7					
BARROW AVE(5.4L)					FC3																				
1938851	0.000	10.977	C 1999		0221	CRACKING		8.0 7.6	8.0 7.5	8.0 7.6	8.0 7.1	8.0 7.6	8.0 7.7	7.0 7.6	7.0 7.5	7.0 7.5	7.0 7.5	6.0* 7.5	6.0* 7.5	5.5* 7.5	2.5* 7.2				
GATOR ASPHALT PAVING INC			(2001)		S RIDE																				
4512641	4.564	10.312	C 2028		0226																				
04060101	0.000	0.442	C 2	1 16.3	60 3100	CRACKING RIDE										8.0 7.6	8.0 7.5	8.0 7.4	7.0 7.4						
SW RODGERS AVE(0.0R)					FC3																				
						CRACKING		7.0 7.3	7.0 7.4	7.0 6.8	7.0 7.2	7.0 7.4	7.0 7.6		7.0 7.4	7.0 7.3	7.0 7.2	7.0 7.5	7.0 7.3	7.0 7.4					
						RIDE																			
4512641	0.000	0.442	C 2028		0226																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).