FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 1 COUNTY = GLADES ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T	AADT	SURFTYPE / RW FY-P / ASTYPE / RW FY-F	DISTRESS / RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
05010000	0.000	3.880	R	1	1	65			WKMX-P	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	6.5		10.0													
25	27		2	39.0	14800					RIDE	8.8	8.8	8.7	8.2	8.2	8.2	8.3	8.2	8.3	8.0	7.9		8.1													
PEARCE RHYMES LN(0.2R)									FC5HP																												
4459331	0.000	3.947	R	2022		0012			WKMX-P	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	6.5	6.5	4.5*	10.0	9.7	10.0	8.5												
AJAX PAVING INDUSTRIES OF (2024)									SPRIDE	RIDE	8.2	8.1	8.6	8.5	8.5	8.4	8.7	8.6	8.5	8.4	8.7	8.7	8.7	8.5												
05010000	3.880	4.435	R	1	1	45				CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	7.0	7.0	6.5													
25	27		2	39.0	14800					RIDE		8.6	8.6	8.3	8.3	8.2	8.2	8.0	8.0	8.0	7.7	7.4	7.4													
SIDE ROAD(4.0R)									OGFC																												
4349631	3.879	4.430	C	2017		0012				CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	7.3	7.3	5.5*												
WEEKLEY ASPHALT PAVING, IN(2019)									SPRIDE	RIDE	7.1	6.8	7.6	7.7	7.7	7.1	7.2	7.1	7.1	7.1	7.0	7.0	6.9	6.7												
4560271	3.800	4.400	C	2026		6060																															
05010000	4.872	5.166	R	1	1	45				CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0													
25	27		2	39.0	14800					RIDE		8.2	8.1	7.8	7.6	7.7	7.9	7.9	7.7	7.4	7.4	6.9	6.6													
N FRONTAGE RD(5.0R)									DGFC																												
4349631	4.878	5.170	C	2017		0012				CRACKING	7.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.8	7.5												
WEEKLEY ASPHALT PAVING, IN(2019)									SPRIDE	RIDE	6.8	6.3	6.7	6.7	6.6	7.4	7.4	7.3	7.1	7.2	7.3	7.2	7.3	7.0												
05010000	5.166	5.640	R	1	1	45				CRACKING	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0													
25	27		2	39.0	14800					RIDE	8.7	8.5	8.4	8.1	8.1	8.0	7.9	7.9	7.6	7.8	7.5	7.4	7.6													
DANIELS RD(5.2C)									FC125M																												
4380601	5.170	11.106	C	2019		0012				CRACKING	8.0	8.0	8.0	7.5	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	9.0	8.9	7.5												
AJAX PAVING INDUSTRIES OF (2021)									SPRIDE	RIDE	7.7	7.3	7.4	7.4	7.8	7.6	7.2	8.0	8.1	8.1	7.8	8.2	8.0	7.7												
05010000	5.640	11.195	R	1	1	65				CRACKING	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0													
25	27		2	45.3	11500					RIDE	8.7	8.5	8.6	7.9	8.0	7.9	8.0	8.0	8.0	7.8	7.7	7.7	7.5													
ST JOSEPH WAY RD(6.4R)									FC5M																												
4380601	5.170	11.106	C	2019		0012				CRACKING	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.5	9.0	7.5												
AJAX PAVING INDUSTRIES OF (2021)									SPRIDE	RIDE	7.4	7.3	7.8	7.8	7.7	7.6	7.8	8.9	8.9	8.9	8.8	8.8	8.7	8.5												
05010000	11.195	16.115	R	1	1	65				CRACKING	9.5	8.0	7.0	5.0*	4.0*	4.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0													
25	27		2	50.9	7500					RIDE	9.0	8.8	8.6	7.8	7.5	7.2	7.1	7.0	7.9	7.8	7.9	7.8	7.7													
BOAR HAMMOCK RANCH RD(15.2R)									FC5M																												
4165911	11.086	16.117	C	2007		0012				CRACKING	10.0	10.0	10.0	8.0	7.0	7.0	7.0	6.0*	6.0*	4.5*	3.5*	3.0*	2.2*	0.0*												
BETTER ROADS INC.		(2009)								RIDE	7.8	7.6	8.0	7.9	7.9	7.8	8.2	7.8	7.7	7.6	7.5	7.3	7.3	7.1												
4489281	11.210	21.676	C	2027		0012																															
05010000	16.115	21.629	R	1	1	65				CRACKING	8.0	8.0	7.0	5.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
25	27		2	50.9	7500					RIDE	8.9	8.8	8.5	7.5	7.3	7.1	8.1	8.2	8.2	8.0	8.0	8.1	8.0													
									FC5																												
1939982	16.167	21.906	C	2005		0012				CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	1.5*												
BETTER ROADS INC.		(2007)								RIDE	7.9	7.7	8.0	8.0	8.0	7.9	8.2	8.2	8.2	8.2	8.1	8.1	8.0	7.8												
4489281	11.210	21.676	C	2027		0012																															
05010000	21.629	28.938	R	1	1	65				CRACKING	9.5	9.5	8.0	7.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	10.0	10.0													
25	27		2	37.8	9900					RIDE	9.0	9.1	9.0	8.4	8.4	8.2	8.3	8.4	8.3	8.2	8.0	8.1	8.0													
CR 733(22.3R)									FC5M																												
4459321	21.688	28.938	R	2023		0012				CRACKING	10.0	9.5	8.5	8.0	8.0	6.5	6.5	4.5*	4.5*	3.5*		10.0	9.0	8.0												
OHLA USA, INC.		(2025)								RIDE	8.0	7.9	8.3	8.4	8.3	8.3	8.4	8.3	8.1	8.2		8.7	8.6	8.4												
05010000	21.629	28.938	L	1	1	65				CRACKING	9.5	9.5	9.5	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	10.0	10.0													
25	27		2	37.8	9900					RIDE	9.1	9.1	8.8	8.2	8.0	7.9	8.0	8.1	8.0	7.9	7.8	8.1	7.9													
FISHEATING CRK(22.1L)									FC5M																												
4459321	21.915	28.938	L	2023		0012				CRACKING	10.0	9.5	8.5	8.0	8.0	6.5	4.5*	3.5*	3.5*	1.0*		10.0	9.3	8.0												
OHLA USA, INC.		(2025)								RIDE	8.0	7.9	8.3	8.3	8.3	8.2	8.4	8.3	8.0	7.9		8.8	8.7	8.5												
05010000	16.167	21.629	L	1	1	65				CRACKING	5.0*	4.0*	4.0*	4.0*	4.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
25	27		2	50.9	7500					RIDE	8.2	7.9	7.3	6.5	6.4*	6.1*	8.2	8.3	8.4	8.3	8.2	8.2	8.2													
SR 29(21.2L)									FC5																												
1939982	16.167	21.906	C	2005		0012				CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	1.5*												
BETTER ROADS INC.		(2007)								RIDE	8.1	8.0	8.2	8.3	8.2	8.2	8.4	8.4	8.3	8.3	8.4	8.3	8.3	8.1												
4489281	11.210	21.676	C	2027		0012																															
05010000	11.195	16.167	L	1	1	65				CRACKING	8.0	7.0	5.0*	4.0*	4.0*	4.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0													
25	27		2	50.9	7500					RIDE	8.8	8.5	8.1	7.3	7.0	7.1	7.1	6.8	7.9	7.9	7.9	7.8	7.7													
HAYMAN RD(12.2L)									FC5M																												
4165911	11.086	16.117	C	2007		0012				CRACKING	10.0	10.0	10.0	8.5	8.0	8.0	8.0	5.5*	5.5*	3.5*	2.5*	2.5*	2.5*	0.0*												
BETTER ROADS INC.		(2009)								RIDE	7.7	7.4	7.9	7.8	7.9	7.7	8.1	8.1	8.0	7.9	7.9	7.8	7.9	7.7												
4489281	11.210	21.676	C	2027		0012																															

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 1 COUNTY = GLADES ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / RW	SYS / %T / FY-P / ASTYPE / FY-F	TYP SPD / AADT / WKMX-P / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
05010000	5.690	11.195	L	1	1 65	CRACKING	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.5	7.5															
25 27			2	45.3	11500	RIDE	8.3	8.1	8.6	8.2	8.1	8.1	8.2	8.2	8.0	7.8	7.7	7.5	7.0															
WEST AVE(5.8L)					FC5M																												
4380601	5.170	11.106	C	2019	0012	CRACKING	7.5	6.5	6.5	6.5	6.5	4.5*	2.0*	10.0	10.0	10.0	10.0	9.8	8.5	7.0													
AJAX PAVING INDUSTRIES OF			(2021)		SPRIDE	RIDE	7.1	6.4*	7.1	7.0	7.1	6.8	7.6	8.8	8.8	8.8	8.8	8.8	8.5	8.3													
05010000	5.166	5.690	L	1	1 45	CRACKING	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.5	7.5															
25 27			2	39.0	14800	RIDE	8.3	8.1	8.6	8.2	8.1	8.1	8.2	8.2	8.0	7.8	7.7	7.5	7.0															
DANIELS RD(5.2C)					FC125M																												
4380601	5.170	11.106	C	2019	0012	CRACKING	7.5	6.5	6.5	6.5	6.5	0.0*	0.0*	10.0	10.0	10.0	10.0	9.1	8.9	7.5													
AJAX PAVING INDUSTRIES OF			(2021)		SPRIDE	RIDE	7.1	6.4	7.1	7.0	7.1	7.0	7.0	8.2	7.9	8.2	8.1	8.1	8.1	7.8													
05010000	4.872	5.166	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	6.5	6.5	6.5															
25 27			2	39.0	14800	RIDE		7.6	7.6	7.4	7.4	7.4	7.3	7.5	7.7	7.3	6.7	6.6	6.7															
3RD ST(5.0L)					DGFC																												
4349631	4.878	5.170	C	2017	0012	CRACKING	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.5	7.0													
WEEKLEY ASPHALT PAVING, IN			(2019)		SPRIDE	RIDE	5.6	5.4*	5.6	5.6	5.5	6.9	6.6	6.8	6.9	6.8	7.2	6.9	6.8	6.5													
05010000	3.880	4.435	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0															
25 27			2	39.0	14800	RIDE		8.4	8.5	8.1	8.1	8.0	8.2	8.2	8.1	7.9	7.9	7.6	7.8															
UNSIGNED(4.0L)					OGFC																												
4349631	3.879	4.430	C	2017	0012	CRACKING	7.0	6.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.3	9.2	7.5													
WEEKLEY ASPHALT PAVING, IN			(2019)		SPRIDE	RIDE	7.6	7.7	7.7	7.5	7.4	7.5	7.6	7.5	7.6	7.5	7.4	7.4	7.4	7.2													
4560271	3.800	4.400	C	2026	6060																												
05010000	0.000	3.880	L	1	1 65	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5		10.0															
25 27			2	39.0	14800	RIDE	8.9	8.9	8.8	8.2	8.2	8.0	8.2	8.3	8.1	8.0	7.8		7.9															
BAKERS HWY(0.4L)					FC5HP																												
4459331	0.000	3.947	L	2022	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	6.5	4.5*	3.5*	3.5*	1.0*	10.0	10.0	9.5	8.0													
AJAX PAVING INDUSTRIES OF			(2024)		SPRIDE	RIDE	8.1	7.9	8.5	8.5	8.5	8.3	8.5	8.3	8.2	8.1	8.7	8.7	8.6	8.4													
05020000	0.000	9.551	C	1	1 60	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0															
78			2	26.5	5090	RIDE	8.8	8.3	8.6	8.2	8.1	8.1	8.9	8.9	8.8	8.8	8.6	8.6	8.6															
SR 25(0.0C)					FC125M																												
4394301	0.115	8.202	L	2021	0012	CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	7.5	4.0*		10.0	10.0	10.0	9.7	8.5													
C. W. ROBERTS CONTRACTING,			(2023)		SPRIDE	RIDE	8.5	8.4	8.3	8.2	8.2	8.1	8.1	7.3		7.8	7.8	7.8	7.9	7.6													
05020000	9.551	10.746	C	1	7 55	CRACKING	4.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5													
78			2	28.7	5000	RIDE	6.8	6.6	6.2*	8.2	8.1	8.0	8.1	8.1	8.0	7.9	7.7	7.2	7.2															
CR 74(9.8L)					FC125M																												
4489261	9.551	10.746	C	2025	0226	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.0*	6.0*	6.6	10.0	9.0													
AJAX PAVING INDUSTRIES OF			(2026)		RIDE	RIDE	7.1		8.5	8.4	8.4	8.3	8.2	7.6	7.5	7.4	7.1	7.1	7.1	6.8													
05020000	10.746	20.637	C	1	1 60	CRACKING	4.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	7.0	7.0													
78			2	28.7	5000	RIDE	6.8	6.6	6.2*	8.2	8.1	8.0	8.1	8.1	8.0	7.9	7.7	7.6	7.6															
CACTUS LN NW(10.9L)					FC125M																												
4291001	9.551	20.640	C	2014	0012	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	6.8	6.2*	4.5*													
LAWRENCE-LYNCH CORP.			(2016)		RIDE	RIDE	7.3		8.5	8.4	8.4	8.3	8.2	8.1	8.0	7.9	7.7	7.8	7.7	7.4													
05020000	20.637	29.437	C	1	1 60	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	7.0	7.0													
78			2	28.7	5000	RIDE	6.5	6.3*		8.2	8.1	8.0	8.1	8.1	8.0	7.9	7.7	7.6	7.6													
TOMATO GRADE RD(26.2L)					FC125M																												
4291011	20.637	29.450	C	2016	0012	CRACKING	7.0	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.2	8.5	7.0													
LAWRENCE-LYNCH CORP.			(2018)		SPRIDE	RIDE	7.3	7.3	6.8		8.2	8.1	8.1	8.0	8.0	8.0	8.0	7.9	7.9	7.6													
05040000	0.000	4.742	C	1	1 60	CRACKING	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0													
78			2	33.8	5100	RIDE	8.6	8.6	8.3	7.6	7.3	7.0	7.2	7.0	6.8	8.7	8.6	8.5	8.3															
SR 29(0.0C)					FC95																												
1939772	0.004	4.742	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.0	8.0	7.5	7.4	5.0*													
BETTER ROADS INC.			(2010)		SPRIDE	RIDE	8.3	8.2	8.2	8.1	8.1	8.2	8.0	8.0	8.0	8.0	7.8	7.8	7.8	7.5													
05040000	4.742	9.381	C	1	1 60	CRACKING	9.5	8.0	8.0	7.0	7.0	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0													
78			2	33.8	5100	RIDE	8.4	8.3	8.1	7.6	7.2	6.4*	6.0*	5.7*	5.9*	8.5	8.4	8.3	8.2															
CR 78A(5.9R)					FC125																												
1939592	4.768	9.381	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	7.5	8.0	7.3	7.3	5.0*													
BETTER ROADS INC.			(2010)		SPRIDE	RIDE	8.2	7.8	7.7	7.7	7.8	7.8	7.7	7.6	7.7	7.5	7.4	7.4	7.6	7.3													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 1 COUNTY = GLADES ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS / LN / RW	TYP / %T / SURFTYPE / FY-P / ASTYPE / FY-F	SPD / AADT / WKMX-P / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
05040000	9.381	12.855	C	1	1	60	CRACKING	9.5	8.0	8.0	7.0	7.0	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0														
78			2	33.8		5100	RIDE	8.4	8.3	8.1	7.6	7.2	6.4*	6.0*	5.7*	5.9*	8.5	8.4	8.3	8.2														
PEEPLES RANCH RD(10.2R)						FC125																												
1939593	9.381	12.855	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	7.7	7.3	5.0*													
BETTER ROADS INC.				(2010)			SPRIDE	8.1	7.8	7.7	7.6	7.8	7.7	7.6	7.5	7.5	7.5	7.3	7.2	7.3	7.0												
05040000	12.855	14.815	C	1	1	60	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	10.0														
78			2	33.8		5100	RIDE	8.5	8.2	8.1	7.7	7.6	7.5	7.7	7.6	7.6	7.5	7.5	7.3	8.1														
						FC125M																												
4252211	12.933	14.840	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.0*	4.0*													
BETTER ROADS INC.				(2013)			RIDE	8.0	7.6	7.4	7.3	7.5	7.2	7.2	7.1	7.3	7.2	7.3	7.2	7.2	6.9												
05090000	0.000	2.621	C	1	1	60	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0														
29			2	26.5		7500	RIDE	8.5	8.3	8.0	7.6	7.4	7.2	7.3	7.2	7.0	8.9	8.8	8.7	8.5														
WHIDDEN RD/CR-731(0.0L)						FC125M																												
1939762	0.155	2.788	C	2009		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	5.0*	4.4*	2.0*													
AJAX PAVING INDUSTRIES OF				(2010)			RIDE	8.5	8.2	8.1	8.1	8.1	8.1	8.1	7.8	7.9	7.6	7.3	7.6	7.4	7.1												
4512671	0.000	4.069	C	2028		0226																												
05090000	2.621	12.465	C	1	1	60	CRACKING	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5														
29			2	31.3		4100	RIDE	8.1	8.0	7.5	7.1	6.6	8.7	8.7	8.7	8.6	8.6	8.5	8.3	8.1														
CHAPARRAL AVE(7.0L)						FC125																												
1939572	2.621	12.437	C	2004		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.0	7.0	5.5*	5.5*	6.0*	5.5*	5.1*	2.5*												
BETTER ROADS INC				(2006)			RIDE	8.2	7.9	8.0	7.9	7.8	7.9	7.8	7.8	7.8	7.7	7.7	7.7	7.4	7.1												
07030000	13.000	13.213	R	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	10.0														
25 27			2	39.7		13900	RIDE	8.8	8.7	9.1	8.6	8.6	8.5	8.5	8.3	8.2	7.9	7.8	7.9	7.8														
						FC5HP																												
4459331	13.000	13.258	R	2022		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	10.0	9.8	10.0	8.5												
AJAX PAVING INDUSTRIES OF				(2024)			SPRIDE	7.9	7.7	8.5	8.3	8.3	8.6	8.5	8.6	8.5	8.2	8.6	8.5	8.4	8.2												
07030000	13.000	13.213	L	1	1	65	CRACKING	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0														
25 27			2	39.7		13900	RIDE	8.7	8.5	9.0	8.6	8.6	8.5	8.3	8.2	8.1	7.7	7.3	7.4	8.0														
						FC5HP																												
4459331	13.000	13.258	L	2022		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.5	7.5	4.5*	10.0	9.6	9.7	8.5												
AJAX PAVING INDUSTRIES OF				(2024)			SPRIDE	8.0	7.6	8.6	8.4	8.6	8.6	8.5	8.5	8.2	8.1	8.9	8.8	8.8	8.6												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).