

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = GLADES -----																												
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE								
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029							
INTERSECT AT (MP SIDE)															=====													
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P															ASTYPE													
CONTRACTOR (AGE_ONE YEAR)															2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F															(REG)													
05010000	25	27	0.000	3.880	R	1	7 65	CRACKING	4.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	6.5								
PEARCE RHYMES LN(0.2R)															8.3	8.8	8.8	8.7	8.2	8.2	8.2	8.3	8.2	8.3	8.0	7.9		
AJAX PAVING INDUSTRIES OF (2024)															10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	6.5	6.5	4.5*	10.0		
AJAX PAVING INDUSTRIES OF (2024)															8.1	8.2	8.1	8.6	8.5	8.5	8.4	8.7	8.6	8.5	8.4	8.7		
05010000	25	27	3.880	4.435	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	7.0									
SIDE ROAD(4.0R)															8.6	8.6	8.3	8.3	8.2	8.2	8.2	8.0	8.0	8.0	7.0			
WEEKLEY ASPHALT PAVING, IN(2019)															7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0	9.0	7.6	
WEEKLEY ASPHALT PAVING, IN(2019)															7.4	7.4	7.1	6.8	7.6	7.7	7.7	7.1	7.2	7.1	7.1	7.0	6.9	
05010000	25	27	4.872	5.166	R	1	1 45	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0									
N FRONTAGE RD(5.0R)															8.6	8.2	8.1	7.8	7.6	7.7	7.9	7.9	7.7	7.4	7.4			
WEEKLEY ASPHALT PAVING, IN(2019)															8.0	8.0	7.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2019)															6.9	6.6	6.8	6.3	6.7	6.7	6.6	7.4	7.4	7.3	7.1	7.2	7.3	7.0
05010000	25	27	5.166	5.640	R	1	1 45	CRACKING	5.0*	5.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0								
DANIELS RD(5.2C)															8.8	8.8	8.7	8.5	8.4	8.1	8.1	8.0	7.9	7.9	7.6	7.8	7.5	
AJAX PAVING INDUSTRIES OF (2021)															8.0	8.0	8.0	8.0	8.0	7.5	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	
AJAX PAVING INDUSTRIES OF (2021)															7.4	7.6	7.7	7.3	7.4	7.4	7.8	7.6	7.2	8.0	8.1	8.1	7.8	7.6
05010000	25	27	5.640	11.195	R	1	1 65	CRACKING	5.0*	5.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	9.5	8.0									
ST JOSEPH WAY RD(6.4R)															8.8	8.8	8.7	8.5	8.6	7.9	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.7
AJAX PAVING INDUSTRIES OF (2021)															8.0	8.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
AJAX PAVING INDUSTRIES OF (2021)															7.7	7.5	7.4	7.3	7.8	7.8	7.7	7.6	7.8	8.9	8.9	8.9	8.8	8.7
05010000	25	27	11.195	16.115	R	1	1 65	CRACKING	10.0	10.0	9.5	8.0	7.0	5.0*	4.0*	4.0*	2.0*	2.0*	10.0	10.0								
BOAR HAMMOCK RANCH RD(15.2R)															9.0	9.0	9.0	8.8	8.6	7.8	7.5	7.2	7.1	7.0	7.9	7.8	7.9	
BETTER ROADS INC. (2009)															10.0	10.0	10.0	10.0	10.0	8.0	7.0	7.0	7.0	6.0*	6.0*	4.5*	3.5*	2.6
BETTER ROADS INC. (2009)															7.8	7.7	7.8	7.6	8.0	7.9	7.9	7.8	8.2	7.8	7.7	7.6	7.5	7.5
05010000	25	27	16.115	21.629	R	1	1 65	CRACKING	10.0	9.0	8.0	8.0	7.0	5.0*	4.0*	4.0*	10.0	10.0	10.0	10.0								
BETTER ROADS INC. (2007)															8.7	8.9	8.9	8.8	8.5	7.5	7.3	7.1	8.1	8.2	8.2	8.0	8.0	
BETTER ROADS INC. (2007)															10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5
BETTER ROADS INC. (2007)															8.1	8.0	7.9	7.7	8.0	8.0	8.0	9.0	9.0	8.2	8.2	8.2	8.2	8.1
05010000	25	27	21.629	28.938	R	1	8 65	CRACKING	10.0	9.5	9.5	9.5	8.0	7.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*							
AJAX PAVING INDUSTRIES OF (2012)															9.2	9.2	9.0	9.1	9.0	8.4	8.4	8.2	8.3	8.4	4.5*	4.5*	3.5*	
AJAX PAVING INDUSTRIES OF (2012)															10.0	10.0	10.0	9.5	8.5	8.0	8.0	6.5	6.5	4.5*	4.5*	3.5*		
AJAX PAVING INDUSTRIES OF (2012)															8.1	8.0	8.0	7.9	8.3	8.4	8.3	8.3	8.4	8.3	8.1	8.2		
05010000	25	27	21.629	28.938	L	1	8 65	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*							
FISHEATING CRK(22.1L)															9.2	9.2	9.1	9.1	8.8	8.2	8.0	7.9	8.0	8.1	8.0	7.9	7.8	
AJAX PAVING INDUSTRIES OF (2012)															10.0	10.0	10.0	9.5	8.5	8.0	8.0	6.5	4.5*	3.5*	3.5*	1.0*		
AJAX PAVING INDUSTRIES OF (2012)															8.1	7.9	8.0	7.9	8.3	8.3	8.3	8.2	8.4	8.3	8.0	7.9		
05010000	25	27	16.167	21.629	L	1	1 65	CRACKING	8.0	7.0	5.0*	4.0*	4.0*	4.0*	2.0*	10.0	10.0	10.0	10.0									
SR 29(21.2L)															8.6	8.6	8.2	7.9	7.3	6.5	6.4*	6.1*	8.2	8.3	8.4	8.3	8.2	
BETTER ROADS INC. (2007)															10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	
BETTER ROADS INC. (2007)															8.2	8.2	8.1	8.0	8.2	8.3	8.2	8.2	8.4	8.4	8.3	8.3	8.4	8.3
05010000	25	27	11.195	16.167	L	1	1 65	CRACKING	10.0	9.0	8.0	7.0	5.0*	4.0*	4.0*	4.0*	2.0*	2.0*	10.0	10.0								
HAYMAN RD(12.2L)															8.9	8.8	8.8	8.5	8.1	7.3	7.0	7.1	7.1	7.1	6.8	7.9	7.9	7.9
BETTER ROADS INC. (2009)															10.0	10.0	10.0	10.0	10.0	8.5	8.0	8.0	8.0	5.5*	5.5*	3.5*	2.5*	
BETTER ROADS INC. (2009)															7.8	7.7	7.7	7.4	7.9	7.8	7.9	7.7	8.1	8.1	8.0	7.9	7.9	7.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = GLADES -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)		SURFTYPE		=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE														
CONTRACTOR	(AGE_ONE	YEAR)																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F														(REG)	
05040000	9.381	12.855	C	1	1	60	CRACKING	10.0	10.0	9.5	8.0	8.0	7.0	7.0	5.5*	4.5*	4.5*	4.5*	10.0	10.0	
78			2	29.9		3800	RIDE	8.5	8.5	8.4	8.3	8.1	7.6	7.2	6.4*	6.0*	5.7*	5.9*	8.5	8.4	
PEEPLER RANCH RD(10.2R)																					
							FC125														
1939593	9.381	12.855	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	7.6
BETTER ROADS INC.				(2010)			SPRIDE	8.3	8.2	8.1	7.8	7.7	7.6	7.8	7.7	7.6	7.5	7.5	7.5	7.3	6.9
05040000	12.855	14.858	C	1	1	60	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	
78			2	29.9		3800	RIDE	8.6	8.4	8.5	8.2	8.1	7.7	7.6	7.5	7.7	7.6	7.6	7.5	7.5	
SR 25/US 27(14.9R)																					
							FC125M														
4252211	12.933	14.840	C	2012		0012	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.7
BETTER ROADS INC.				(2013)			RIDE	7.3	8.1	8.0	7.6	7.4	7.3	7.5	7.2	7.2	7.1	7.3	7.2	7.3	6.7
05090000	0.000	2.621	C	1	1	60	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	
29			2	31.6		6700	RIDE	8.1	8.3	8.5	8.3	8.0	7.6	7.4	7.2	7.3	7.2	7.0	8.9	8.8	
MARSHAL FIELD RD SW(0.0R)																					
							FC125M														
1939762	0.155	2.788	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	4.9
AJAX PAVING INDUSTRIES OF				(2010)			RIDE	8.7	8.5	8.5	8.2	8.1	8.1	8.1	8.1	8.1	7.8	7.9	7.6	7.3	7.0
05090000	2.621	12.437	C	1	1	60	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.5	
29			2	35.8		3700	RIDE	8.3	8.3	8.1	8.0	7.5	7.1	6.6	8.7	8.7	8.7	8.6	8.6	8.5	
CHAPARRAL AVE(7.0L)																					
							FC125														
1939572	2.621	12.437	C	2004		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	7.0	5.5*	5.5*	6.0*	5.1
BETTER ROADS INC				(2006)			RIDE	8.3	8.1	8.2	7.9	8.0	7.9	7.8	7.9	7.8	7.8	7.8	7.7	7.7	7.2
07030000	13.000	13.213	R	1	7	65	CRACKING	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	
25 27			2	40.8		12400	RIDE	8.4	8.4	8.8	8.7	9.1	8.6	8.6	8.5	8.5	8.3	8.2	7.9	7.8	
AJAX PAVING INDUSTRIES OF (2024)																					
							FC5HP														
4459331	13.000	13.258	R	2022		0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	10.0	
4526201	11.643	13.213	C	2027		0226	SPRIDE	7.9	7.8	7.9	7.7	8.5	8.3	8.3	8.6	8.5	8.6	8.5	8.2	8.6	
07030000	13.000	13.213	L	1	7	65	CRACKING	2.0*	2.0*	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	6.5	4.5*	
25 27			2	40.8		12400	RIDE	8.0	8.1	8.7	8.5	9.0	8.6	8.6	8.5	8.3	8.2	8.1	7.7	7.3	
AJAX PAVING INDUSTRIES OF (2024)																					
							FC5HP														
4459331	13.000	13.258	L	2022		0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.5	7.5	4.5*	10.0	
4526201	11.643	13.213	C	2027		0226	SPRIDE	7.4	8.0	8.0	7.6	8.6	8.4	8.6	8.6	8.5	8.5	8.2	8.1	8.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).