

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1											COUNTY = GLADES													
RDWYID	SR	US	BMP	G_BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_EMP	W_EMP	W_EMP	W_EMP	W_EMP	W_EMP	W_EMP	W_EMP	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE
ITMSEG-P	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)
ITMSEG-F	W_BMP	W_EMP	W_EMP	W_EMP	W_EMP	W_EMP	W_EMP	W_EMP	W_EMP	W_EMP														
05010000	25	27	0.000	3.880	R	1	2	39.0	1	65	CRACKING													
PEARCE RHYMES LN(0.2R)	4349631	0.000	3.947	R	2022	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	6.5	6.5	4.5*	10.0	9.7	8.5	
AJAX PAVING INDUSTRIES OF (2024)											8.1	8.2	8.1	8.6	8.5	8.5	8.4	8.7	8.6	8.5	8.4	8.7	8.7	8.5
05010000	25	27	3.880	4.435	R	1	2	39.0	1	45	CRACKING													
SIDE ROAD(4.0R)	4349631	3.879	4.430	C	2017	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.3	5.5*
WEEKLEY ASPHALT PAVING, IN(2019)	4560271	3.800	4.400	C	2026	6060					7.4	7.1	6.8	7.6	7.7	7.7	7.1	7.2	7.1	7.1	7.1	7.0	7.0	6.8
05010000	25	27	4.872	5.166	R	1	2	39.0	1	45	CRACKING													
N FRONTAGE RD(5.0R)	4349631	4.878	5.170	C	2017	0012	CRACKING	8.0	7.0	6.5	6.5	6.3	6.7	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.0
WEEKLEY ASPHALT PAVING, IN(2019)											6.6	6.8	6.3	6.7	6.6	7.4	7.4	7.3	7.1	7.2	7.3	7.2	6.9	
05010000	25	27	5.166	5.640	R	1	2	39.0	2	45	CRACKING													
DANIELS RD(5.2C)	4380601	5.170	11.106	C	2019	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.5	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	9.0	8.0	
AJAX PAVING INDUSTRIES OF (2021)											7.6	7.7	7.3	7.4	7.4	7.8	7.6	7.2	8.0	8.1	8.1	7.8	8.2	7.9
05010000	25	27	5.640	11.195	R	1	2	45.3	1	65	CRACKING													
ST JOSEPH WAY RD(6.4R)	4380601	5.170	11.106	C	2019	0012	CRACKING	8.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	
AJAX PAVING INDUSTRIES OF (2021)											7.5	7.4	7.3	7.8	7.8	7.7	7.6	7.8	8.9	8.9	8.9	8.8	8.8	8.6
05010000	25	27	11.195	16.115	R	1	2	50.9	1	65	CRACKING													
BOAR HAMMOCK RANCH RD(15.2R)	4165911	11.086	16.117	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	7.0	7.0	6.0*	6.0*	4.5*	3.5*	3.0*	0.0*	
BETTER ROADS INC. (2009)	4489281	11.210	21.676	C	2027	0012					7.7	7.8	7.6	8.0	7.9	7.9	7.8	8.2	7.8	7.7	7.6	7.5	7.3	7.1
05010000	25	27	16.115	21.629	R	1	2	50.9	1	65	CRACKING													
											9.0	8.0	8.0	7.0	5.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	
											8.9	8.9	8.8	8.5	7.5	7.3	7.1	8.1	8.2	8.2	8.0	8.0	8.1	
1939982	16.167	21.906	C	2005	0012	CRACKING					10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0
BETTER ROADS INC. (2007)	4489281	11.210	21.676	C	2027	0012					8.0	7.9	7.7	8.0	8.0	8.0	7.9	8.2	8.2	8.2	8.2	8.1	8.1	0.5*
05010000	25	27	21.629	28.938	R	1	2	37.8	7	65	CRACKING													
CR 733(22.3R)	4459321	21.688	28.938	R	2023	0012	CRACKING	10.0	10.0	9.5	8.5	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*		10.0	9.0
OHLA USA, INC. (2025)											8.0	8.0	7.9	8.3	8.4	8.3	8.3	8.4	8.3	8.1	8.2		8.7	8.5
05010000	25	27	21.629	28.938	L	1	2	37.8	7	65	CRACKING													
FISHEATING CRK(22.1L)	4459321	21.915	28.938	L	2023	0012	CRACKING	10.0	10.0	9.5	8.5	8.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	1.0*			10.0	9.0	
OHLA USA, INC. (2025)											7.9	8.0	7.9	8.3	8.3	8.3	8.2	8.4	8.3	8.0	7.9		8.8	8.6
05010000	25	27	16.167	21.629	L	1	2	50.9	1	65	CRACKING													
SR 29(21.2L)	1939982	16.167	21.906	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	0.5*
BETTER ROADS INC. (2007)	4489281	11.210	21.676	C	2027	0012					8.2	8.1	8.0	8.2	8.3	8.2	8.2	8.4	8.4	8.3	8.3	8.4	8.3	8.1
05010000	25	27	11.195	16.167	L	1	2	50.9	1	65	CRACKING													
HAYMAN RD(12.2L)	4165911	11.086	16.117	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.0	8.0	8.0	5.5*	5.5*	3.5*	2.5*	2.5*	0.0*	
BETTER ROADS INC. (2009)	4489281	11.210	21.676	C	2027	0012					7.7	7.7	7.4	7.9	7.8	7.9	7.7	8.1	8.1	8.0	7.9	7.9	7.8	7.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = GLADES																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)	W BMP	W_EMP	RW	FY-P	WKMX-P		=====															
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
05010000	5.690	11.195	L	1	65	CRACKING		4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.5		
25 27			2	45.3	10900	RIDE		8.4	8.3	8.1	8.6	8.2	8.1	8.1	8.2	8.2	8.0	7.8	7.7	7.5		
WEST AVE(5.8L)					FC5M																	
4380601	5.170	11.106	C	2019	0012	CRACKING		7.5	7.5	6.5	6.5	6.5	6.5	4.5*	2.0*	10.0	10.0	10.0	10.0	9.8	8.5	
AJAX PAVING INDUSTRIES OF				(2021)	SPRIDE			7.0	7.1	6.4*	7.1	7.0	7.1	6.8	7.6	8.8	8.8	8.8	8.8	8.8	8.6	
05010000	5.166	5.690	L	1	45	CRACKING		4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.5		
25 27			2	39.0	14200	RIDE		8.4	8.3	8.1	8.6	8.2	8.1	8.1	8.2	8.2	8.0	7.8	7.7	7.5		
DANIELS RD(5.2C)					FC125M																	
4380601	5.170	11.106	C	2019	0012	CRACKING		7.5	7.5	6.5	6.5	6.5	6.5	0.0*	0.0*	10.0	10.0	10.0	10.0	9.1	8.0	
AJAX PAVING INDUSTRIES OF				(2021)	SPRIDE			7.0	7.1	6.4	7.1	7.0	7.1	7.0	7.0	8.2	7.9	8.2	8.1	8.1	7.8	
05010000	4.872	5.166	L	1	45	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	6.5	6.5		
25 27			2	39.0	14200	RIDE				7.6	7.6	7.4	7.4	7.4	7.3	7.5	7.7	7.3	6.7	6.6		
3RD ST(5.0L)					DGFC																	
4349631	4.878	5.170	C	2017	0012	CRACKING		6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.7	7.5	
WEEKLEY ASPHALT PAVING, IN				(2019)	SPRIDE			6.7	5.6	5.4*	5.6	5.6	5.5	6.9	6.6	6.8	6.9	6.8	7.2	6.9	6.6	
05010000	3.880	4.435	L	1	45	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0		
25 27			2	39.0	14200	RIDE				8.4	8.5	8.1	8.1	8.0	8.2	8.2	8.1	7.9	7.9	7.6		
UNSGINED(4.0L)					OGFC																	
4349631	3.879	4.430	C	2017	0012	CRACKING		7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.3	7.5	
WEEKLEY ASPHALT PAVING, IN				(2019)	SPRIDE			7.8	7.6	7.7	7.7	7.5	7.4	7.5	7.6	7.5	7.6	7.5	7.4	7.4	7.2	
4560271	3.800	4.400	C	2026	6060																	
05010000	0.000	3.880	L	1	65	CRACKING			10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5			
25 27			2	39.0	14200	RIDE			8.9	8.9	8.8	8.2	8.2	8.0	8.2	6.5	6.5	6.5	6.5			
BAKERS HWY(0.4L)					FC5HP																	
4459331	0.000	3.947	L	2022	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	6.5	4.5*	3.5*	3.5*	1.0*	10.0	10.0	9.0	
AJAX PAVING INDUSTRIES OF				(2024)	SPRIDE			7.9	8.1	7.9	8.5	8.5	8.5	8.3	8.5	8.3	8.2	8.1	8.7	8.7	8.5	
05020000	0.000	9.551	C	1	60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0	9.0		
78			2	22.7	4882	RIDE		8.7	8.8	8.3	8.6	8.2	8.1	8.1	8.9	8.9	8.8	8.8	8.6	8.6		
SR 25(0.0C)					FC125M																	
4394301	0.115	8.202	L	2021	0012	CRACKING		9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5	4.0*		10.0	10.0	10.0	9.0	
C. W. ROBERTS CONTRACTING, (2023)					SPRIDE			8.6	8.5	8.4	8.3	8.2	8.2	8.1	8.1	7.3		7.8	7.8	7.8	7.5	
05020000	9.551	10.735	C	1	55	CRACKING		4.5*	4.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5		
78			2	28.7	4800	RIDE		6.9	6.8	6.6	6.2*	8.2	8.1	8.0	8.1	8.1	8.0	7.9	7.7	7.2		
CURACAO CT(9.8R)					FC125M																	
4291001	9.551	20.640	C	2014	0012	CRACKING		6.5	6.5		10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.0*	6.0*	6.6	5.0*	
LAWRENCE-LYNCH CORP. (2016)					RIDE			7.2	7.1		8.5	8.4	8.4	8.3	8.2	7.6	7.5	7.4	7.1	7.1	6.8	
4489261	9.551	10.746	C	2025	0226																	
05020000	10.735	20.637	C	1	60	CRACKING		4.5*	4.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	7.0		
78			2	28.7	4800	RIDE		6.9	6.8	6.6	6.2*	8.2	8.1	8.0	8.1	8.1	8.0	7.9	7.7	7.6		
CACTUS LN NW(10.9L)					FC125M																	
4291001	9.551	20.640	C	2014	0012	CRACKING		7.0	7.0		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	6.8	5.0*	
LAWRENCE-LYNCH CORP. (2016)					RIDE			7.6	7.3		8.5	8.4	8.4	8.3	8.2	8.1	8.0	7.9	7.7	7.8	7.5	
05020000	20.637	29.460	C	1	60	CRACKING		4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	7.0		
78			2	28.7	4800	RIDE		6.5	6.5	6.3*		8.2	8.1	8.0	8.1	8.1	8.0	7.9	7.7	7.6		
TOMATO GRADE RD(26.2L)					FC125M																	
4291011	20.637	29.450	C	2016	0012	CRACKING		7.0	7.0	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.2	5.5*	
LAWRENCE-LYNCH CORP. (2018)					SPRIDE			7.6	7.3	7.3	6.8		8.2	8.1	8.1	8.0	8.0	8.0	8.0	7.9	7.6	
05040000	0.000	4.742	C	1	60	CRACKING		8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0		
78			2	33.8	4700	RIDE		8.8	8.6	8.6	8.3	7.6	7.3	7.0	7.2	7.0	6.8	8.7	8.6	8.5		
SR 29(0.0C)					FC95																	
1939772	0.004	4.742	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.0	8.0	7.5	5.5*	
BETTER ROADS INC. (2010)					SPRIDE			8.3	8.3	8.2	8.2	8.1	8.1	8.2	8.0	8.0	8.0	8.0	7.8	7.8	7.5	
05040000	4.742	9.381	C	1	60	CRACKING		10.0	9.5	8.0	8.0	7.0	7.0	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0		
78			2	33.8	4700	RIDE		8.5	8.4	8.3	8.1	7.6	7.2	6.4*	6.0*	5.7*	5.9*	8.5	8.4	8.3		
CR 78A(5.9R)					FC125																	
1939592	4.768	9.381	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	7.5	8.0	7.3	5.0*	
BETTER ROADS INC. (2010)					SPRIDE			8.2	8.2	7.8	7.7	7.7	7.8	7.8	7.7	7.6	7.7	7.5	7.4	7.4	7.1	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = GLADES																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	WKMX-P	RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012					
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P	ASTYPE	=====																		
ITMSEG-P	(AGE ONE YEAR)							2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025					
CONTRACTOR	W BMP	W EMP	RW	FY-F	WKMX-F																				2030 (PMRS)
05040000	9.381	12.855	C	1	1 60	CRACKING		10.0	9.5	8.0	8.0	7.0	7.0	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0					
78			2	33.8	4700	RIDE		8.5	8.4	8.3	8.1	7.6	7.2	6.4*	6.0*	5.7*	5.9*	8.5	8.4	8.3					
PEEPLER RANCH RD(10.2R)					FC125																				
1939593	9.381	12.855	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	7.7	5.5*				
BETTER ROADS INC.				(2010)	SPRIDE			8.2	8.1	7.8	7.7	7.6	7.8	7.7	7.6	7.5	7.5	7.5	7.3	7.2	6.9				
05040000	12.855	14.858	C	1	1 60	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0					
78			2	33.8	4700	RIDE		8.4	8.5	8.2	8.1	7.7	7.6	7.5	7.7	7.6	7.6	7.5	7.5	7.3					
SR 25/US 27(14.9R)					FC125M																				
4252211	12.933	14.840	C	2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	5.0*				
BETTER ROADS INC.				(2013)	RIDE			8.1	8.0	7.6	7.4	7.3	7.5	7.2	7.2	7.1	7.3	7.2	7.3	7.2	6.9				
05090000	0.000	2.621	C	1	1 60	CRACKING		8.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0					
29			2	31.6	7300	RIDE		8.3	8.5	8.3	8.0	7.6	7.4	7.2	7.3	7.2	7.0	8.9	8.8	8.7					
MARSHAL FIELD RD SW(0.0R)					FC125M																				
1939762	0.155	2.788	C	2009	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	5.0*	3.0*				
AJAX PAVING INDUSTRIES OF (2010)					RIDE			8.5	8.5	8.2	8.1	8.1	8.1	8.1	8.1	7.8	7.9	7.6	7.3	7.6	7.3				
4512671	0.000	4.069	C	2028	0226																				
05090000	2.621	12.465	C	1	1 60	CRACKING		7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.5	8.5					
29			2	31.3	3900	RIDE		8.3	8.1	8.0	7.5	7.1	6.6	8.7	8.7	8.7	8.6	8.6	8.5	8.3					
CHAPARRAL AVE(7.0L)					FC125																				
1939572	2.621	12.437	C	2004	0012	CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	7.0	5.5*	5.5*	6.0*	5.5*	3.0*				
BETTER ROADS INC				(2006)	RIDE			8.1	8.2	7.9	8.0	7.9	7.8	7.9	7.8	7.8	7.7	7.7	7.7	7.4					
07030000	13.000	13.213	R	1	1 65	CRACKING		2.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*					
25 27			2	39.7	13100	RIDE		8.4	8.8	8.7	9.1	8.6	8.6	8.5	8.5	8.3	8.2	7.9	7.8	7.9					
					FC5HP																				
4459331	13.000	13.258	R	2022	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	10.0	9.8	9.0				
AJAX PAVING INDUSTRIES OF (2024)					SPRIDE			7.8	7.9	7.7	8.5	8.3	8.3	8.6	8.5	8.6	8.5	8.2	8.6	8.5	8.3				
07030000	13.000	13.213	L	1	1 65	CRACKING		2.0*	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*					
25 27			2	39.7	13100	RIDE		8.1	8.7	8.5	9.0	8.6	8.6	8.5	8.3	8.2	8.1	7.7	7.3	7.4					
					FC5HP																				
4459331	13.000	13.258	L	2022	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.5	7.5	4.5*	10.0	9.6	8.5				
AJAX PAVING INDUSTRIES OF (2024)					SPRIDE			8.0	8.0	7.6	8.6	8.4	8.6	8.6	8.5	8.5	8.2	8.1	8.9	8.8	8.6				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).