

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = GLADES -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-F		ASTYPE		=====									
CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)	
ITMSEG-P		ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F	
ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F	
05010000	0.000	3.880	R	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	6.5			10.0		
25 27			2	39.0			14800 RIDE	8.8	8.8	8.7	8.2	8.2	8.2	8.3	8.2	8.3	8.0	7.9			8.1		
PEARCE RHYMES LN( 0.2R)																							
4459331	0.000	3.947	R	2022			0012 CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	6.5	6.5	4.5*	10.0	9.7	10.0	8.5		
AJAX PAVING INDUSTRIES OF (2024) SPRIDE																							
05010000	3.880	4.435	R	1	1	45	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	7.0	7.0	6.5			
25 27			2	39.0			14800 RIDE		8.6	8.6	8.3	8.3	8.2	8.2	8.0	8.0	8.0	7.7	7.4	7.4			
SIDE ROAD( 4.0R)																							
4349631	3.879	4.430	C	2017			0012 CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	7.3	7.3	5.5*		
WEEKLEY ASPHALT PAVING, IN(2019) SPRIDE																							
4560271	3.800	4.400	C	2026			6060	7.1	6.8	7.6	7.7	7.7	7.1	7.2	7.1	7.1	7.1	7.0	7.0	6.9	6.7		
05010000	4.872	5.166	R	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0			
25 27			2	39.0			14800 RIDE		8.2	8.1	7.8	7.6	7.7	7.9	7.9	7.7	7.4	7.4	6.9	6.6			
N FRONTAGE RD( 5.0R)																							
4349631	4.878	5.170	C	2017			0012 CRACKING	7.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.8	7.5		
WEEKLEY ASPHALT PAVING, IN(2019) SPRIDE																							
05010000	5.166	5.640	R	1	1	45	CRACKING	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0			
25 27			2	39.0			14800 RIDE	8.7	8.5	8.4	8.1	8.1	8.0	7.9	7.9	7.6	7.8	7.5	7.4	7.6			
DANIELS RD( 5.2C)																							
4380601	5.170	11.106	C	2019			0012 CRACKING	8.0	8.0	8.0	7.5	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	9.0	8.9	7.5		
AJAX PAVING INDUSTRIES OF (2021) SPRIDE																							
05010000	5.640	11.195	R	1	1	65	CRACKING	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0			
25 27			2	45.3			11500 RIDE	8.7	8.5	8.6	7.9	8.0	7.9	8.0	8.0	8.0	8.0	7.7	7.7	7.5			
ST JOSEPH WAY RD( 6.4R)																							
4380601	5.170	11.106	C	2019			0012 CRACKING	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.5	9.0	7.5		
AJAX PAVING INDUSTRIES OF (2021) SPRIDE																							
05010000	11.195	16.115	R	1	1	65	CRACKING	9.5	8.0	7.0	5.0*	4.0*	4.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0			
25 27			2	50.9			7500 RIDE	9.0	8.8	8.6	7.8	7.5	7.2	7.1	7.0	7.9	7.8	7.9	7.8	7.7			
BOAR HAMMOCK RANCH RD(15.2R)																							
4165911	11.086	16.117	C	2007			0012 CRACKING	10.0	10.0	10.0	8.0	7.0	7.0	6.0*	6.0*	4.5*	3.5*	3.0*	2.2*	0.0*			
BETTER ROADS INC. (2009) RIDE																							
4489281	11.210	21.676	C	2027			0012	7.8	7.6	8.0	7.9	7.9	7.8	8.2	7.8	7.7	7.6	7.5	7.3	7.3	7.1		
05010000	16.115	21.629	R	1	1	65	CRACKING	8.0	8.0	7.0	5.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
25 27			2	50.9			7500 RIDE	8.9	8.8	8.5	7.5	7.3	7.1	8.1	8.2	8.2	8.0	8.0	8.1	8.0			
FC5																							
1939982	16.167	21.906	C	2005			0012 CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	1.5*		
BETTER ROADS INC. (2007) RIDE																							
4489281	11.210	21.676	C	2027			0012	7.9	7.7	8.0	8.0	8.0	7.9	8.2	8.2	8.2	8.2	8.1	8.1	8.0	7.8		
05010000	21.629	28.938	R	1	1	65	CRACKING	9.5	9.5	8.0	7.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	10.0	10.0			
25 27			2	37.8			9900 RIDE	9.0	9.1	9.0	8.4	8.4	8.2	8.3	8.4	8.3	8.2	8.0	8.1	8.0			
CR 733(22.3R)																							
4459321	21.688	28.938	R	2023			0012 CRACKING	10.0	9.5	8.5	8.0	8.0	6.5	6.5	4.5*	4.5*	3.5*		10.0	9.0	8.0		
OHLA USA, INC. (2025) SPRIDE																							
05010000	21.629	28.938	L	1	1	65	CRACKING	9.5	9.5	9.5	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	10.0	10.0			
25 27			2	37.8			9900 RIDE	9.1	9.1	8.8	8.2	8.0	7.9	8.0	8.1	8.0	7.9	7.8	8.1	7.9			
FISHEATING CRK(22.1L)																							
4459321	21.915	28.938	L	2023			0012 CRACKING	10.0	9.5	8.5	8.0	8.0	6.5	4.5*	3.5*	3.5*	1.0*		10.0	9.3	8.0		
OHLA USA, INC. (2025) SPRIDE																							
05010000	16.167	21.629	L	1	1	65	CRACKING	5.0*	4.0*	4.0*	4.0*	4.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
25 27			2	50.9			7500 RIDE	8.2	7.9	7.3	6.5	6.4*	6.1*	8.2	8.3	8.4	8.3	8.2	8.2	8.2			
SR 29(21.2L)																							
1939982	16.167	21.906	C	2005			0012 CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	1.5*		
BETTER ROADS INC. (2007) RIDE																							
4489281	11.210	21.676	C	2027			0012	8.1	8.0	8.2	8.3	8.2	8.2	8.4	8.4	8.3	8.3	8.4	8.3	8.3	8.1		
05010000	11.195	16.167	L	1	1	65	CRACKING	8.0	7.0	5.0*	4.0*	4.0*	4.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0			
25 27			2	50.9			7500 RIDE	8.8	8.5	8.1	7.3	7.0	7.1	7.1	6.8	7.9	7.9	7.9	7.8	7.7			
HAYMAN RD(12.2L)																							
4165911	11.086	16.117	C	2007			0012 CRACKING	10.0	10.0	10.0	8.5	8.0	8.0	8.0	5.5*	5.5*	3.5*	2.5*	2.5*	2.5*	0.0*		
BETTER ROADS INC. (2009) RIDE																							
4489281	11.210	21.676	C	2027			0012	7.7	7.4	7.9	7.8	7.9	7.7	8.1	8.1	8.0	7.9	7.9	7.8	7.9	7.7		

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = GLADES -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE	YEAR)	RW	FY-F	WKM-F																(PMRS)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F
05010000	5.690	11.195	L	1	1	65	CRACKING	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.5	7.5	
25 27					2	45.3	11500 RIDE	8.3	8.1	8.6	8.2	8.1	8.1	8.2	8.2	8.0	7.8	7.7	7.5	7.0	
WEST AVE( 5.8L)							FC5M														
4380601	5.170	11.106	C	2019			0012 CRACKING	7.5	6.5	6.5	6.5	6.5	4.5*	2.0*	10.0	10.0	10.0	10.0	9.8	8.5	7.0
AJAX PAVING INDUSTRIES OF							SPRIDE	7.1	6.4*	7.1	7.0	7.1	6.8	7.6	8.8	8.8	8.8	8.8	8.8	8.5	8.3
05010000	5.166	5.690	L	1	1	45	CRACKING	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.5	7.5	
25 27					2	39.0	14800 RIDE	8.3	8.1	8.6	8.2	8.1	8.1	8.2	8.2	8.0	7.8	7.7	7.5	7.0	
DANIELS RD( 5.2C)							FC125M														
4380601	5.170	11.106	C	2019			0012 CRACKING	7.5	6.5	6.5	6.5	6.5	0.0*	0.0*	10.0	10.0	10.0	10.0	9.1	8.9	7.5
AJAX PAVING INDUSTRIES OF							SPRIDE	7.1	6.4	7.1	7.0	7.1	7.0	7.0	8.2	7.9	8.2	8.1	8.1	8.1	7.8
05010000	4.872	5.166	L	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	6.5	6.5	6.5	
25 27					2	39.0	14800 RIDE		7.6	7.6	7.4	7.4	7.4	7.3	7.5	7.7	7.3	6.7	6.6	6.7	
3RD ST( 5.0L)							DGFC														
4349631	4.878	5.170	C	2017			0012 CRACKING	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.5	7.0
WEEKLEY ASPHALT PAVING, IN							SPRIDE	5.6	5.4*	5.6	5.6	5.5	6.9	6.6	6.8	6.9	6.8	7.2	6.9	6.8	6.5
05010000	3.880	4.435	L	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	
25 27					2	39.0	14800 RIDE		8.4	8.5	8.1	8.1	8.0	8.2	8.1	7.9	7.9	7.6	7.8		
UNSIGNED( 4.0L)							OGFC														
4349631	3.879	4.430	C	2017			0012 CRACKING	7.0	6.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.3	9.2	7.5
WEEKLEY ASPHALT PAVING, IN							SPRIDE	7.6	7.7	7.7	7.5	7.4	7.5	7.6	7.5	7.6	7.5	7.4	7.4	7.4	7.2
4560271	3.800	4.400	C	2026			6060														
05010000	0.000	3.880	L	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5		10.0	
25 27					2	39.0	14800 RIDE	8.9	8.9	8.8	8.2	8.2	8.0	8.2	8.3	8.1	8.0	7.8		7.9	
BAKERS HWY( 0.4L)							FC5HP														
4459331	0.000	3.947	L	2022			0012 CRACKING	10.0	10.0	10.0	10.0	9.0	6.5	4.5*	3.5*	3.5*	1.0*	10.0	10.0	9.5	8.0
AJAX PAVING INDUSTRIES OF							SPRIDE	8.1	7.9	8.5	8.5	8.5	8.3	8.5	8.3	8.2	8.1	8.7	8.7	8.6	8.4
05020000	0.000	9.551	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
78					2	26.5	5090 RIDE	8.8	8.3	8.6	8.2	8.1	8.1	8.9	8.9	8.8	8.8	8.6	8.6	8.6	
SR 25( 0.0C)							FC125M														
4394301	0.115	8.202	L	2021			0012 CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	7.5	4.0*		10.0	10.0	10.0	9.7	8.5
C. W. ROBERTS CONTRACTING, (2023)							SPRIDE	8.5	8.4	8.3	8.2	8.2	8.1	8.1	7.3		7.8	7.8	7.8	7.9	7.6
05020000	9.551	10.746	C	1	7	55	CRACKING	4.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5	
78					2	28.7	5000 RIDE	6.8	6.6	6.2*	8.2	8.1	8.0	8.1	8.1	8.0	7.9	7.7	7.2	7.2	
CR 74( 9.8L)							FC125M														
4489261	9.551	10.746	C	2025			0226 CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.0*	6.0*	6.6	10.0	9.0
AJAX PAVING INDUSTRIES OF							RIDE	7.1		8.5	8.4	8.4	8.3	8.2	7.6	7.5	7.4	7.1	7.1	7.1	6.8
05020000	10.746	20.637	C	1	1	60	CRACKING	4.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	7.0	7.0	
78					2	28.7	5000 RIDE	6.8	6.6	6.2*	8.2	8.1	8.0	8.1	8.1	8.0	7.9	7.7	7.6	7.6	
CACTUS LN NW(10.9L)							FC125M														
4291001	9.551	20.640	C	2014			0012 CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	6.8	6.2*	4.5*
LAWRENCE-LYNCH CORP.							RIDE	7.3		8.5	8.4	8.4	8.3	8.2	8.1	8.0	7.9	7.7	7.8	7.7	7.4
05020000	20.637	29.437	C	1	1	60	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	7.0	7.0	
78					2	28.7	5000 RIDE	6.5	6.3*		8.2	8.1	8.0	8.1	8.1	8.0	7.9	7.7	7.6	7.6	
TOMATO GRADE RD(26.2L)							FC125M														
4291011	20.637	29.450	C	2016			0012 CRACKING	7.0	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.2	8.5	7.0
LAWRENCE-LYNCH CORP.							SPRIDE	7.3	7.3	6.8		8.2	8.1	8.1	8.0	8.0	8.0	8.0	7.9	7.9	7.6
05040000	0.000	4.742	C	1	1	60	CRACKING	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	
78					2	33.8	5100 RIDE	8.6	8.6	8.3	7.6	7.3	7.0	7.2	7.0	6.8	8.7	8.6	8.5	8.3	
SR 29( 0.0C)							FC95														
1939772	0.004	4.742	C	2008			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.0	8.0	7.5	7.4	5.0*
BETTER ROADS INC.							SPRIDE	8.3	8.2	8.2	8.1	8.1	8.2	8.0	8.0	8.0	8.0	8.0	7.8	7.8	7.5
05040000	4.742	9.381	C	1	1	60	CRACKING	9.5	8.0	8.0	7.0	7.0	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
78					2	33.8	5100 RIDE	8.4	8.3	8.1	7.6	7.2	6.4*	6.0*	5.7*	5.9*	8.5	8.4	8.3	8.2	

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = GLADES -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		SURFTYPE		=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																2031
CONTRACTOR	(AGE_ONE	YEAR)	ASTYPE																		(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
05040000	9.381	12.855	C	1	1	60	CRACKING	9.5	8.0	8.0	7.0	7.0	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0		
78			2	33.8		5100	RIDE	8.4	8.3	8.1	7.6	7.2	6.4*	6.0*	5.7*	5.9*	8.5	8.4	8.3	8.2		
PEEPLER RANCH RD(10.2R)																						
FC125																						
1939593	9.381	12.855	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	7.7	7.3	5.0*	
BETTER ROADS INC. (2010) SPRIDE																						
05040000	12.855	14.815	C	1	1	60	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	10.0		
78			2	33.8		5100	RIDE	8.5	8.2	8.1	7.7	7.6	7.5	7.7	7.6	7.6	7.5	7.5	7.3	8.1		
FC125M																						
4252211	12.933	14.840	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.0*	4.0*	
BETTER ROADS INC. (2013) RIDE																						
05090000	0.000	2.621	C	1	1	60	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0		
29			2	26.5		7500	RIDE	8.5	8.3	8.0	7.6	7.4	7.2	7.3	7.2	7.0	8.9	8.8	8.7	8.5		
WHIDDEN RD/CR-731( 0.0L)																						
FC125M																						
1939762	0.155	2.788	C	2009	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	5.0*	4.4*	2.0*	
AJAX PAVING INDUSTRIES OF (2010) RIDE																						
4512671	0.000	4.069	C	2028	0226																	
05090000	2.621	12.465	C	1	1	60	CRACKING	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5		
29			2	31.3		4100	RIDE	8.1	8.0	7.5	7.1	6.6	8.7	8.7	8.7	8.6	8.6	8.5	8.3	8.1		
CHAPARRAL AVE( 7.0L)																						
FC125																						
1939572	2.621	12.437	C	2004	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	7.0	5.5*	5.5*	6.0*	5.5*	5.1*	2.5*	
BETTER ROADS INC (2006) RIDE																						
07030000	13.000	13.213	R	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	10.0		
25	27		2	39.7		13900	RIDE	8.8	8.7	9.1	8.6	8.6	8.5	8.5	8.3	8.2	7.9	7.8	7.9	7.8		
FC5HP																						
4459331	13.000	13.258	R	2022	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	10.0	9.8	10.0	8.5	
AJAX PAVING INDUSTRIES OF (2024) SPRIDE																						
07030000	13.000	13.213	L	1	1	65	CRACKING	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0		
25	27		2	39.7		13900	RIDE	8.7	8.5	9.0	8.6	8.6	8.5	8.3	8.2	8.1	7.7	7.3	7.4	8.0		
FC5HP																						
4459331	13.000	13.258	L	2022	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.5	7.5	4.5*	10.0	9.6	9.7	8.5	
AJAX PAVING INDUSTRIES OF (2024) SPRIDE																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).