

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HARDEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)		SURFTYPE		=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR	(AGE_ONE	YEAR)																			(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
06010000	4.955	9.315	L	1	1	65	CRACKING	10.0	10.0	8.0	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	10.0	10.0	10.0	10.0		
35 17				2	25.1		10700	RIDE	8.7	8.7	8.6	8.2	8.6	7.9	7.8	7.5	7.4	8.4	8.3	8.3	8.3	
BEN HILL GRIFFIN RD(5.0L)																						
							FC5															
4206331	4.955	10.503	C	2011		0213	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.9	
AJAX PAVING INDUSTRIES OF				(2015)			SPRIDE	8.3		8.2	8.5	8.6	8.6	8.5	8.7	8.6	8.7	8.7	8.7	8.7	8.7	

06010000	0.000	4.955	L	1	1	60	CRACKING	10.0	10.0	8.0	6.5	6.5	3.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0		
35 17				2	25.1		10700	RIDE	8.7	8.7	8.6	8.2	8.3	7.7	7.7	7.5	7.3	8.4	8.3	8.3	8.3	
OAK LN(0.4L)																						
							FC5M															
4145471	0.000	4.952	C	2016		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5			10.0	10.0	10.0	10.0	10.0	10.0	
WATSON CIVIL CONSTRUCTION,				(2020)			SPRIDE	8.3	8.1	7.9	7.8	7.6	7.7			9.1	9.0	9.0	9.0	8.9	8.7	

06010001	0.000	0.608	R	1	1	55	CRACKING									10.0	10.0	10.0	10.0	9.0	8.4	
35 17				2	24.8		17600	RIDE								8.5	8.5	8.4	8.5	8.2	8.0	
COLLEGE LN(0.0C)																						
							FC5M															
				(2020)			CRACKING															
							RIDE															

06010001	0.608	1.737	R	1	4	40	CRACKING									9.3	9.5	9.5	9.5	9.4	9.4	
35 17				2	24.8		17600	RIDE								8.9	9.1	8.9	8.9	8.9	8.8	
E SEVENTH ST(1.2R)																						
							LGD															
				(2020)			CRACKING															
							RIDE															

06010001	1.737	1.843	R	1	1	45	CRACKING									5.5*	10.0	10.0	10.0	10.0	10.0	
35 17				2	24.8		17600	RIDE								5.6	6.6	6.8	6.5	6.3	5.8	
TURNOUT(1.8R)																						
							FC125M															
				(2021)			CRACKING															
							RIDE															

06010001	1.695	1.843	L	1	1	45	CRACKING									5.5*	10.0	10.0	10.0	10.0	10.0	
35 17				2	24.8		17600	RIDE								5.7	7.4	7.1	7.2	7.2	6.9	
TURNOUT TO SUWANNEE(1.8L)																						
							FC125M															
				(2021)			CRACKING															
							RIDE															

06010001	0.608	1.695	L	1	4	40	CRACKING									9.3	9.5	9.5	9.4	9.4	9.4	
35 17				2	24.8		17600	RIDE								8.9	9.1	8.9	8.9	9.0	9.0	
W NINTH ST(0.9L)																						
							LGD															
				(2020)			CRACKING															
							RIDE															

06010001	0.000	0.608	L	1	1	55	CRACKING									10.0	10.0	10.0	10.0	9.0	8.4	
35 17				2	24.8		17600	RIDE								8.2	8.1	8.2	8.2	8.1	8.1	
COLLEGE LN(0.0L)																						
							FC5M															
				(2020)			CRACKING															
							RIDE															

06010101	0.000	3.468	C	1	1	55	CRACKING													10.0	10.0	
35 17				3	10.5		10000	RIDE												7.6	7.7	
RV PARK ENTRANCE(0.0R)																						
							FC4															
				(2010)			CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	6.1	
							RIDE	7.6	7.6	7.6	7.2	7.6	7.6	7.5	7.5	7.4	7.4	7.4	7.4	7.4	7.3	

4462051	0.000	3.450	C	2028		0012																

06010102	0.000	2.180	C	1	1	45	CRACKING													10.0	10.0	
35 17				3	13.9		12000	RIDE												7.7	7.7	
BELL ST(0.0R)																						
							FC4															
				(2010)			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	3.2	
							RIDE	7.7	7.7	7.7	7.2	7.3	7.4	7.4	7.1	7.0	6.9	7.0	6.9	6.4	6.3	

4462051	0.010	3.530	C	2028		0012																

06010102	2.180	3.539	C	1	1	55	CRACKING													10.0	10.0	
35 17				3	13.9		12000	RIDE												7.7	7.7	
CAUSEY RD(2.5R)																						
							FC3															
				(2010)			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	5.5*	5.5*	5.5*	4.5*	2.8	
							RIDE	7.7	7.7	7.7	7.2	7.3	7.4	7.4	7.1	7.0	6.9	7.0	6.9	7.4	6.7	

4462051	0.010	3.530	C	2028		0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HARDEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)		SURFTYPE		=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
06080000	0.071	2.173	C	1	1	60	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.5		10.0	10.0	
66			2	33.4	5600		RIDE	8.5	8.4	8.3	7.6	8.3	7.9	7.8	7.6	7.5	7.4		8.1	8.1	
OAK ST(0.1C)																					
1940692	0.011	2.173	C	2008	0012	60	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.0	6.0*	5.5*	5.5*	5.5*	5.0*	3.1
BETTER ROADS INC. (2010)																					
4462291	0.147	7.961	C	2024	0012	60	RIDE	7.9	7.9	7.8	7.4	7.2	7.2	7.1	7.0	6.6	6.4*	6.2*	5.8*	5.9*	5.0
06080000	2.173	7.985	C	1	2	60	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	
66			2	33.4	5600		RIDE	8.5	8.4	8.3	7.6	8.3	7.9	7.8	7.6	7.5	7.4	7.9	7.6	7.6	
CHARLEY ANDERSON RD(2.2L)																					
4272851	2.943	8.731	C	2013	0012	60	CRACKING	6.5	6.5		10.0	10.0	10.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	0.3
AJAX PAVING INDUSTRIES OF (2015)																					
4462291	0.147	7.961	C	2024	0012	60	RIDE	7.5	7.3		8.7	8.5	8.8	8.5	8.3	8.1	7.9	7.7	7.2	6.8	6.1
06080000	7.985	15.682	C	1	1	60	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
66			2	33.4	5600		RIDE	7.2	7.2	7.1	6.7	6.5	5.1*	8.5	8.4	8.4	8.3	8.1	8.3	8.3	
CECIL LANGFORD RD(8.2R)																					
1940632	7.949	15.682	C	2003	0012	60	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.0*	6.0*	6.0*	5.5*	5.3
BETTER ROADS INC (2005)																					
4489391	7.952	15.682	C	2025	0226	60	RIDE	8.2	8.2	8.3	7.6	8.0	8.3	8.3	8.2	8.1	8.0	7.9	7.9	7.9	7.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).