

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HARDEE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		=====														
ITMSEG-P		W_BMP		W_EMP		RW		=====														
CONTRACTOR (AGE_ONE YEAR)		W_BMP		W_EMP		RW		=====														
ITMSEG-F		W_BMP		W_EMP		RW		=====														
06010000	0.000	4.955	R	1	1	60	CRACKING	8.0	6.5	6.5	3.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0		
35 17				2	32.8	12400	RIDE	8.6	8.2	8.3	7.7	7.7	7.5	7.3	8.4	8.3	8.3	8.3	8.3	8.3	8.1	
CR 665(0.8R)																						
4145471	0.000	4.952	C	2016		0213	CRACKING	10.0	10.0	10.0	9.5			10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5
WATSON CIVIL CONSTRUCTION, (2020) SPRIDE 7.9 7.8 7.6 7.7																						
06010000	4.955	9.315	R	1	1	65	CRACKING	8.0	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0		
35 17				2	32.8	12400	RIDE	8.6	8.2	8.6	7.9	7.8	7.5	7.4	8.4	8.3	8.3	8.3	8.3	8.3		
CR 634(5.0R)																						
4206331	4.955	10.503	C	2011		0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.0	6.5	4.0*	
AJAX PAVING INDUSTRIES OF (2015) SPRIDE 8.5 8.6 8.7 8.6 8.6 8.7 8.7 8.7 8.7 8.7 8.7 8.7 8.7 8.7 8.7 8.7 8.7 8.7 8.7 8.6 8.6 8.4																						
06010000	11.165	11.753	R	1	1	55	CRACKING	8.0		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	6.5		
35 17				2	22.7	17900	RIDE	8.6		7.4	7.4	7.3	7.0	7.0	7.0	6.3*	6.9	7.1	7.2	7.1		
FLORIDA CRACKER TRAIL(11.2C) FC3																						
4462051	11.183	11.753	C	2027		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	9.0	9.0	9.0	9.0	9.0	5.5*	5.5*	5.5*	4.0*	
(2019) RIDE 7.2 7.3 6.8 6.8 6.6 7.2 7.1 7.1 6.9 6.8 6.8 6.6 6.7 6.7 6.4*																						
06010000	15.292	15.560	R	1	1	50	CRACKING	10.0	9.5	9.5	8.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
35 17				2	20.3	24000	RIDE	8.6	8.2	8.6	8.0	7.9		7.9	7.7	7.2	7.9	8.0	7.9	7.9		
KD REVELL RD(15.3R) FC125M																						
4448831	15.269	15.930	C	2022		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.0	6.5	6.5	10.0	10.0	10.0	10.0	9.0	
AJAX PAVING INDUSTRIES OF (2023) SPRIDE 7.8 7.8 7.7 7.7 7.7 7.7 7.8 7.6 7.7 7.9 8.0 8.0 8.0 7.9 7.6																						
06010000	15.560	15.882	R	1	1	55	CRACKING	10.0	9.5	9.5	8.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
35 17				2	20.3	24000	RIDE	8.6	8.2	8.6	8.0	7.9		7.9	7.7	7.2	7.9	8.0	7.9	7.9		
FC5M																						
4448831	15.269	15.930	C	2022		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.0	6.5	6.5	10.0	10.0	10.0	10.0	8.5	
AJAX PAVING INDUSTRIES OF (2023) SPRIDE 7.8 7.8 7.7 7.7 7.7 7.7 7.8 7.6 7.7 7.9 8.0 8.0 8.1 7.9																						
06010000	15.882	17.890	R	1	1	60	CRACKING	10.0	9.5	9.5	8.0	7.5	7.5	6.5	3.5*	3.5*	3.5*	10.0	10.0	10.0		
35 17				2	20.3	24000	RIDE	8.6	8.2	8.6	8.0	7.9	7.7	7.5	6.8	6.5	6.5	8.5	8.4	8.4		
HEARTLAND WAY(15.9R) FC5																						
1940282	15.882	17.890	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	2.0*	0.8*	0.0*	
PREFERRED MATERIALS, INC. (2011) RIDE 8.3 8.1 8.5 8.5 8.5 8.5 8.4 8.2 8.3 8.3 8.2 8.0 7.9 7.7																						
4462041	15.890	21.500	C	2027		0226																
06010000	17.890	20.145	R	1	1	60	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	9.0	7.5	7.5	6.5	10.0	10.0	10.0		
35 17				2	21.0	19100	RIDE	8.9	8.1	8.9	8.3	8.2	8.2	8.0	7.4	7.3	7.6	8.5	8.5	8.4		
SAULS RD(18.7R) FC5																						
1940192	17.890	20.145	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	5.5*	2.5*	
PREFERRED MATERIALS, INC. (2011) RIDE 8.4 8.3 8.6 8.7 8.6 8.7 8.7 8.6 8.7 8.6 8.6 8.6 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.3																						
4462041	15.890	21.500	C	2027		0226																
06010000	20.145	21.500	C	1	1	40	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	8.5		
35 17				4	17.8	19400	RIDE	7.6	7.4	7.1	6.6	6.5	6.0	5.7		7.1	8.2	8.2	8.1	7.9		
BROWARD ST(20.2R) FC95M																						
4172491	20.140	21.500	C	2007		0012	CRACKING	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.0*	5.0*	5.0*	4.9*	4.8*	2.5*	
LANE CONSTRUCTION CORPORAT(2009) RIDE 7.8 7.3 7.3 7.6 7.5 7.4 7.2 7.1 6.9 6.7 6.5 6.6 6.4 6.1																						
4462041	15.890	21.500	C	2027		0226																
06010000	17.890	20.145	L	1	1	60	CRACKING	10.0	9.5	9.5	9.5	7.0	6.5	6.5	3.5*	3.5*	3.5*	10.0	10.0	10.0		
35 17				2	21.0	19100	RIDE	8.7	8.0	8.6	8.0	7.9	7.7	7.6	7.4	6.8	7.2	8.5	8.5	8.4		
SR 62(17.9L) FC5																						
1940192	17.890	20.145	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	3.5*	3.5*	3.5*	2.8*	2.1*	0.0*	
PREFERRED MATERIALS, INC. (2011) RIDE 8.3 8.1 8.5 8.6 8.5 8.5 8.6 8.5 8.5 8.6 8.5 8.5 8.4 8.2 8.1 8.0 7.8																						
4462041	15.890	21.500	C	2027		0226																
06010000	15.882	17.890	L	1	1	60	CRACKING	10.0	9.5	9.5	9.5	7.0	6.5	6.5	3.5*	3.5*	3.5*	10.0	10.0	10.0		
35 17				2	20.3	24000	RIDE	8.7	8.0	8.6	8.0	7.9	7.7	7.6	7.4	6.8	7.2	8.4	8.5	8.4		
REA RD(16.1C) FC5																						
1940282	15.882	17.890	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	5.5*	3.5*	3.5*	1.8*	2.3*	0.0*	
PREFERRED MATERIALS, INC. (2011) RIDE 8.3 7.9 8.4 8.5 8.5 8.5 8.4 8.2 8.2 8.0 7.8 7.3 7.0 6.8																						
4462041	15.890	21.500	C	2027		0226																
06010000	15.542	15.882	L	1	1	55	CRACKING	10.0	9.5	9.5	9.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0	9.5	8.0		
35 17				2	20.3	24000	RIDE	8.7	8.0	8.6	8.0	7.9	7.7	7.7	7.6	6.8	7.6	7.6	7.6	7.4		
TROPICANA RD(15.8L) FC5M																						
4448831	15.269	15.930	C	2022		0012	CRACKING	7.0	7.0	7.0	7.0	6.0*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	8.5	
AJAX PAVING INDUSTRIES OF (2023) SPRIDE 7.4 6.7 7.0 7.1 7.1 7.1 6.9 7.6 7.4 7.9 8.0 8.0 8.3 8.1																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HARDEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		*****													
ITMSEG-P		W_BMP		W_EMP		RW		*****													
CONTRACTOR		(AGE_ONE YEAR)		ASTYPE		*****															
ITMSEG-F		W_BMP		W_EMP		RW		*****													
						FY-F		*****													

06010000	15.292	15.542	L	1	1	50	CRACKING	10.0	9.5	9.5	9.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0	9.5	8.0	
35 17				2	20.3	24000	RIDE	8.7	8.0	8.6	8.0	7.9	7.7	7.7	7.6	6.8	7.6	7.6	7.6	7.4	
BELL ST(15.3L)																					
FC125M																					
4448831	15.269	15.930	C	2022	0012	CRACKING	7.0	7.0	7.0	7.0	6.0*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	
AJAX PAVING INDUSTRIES OF		(2023)				SPRIDE		7.4	6.7	7.0	7.1	7.1	7.1	6.9	7.6	7.4	7.9	8.0	8.0	7.6	7.3
06010000	11.165	11.753	L	1	1	55	CRACKING	8.0		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5	6.5	
35 17				2	22.7	17900	RIDE	8.6		7.8	7.8	7.7	7.6	7.7	7.6	6.5	7.4	7.1	7.5	7.5	
FLORIDA CRACKER TRAIL(11.2C)																					
FC3																					
(2019)																					
4462051	11.183	11.753	C	2027	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	9.0	9.0	9.0	9.0	7.0	5.5*	5.5*	3.5*	2.0*	
						RIDE		7.3	6.9	6.5	6.8	6.6	6.9	6.8	6.7	6.6	6.5	6.6	6.4*	6.4*	6.1*
06010000	4.955	9.315	L	1	1	65	CRACKING	8.0	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0		
35 17				2	32.8	12400	RIDE	8.6	8.2	8.6	7.9	7.8	7.5	7.4	8.4	8.3	8.3	8.3	8.3		
BEN HILL GRIFFIN RD(5.0L)																					
FC5																					
4206331	4.955	10.503	C	2011	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	6.8	6.8	4.5*	
AJAX PAVING INDUSTRIES OF		(2015)				SPRIDE		8.2	8.5	8.6	8.6	8.5	8.7	8.6	8.7	8.7	8.7	8.6	8.6	8.4	
06010000	0.000	4.955	L	1	1	60	CRACKING	8.0	6.5	6.5	3.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
35 17				2	32.8	12400	RIDE	8.6	8.2	8.3	7.7	7.7	7.5	7.3	8.4	8.3	8.3	8.3	8.3	8.1	
OAK LN(0.4L)																					
FC5M																					
4145471	0.000	4.952	C	2016	0213	CRACKING	10.0	10.0	10.0	9.5				10.0	10.0	10.0	10.0	10.0	10.0	8.5	
WATSON CIVIL CONSTRUCTION,		(2020)				SPRIDE		7.9	7.8	7.6	7.7				9.1	9.0	9.0	9.0	8.9	8.9	8.7
06010001	0.000	0.608	R	1	1	55	CRACKING														
35 17				2	24.8	19800	RIDE														
COLLEGE LN(0.0C)																					
FC5M																					
(2020)																					
						CRACKING								10.0	10.0	10.0	10.0	9.0	7.9	7.3	
						RIDE								8.5	8.5	8.4	8.5	8.2	8.3	8.2	8.0
06010001	0.608	1.737	R	1	4	40	CRACKING														
35 17				2	24.8	19800	RIDE														
E SEVENTH ST(1.2R)																					
LDG																					
(2020)																					
						CRACKING								9.3	9.5	9.5	9.5	9.4	9.4	9.4	
						RIDE								8.9	9.1	8.9	8.9	8.9	8.9	8.9	8.8
06010001	1.737	1.843	R	1	1	45	CRACKING														
35 17				2	24.8	19800	RIDE														
TURNOUT(1.8R)																					
FC125M																					
(2021)																					
						CRACKING								5.5*	10.0	10.0	10.0	10.0	10.0	9.0	
						RIDE								5.6	6.6	6.8	6.5	6.3	6.3	6.1	5.8
06010001	1.695	1.843	L	1	1	45	CRACKING														
35 17				2	24.8	19800	RIDE														
TURNOUT TO SUWANNEE(1.8L)																					
FC125M																					
(2021)																					
						CRACKING								5.5*	10.0	10.0	10.0	10.0	10.0	9.3	
						RIDE								5.7	7.4	7.1	7.2	7.2	7.0	7.1	6.8
06010001	0.608	1.695	L	1	4	40	CRACKING														
35 17				2	24.8	19800	RIDE														
W NINTH ST(0.9L)																					
LDG																					
(2020)																					
						CRACKING								9.3	9.5	9.5	9.4	9.4	9.3	9.4	
						RIDE								8.9	9.1	8.9	8.9	9.0	9.0	9.0	8.9
06010001	0.000	0.608	L	1	1	55	CRACKING														
35 17				2	24.8	19800	RIDE														
COLLEGE LN(0.0L)																					
FC5M																					
(2020)																					
						CRACKING								10.0	10.0	10.0	10.0	9.0	8.1	7.1	
						RIDE								8.2	8.1	8.2	8.2	8.1	8.1	8.0	5.5*
06010101	0.000	0.366	C	1	1	55	CRACKING														
35 17				2	12.5	13500	RIDE														
RV PARK ENTRANCE(0.0R)																					
FC4																					
(2010)																					
						CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	6.5	7.0	
						RIDE		7.6	7.2	7.6	7.6	7.5	7.5	7.4	7.4	7.4	7.4	7.4	7.4	7.2	6.9
4462051	0.000	3.450	C	2027	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HARDEE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****														
ITMSEG-P	(AGE_ONE	YEAR)						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																

06050000	0.000	11.815	C	1	1	60	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	
64			2	25.2		5400	RIDE	8.2	7.8	8.0	7.0	8.1	8.0	8.0	8.0	7.9	7.9	7.9	7.9	7.8	
ROY RD(1.2L)																					
4365871	0.000	8.756	C	2018		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	8.8	8.4	7.0
AJAX PAVING INDUSTRIES OF				(2021)			SPRIDE	7.6	7.2	7.0	7.3	7.1	6.9		8.4	8.4	8.3	8.3	8.2	8.2	7.9

06050000	11.815	16.570	C	1	1	60	CRACKING	4.0*	4.0*	2.0*	2.0*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	
64			2	25.2		5400	RIDE	6.9	6.5	6.8	5.7*		8.2	8.1	8.0	7.8	7.8	7.8	7.7	7.7	
OAK GROVE CEM RD(12.5R)																					
4415111	11.816	15.778	C	2023		0012	CRACKING	8.0	8.0	8.0	8.0	6.0*	6.0*	6.0*	3.0*	3.0*	3.0*	3.0*	10.0	9.3	8.5
AJAX PAVING INDUSTRIES OF				(2025)			SPRIDE	7.5	7.2	6.9	7.1	7.0	6.9	6.7	6.4*	6.4*	5.9*	6.1*	8.0	8.0	7.7

06050000	16.570	21.100	C	1	1	60	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
64			2	22.3		7500	RIDE	8.4	7.9	8.6	8.3	8.2	8.1	8.1	8.0	7.9	7.9	7.8	7.7	7.7	
TURNOUT(16.6L)																					
1940811	16.810	23.972	C	2000		0221	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	5.9*	3.0*
APAC-FLORIDA, INC				(2001)			S RIDE	7.6	7.4	7.2	7.7	7.7	7.3	7.2	7.1	7.1	6.9	6.9	6.7	6.7	6.4*
4489251	16.703	22.780	C	2025		0012															

06050000	21.100	22.780	C	1	1	60	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
64			2	20.9		4600	RIDE	8.4	7.9	8.6	8.3	8.2	8.1	8.1	8.1	7.9	8.1	7.8	7.8	7.8	
STEVE RD(21.5R)																					
1940811	16.810	23.972	C	2000		0221	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.3*	5.7*	2.5*
APAC-FLORIDA, INC				(2001)			S RIDE	7.7	7.5	6.8	7.7	7.7	7.5	7.4	7.3	7.1	6.9	7.0	6.8	6.8	6.5
4489251	16.703	22.780	C	2025		0012															

06050000	22.780	23.867	C	1	1	60	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
64			2	20.9		4600	RIDE	8.4	7.9	8.6	8.3	8.2	8.1	7.8	7.9	7.3	7.2	7.2	7.3	7.7	
CECIL DURRANCE RD(23.1C)																					
1940811	16.810	23.972	C	2000		0221	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	7.0	7.0	7.0	7.0	7.0	6.7	3.5*
APAC-FLORIDA, INC				(2001)			S RIDE	7.6	7.0	7.2	7.8	7.6	7.4	7.3	7.1	7.1	7.1	7.1	7.0	6.9	6.6

06080000	0.071	2.173	C	1	8	60	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.5		10.0	10.0	10.0	9.5	
66			2	33.4		6200	RIDE	8.3	7.6	8.3	7.9	7.8	7.6	7.5	7.4		8.1	8.1	7.9	7.9	
OAK ST(0.1C)																					
1940692	0.011	2.173	C	2008		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	7.0	6.0*	5.5*	5.5*	5.5*	5.0*	3.5*		
BETTER ROADS INC.				(2010)			RIDE	7.8	7.4	7.2	7.2	7.1	7.0	6.6	6.4*	6.2*	5.8*	5.9*	5.7*		
4462291	0.147	7.961	C	2024		0012															

06080000	2.173	7.933	C	1	8	60	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5
66			2	33.4		6200	RIDE	8.3	7.6	8.3	7.9	7.8	7.6	7.5	7.4	7.9	7.6	7.6	7.5	7.3	
CHARLEY ANDERSON RD(2.2L)																					
4272851	2.943	8.731	C	2013		0012	CRACKING		10.0	10.0	10.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
AJAX PAVING INDUSTRIES OF				(2015)			RIDE		8.7	8.5	8.8	8.5	8.3	8.1	7.9	7.7	7.2	6.8	6.8		
4462291	0.147	7.961	C	2024		0012															

06080000	7.933	15.692	C	1	7	60	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
66			2	33.4		6200	RIDE	7.1	6.7	6.5	5.1*	8.5	8.4	8.4	8.3	8.1	8.3	8.3	8.2	8.2	
CECIL LANGFORD RD(8.2R)																					
4489391	7.952	15.682	C	2025		0226	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.0*	6.0*	6.0*	5.5*	4.7*	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2026)			SPRIDE	8.3	7.6	8.0	8.3	8.3	8.2	8.1	8.0	7.9	7.9	7.9	7.8	8.3	8.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@ " INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).