

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = HARDEE																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012					
INTERSECT AT (MP SIDE)	W BMP	W_EMP	RW	FY-P	WKMX-P	ASTYPE	=====																		
ITMSEG-P	(AGE_ONE YEAR)																								
CONTRACTOR	W BMP	W_EMP	RW	FY-F	WKMX-F			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025					
ITMSEG-F																									(PMRS)
06010000	0.000	4.955	R	1	60	CRACKING		10.0	8.0	6.5	6.5	3.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			2	32.8	11800	RIDE		8.7	8.6	8.2	8.3	7.7	7.7	7.5	7.3	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	
CR 665(0.8R)						FC5M																			
4145471	0.000	4.952	C	2016	0213	CRACKING		10.0	10.0	10.0	10.0	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	
WATSON CIVIL CONSTRUCTION,				(2020)		SPRIDE		8.1	7.9	7.8	7.6	7.7			8.9	8.8	8.8	8.7	8.6	8.6	8.6	8.6	8.4	8.4	
06010000	4.955	9.315	R	1	65	CRACKING		10.0	8.0	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			2	32.8	11800	RIDE		8.7	8.6	8.2	8.6	7.9	7.8	7.5	7.4	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	
CR 634(5.0R)						FC5																			
4206331	4.955	10.503	C	2011	0213	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.0	4.5*	4.5*	4.5*	4.5*	
AJAX PAVING INDUSTRIES OF				(2015)		SPRIDE				8.5	8.6	8.7	8.6	8.6	8.7	8.7	8.7	8.7	8.7	8.7	8.6	8.6	8.4	8.4	
06010000	11.165	11.753	R	1	55	CRACKING		10.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	
35 17			2	22.8	17100	RIDE		8.7	8.6		7.4	7.4	7.3	7.0	7.0	7.0	6.3*	6.9	7.1	7.2	7.2	7.2	7.2	7.2	
FLORIDA CRACKER TRAIL(11.2C)						FC3																			
				(2019)		CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	9.0	9.0	9.0	9.0	9.0	9.0	5.5*	5.5*	4.0*	4.0*	4.0*	
4462051	11.183	11.753	C	2027	0012	RIDE		7.1	7.2	7.3	6.8	6.8	6.6	7.2	7.1	7.1	6.9	6.8	6.8	6.6	6.6	6.3*	6.3*	6.3*	
06010000	15.292	15.882	R	1	55	CRACKING		10.0	10.0	9.5	9.5	8.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			2	20.3	23000	RIDE		8.8	8.6	8.2	8.6	8.0	7.9		7.9	7.7	7.2	7.9	8.0	7.9	7.9	7.9	7.9	7.9	
KD REVELL RD(15.3R)						FC5M																			
4448831	15.269	15.930	C	2022	0012	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.0	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
AJAX PAVING INDUSTRIES OF				(2023)		SPRIDE		7.9	7.8	7.8	7.7	7.7	7.7	7.7	7.8	7.6	7.7	7.9	8.0	8.0	8.0	8.0	7.8	7.8	
06010000	15.882	17.890	R	1	60	CRACKING		10.0	10.0	9.5	9.5	8.0	7.5	7.5	6.5	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			2	20.3	23000	RIDE		8.8	8.6	8.2	8.6	8.0	7.9	7.7	7.5	6.8	6.5	6.5	8.5	8.4	8.4	8.4	8.4	8.4	
HEARTLAND WAY(15.9R)						FC5																			
1940282	15.882	17.890	C	2009	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	2.0*	0.0*	0.0*	0.0*	0.0*	
PREFERRED MATERIALS, INC. (2011)						RIDE		8.4	8.3	8.1	8.5	8.5	8.5	8.5	8.4	8.2	8.3	8.3	8.2	8.0	7.8	7.8	7.8	7.8	
4462041	15.890	21.500	C	2027	0226																				
06010000	17.890	20.145	R	1	60	CRACKING		10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			2	21.0	18400	RIDE		9.0	8.9	8.1	8.9	8.3	8.2	8.2	8.0	7.4	7.3	7.6	8.5	8.5	8.5	8.5	8.5	8.5	
SAULS RD(18.7R)						FC5																			
1940192	17.890	20.145	C	2009	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
PREFERRED MATERIALS, INC. (2011)						RIDE		8.4	8.4	8.3	8.6	8.7	8.6	8.7	8.7	8.6	8.7	8.6	8.6	8.6	8.5	8.5	8.5	8.5	
4462041	15.890	21.500	C	2027	0226																				
06010000	20.145	21.500	C	1	40	CRACKING		7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			4	17.8	18700	RIDE		7.7	7.6	7.4	7.1	6.6	6.5	6.0	5.7		7.1	8.2	8.2	8.1	8.1	8.1	8.1	8.1	
BROWARD ST(20.2R)						FC95M																			
4172491	20.140	21.500	C	2007	0012	CRACKING		8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.0*	5.0*	5.0*	4.9*	2.5*	2.5*	2.5*	2.5*	
LANE CONSTRUCTION CORPORAT(2009)						RIDE		7.9	7.8	7.3	7.3	7.6	7.5	7.4	7.2	7.1	6.9	6.7	6.5	6.5	6.6	6.6	6.3	6.3	
4462041	15.890	21.500	C	2027	0226																				
06010000	17.890	20.145	L	1	60	CRACKING		10.0	10.0	9.5	9.5	9.5	7.0	6.5	6.5	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			2	21.0	18400	RIDE		8.7	8.7	8.0	8.6	8.0	7.9	7.7	7.6	7.4	6.8	7.2	8.5	8.5	8.5	8.5	8.5	8.5	
SR 62(17.9L)						FC5																			
1940192	17.890	20.145	C	2009	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	3.5*	3.5*	3.5*	2.8*	0.0*	0.0*	0.0*	0.0*	
PREFERRED MATERIALS, INC. (2011)						RIDE		8.4	8.3	8.1	8.5	8.6	8.5	8.5	8.6	8.5	8.5	8.4	8.2	8.1	7.9	7.9	7.9	7.9	
4462041	15.890	21.500	C	2027	0226																				
06010000	15.882	17.890	L	1	60	CRACKING		10.0	10.0	9.5	9.5	9.5	7.0	6.5	6.5	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			2	20.3	23000	RIDE		8.7	8.7	8.0	8.6	8.0	7.9	7.7	7.6	7.4	6.8	7.2	8.4	8.5	8.5	8.5	8.5	8.5	
REA RD(16.1C)						FC5																			
1940282	15.882	17.890	C	2009	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	5.5*	3.5*	3.5*	1.8*	0.0*	0.0*	0.0*	0.0*	
PREFERRED MATERIALS, INC. (2011)						RIDE		8.4	8.3	7.9	8.4	8.5	8.5	8.5	8.4	8.2	8.2	8.0	7.8	7.3	7.1	7.1	7.1	7.1	
4462041	15.890	21.500	C	2027	0226																				
06010000	15.292	15.882	L	1	55	CRACKING		10.0	10.0	9.5	9.5	9.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			2	20.3	23000	RIDE		8.7	8.7	8.0	8.6	8.0	7.9	7.7	7.7	7.6	6.8	7.6	7.6	7.6	7.6	7.6	7.6	7.6	
BELL ST(15.3L)						FC5M																			
4448831	15.269	15.930	C	2022	0012	CRACKING		8.0	7.7																

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = HARDEE																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-X-P																	
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030	
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-X-F																(PMRS)	
06010000	4.955	9.315	L 1	1 65	CRACKING	10.0		8.0	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0			
35 17			2 32.8	11800	RIDE	8.7		8.6	8.2	8.6	7.9	7.8	7.5	7.4	8.4	8.3	8.3	8.3	8.3			
BEN HILL GRIFFIN RD(5.0L)				FC5																		
4206331	4.955	10.503	C 2011	0213	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	6.8	4.0*		
AJAX PAVING INDUSTRIES OF			(2015)	SPRIDE					8.2	8.5	8.6	8.6	8.5	8.7	8.6	8.7	8.7	8.7	8.7	8.6	8.4	
06010000	0.000	4.955	L 1	1 60	CRACKING	10.0		8.0	6.5	6.5	3.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0			
35 17			2 32.8	11800	RIDE	8.7		8.6	8.2	8.3	7.7	7.7	7.5	7.3	8.4	8.3	8.3	8.3	8.3			
OAK LN(0.4L)				FC5M																		
4145471	0.000	4.952	C 2016	0213	CRACKING	10.0		10.0	10.0	10.0	10.0	9.5		10.0	10.0	10.0	10.0	10.0	10.0	8.5		
WATSON CIVIL CONSTRUCTION,(2020)				SPRIDE		8.1		7.9	7.8	7.6	7.7			9.1	9.0	9.0	9.0	8.9	8.9	8.7		
06010001	0.000	0.608	R 1	1 55	CRACKING																	
35 17			2 24.8	18900	RIDE																	
COLLEGE LN(0.0C)				FC5M																		
			(2020)		CRACKING										10.0	10.0	10.0	10.0	9.0	7.9	6.0*	
					RIDE										8.5	8.5	8.4	8.5	8.2	8.3	8.1	
06010001	0.608	1.737	R 1	4 40	CRACKING																	
35 17			2 24.8	18900	RIDE																	
E SEVENTH ST(1.2R)				LGD																		
			(2020)		CRACKING										9.3	9.5	9.5	9.5	9.4	9.4	9.0	
					RIDE										8.9	9.1	8.9	8.9	8.9	8.9	8.7	
06010001	1.737	1.843	R 1	1 45	CRACKING																	
35 17			2 24.8	18900	RIDE																	
TURNOUT(1.8R)				FC125M																		
			(2021)		CRACKING										5.5*	10.0	10.0	10.0	10.0	10.0	9.0	
					RIDE										5.6	6.6	6.8	6.5	6.3	6.3	6.0	
06010001	1.695	1.843	L 1	1 45	CRACKING																	
35 17			2 24.8	18900	RIDE																	
TURNOUT TO SUWANNEE(1.8L)				FC125M																		
			(2021)		CRACKING										5.5*	10.0	10.0	10.0	10.0	10.0	9.0	
					RIDE										5.7	7.4	7.1	7.2	7.2	7.0	6.7	
06010001	0.608	1.695	L 1	4 40	CRACKING																	
35 17			2 24.8	18900	RIDE																	
W NINTH ST(0.9L)				LGD																		
			(2020)		CRACKING										9.3	9.5	9.5	9.4	9.4	9.3	9.0	
					RIDE										8.9	9.1	8.9	8.9	9.0	9.0	8.8	
06010001	0.000	0.608	L 1	1 55	CRACKING																	
35 17			2 24.8	18900	RIDE																	
COLLEGE LN(0.0L)				FC5M																		
			(2020)		CRACKING										10.0	10.0	10.0	10.0	9.0	8.1	6.5	
					RIDE										8.2	8.1	8.2	8.2	8.1	8.1	7.9	
06010101	0.000	3.468	C 1	1 55	CRACKING																	
35 17			3 12.5	13000	RIDE																	
RV PARK ENTRANCE(0.0R)				FC4																		
			(2010)		CRACKING	10.0		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	6.5	4.5*	
					RIDE	7.6		7.6	7.2	7.6	7.6	7.5	7.5	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.1	
4462051	0.000	3.450	C 2027	0012																		
06010102	0.000	2.180	C 1	1 45	CRACKING																	
35 17			3 13.9	13000	RIDE																	
BELL ST(0.0R)				FC4																		
			(2010)		CRACKING	10.0		9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	
					RIDE	7.7		7.7	7.2	7.3	7.4	7.4	7.1	7.0	7.0	6.9	7.0	6.9	6.4	6.4	6.1	
4462051	0.010	3.530	C 2027	0012																		
06010102	2.180	3.539	C 1	1 55	CRACKING																	
35 17			3 13.9	13000	RIDE																	
CAUSEY RD(2.5R)				FC3																		
			(2010)		CRACKING	10.0		9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	5.5*	5.5*	5.5*	4.5*	4.7*	2.5*	
					RIDE	7.7		7.7	7.2	7.3	7.4	7.4	7.1	7.0	7.0	6.9	7.0	6.9	7.4	7.4	7.1	
4462051	0.010	3.530	C 2027	0012																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

								DISTRICT = 1 COUNTY = HARDEE																
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE		
SR US	G BMP	G EMP	LN	%T	AADT		=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012				
INTERSECT AT (MP SIDE)	W BMP	W_EMP	RW	FY-P	WKMX-P																			
ITMSEG-P	(AGE ONE YEAR)				ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																			
06020000	0.000	3.317	C	1	1 60	CRACKING		6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0				
62			2	26.3	4900	RIDE		7.7	7.6	7.4	7.4	7.1		8.0	8.0	8.0	8.0	8.1	8.1	8.0				
ALLAPATTAH RD(2.8R) FC95																								
1940712	0.094	3.340	C	2004	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.0	7.0	6.9	4.5*			
PREFERRED MATERIALS, INC. (2006)						RIDE		8.0	7.7	7.2	7.5	7.8	7.6	7.7	7.5	7.3	7.4	7.2	7.3	7.4	7.1			
06020000	3.317	14.280	C	1	1 60	CRACKING		7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0				
62			2	17.2	5800	RIDE		7.9	7.8	7.2	7.3	6.7	6.4*	5.7*	5.6*	8.2	8.1	8.2	8.2	8.2				
BUELL LN(4.6L) FC125																								
1940372	3.317	14.136	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.0	7.0	7.0	7.0	4.5*			
LANE CONSTRUCTION CORPORAT(2008)						SPRIDE		8.1	7.9	7.5	7.7	8.1	8.1	8.1	8.0	7.9	7.9	7.8	7.8	7.9	7.6			
06030000	0.000	6.735	C	1	1 60	CRACKING		6.5	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0				
636			2	11.1	4900	RIDE		8.3	8.0	7.7	8.0	7.0	6.8		7.9	7.7	7.5	7.6	7.8	7.8				
SR 35(0.0C) FC125M																								
4415181	0.006	6.732	C	2021	0012	CRACKING		10.0	9.5	9.5	8.0	7.0	6.0*	6.0*	6.0*	3.0*	3.0*	10.0	10.0	9.7	8.5			
HUBBARD CONSTRUCTION COMPA(2023)						SPRIDE		7.7	7.5	7.1	6.6	7.4	7.4	7.2	7.0	6.6	6.8	8.1	8.0	7.9	7.6			
06030000	6.735	10.367	C	1	1 60	CRACKING		7.5	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0				
64			2	18.7	9200	RIDE		6.9	8.4	8.1	8.5	8.1	8.1	7.9	8.0	8.0	7.9	7.8	7.8	7.5				
SR 64(7.0R) FC125																								
1941011	6.951	12.001	C	2000	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	2.5*			
APAC-FLORIDA, INC (2001)					S	RIDE		7.4	7.5	7.2	6.8	7.6	7.6	7.5	7.4	7.2	7.3	7.3	7.2	7.2	6.9			
4462061	7.060	10.367	C	2024	0012																			
06030000	10.367	15.932	C	1	1 60	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	4.5*	4.5*	4.5*	4.5*	4.5*	10.0				
64			2	16.6	8600	RIDE		8.6	8.7	8.2	8.7	8.1	8.1	8.1	8.1	8.0	7.8	7.9	7.9	8.8				
MORGAN GRICE RD(10.4L) FC125M																								
4236371	10.367	15.932	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.0	7.0	6.0*	6.0*	4.0*			
AJAX PAVING INDUSTRIES OF (2012)						RIDE		8.7	8.5	8.1	7.4	8.4	8.4	8.3	8.2	8.0	8.1	8.0	8.0	8.0	7.7			
06050000	0.000	11.815	C	1	1 60	CRACKING		5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5				
64			2	25.2	5200	RIDE		8.4	8.2	7.8	8.0	7.0	8.1	8.0	8.0	8.0	7.9	7.9	7.9	7.9				
ROY RD(1.2L) FC125M																								
4365871	0.000	8.756	C	2018	0012	CRACKING		9.0	6.5	6.5	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	8.8	7.5			
AJAX PAVING INDUSTRIES OF (2021)						SPRIDE		7.8	7.6	7.2	7.0	7.3	7.1	6.9		8.4	8.4	8.3	8.3	8.2	7.9			
06050000	11.815	16.570	C	1	7 60	CRACKING		4.0*	4.0*	4.0*	2.0*	2.0*		10.0	10.0	10.0	10.0	9.5	9.5	9.5				
64			2	25.2	5200	RIDE		6.8	6.9	6.5	6.8	5.7*		8.2	8.1	8.0	7.8	7.8	7.8	7.7				
OAK GROVE CEM RD(12.5R) FC125M																								
4415111	11.816	15.778	C	2023	0012	CRACKING		9.0	8.0	8.0	8.0	8.0	6.0*	6.0*	6.0*	3.0*	3.0*	3.0*	3.0*	10.0	9.0			
AJAX PAVING INDUSTRIES OF (2025)						SPRIDE		7.7	7.5	7.2	6.9	7.1	7.0	6.9	6.7	6.4*	6.4*	6.4*	6.1*	8.0	7.7			
06050000	16.570	21.100	C	1	1 60	CRACKING		1.0*	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5				
64			2	22.3	7300	RIDE		5.9*	8.4	7.9	8.6	8.3	8.2	8.1	8.1	8.0	7.9	7.9	7.8	7.7				
TURNOUT(16.6L) FC125R																								
1940811	16.810	23.972	C	2000	0221	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.0*	5.5*	5.5*	5.5*	2.5*				
APAC-FLORIDA, INC (2001)					S	RIDE		7.7	7.6	7.4	7.2	7.7	7.7	7.3	7.2	7.1	7.1	6.9	6.9	6.7	6.4*			
4489251	16.703	22.780	C	2025	0012																			
06050000	21.100	22.780	C	1	1 60	CRACKING		1.0*	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0				
64			2	20.9	4400	RIDE		5.9*	8.4	7.9	8.6	8.3	8.2	8.1	8.1	8.1	7.9	8.1	7.8	7.8				
STEVE RD(21.5R) FC125																								
1940811	16.810	23.972	C	2000	0221	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.3*	3.5*			
APAC-FLORIDA, INC (2001)					S	RIDE		7.8	7.7	7.5	6.8	7.7	7.7	7.5	7.4	7.3	7.1	6.9	7.0	6.8	6.5			
4489251	16.703	22.780	C	2025	0012																			
06050000	22.780	23.867	C	1	1 60	CRACKING		1.0*	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5				
64			2	20.9	4400	RIDE		5.9*	8.4	7.9	8.6	8.3	8.2	8.1	7.8	7.9	7.3	7.2	7.2	7.3				
CECIL DURRANCE RD(23.1C) FC125																								
1940811	16.810	23.972	C	2000	0221	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	7.0	7.0	7.0	7.0	7.0	4.0*			
APAC-FLORIDA, INC (2001)					S	RIDE		7.7	7.6	7.0	7.2	7.8	7.6	7.4	7.3	7.1	7.1	7.1	7.1	7.0	6.7			
06080000	0.071	2.173	C	1	1 60	CRACKING		9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.5		10.0	10.0	10.0				
66			2	33.4	6000	RIDE		8.4	8.3	7.6	8.3	7.9	7.8	7.6	7.5	7.4		8.1	8.1	7.9				
OAK ST(0.1C) FC125																								
1940692	0.011	2.173	C	2008	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	7.0	6.0*	5.5*	5.5*	5.5*	5.0*	3.5*	1.5*			
BETTER ROADS INC. (2010)						RIDE		7.9	7.8	7.4	7.2	7.2	7.1	7.0	6.6	6.4*	6.2*	5.8*	5.9*	5.7*	5.4*			
4462291	0.147	7.961	C	2024	0012																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.

@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

							DISTRICT = 1 COUNTY = HARDEE																
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012			
INTERSECT	AT	(MP SIDE)					=====																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																		
CONTRACTOR	(AGE	ONE YEAR)			ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(PMRS)		
06080000		2.173	7.985	C	1	60	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5			
66				2	33.4	6000	RIDE	8.4	8.3	7.6	8.3	7.9	7.8	7.6	7.5	7.4	7.9	7.6	7.6	7.5			
CHARLEY ANDERSON RD(2.2L)																							
4272851		2.943	8.731	C	2013	0012	CRACKING	6.5		10.0	10.0	10.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.0*		
AJAX PAVING INDUSTRIES OF (2015)																							
4462291		0.147	7.961	C	2024	0012	RIDE	7.3		8.7	8.5	8.8	8.5	8.3	8.1	7.9	7.7	7.2	6.8	6.8	6.5		
06080000		7.985	15.692	C	1	60	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
66				2	33.4	6000	RIDE	7.2	7.1	6.7	6.5	5.1*	8.5	8.4	8.4	8.3	8.1	8.3	8.3	8.2			
CECIL LANGFORD RD(8.2R)																							
1940632		7.949	15.682	C	2003	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.0*	6.0*	6.0*	5.5*	4.7*	2.0*		
BETTER ROADS INC (2005)																							
4489391		7.952	15.682	C	2025	0226	RIDE	8.2	8.3	7.6	8.0	8.3	8.3	8.2	8.1	8.0	7.9	7.9	7.9	7.8	7.5		

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 "*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).