

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HENDRY -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-X-P		ASTYPE										2031
		(AGE_ONE YEAR)		(YEAR)																(PMRS)		
07010000	0.000	6.267	R	1	1	60	CRACKING	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	
80			2	18.6	23000		RIDE	8.3	8.0	8.1		8.1	8.0	8.0	7.8	7.7	7.7	7.9	7.7	7.7	7.7	
TOWNSEND CANAL GR(0.5R)																						
4394311	0.000	6.278	C	2022	0012		CRACKING	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*	3.5*	3.5*		10.0	9.3	9.4	8.0	
OHLA USA, INC.					(2024)		SPRIDE	7.5	7.3	7.9	7.6	7.8	7.9	7.9	7.9	7.8		8.6	8.5	8.3	8.1	
07010000	6.267	6.815	R	1	1	55	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	4.5*	4.5*	
80			2	18.6	23000		RIDE		8.6	8.8	8.6	8.6	8.5	8.5	7.5	7.4	7.4	8.2	7.3	7.0	7.0	
FC5M																						
4349601	6.267	6.815	C	2017	0012		CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.1	7.5
COMMUNITY ASPHALT CORP.					(2019)		RIDE	6.8	6.3*	7.1	6.8	6.9	8.4	8.4	8.3	8.3	8.1	8.1	8.2	8.1	7.9	7.9
07010000	6.815	8.340	R	1	1	55	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
80			2	13.5	18600		RIDE		8.6	8.8	8.6	8.6	8.5	8.5	7.5	7.4	7.4	8.2	8.4	8.3	8.3	
FC3																						
BEN MOORE DR(6.9R)																						
1941951	6.287	8.332	C	1998	0213		CRACKING	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.8	7.0	4.0*
AJAX PAVING INDUSTRIES					IN(2002)		S RIDE	8.1	7.5	8.0	7.6	7.9	7.8	7.8	7.7	7.7	7.4	7.5	7.5	7.3	7.0	7.0
07010000	8.340	10.233	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	
80			2	10.9	18400		RIDE	8.3	7.9	8.4	8.0	8.1	7.9	7.7	6.8	6.7	6.7	7.8	7.8	7.6	7.6	
FC125M																						
MILLER AVE(8.4R)																						
4380611	8.273	10.222	C	2019	0012		CRACKING	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
PREFERRED MATERIALS, INC.					(2021)		SPRIDE	7.6	7.2	7.6	7.6	7.6	7.6	7.6	8.3	8.3	8.3	8.3	8.3	8.2	7.9	7.9
07010000	10.233	10.500	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0			10.0	10.0	
80			2	10.9	18400		RIDE	8.3	7.9	8.4	8.0	8.1	7.9	7.7	6.8	6.7	6.7			8.1	8.1	
FC125																						
CLARK ST(10.3R)																						
					(2026)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.8	10.0	9.0
							RIDE	8.1	7.7	8.3	8.2	8.2	8.2	8.2	8.2	8.1	8.2	8.1	8.1	8.1	7.4	7.1
07010000	10.500	11.900	R	1	1	60	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0			10.0	10.0	
80			2	12.5	17400		RIDE	8.9	8.4	8.8	8.4	8.3	8.2	8.1	7.5	7.4	7.7			8.1	8.1	
FC5																						
COLLINGSWOOD PKWY(11.1R)																						
1942012	10.289	11.837	R	2009	0218		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.8	7.1	4.5*	
C. W. ROBERTS CONTRACTING,(2012)							RIDE	8.1	7.7	8.3	8.2	8.2	8.2	8.2	8.1	8.2	8.1	8.2	8.1	8.1	8.2	8.0
07010000	11.900	17.691	R	1	1	60	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0			6.0*	6.0*	6.0*
80			2	12.5	17400		RIDE	8.9	8.4	8.8	8.4	8.3	8.2	8.1	7.5	7.4	7.7			7.6	7.4	7.2
FC5																						
BIRCHWOOD PKWY(12.3C)																						
4082863	12.370	17.367	C	2012	0213		CRACKING	5.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.1	7.0	
C. W. ROBERTS CONTRACTING,(2016)							SPRIDE	6.6		8.4	8.4	8.3	8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.2	8.2	8.0
07010000	17.691	29.830	R	1	1	60	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	
80			2	12.5	17400		RIDE	8.8	8.2	8.8	8.4	8.4	8.2	8.3	7.6	7.4	8.0	8.0	8.0	7.9	7.7	
FC5M																						
WELLINGTON PKWY(18.3R)																						
					(2021)		CRACKING	6.5	6.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	9.5	9.6	8.0	
							RIDE	7.6	7.0	7.8	7.6	7.7	7.7		8.6	8.6	8.6	8.6	8.5	8.5	8.3	
07010000	17.691	29.830	L	1	1	60	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	
80			2	12.5	17400		RIDE	8.8	8.2	8.8	8.4	8.4	8.2	8.3	7.6	7.4	8.0	8.0	8.0	7.9	7.7	
FC5M																						
HORSESHOE ACRES(21.2L)																						
					(2021)		CRACKING	6.5	6.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	9.8	9.7	8.0	
							RIDE	7.6	7.0	7.8	7.6	7.7	7.7		8.7	8.6	8.5	8.5	8.5	8.5	8.3	
07010000	11.900	17.691	L	1	1	60	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0			6.0*	6.0*	6.0*
80			2	12.5	17400		RIDE	8.9	8.4	8.8	8.4	8.3	8.2	8.1	7.5	7.4	7.7			7.6	7.4	7.2
FC5																						
BIRCHWOOD PKWY(12.3C)																						
4082863	12.370	17.367	C	2012	0213		CRACKING	5.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.4	7.0	
C. W. ROBERTS CONTRACTING,(2016)							SPRIDE	6.6		8.5	8.4	8.4	8.5	8.4	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.1
07010000	10.500	11.900	L	1	1	60	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0			10.0	10.0	
80			2	12.5	17400		RIDE	8.9	8.4	8.8	8.4	8.3	8.2	8.1	7.5	7.4	7.7			8.1	8.1	
FC5																						
1942012 10.289 12.144 L 2009 0218 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 9.0 7.5 6.5 6.5 6.5 6.6 5.3* 2.5*																						
C. W. ROBERTS CONTRACTING,(2012) RIDE 8.1 7.4 8.3 8.1 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.1 8.2 8.2 8.2 8.2 8.2 8.1 8.2 8.2 8.0																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HENDRY -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	ASTYPE															(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	ASTYPE															(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	ASTYPE															(PMRS)
07010000	10.233	10.500	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	
80			2	10.9		18400	RIDE	8.0	7.3	8.0	7.7	7.6	7.5	7.5	6.4*	6.5	6.6			8.1	8.1	
						FC125																
1942012	10.289	12.144	L	2009		0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	6.5	6.6	7.5	5.5*
C. W. ROBERTS CONTRACTING,							RIDE	8.1	7.4	8.3	8.1	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.1	7.4	7.1
07010000	8.340	10.233	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.0	7.0	
80			2	10.9		18400	RIDE	8.0	7.3	8.0	7.7	7.6	7.5	7.5	6.4	6.5	6.6	7.3	7.2	7.0	7.0	
						FC125M																
CR 731(8.6L)						0012	CRACKING	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.2	8.0	
4380611	8.273	10.222	C	2019			SPRIDE	7.0	6.5	6.8	6.6	6.7	6.7	6.7	8.0	8.0	8.0	7.9	7.8	7.8	7.5	
PREFERRED MATERIALS, INC. (2021)								7.0	6.5	6.8	6.6	6.7	6.7	6.7	8.0	8.0	8.0	7.9	7.8	7.8	7.5	
07010000	6.815	8.340	L	1	1	55	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
80			2	13.5		18600	RIDE		8.6	8.8	8.4	8.4	8.3	8.3	7.3	7.3	7.3	8.1	8.1	8.0	8.0	
						FC3																
PARK LN(7.2L)						0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.9	7.8	5.0*	
1941951	6.287	8.332	C	1998			RIDE	7.9	7.1	7.8	7.5	7.7	7.8	7.9	7.8	7.9	7.7	7.7	7.6	7.7	7.4	
AJAX PAVING INDUSTRIES IN(2002)								7.9	7.1	7.8	7.5	7.7	7.8	7.9	7.8	7.9	7.7	7.7	7.6	7.7	7.4	
07010000	6.429	6.815	L	1	1	55	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
80			2	18.6		23000	RIDE		8.6	8.8	8.4	8.4	8.3	8.3	7.3	7.3	7.3	8.1	8.1	8.0	8.0	
						FC5M																
HUGGETS RD(6.7L)						0012	CRACKING	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.1	6.5	
4349601	6.267	6.815	C	2017			RIDE	7.9	7.1	7.8	7.5	7.7	8.2	8.1	7.9	8.0	7.8	7.7	7.8	8.0	7.8	
COMMUNITY ASPHALT CORP. (2019)								7.9	7.1	7.8	7.5	7.7	8.2	8.1	7.9	8.0	7.8	7.7	7.8	8.0	7.8	
07010000	0.000	6.429	L	1	1	60	CRACKING	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	
80			2	18.6		23000	RIDE	8.3	8.0	8.1		8.1	8.2	8.2	7.8	7.7	7.8	8.2	8.1	8.0	8.0	
						FC5																
COTTON STRIP AIRPARK(1.8L)						0012	CRACKING	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	9.5	9.6	8.5	
4394311	0.000	6.278	C	2022			SPRIDE	7.9	7.7	8.0	7.9	7.9	7.9	7.9	7.9	7.8		8.7	8.7	8.6	8.4	
OHLA USA, INC. (2024)								7.9	7.7	8.0	7.9	7.9	7.9	7.9	7.9	7.8		8.7	8.7	8.6	8.4	
07010001	0.000	2.066	R	1	1	60	CRACKING															
80			2	22.3		10700	RIDE															
						FC5M																
BEGIN BR #0079/#0080(0.0C)							CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	8.1	6.0*
(2015)							RIDE		7.9	8.2	8.0	7.9	8.0	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.6
07010001	0.000	2.066	L	1	1	60	CRACKING															
80			2	22.3		10700	RIDE															
						FC5M																
BEGIN BR #0079/#0080(0.0C)							CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.3	8.5	6.0*	
(2015)							RIDE		7.8	8.2	8.1	8.0	8.1	8.0	8.2	8.1	8.0	8.0	8.0	8.0	8.1	7.9
07020000	0.000	1.275	R	1	1	60	CRACKING	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
82			2	16.8		17900	RIDE	7.6	7.3	7.7	7.2	8.3	8.3	8.4	8.4	7.1	8.4	8.3	8.4	8.4	8.4	
						FC5A																
4258415	0.000	1.273	C	2016		0213	CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.8	8.0	
COMMUNITY ASPHALT CORP. (2018)							SPRIDE	8.3	7.8	8.1		8.7	8.8	8.7	8.4	8.5	8.3	8.3	8.4	8.3	8.1	
07020000	0.000	1.275	L	1	1	60	CRACKING	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
82			2	16.8		17900	RIDE	7.6	7.3	7.7	7.2	8.3	8.3	8.4	8.4	7.1	8.4	8.3	8.4	8.4	8.4	
						FC5A																
4258415	0.000	1.273	C	2016		0213	CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	9.7	7.5	
COMMUNITY ASPHALT CORP. (2018)							SPRIDE	8.3	7.8	8.1		8.5	8.5	8.5	8.3	8.4	8.3	8.3	8.3	8.2	8.0	
07030000	0.000	2.193	R	1	1	65	CRACKING	10.0	9.5	9.5	9.5	7.5	7.5	7.5	7.5	7.5	4.5*	4.5*	10.0	10.0	10.0	
25 27			2	31.2		22500	RIDE	8.9	8.4	8.8	8.2	8.0	7.8	7.8	7.5	7.5	7.2	7.2	7.8	7.8	7.8	
						FC5HP																
CEMETERY(2.1R)						0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	3.5*	10.0	10.0	9.0	
4462281	0.000	2.170	R	2023			RIDE	7.8	7.5	7.9	7.7	7.7	7.9	7.9	7.8	7.7	7.5	7.4	8.6	8.4	8.2	
(2025)																						
4560281	0.060	2.078	C	2026		6060																
07030000	2.193	4.055	R	1	1	35																

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HENDRY -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)																				(PMRS)	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																	
ITMSEG-F																						
07030000	4.055	7.704	R	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*			
25 27				2	20.3	21555	RIDE	8.8	8.7	9.1	8.6	8.6	8.5	8.5	8.3	8.2	7.9	7.8	7.5			
WAL MART(4.1R)																						
4252231	3.975	7.704	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.6	6.7	4.5*	
AJAX PAVING INDUSTRIES OF (2014)																						
4560401	4.000	7.500	C	2026		6060																
07030000	7.704	11.643	R	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*		10.0		
25 27				2	20.3	21555	RIDE	8.8	8.7	9.1	8.6	8.6	8.5	8.5	8.3	8.2	7.9	7.8	7.5		8.0	
WOODWARD RD(9.4R)																						
4252241	7.704	11.643	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	3.4*	2.2*	0.0*	
AJAX PAVING INDUSTRIES OF (2013)																						
4489381	7.704	11.747	C	2025		0012	RIDE	7.9	7.8	8.6	8.4	8.4	8.6	8.6	8.6	8.5	8.3	8.2	8.2	8.0	7.8	
07030000	11.643	13.000	R	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*			
25 27				2	39.7	13900	RIDE	8.8	8.7	9.1	8.6	8.6	8.5	8.5	8.3	8.2	7.9	7.8	7.9			
(2015)																						
							CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	8.6	7.2	5.0*	
							RIDE		7.9	8.4	8.2	8.3	8.3	8.3	8.1	8.3	8.3	8.3	8.2	8.2	8.0	
07030000	11.643	13.000	L	1	1	65	CRACKING	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		
25 27				2	39.7	13900	RIDE	8.7	8.5	9.0	8.6	8.6	8.5	8.3	8.2	8.1	7.7	7.3	7.4			
(2015)																						
							CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	7.5	7.5	5.0*	
							RIDE		7.9	8.2	8.1	8.1	8.2	8.1	8.1	8.0	8.0	7.9	8.0	8.0	7.8	
07030000	7.704	11.643	L	1	1	65	CRACKING	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*		10.0	
25 27				2	20.3	21555	RIDE	8.7	8.5	9.0	8.6	8.6	8.5	8.3	8.2	8.1	7.7	7.3	7.3		8.2	
AIRGLADES BLVD(10.2L)																						
4252241	7.704	11.643	C	2011		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	3.5*	4.4*	3.3*	1.0*	
AJAX PAVING INDUSTRIES OF (2013)																						
4489381	7.704	11.747	C	2025		0012	RIDE	8.2	8.0	8.6	8.5	8.5	8.6	8.6	8.6	8.4	8.3	8.3	8.2	8.1	7.9	
07030000	4.055	7.704	L	1	1	65	CRACKING	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		
25 27				2	20.3	21555	RIDE	8.7	8.5	9.0	8.6	8.6	8.5	8.3	8.2	8.1	7.7	7.3	7.4			
MERCHANT ST(4.1L)																						
4252231	3.975	7.704	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	6.2*	5.3*	3.0*	
AJAX PAVING INDUSTRIES OF (2014)																						
4560401	4.000	7.500	C	2026		6060	RIDE	8.3	8.1	8.6	8.5	8.5	8.6	8.5	8.5	8.3	8.4	8.3	8.2	8.1	7.9	
07030000	2.193	4.055	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*		
25 27				2	21.3	23500	RIDE	7.9	7.2	7.9	7.4	7.3	7.3	7.2	7.2	7.0	6.9	6.9	6.8	6.8		
S SAN DIEGO(2.3L)																						
4312111	2.193	3.843	C	2015		0012	CRACKING	6.0*	6.0*	6.0*	7.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.9	7.4	5.5*	
WEEKLEY ASPHALT PAVING, IN(2017)																						
4472871	2.196	3.550	C	2026		0012	SPRIDE	6.7	6.3	6.2	7.5	7.3	7.2	7.5	7.2	7.1	7.0	7.0	6.9	6.8	6.5	
07030000	0.000	2.193	L	1	1	65	CRACKING	9.5	9.5	8.0	8.0	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0		
25 27				2	31.2	22500	RIDE	8.8	8.6	8.8	8.1	8.1	8.0	7.9	7.6	7.5	7.6	7.5	7.8	7.9		
CR 80A L(1.6L)																						
4462281	0.000	2.170	L	2023		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	6.5	4.5*	4.5*	4.5*	3.5*	10.0	9.3	8.0	
(2025)																						
4560281	0.060	2.078	C	2026		6060	RIDE	7.9	7.7	8.0	7.8	7.9	7.9	7.9	7.9	7.8	7.8	7.7	8.6	8.5	8.3	
07060000	0.000	5.415	C	1	1	60	CRACKING	4.5*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
29				2	23.0	7400	RIDE	8.3	8.1	7.9	7.0	6.7	8.7	8.7	8.7	8.5	8.6	8.6	8.4	8.5		
MARION RD(0.8R)																						
1941722	0.000	5.420	C	2004		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	6.0*	4.5*	3.6*	1.0*	
AJAX PAVING INDUSTRIES, IN(2006)																						
							RIDE	8.4	8.5	8.2	7.8	8.2	8.2	8.2	8.1	8.1	8.0	8.0	8.1	8.0	7.7	
07060000	5.415	12.000	C	1	1	60	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	
29				2	19.0	7500	RIDE	8.8	8.3	8.8	8.3	8.4	8.3	8.3	8.2	7.9	8.0	7.9	7.8	7.7		
CR 832(5.5R)																						
4365981	5.415	12.000	C	2018		0012	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	8.2	7.5	6.0*	
AJAX PAVING INDUSTRIES OF (2020)																						
							SPRIDE	7.4	7.6	7.7	7.4	7.6		8.7	8.7	8.7	8.6	8.6	8.5	8.4	8.1	
07060000	12.000	13.433	C	1	1	60	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	
29				2	27.4	7400	RIDE	8.8	8.3	8.8	8.3	8.4	8.3	8.3	8.2	7.9	8.0	7.9	7.8	7.7		
C RD(12.2R)																						
1941781	5.417	15.922	C	1998		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.4*	6.4*	3.5*
(2001)																						
4512651	12.000	15.922	C	2029		0226	S RIDE	7.8	7.5	7.5	7.4	7.4	7.3	7.4	7.3	7.3	7.2	7.3	7.3	7.2	6.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HENDRY -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-F		*****										2031
CONTRACTOR (AGE_ONE YEAR)		W_BMP		W_EMP		RW		FY-F		WKM-F		*****										(PMRS)
07060000	13.433	14.020	C	1	1	60	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0		
29	EVANS RD(13.5R)		2	27.4		7400	RIDE	8.8	8.3	8.8	8.3	8.4	8.3	8.3	8.2	7.9	8.0	8.7	8.7	8.7		
							DGFC															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.3	6.5	4.5*	
4512651	12.000	15.922	C	2029		0226	RIDE	8.7	8.7	8.5	8.2	8.4	8.3	8.2	8.2	8.1	8.1	8.1	8.0	8.0	7.7	
							(2011)															
07060000	14.020	14.646	C	1	1	60	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5		
29	JIM KULCZY DR(14.5L)		2	27.4		7400	RIDE	8.8	8.3	8.8	8.3	8.4	8.3	8.3	8.2	7.9	8.0	8.3	8.2	8.2		
							FC3															
1941781	5.417	15.922	C	1998		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	5.8*	5.5*	2.5*	
	BETTER ROADS INC						S RIDE	7.9	8.0	7.8	7.6	7.6	7.6	7.5	7.4	7.4	7.4	7.3	7.2	7.1	6.8	
4512651	12.000	15.922	C	2029		0226																
07060000	14.646	15.124	C	1	1	60	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5		
29	HELMS RD(14.9C)		2	27.4		7400	RIDE	8.8	8.3	8.8	8.3	8.4	8.3	8.3	8.2	7.9	8.0	8.3	8.2	8.2		
							FC3															
							CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	5.8*	9.0	8.0	
4512651	12.000	15.922	C	2029		0226	RIDE	7.9	8.0	7.8	7.6	7.6	7.6	7.5	7.4	7.4	7.4	7.3	7.2	7.1	6.8	
							(2026)															
07060000	15.124	15.548	C	1	1	60	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5		
29	INDUSTRIAL LOOP RD S(15.4R)		2	18.5		11800	RIDE	8.8	8.3	8.8	8.3	8.4	8.3	8.3	8.2	7.9	8.0	8.3	8.2	8.2		
							FC125M															
1941781	5.417	15.922	C	1998		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	5.8*	5.8*	3.0*	
	BETTER ROADS INC						S RIDE	7.9	8.0	7.8	7.6	7.6	7.6	7.5	7.4	7.4	7.4	7.3	7.2	6.8	6.5	
4512651	12.000	15.922	C	2029		0226																
07060000	15.548	15.910	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
29	ORANGE ST(15.6L)		2	18.5		11800	RIDE	8.8	8.2	8.6	7.9	8.2	7.9	7.5	7.3	7.1	6.6	6.3	8.2	8.2		
							DGFC															
1941781	5.417	15.922	C	1998		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.4*	6.3*	3.5*	
	BETTER ROADS INC						S RIDE	8.0	7.4	7.7	7.4	7.7	7.6	7.5	7.3	7.4	7.4	7.3	7.3	7.1	6.8	
4512651	12.000	15.922	C	2029		0226																
07060000	15.910	16.944	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0		
29	JAYCEE LION DR(16.2L)		2	20.4		5000	RIDE	8.0	7.5	8.0	7.6	7.6	7.4	7.4	7.2	6.7	7.5	7.4	7.3	7.2		
							FC4															
1941921	15.927	16.939	C	1992		0542	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	7.5	8.5	8.2	4.5*	
	HARPER BROTHERS						S RIDE	7.1	6.0	7.0	7.0	6.9	7.1	6.9	7.0	6.9	7.1	7.0	7.0	6.9	6.6	
							(1994)															
07060000	17.008	18.498	C	1	1	45	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.5	7.5	7.5	6.5	6.5		
29	HICKPOCHEE AVE(17.0C)		2	17.4		20400	RIDE	7.8	7.6	7.8	7.4	7.3	7.1	7.2	7.2	6.4	6.6	7.0	5.7	5.8		
							FC125M															
4252221	17.008	18.105	C	2012		0012	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	6.0*	6.0*	4.6*	3.6*	1.5*	
	AJAX PAVING INDUSTRIES OF						SPRIDE	8.2	8.0	7.7	7.4	7.6	7.6	7.6	7.4	7.5	7.3	7.3	7.3	6.9	6.6	
							(2014)															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).