FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = HERNANDO

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / RW / SURFTYPE / FY-P / ASTYPE / FY-F	SYS / %T / FY-P / FY-F	TYP / AADT / WKMX-P / WKMX-F	SPD	DISTRESS / RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
08002000	0.000	1.320	R	1	8	50	CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0														
50			2	19.0	16700		RIDE				7.7	7.5	7.4	7.4	7.5	7.3	7.3	7.3	7.0	6.8														
SR-50/CORTEZ BLVD(0.0R)							FC5M																												
2548051	0.000	3.836	C	1999	0213		CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	4.5*																	
SMITH & COMPANY				(2004)			SPRIDE	7.3	7.2	7.1	7.2	7.3	7.1	7.1	7.2	6.9	6.8															
4167332	0.031	1.269	C	2023	0213																														
08002000	1.320	2.177	R	1	1	40	CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0														
50			2	22.2	28500		RIDE				7.7	7.5	7.4	7.4	7.5	7.3	7.3	7.3	7.0	6.8														
BUCK HOPE RD(1.4R)							UNKW																												
							CRACKING	9.5	9.5	9.5	9.5	8.0		7.0	6.0*	6.0*	5.5*	3.5*	2.3*	2.9*	1.0*													
				(2014)			RIDE	6.5	6.0	6.3	5.8	6.4		6.7	6.7	6.5	6.2	6.0	5.9	5.6	5.2*													
4480351	1.269	3.803	C	2028	0012																														
08002000	2.177	2.439	R	1	1	50	CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0														
50			2	22.2	28500		RIDE				7.7	7.5	7.4	7.4	7.5	7.3	7.3	7.3	7.0	6.8														
HOPE HILL RD(2.3R)							FC5																												
2548051	0.000	3.836	C	1999	0213		CRACKING	8.0	8.0	8.0	7.0	5.5*		5.5*	5.5*	5.5*	3.5*	3.5*	4.0*	0.8*	0.0*													
SMITH & COMPANY				(2004)			SPRIDE	7.1	6.5	6.8	7.0	7.4		7.4	7.4	7.3	7.1	7.1	6.9	6.0*	5.8*													
4480351	1.269	3.803	C	2028	0012																														
08002000	2.439	2.748	R	1	1	50	CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0														
50			2	16.8	24000		RIDE				7.7	7.5	7.4	7.4	7.5	7.3	7.3	7.3	7.0	6.8														
MITCHELL RD(2.5R)							FC5																												
2548051	0.000	3.836	C	1999	0213		CRACKING	8.0	8.0	8.0	7.0	5.5*		5.5*	5.5*	5.5*	3.5*	3.5*	4.0*	7.8	1.0*													
SMITH & COMPANY				(2004)			SPRIDE	7.1	6.5	6.8	7.0	7.4		7.4	7.4	7.3	7.1	7.1	6.9	6.1*	5.9*													
4480351	1.269	3.803	C	2028	0012																														
08002000	2.748	3.860	R	1	1	50	CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0														
50			2	12.3	23500		RIDE				7.7	7.5	7.4	7.4	7.5	7.3	7.3	7.3	7.0	6.8														
OXLEY RD(3.0R)							FC5																												
2548051	0.000	3.836	C	1999	0213		CRACKING	8.0	8.0	8.0	7.0	5.5*		5.5*	5.5*	5.5*	3.5*	3.5*	4.0*	2.8*	0.0*													
SMITH & COMPANY				(2004)			SPRIDE	7.1	6.5	6.8	7.0	7.4		7.4	7.4	7.3	7.1	7.1	6.9	7.3	7.1													
4480351	1.269	3.803	C	2028	0012																														
08002000	3.703	3.860	L	1	1	50	CRACKING	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5														
50			2	12.3	23500		RIDE				7.5	7.6	7.4	7.5	7.4	7.2	7.4	7.3	7.2	7.2														
FROM US 98(3.8L)							FC5																												
2548051	0.000	3.836	C	1999	0213		CRACKING	9.0	9.0	9.0	7.5	5.5*		5.5*	3.5*	3.5*	3.5*	3.5*	2.8*	8.4	1.5*													
SMITH & COMPANY				(2004)			SPRIDE	7.4	7.2	7.2	7.2	7.4		7.5	7.5	7.4	7.1	7.0	7.1	6.3*	6.1*													
4480351	1.269	3.803	C	2028	0012																														
08002000	2.177	3.703	L	1	1	50	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5														
50			2	16.8	24000		RIDE				7.5	7.6	7.4	7.5	7.4	7.2	7.4	7.3	7.2	7.2														
HALE AVE(2.3L)							FC5																												
2548051	0.000	3.836	C	1999	0213		CRACKING	9.0	9.0	9.0	7.5	5.5*		5.5*	3.5*	3.5*	3.5*	3.5*	2.8*	0.0*	0.0*													
SMITH & COMPANY				(2004)			SPRIDE	7.4	7.2	7.2	7.2	7.4		7.5	7.5	7.4	7.1	7.0	7.1	6.9	6.7													
4480351	1.269	3.803	C	2028	0012																														
08002000	1.320	2.177	L	1	1	40	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5														
50			2	22.2	28500		RIDE				7.5	7.6	7.4	7.5	7.4	7.2	7.4	7.3	7.2	7.2														
BROAD ST(1.5C)							UNKW																												
2548051	0.000	3.836	C	1999	0213		CRACKING	8.0	8.0	8.0	8.0	8.0		7.0	5.5*	5.5*	3.5*	3.0*	1.5*	1.0*	0.0*													
SMITH & COMPANY				(2004)			SPRIDE	6.8	6.5	6.3	6.3	6.5		6.4	6.4	6.2	6.2	6.1	5.9	5.4*	5.0*													
4480351	1.269	3.803	C	2028	0012																														
08002000	0.000	1.320	L	1	8	50	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5														
50			2	19.0	16700		RIDE				7.5	7.6	7.4	7.5	7.4	7.2	7.4	7.3	7.2	7.2														
BROOKSVILLE CITY LIMITS(0.0C)							FC5M																												
2548051	0.000	3.836	C	1999	0213		CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	4.5*																	
SMITH & COMPANY				(2004)			SPRIDE	7.5	7.4	7.3	7.3	6.8	7.2	7.3	7.3	7.2	7.1															
4167332	0.031	1.269	C	2023	0213																														
08010000	0.000	0.975	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0														
45 41			2	5.5	9900		RIDE	8.8	8.8	8.7	8.4	8.5	8.3	8.4	8.3	8.2	8.2	8.2	8.1	8.2														
STUR ST(0.1C)							FC3																												
2548531	0.000	4.489	C	1997	0012		CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.6*	5.5*	2.5*														
COUCH CONSTRUCTION LP				(1999)			S RIDE	8.0	7.4	7.9	7.9	8.0	7.8	7.8	7.9	7.9	7.7	7.6	7.7	7.7	7.3													
4479351	0.000	4.168	C	2027	0012																														
08010000	0.975	4.168	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0														
45 41			2	5.5	15700		RIDE	8.8	8.8	8.7	8.4	8.5	8.3		8.3	8.3	8.3	8.2	8.1	8.1														
MUDRON ST(1.0C)							FC3																												
2548231	1.118	2.908	C	2004	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	7.0	7.0	4.9*	4.6*	2.0*														
PRINCE CONTRACTING, LLC				(2008)			SPRIDE	8.2	7.4	7.2	7.8	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.5													
4479351	0.000	4.168	C	2027	0012																														

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = HERNANDO ----------

RDWYID / SR / US / G_BMP / G_EMP / LN / %T / AADT / DISTRESS / SURVEYED YEAR														FUTURE
INTERSECT AT (MP|SIDE) / SURFTYPE / ========														
ITMSEG-P / W_BMP / W_EMP / RW / FY-P / WKMX-P														
CONTRACTOR (AGE_ONE YEAR) / ASTYPE	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
ITMSEG-F / W_BMP / W_EMP / RW / FY-F / WKMX-F														2031 (PMRS)
08010000 4.168 5.575 R 1 1 55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.5	5.5*	
45 41 3 8.2 28000	RIDE	8.8	8.8	8.8	8.1	8.2	7.9	7.9	8.3	8.1	8.2	8.1	7.9	7.8	
CR 572(4.5C) FC5M														
4311431 4.498 5.575 C 2015 0012	CRACKING	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2	8.3	5.0*
D.A.B. CONSTRUCTORS, INC (2017)	RIDE	7.4	6.9	7.6	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.1
08010000 5.575 7.298 R 1 1 55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
45 41 3 8.2 28000	RIDE	8.8	8.9	8.8	8.1	8.2	7.9	7.9	7.5	7.3	7.0	6.5	8.4	8.5	
PINE CABIN RD(5.6R) FC5M														
4245551 5.575 6.711 C 2011 0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.4	6.5	2.0*
D.A.B. CONSTRUCTORS, INC (2012)	RIDE	8.5	8.2	8.5	8.5	8.6	8.6	8.5	8.6	8.5	8.5	8.5	8.4	8.4	8.2
08010000 7.298 7.437 R 1 1 55	CRACKING				10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
45 41 3 8.2 28000	RIDE				7.8	7.7	7.5	7.4	7.4	7.3	7.3	7.2	7.0	6.7	
INGRAM ST(7.3R) FC125M														
4413861 7.276 8.142 C 2021 0012	CRACKING	9.0	9.0	9.0	7.5	6.5	6.0*	6.0*	6.0*	6.0*		10.0	9.7	10.0	9.0
AJAX PAVING INDUSTRIES OF (2024) SPRIDE	RIDE	6.8	6.4*	6.2*	6.3*	6.3*	6.1*	6.2*	6.2*	6.1*		7.7	7.7	7.5	7.1
08010000 7.437 7.809 R 1 4 45	CRACKING				10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
45 41 3 8.2 28000	RIDE				7.8	7.7	7.5	7.4	7.4	7.3	7.3	7.2	7.0	6.7	
LDG														
	CRACKING	9.0	9.0	9.0	7.5	6.5	6.0*	6.0*	6.0*	6.0*		10.0	9.7	9.1	8.5
(2026)	RIDE	6.8	6.4	6.2	6.3	6.3	6.1	6.2	6.2	6.1		7.7	7.7	8.2	8.1
08010000 7.809 8.948 R 1 1 40	CRACKING				10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
45 41 3 14.3 27000	RIDE				7.8	7.7	7.5	7.4	7.4	7.3	7.3	7.2	7.0	6.7	
BARNETT RD(8.0C) FC125M														
4413861 8.142 8.871 C 2021 0012	CRACKING	9.0	9.0	9.0	7.5	6.5	6.0*	6.0*	6.0*	6.0*		10.0	9.7	10.0	9.0
AJAX PAVING INDUSTRIES OF (2024) SPRIDE	RIDE	6.8	6.4	6.2	6.3	6.3	6.1	6.2	6.2	6.1		7.7	7.7	7.5	7.1
08010000 8.948 9.194 R 1 1 35	CRACKING	9.5	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41 4 5.5 12600	RIDE	7.6	7.3		7.5	7.4	7.3	7.3	6.9	6.8	7.0	6.6	6.8	6.8	
LAMAR AVE(9.0R) FC125M														
4413861 8.959 9.081 C 2021 0012	CRACKING	10.0	10.0	10.0	9.0	9.0	7.0	7.0	7.0	7.0		10.0	9.0	10.0	9.0
AJAX PAVING INDUSTRIES OF (2024) SPRIDE	RIDE	6.7	6.3	5.7	6.3	6.0	6.2	5.9	5.9	6.0		7.8	8.0	7.7	7.3
08010000 9.194 10.100 C 1 1 35	CRACKING	9.5	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
45 41 2 5.5 9600	RIDE	7.6	7.3	7.7	6.9	7.0	6.3	6.4	6.0	5.6	5.2*	5.4*	5.1*	5.3*	
OLD HOSPITAL DR(9.2L) FC125R														
	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.1	7.6	5.5*
(2015)	RIDE		7.1	6.9	7.1	7.4	7.1	7.2	7.3	7.0	7.0	7.2	7.1	6.8	6.4
08010000 10.100 14.134 C 1 1 40	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	6.5	10.0	
45 41 2 8.6 11200	RIDE	8.6	8.6	8.6	8.2	8.1	7.9	7.8	7.6	7.4	7.0	7.3	7.2	8.4	
S SAXON AVE(10.1R) FC4														
	CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.0	7.0	7.0	4.5*	4.2*	3.7*	1.5*
(2013)	RIDE	8.4	7.8	7.9	7.9	7.9	7.8	7.7	7.6	7.4	7.3	7.1	7.1	7.0	6.6
4491571 10.000 14.134 C 2027 0012															
08010000 14.134 18.875 C 1 1 55	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	6.5	9.0	
45 41 2 8.6 6300	RIDE	8.6	8.6	8.6	8.2	8.1	7.9	7.8	7.6	7.4	7.0	7.3	7.2	8.0	
TURKEY TROT LN(14.2R) FC95MR														
4309481 14.134 18.875 C 2015 0012	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.6	8.0
D.A.B. CONSTRUCTORS, INC (2018)	RIDE	8.1	7.6	8.0		8.0	7.9	7.9	7.9	7.8	7.8	7.7	7.7	7.7	7.3
08010000 7.760 8.948 L 1 1 40	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	
45 41 3 14.3 27000	RIDE				7.6	7.1	7.2	7.2	7.0	7.0	7.0	6.9	6.8	6.7	
BARNETT RD(8.0C) FC125M														
4413861 8.142 8.871 C 2021 0012	CRACKING	9.0	9.0	9.0	9.0	7.0	7.0	7.0	6.0*	5.5*		10.0	10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF (2024) SPRIDE	RIDE	6.6	6.4	5.7	6.0	6.4	6.2	6.3	6.2	6.4		7.5	7.5	7.2	6.8
08010000 7.387 7.760 L 1 4 45	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	
45 41 3 8.2 28000	RIDE				7.6	7.1	7.2	7.2	7.0	7.0	7.0	6.9	6.8	6.7	
CR 570(7.7L) LDG														
	CRACKING	9.0	9.0	9.0	9.0	7.0	7.0	7.0	6.0*	5.5*		10.0	10.0	9.4	9.0
(2026)	RIDE	6.6	6.4	5.7	6.0	6.4	6.2	6.3	6.2	6.4		7.5	7.5	8.2	8.1

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = HERNANDO ----------

RDWYID / SR / US / G_BMP / G_EMP / LN / %T / AADT / RATINGS	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
INTERSECT AT (MP|SIDE) / SURFTYPE / ========																					
ITMSEG-P / W_BMP / W_EMP / RW / FY-P / WKMX-P																					
CONTRACTOR (AGE_ONE YEAR) / ASTYPE								2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F / W_BMP / W_EMP / RW / FY-F / WKMX-F																					(PMRS)
08010000	7.298	7.387	L	1	1	55	CRACKING	10.0			10.0	9.0	9.0	9.0	4.5*	4.5*	4.5*	4.5*	9.5	9.0	
45 41			3	8.2	28000		RIDE	8.5			8.2	8.2	8.1	7.9	7.8	7.7	7.7	7.5	6.8	6.7	
					FC125M																
4413861	7.276	8.142	C	2021	0012		CRACKING	9.0	9.0	9.0	9.0	7.0	7.0	7.0	6.0*	5.5*		10.0	10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF (2024)					SPRIDE			6.6	6.4*	5.7*	6.0*	6.4*	6.2*	6.3*	6.2*	6.4*		7.5	7.5	8.0	7.6
08010000	5.575	7.298	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
45 41			3	8.2	28000		RIDE	8.5	8.3	8.3	8.2	8.2	8.1	7.9	7.8	7.7	7.7	7.5	8.4	8.4	
MASON SMITH RD(7.1L)					FC5M																
4245551	5.575	6.711	C	2011	0226		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.1	6.4*	1.5*
D.A.B. CONSTRUCTORS, INC (2012)							RIDE	8.3	8.2	8.4	8.5	8.7	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.4
08010000	4.168	5.575	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	
45 41			3	8.2	28000		RIDE	8.7	8.8	8.3	8.2	8.2	8.1	7.9	8.2	8.1	7.9	7.7	7.6	7.5	
CR 572(4.5C)					FC5M																
4311431	4.498	5.575	C	2015	0012		CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	5.5*
D.A.B. CONSTRUCTORS, INC (2017)							RIDE	7.4	6.9	7.2	8.2	8.3	8.3	8.3	8.3	8.2	8.1	8.2	8.2	8.2	8.0
08010000	0.975	4.168	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	9.5	
45 41			2	5.5	15700		RIDE	8.8	8.8	8.7	8.4	8.5	8.3		8.1	8.1	7.8	8.0	8.0	7.9	
MUDRON ST(1.0C)					FC3																
2548231	1.118	2.908	C	2004	0213		CRACKING	9.5	10.0	10.0	10.0	10.0	8.5	8.5	6.5	6.5	6.0*	6.0*	3.6*	3.4*	1.0*
PRINCE CONTRACTING, LLC (2008)					SPRIDE			7.9	7.1	6.7	7.4	7.7	7.6	7.6	7.5	7.4	7.4	7.5	7.4	7.4	7.0
4479351	0.000	4.168	C	2027	0012																
08020000	0.000	3.707	R	1	1	55	CRACKING	10.0	10.0	10.0	9.5	9.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	
55 19			3	6.6	43000		RIDE	8.2	8.4	8.5	7.7	7.7	7.5	7.5	7.4	7.2	7.3	7.1	7.0	8.3	
CR578/COUNTY LINE RD(0.0R)					FC5																
4230511	0.018	3.725	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.7	6.0*	1.5*
D.A.B. CONSTRUCTORS, INC (2013)					SPRIDE			8.3	8.1	8.3	8.3	8.4	8.3	8.2	8.3	8.2	8.2	8.2	8.2	8.0	7.8
4553441	0.000	3.707	C	2029	0012																
08020000	3.707	7.135	R	1	1	55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	7.5	7.5	
55 19			3	6.6	53000		RIDE		8.8	8.8	8.2	8.3	8.1	8.1	8.0	8.0	8.0	7.9	7.8	7.7	
TOUCAN TR(3.8C)					FC5M																
4327201	3.707	7.135	C	2017	0012		CRACKING	6.5	6.5	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	8.7	8.8	6.0*
D.A.B. CONSTRUCTORS, INC (2020)					SPRIDE			7.7	7.3	7.6	7.5			8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.4
08020000	7.135	19.514	R	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	6.5	6.5	4.5*	3.5*	3.5*	
55 19			2	10.9	13000		RIDE	8.9	8.8	8.8	8.2	8.3	8.0	8.1	7.8	7.4	7.4	7.4	7.2	6.8	
TO SR 50(7.2R)					FC5																
4271521	7.221	19.514	C	2013	0012		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.3	4.5*
D.A.B. CONSTRUCTORS, INC (2016)					SPRIDE					8.4	8.4	8.6	8.4	8.4	8.5	8.4	8.4	8.3	8.3	8.3	8.1
08020000	7.135	19.514	L	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	
55 19			2	10.9	13000		RIDE	9.0	8.9	8.8	8.3	8.3	8.1	8.1	7.9	7.5	7.5	7.5	7.1	6.8	
CR-550/CORTEZ BLVD(7.3L)					FC5																
4271521	7.221	19.514	C	2013	0012		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.1	8.0	4.5*
D.A.B. CONSTRUCTORS, INC (2016)					SPRIDE					8.4	8.4	8.6	8.5	8.4	8.5	8.4	8.4	8.4	8.4	8.4	8.2
08020000	3.707	7.135	L	1	1	55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.0	
55 19			3	6.6	53000		RIDE		8.8	8.9	8.4	8.4	8.3	8.4	7.9	8.1	8.1	8.1	8.0	7.9	
FROM TOUCAN TR(3.8L)					FC5M																
4327201	3.707	7.135	C	2017	0012		CRACKING	7.0	7.0	7.0	5.5*			10.0	10.0	10.0	10.0	10.0	8.6	8.8	6.0*
D.A.B. CONSTRUCTORS, INC (2020)					SPRIDE			7.9	7.6	7.8	7.8			8.5	8.4	8.4	8.4	8.5	8.4	8.4	8.2
08020000	0.000	3.707	L	1	1	55	CRACKING	10.0	10.0	10.0	8.5	8.5	8.0	6.5	5.5*	5.5*	5.5*	5.5*	3.5*	10.0	
55 19			3	6.6	43000		RIDE	8.4	8.5	8.5	7.8	7.9	7.6	7.7	7.2	7.3	7.4	7.3	7.2	8.3	
TRAVEL PARK DR(0.0L)					FC5																
4230511	0.018	3.725	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	3.0*
D.A.B. CONSTRUCTORS, INC (2013)					SPRIDE			8.4	8.1	8.3	8.3	8.5	8.4	8.3	8.2	8.3	8.3	8.3	8.3	8.1	7.9
4553441	0.000	3.707	C	2029	0012																
08030000	0.000	1.810	C	1	1	60	CRACKING	8.0	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*		10.0	
35 301			2	5.5	7400		RIDE	8.4	8.3	8.2	7.7	7.6	7.5	7.3	7.3	6.7	6.3*	6.4*		8.5	
RUNNING PON LN(0.0R)					FC125M																
4065521	0.155	6.444	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.3	7.5	5.5*
C. W. ROBERTS CONTRACTING,(2013)					SPRIDE			8.4	8.5	7.7	7.9	8.1	8.1	7.9	7.9	7.9	7.6	7.7	7.6	7.6	7.2
4475363	0.000	2.082	C	2024	0213																

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = HERNANDO ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW LN	SYS %T / TYP FY-P / SPD AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
08030000	1.810	2.155	R	1 7 45	CRACKING	8.0	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*		10.0													
35 301			2	5.5 7400	RIDE	8.4	8.3	8.2	7.7	7.6	7.5	7.3	7.3	6.7	6.3	6.4		8.5													
CORTEZ BLVD(2.1C)				FC125M																											
4475363	0.000	2.082	C	2024 0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.3	10.0	9.0												
				(2026)	RIDE	8.4	8.5	7.7	7.9	8.1	8.1	7.9	7.9	7.9	7.6	7.7	7.6	7.0	6.6												
08030000	2.155	2.402	R	1 1 45	CRACKING	8.0	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*		10.0													
35 301			2	5.5 6000	RIDE	8.4	8.3	8.2	7.7	7.6	7.5	7.3	7.3	6.7	6.3	6.4		8.5													
				FC125M																											
4065521	0.155	6.444	C	2010 0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.3	7.5	5.5*												
C. W. ROBERTS CONTRACTING,			(2013)	SPRIDE		8.4	8.5	7.7	7.9	8.1	8.1	7.9	7.9	7.9	7.6	7.7	7.6	7.8	7.4												
08030000	2.402	6.667	C	1 1 60	CRACKING	8.0	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*		10.0													
35 301			2	5.5 6000	RIDE	8.4	8.3	8.2	7.7	7.6	7.5	7.3	7.3	6.7	6.3*	6.4*		8.5													
WHISPERING OAKS BLVD(2.8L)				FC125M																											
4065521	0.155	6.444	C	2010 0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.3	7.5	5.5*												
C. W. ROBERTS CONTRACTING,			(2013)	SPRIDE		8.4	8.5	7.7	7.9	8.1	8.1	7.9	7.9	7.9	7.6	7.7	7.6	7.5	7.1												
08040000	0.000	6.017	R	1 1 55	CRACKING	9.5	9.5	9.5	9.5	8.0	7.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*													
50			3	4.3 42500	RIDE	8.8	8.4	8.8	8.2	7.9	8.0	8.0	7.8	7.8	7.8	7.7	7.4	7.5													
COMMERCIAL WAY(0.0C)				FC5																											
4079513	0.000	3.760	C	2013 0218	CRACKING				10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.3	9.0	5.5*												
D.A.B. CONSTRUCTORS, INC			(2017)	SPRIDE					8.2	8.5	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.2	8.0												
08040000	6.017	9.877	R	1 1 55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0														
50			2	5.1 18000	RIDE	9.0	8.9	8.9	8.4	8.4	8.3	8.3	8.2	8.1	8.1	8.0	7.9														
CR 470(6.0R)				FC5																											
4230521	6.455	8.484	C	2012 0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5	7.5	6.6	6.5	2.5*												
AJAX PAVING INDUSTRIES OF			(2014)	SPRIDE		8.4	8.0	8.3	8.3	8.5	8.4	8.4	8.4	8.2	8.1	8.3	8.2	8.0	7.8												
4510461	6.017	9.851	C	2027 0012																											
08040000	9.877	11.315	C	1 2 45	CRACKING	10.0	9.5	9.5	9.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5													
50A			2	13.5 7900	RIDE	8.1	7.8	8.2	7.8	7.7	7.5	7.6	7.1	7.3	6.7	6.9	6.8	6.6													
ESTATES AVE(10.5L)				FC125R																											
					CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		8.0	8.5	6.5												
				(2015)	RIDE	6.7	8.5	8.1	7.8	8.0	7.9	7.8	7.9	7.7	7.6		6.5	6.9	6.5												
08040000	6.017	9.877	L	1 1 55	CRACKING	10.0	10.0	10.0	10.0	8.0	7.5	7.5	6.5	3.5*	3.5*	3.5*	3.5*														
50			2	5.1 18000	RIDE	8.9	8.8	8.8	8.2	8.0	7.6	7.2	6.7	5.7*	5.6*	6.9	6.2*														
GARDEN ACRES RD(6.2C)				FC5																											
4230521	6.455	8.484	C	2012 0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.0*	5.5*	1.5*												
AJAX PAVING INDUSTRIES OF			(2014)	SPRIDE		8.3	8.2	8.3	8.3	8.5	8.4	8.4	8.4	8.3	8.2	8.3	8.0	8.0	7.8												
4510461	6.017	9.851	C	2027 0012																											
08040000	0.000	6.017	L	1 1 55	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	6.5	5.5*													
50			3	4.3 42500	RIDE	8.6	8.4	8.5	8.0	8.1	8.0	8.1	8.1	7.9	8.0	7.9	7.9	7.8													
COMMERCIAL WAY(0.0C)				FC5																											
4079513	0.000	3.760	C	2013 0218	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	9.0	5.5*												
D.A.B. CONSTRUCTORS, INC			(2017)	SPRIDE					8.3	8.5	8.4	8.4	8.3	8.3	8.2	8.4	8.4	8.3	8.1												
08050000	6.117	6.622	R	1 1 60	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*														
50 98			2	16.1 29500	RIDE	9.0	8.9	8.5	8.4	8.2	7.7	7.3	6.7	6.1*	5.9*	5.8*	7.7														
CR 484(6.1R)				FC5M																											
4245581	6.117	10.130	C	2012 0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	5.5*	3.5*	3.5*	1.0*	1.0*	3.8*	0.0*												
D.A.B. CONSTRUCTORS, INC			(2014)	SPRIDE		8.3	8.0	8.2	8.2	8.3	8.3	8.2	8.2	8.0	7.7	7.4	7.4	7.3	7.1												
4472371	6.117	6.616	C	2026 0012																											
08050000	6.622	10.175	R	1 7 60	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*														
50 98			2	16.1 29500	RIDE	9.0	8.9	8.5	8.4	8.2	7.7	7.3	6.7	6.1*	5.9*	5.8*	7.7														
W P A RD(7.0R)				FC125M																											
4479481	6.616	10.258	C	2025 0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	5.5*	3.5*	3.5*	1.0*	1.0*	10.0	9.0												
C. W. ROBERTS CONTRACTING,			(2026)	SPRIDE		8.3	8.0	8.2	8.2	8.3	8.3	8.2	8.2	8.0	7.7	7.4	7.4	8.2	7.8												
08050000	10.175	10.637	R	1 1 45	CRACKING	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.0*													
50A 98			2	5.5 16200	RIDE	8.8	9.0	9.0	8.5	8.4	8.4	8.1	8.1	8.0	7.8	7.7	7.3	6.9													
JASMINE DR(10.3R)				OGFC																											
					CRACKING	6.0*	4.5*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	7.5	8.8	6.0*												
				(2020)	RIDE	6.6	6.4					7.4	7.5	7.7	7.6	7.7	7.6	7.1	6.9												
4510561	10.373	12.766	C	2027 0012																											

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = HERNANDO

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	%T	AADT	SURFTYPE / ASTYPE / WKMX-P / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
08050000 50A 98 OLD DADE CITY RD(10.6R)	10.637	11.630	C 2	1 5.5	1 14000	40			FC125	CRACKING RIDE	10.0 8.8	10.0 8.7	10.0 8.7	10.0 8.2	9.0 8.5	9.0 8.3	9.0 8.3	9.0 8.3	9.0 8.4	9.0 8.3	9.0 8.4	9.0 8.3	9.0 8.3												
4510561	10.373	12.766	C 2027	0012						CRACKING RIDE (1998)	9.0 8.2	9.0 7.7	9.0 7.4	9.0 7.5	8.5 7.9	8.5 8.0	8.5 7.9	7.5 8.0	7.5 7.9	7.0 8.0	7.0 7.9	6.0* 7.8	5.6* 7.8	2.5* 7.4												
08050000 45 41 E LIBERTY ST(11.7C)	11.630	12.158	C 2	1 5.5	1 7400	35			FC125	CRACKING RIDE	9.5 6.6	9.0 6.7	7.5 6.7	7.5 5.9	6.5 5.9	6.5 5.8	6.5 5.7	6.5 5.7	6.5 5.6		10.0 7.2	10.0 7.4	10.0 7.1												
4192571	11.762	12.536	C 2009	0012						CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	6.5	6.8	4.5*												
D.A.B. CONSTRUCTORS, INC (2011)										SPRIDE	7.1	6.7	5.7	5.5	6.3	6.0	6.3	6.0	5.9	5.9	5.8	5.8	6.3	5.9												
4510561	10.373	12.766	C 2027	0012																																		
08050000 45 41 CR 45A(12.2L)	12.158	12.555	C 2	1 5.5	1 7400	35			FC125	CRACKING RIDE	9.5 6.6	9.0 6.7	7.5 6.7	7.5 5.9	6.5 5.9	6.5 5.8	6.5 5.7	6.5 5.7	6.5 5.6		10.0 7.2	10.0 7.4	10.0 7.1												
4192571	11.762	12.536	C 2009	0012						CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	6.5	6.5	4.5*												
D.A.B. CONSTRUCTORS, INC (2011)										SPRIDE	7.1	6.7	5.7	5.5	6.3	6.0	6.3	6.0	5.9	5.9	5.8	5.8	5.9	5.5												
4510561	10.373	12.766	C 2027	0012																																		
08050000 50A 98 N MILDRED AVE(12.6C)	12.555	12.766	R 1	1 5.5	1 11700	35			FC125R	CRACKING RIDE	9.5 6.6	9.0 6.7	7.5 6.7	7.5 5.9	6.5 5.9	6.5 5.8	6.5 5.7	6.5 5.7	6.5 5.6	9.5 6.2	9.5 6.3	8.0 5.5	7.0 5.5												
4271501	12.568	12.766	C 2013	0012						CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	6.5	4.5*												
D.A.B. CONSTRUCTORS, INC (2015)										SPRIDE	5.5	7.1											6.3	5.9												
4510561	10.373	12.766	C 2027	0012																																		
08050000 50A 98 FROM SR 50(10.3L)	10.256	10.637	L 2	1 5.5	1 16200	45			UNKW	CRACKING RIDE	10.0 8.8	10.0 8.7	10.0 8.7	10.0 8.2	9.0 8.5	9.0 8.3	9.0 8.3	9.0 8.3	9.0 8.4	9.0 8.3	9.0 8.4	8.0 7.7	6.0* 7.5												
4510561	10.373	12.766	C 2027	0012						CRACKING RIDE (2020)	6.0* 7.2	4.5* 6.8	10.0	10.0	10.0		10.0 8.0	10.0 7.9	10.0 7.8	10.0 8.0	9.0 7.9	7.5 7.9	7.5 7.8	6.0* 7.4												
08050000 50 98 OLYMPIA RD(7.3L)	6.619	10.256	L 2	1 16.1	7 29500	60			FC125M	CRACKING RIDE	10.0 8.6	9.0 8.5	9.0 8.3	9.0 7.4	9.0 8.2	9.0 8.0	9.0 7.7	7.5 7.2	6.5 6.8	4.5* 6.1*	4.5* 6.4*	4.5* 7.5												
4479481	6.616	10.258	C 2025	0012						CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	5.5*	5.5*	4.5*	4.5*	4.5*	10.0	9.0												
C. W. ROBERTS CONTRACTING, (2026)										SPRIDE	8.3	8.1	8.2	8.2	8.3	8.3	8.2	8.0	8.1	7.9	7.8	7.5	8.3	7.9												
08050000 50 98 FC5M	6.117	6.619	L 2	1 16.1	1 29500	60				CRACKING RIDE	10.0 8.6	9.0 8.5	9.0 8.3	9.0 7.4	9.0 8.2	9.0 8.0	9.0 7.7	7.5 7.2	6.5 6.8	4.5* 6.1*	4.5* 6.4*	4.5* 7.5												
4245581	6.117	10.130	C 2012	0012						CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	5.5*	5.5*	4.5*	4.5*	4.5*	1.1*	0.0*												
D.A.B. CONSTRUCTORS, INC (2014)										SPRIDE	8.3	8.1	8.2	8.2	8.3	8.3	8.2	8.0	8.1	7.9	7.8	7.5	6.1*	5.9*												
4472371	6.117	6.616	C 2026	0012																																		
08051000 45 41 US-41/SR-45(0.0L)	0.000	0.072	C 2	1 5.1	1 11500	35				CRACKING RIDE		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	6.5												
4271531	0.000	0.072	C 2013	0012						CRACKING	6.5	6.5	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.9	8.3	6.5												
DAVID NELSON CONSTRUCTION (2016)										SPRIDE													3.1*	2.7*												
08060000 50 BURWELL RD(2.0R)	2.049	6.041	R 2	1 31.0	7 9100	60			FC125M	CRACKING RIDE	6.5 7.9	6.5 7.6	6.5 7.1	4.5* 6.7	4.5* 6.0*	4.5* 5.7*		10.0 8.3	10.0 8.3	10.0 8.4	10.0 8.4	10.0 8.3	10.0 8.3												
4428351	2.049	6.041	C 2022	0213						CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.5		10.0	10.0	9.0												
SOUTHLAND CONSTRUCTION, IN (2025)										SPRIDE	8.3	8.1	7.4	7.8	8.2	8.2	8.1	8.1	8.1	8.1		7.9	8.4	8.0												
08060000 50 LITTLE RIVER PARK ENT(4.1C)	2.049	6.041	L 2	1 31.0	7 9100	60			FC125M	CRACKING RIDE	6.5 7.9	6.5 7.6	6.5 7.1	4.5* 6.7	4.5* 6.0*	4.5* 5.7*		10.0 8.3	10.0 8.3	10.0 8.4	10.0 8.4	10.0 8.3	10.0 8.3												
4428351	2.049	6.041	C 2022	0213						CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.5		10.0	10.0	9.0												
SOUTHLAND CONSTRUCTION, IN (2025)										SPRIDE	8.3	8.1	7.4	7.8	8.2	8.2	8.1	8.1	8.1	8.1		7.9	8.4	8.0												
08070000 50 98 CR-541/SPRING LK HWY(0.0R)	0.000	0.318	R 2	1 18.2	1 21000	55			FC5M	CRACKING RIDE	8.0 8.6	4.5* 8.3	4.5* 8.0	3.5* 6.8	3.5* 7.0	3.5* 6.9	3.5* 7.6	3.5* 7.2		10.0 8.1	10.0 8.1	10.0 8.1	10.0 8.0												
4151851	0.000	4.051	C 2007	0012						CRACKING	9.5	9.5	9.5	9.5	8.0	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	0.0*												
D.A.B. CONSTRUCTORS, INC (2010)										SPRIDE	8.0	7.9	8.1	8.1	8.3	8.4	8.3	8.3	8.0	7.8	7.9	7.7	6.6	6.4*												
4472371	0.000	0.321	C 2026	0012																																		

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = HERNANDO ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP / W_EMP	EMP / G_EMP / W_EMP / RW	LN / %T / FY-P / FY-F	SYS / AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	TYP	SPD	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
08070000 50 98 FABER DR(0.5R) 4438051 SUPERIOR ASPHALT, INC.	0.318 2.718 1.865	2.718 3.050 3.386	R C	1 2 18.2 FC125M 2024 (2026)	7 21000 0012	60 RIDE SPRIDE	CRACKING	8.0 8.6 9.5 8.0	4.5* 8.3 9.5 7.9	4.5* 8.0 9.5 8.1	3.5* 6.8 9.5 8.1	3.5* 7.0 8.0 8.3	3.5* 6.9 6.5 8.4	3.5* 7.6 6.5 8.3	3.5* 7.2 4.5* 8.3	4.5* 8.0	10.0 8.1 3.5* 7.8	10.0 8.1 1.0* 7.9	10.0 8.1 1.0* 7.7	10.0 8.0 10.0 8.2	9.0 7.8
08070000 50 98 LOCKHART RD(3.0R) (2023)	2.718 3.050	3.050 3.450	R	1 2 18.2 FC5M	1 21000	55 RIDE CRACKING RIDE	CRACKING	8.0 8.6 9.5 8.0	4.5* 8.3 9.5 7.9	4.5* 8.0 9.5 8.1	3.5* 6.8 9.5 8.1	3.5* 7.0 8.0 8.3	3.5* 6.9 6.5 8.4	3.5* 7.6 6.5 8.3	3.5* 7.2 4.5* 8.3	4.5* 8.0	10.0 8.1 10.0 8.3	10.0 8.1 10.0 8.3	10.0 8.1 9.6 8.2	10.0 8.0 10.0 8.2	8.0 8.0
08070000 50 98 4300512 WATSON CIVIL CONSTRUCTION,	3.050 3.386	3.450 3.755	R C	1 3 18.2 FC5M 2020 (2023)	1 21000 0218	55 RIDE SPRIDE	CRACKING	8.0 8.6 9.5 8.0	4.5* 8.3 9.5 7.9	4.5* 8.0 9.5 8.1	3.5* 6.8 9.5 8.1	3.5* 7.0 8.0 8.3	3.5* 6.9 6.5 8.4	3.5* 7.6 6.5 8.3	3.5* 7.2 4.5* 8.3	4.5* 8.0	10.0 8.1 10.0 8.3	10.0 8.1 10.0 8.3	10.0 8.1 9.6 8.2	10.0 8.0 10.0 8.2	8.0 8.0
08070000 50 98 NATURE COAST BLVD(3.9R) (2020)	3.450 3.755	3.755 4.216	R	1 3 18.2 FC5M 1 (2026)	1 21000 4 LDG	45 RIDE CRACKING RIDE	CRACKING	8.0 8.6 9.5 8.0	4.5* 8.3 9.5 7.9	4.5* 8.0 9.5 8.1	3.5* 6.8 9.5 8.1	3.5* 7.0	3.5* 6.9	3.5* 7.6 10.0 8.2	3.5* 7.2 10.0 8.2	10.0 7.8	10.0 8.1 10.0 8.1	10.0 8.1 10.0 8.1	10.0 8.1 10.0 8.1	10.0 8.0 9.4 8.3	7.5 8.1
08070000 50 98 BRONSON BLVD(4.2R) 4167324 PCS CIVIL LLC	4.216 4.537 7.026	5.258 7.026 (2024)	R C	1 3 5.5 FC125M 2020 SPRIDE	1 24500 0218	55 RIDE CRACKING SPRIDE	CRACKING	8.0 8.6 9.5 8.0	4.5* 8.3 9.5 7.9	4.5* 8.0 9.5 8.1	3.5* 6.8 9.5 8.1	3.5* 7.0	3.5* 6.9	3.5* 7.6 6.5 8.0	3.5* 7.2	1.0* 4.2*	10.0 8.1 10.0 8.3	10.0 8.1 10.0 8.3	10.0 8.1 10.0 8.3	10.0 8.0 9.0 7.9	9.0 7.9
08070000 50 98 CYRIL DR(5.6R) 4167324 PCS CIVIL LLC	5.258 4.537 7.026	7.105 7.026 (2024)	R C	1 3 5.5 FC5M 2020 SPRIDE	1 24500 0218	55 RIDE CRACKING SPRIDE	CRACKING	10.0 8.9 7.5 7.1	10.0 8.7 6.5 6.9	9.5 8.7 6.5 7.5	9.5 8.1 5.5* 7.7	9.0 7.8 5.5* 7.6	9.0 7.4 5.5* 7.9	8.0 7.0 5.5* 7.8	6.5 6.4*	10.0 7.6	10.0 7.9	10.0 7.9 10.0 8.3	9.5 7.7 10.0 8.2	8.0 7.6 8.5 8.0
08070000 50 4167323 PCS CIVIL LLC	7.105 7.120 7.295	7.464 7.295 (2024)	R C	1 2 22.7 FC5M 2020 SPRIDE	1 9300 0218	55 RIDE CRACKING SPRIDE	CRACKING	10.0 8.9 9.5 7.4	10.0 8.7 9.5 7.4	9.5 8.7 9.5 7.9	9.5 8.1 9.0 7.8	9.0 7.8 6.5 7.8	9.0 7.4 5.5* 7.9	8.0 7.0 5.5* 7.8	6.5 6.4*	9.0 7.4	10.0 7.8	10.0 8.0 10.0 8.3	10.0 7.8 10.0 8.2	10.0 7.8 8.5 8.1
08070000 50 WESTLAKE BLVD(7.7R) 4167323 PCS CIVIL LLC	7.464 7.410 8.467	8.740 8.467 (2026)	R C	1 2 22.7 FC5M 2020 SPRIDE	1 9300 0218	55 RIDE CRACKING SPRIDE	CRACKING	9.0 8.3 10.0 7.9	9.0 8.0 10.0 7.1	9.0 7.9 10.0 7.6	7.5 7.1 10.0 7.7	7.5 6.4* 10.0 7.8	5.5* 5.8* 10.0 7.8	5.5* 5.9* 10.0 7.7	4.5* 5.7* 9.0 7.7	4.5* 5.4* 9.0 7.3	4.5* 5.6*	10.0 8.1 10.0	10.0 8.0 10.0 8.0	10.0 7.8 9.0 7.8
08070000 50 CR-575/BURWELL RD(9.5C) 4428351 SOUTHLAND CONSTRUCTION, IN	8.740 8.740 9.519	9.519 9.519 (2026)	R C	1 2 22.8 FC4 2022 SPRIDE	7 8900 0213	55 RIDE CRACKING SPRIDE	CRACKING	9.0 8.3 10.0 7.9	9.0 8.0 10.0 7.1	9.0 7.9 10.0 7.6	7.5 7.1 10.0 7.7	7.5 6.4* 10.0 7.8	5.5* 5.8* 10.0 7.8	5.5* 5.9* 10.0 7.7	4.5* 5.7* 9.0 7.7	4.5* 5.4* 9.0 7.3	4.5* 5.6*	10.0 8.1 10.0	10.0 8.0 10.0 8.0	10.0 7.8 9.0 7.6
08070000 50 CR-575/BURWELL RD(9.5C) 4428351 SOUTHLAND CONSTRUCTION, IN	8.740 8.740 9.519	9.519 9.519 (2026)	L C	1 2 22.8 FC4 2022 SPRIDE	7 8900 0213	55 RIDE CRACKING SPRIDE	CRACKING	9.0 8.3 10.0 7.9	9.0 8.0 10.0 7.1	9.0 7.9 10.0 7.6	7.5 7.1 10.0 7.7	7.5 6.4* 10.0 7.8	5.5* 5.8* 10.0 7.8	5.5* 5.9* 10.0 7.7	4.5* 5.7* 9.0 7.7	4.5* 5.4* 9.0 7.3	4.5* 5.6*	10.0 8.1 10.0	10.0 8.0 10.0 8.2	10.0 7.8 9.0 7.8

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = HERNANDO ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN / %T / FY-P / FY-F	AADT / SURFTYPE / WKMX-P / ASTYPE / WKMX-F	DISTRESS / RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
08070000	7.464	8.740	L	1	1	55	1	9300	CRACKING	9.0	9.0	9.0	7.5	7.5	5.5*	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0													
50			2	22.7					RIDE	8.3	8.0	7.9	7.1	6.4*	5.8*	5.9*	5.7*	5.4*	5.6*	8.1	8.0	7.8													
WESTWIND DR(7.6L)								FC5M																												
4167323	7.410	8.467	C	2020				0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				10.0	9.0												
PCS CIVIL LLC				(2026)				SPRIDE	RIDE	7.9	7.1	7.6	7.7	7.8	7.8	7.7	7.7	7.3				8.1	7.9												
08070000	5.258	7.464	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.0	6.5	4.5*	10.0	10.0	10.0	9.5															
50	98		3	5.5			24500	RIDE	8.5	8.8	8.8	8.3	8.2	8.1	7.7	6.9	6.8	8.2	8.1	7.9	7.5													
AMELIA LN(5.6L)								FC5M																												
4167324	4.537	7.026	C	2020				0218	CRACKING	7.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*				10.0	10.0	10.0	8.5												
PCS CIVIL LLC				(2024)				SPRIDE	RIDE	7.3	6.9	7.7	7.7	7.6	7.7	7.4				8.2	8.1	8.1	7.9												
08070000	4.188	5.258	L	1	1	55	CRACKING	9.0	9.0	7.5	7.5	7.5	4.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0															
50	98		3	5.5			24500	RIDE	8.6	8.7	8.6	7.5	7.4	7.2	6.7	6.0*	5.8*	8.4	8.4	8.4	8.3													
BRONSON BLVD(4.2L)								FC125M																												
4167324	4.537	7.026	C	2020				0218	CRACKING	10.0	10.0	10.0	10.0			8.0				10.0	9.2	10.0	9.0												
PCS CIVIL LLC				(2024)				SPRIDE	RIDE	8.3	8.3	8.3	8.3			8.3				8.2	8.1	8.1	7.7												
08070000	3.755	4.188	L	1	4	45	CRACKING	9.0	9.0	7.5	7.5	7.5	4.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0															
50	98		3	18.2			21000	RIDE	8.6	8.7	8.6	7.5	7.4	7.2	6.7	6.0	5.8	8.4	8.4	8.4	8.3													
FOREST RD(3.9L)								LDG																												
									CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	9.2	9.4	9.0												
				(2026)					RIDE	8.3	8.3	8.3	8.3			8.3	8.2	8.0	8.1	8.0	8.0	7.9	7.8												
08070000	3.450	3.755	L	1	1	45	CRACKING	9.5	9.5	9.5	7.5	7.5	7.5	7.5	4.5*		10.0	10.0	10.0	10.0															
50	98		3	18.2			21000	RIDE	8.7	8.6	8.1	7.4	7.3	6.8	6.2	5.6		8.4	8.4	8.4	8.3													
								FC5M																												
									CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	9.2	10.0	7.5												
				(2020)					RIDE	8.3	8.3	8.3	8.3			8.3	8.2	8.0	8.1	8.0	8.0	8.3	8.1												
08070000	3.050	3.450	L	1	1	55	CRACKING	9.5	9.5	9.5	7.5	7.5	7.5	7.5	4.5*		10.0	10.0	10.0	10.0															
50	98		3	18.2			21000	RIDE	8.7	8.6	8.1	7.4	7.3	6.8	6.2*	5.6*		8.4	8.4	8.4	8.3													
REMINGTON RD(3.2L)								FC5M																												
4300512	3.031	3.386	C	2020				0218	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	8.0	6.5	4.5*	10.0	10.0	9.0	10.0	8.0												
WATSON CIVIL CONSTRUCTION,				(2023)				SPRIDE	RIDE	8.3	8.3	8.3	8.3	8.3	8.4	8.4	8.4	8.2	8.3	8.3	8.3	8.1	7.9												
08070000	2.724	3.050	L	1	1	55	CRACKING	9.5	9.5	9.5	7.5	7.5	7.5	7.5	4.5*		10.0	10.0	10.0	10.0															
50	98		3	18.2			21000	RIDE	8.7	8.6	8.1	7.4	7.3	6.8	6.2*	5.6*		8.4	8.4	8.4	8.3													
WINDING WOODS WAY(2.9L)								FC5M																												
									CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	8.0	6.5	4.5*	10.0	10.0	9.0	10.0	8.0												
				(2023)					RIDE	8.3	8.3	8.3	8.3	8.3	8.4	8.4	8.4	8.2	8.3	8.3	8.3	8.4	8.2												
08070000	0.324	2.724	L	1	7	60	CRACKING	9.5	9.5	9.5	7.5	7.5	7.5	7.5	4.5*		10.0	10.0	10.0	10.0															
50	98		2	18.2			21000	RIDE	8.7	8.6	8.1	7.4	7.3	6.8	6.2*	5.6*		8.4	8.4	8.4	8.3													
RALEY RD(0.3L)								FC125M																												
4438051	0.123	1.865	C	2024				0012	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	8.0	6.5	4.5*	4.5*	3.5*	3.8*	10.0	9.0												
SUPERIOR ASPHALT, INC.				(2026)				SPRIDE	RIDE	8.3	8.3	8.3	8.3	8.3	8.4	8.4	8.4	8.2	8.1	8.1	7.8	8.2	7.8												
08070000	0.000	0.324	L	1	1	55	CRACKING	9.5	9.5	9.5	7.5	7.5	7.5	7.5	4.5*		10.0	10.0	10.0	10.0															
50	98		2	18.2			21000	RIDE	8.7	8.6	8.1	7.4	7.3	6.8	6.2*	5.6*		8.4	8.4	8.4	8.3													
CR484/MONDON HILL RD(0.0L)								FC5M																												
4151851	0.000	4.051	C	2007				0012	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	8.0	6.5	4.5*	4.5*	3.5*	3.8*	1.5*	0.0*												
D.A.B. CONSTRUCTORS, INC				(2010)				SPRIDE	RIDE	8.3	8.3	8.3	8.3	8.3	8.4	8.4	8.4	8.2	8.1	8.1	7.8	7.0	6.8												
4472371	0.000	0.321	C	2026				0012																												
08070100	0.000	0.306	C	1	1		CRACKING																													
432			2	5.5			350	RIDE																												
									CRACKING														3.9*													
									RIDE														3.0*													
08080000	0.000	0.530	R	1	1	35	CRACKING	9.5	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5															
700	98		1	8.6			9800	RIDE	6.8	6.7	6.4	6.3	6.8	6.9	6.7	6.7	6.8	6.8	6.7	6.6	6.4													
BROAD ST(0.0C)								FC125M																												
4364801	0.000	0.323	C	2019				0012	CRACKING	8.0	8.0	8.0	8.0	8.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5												
AJAX PAVING INDUSTRIES OF				(2020)				SPRIDE	RIDE	6.3	5.9	5.2*	5.5	5.4*	5.4*	7.5	7.7	7.3	7.1	7.1	6.3	6.3	5.9												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = HERNANDO ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN	%T	AADT	SURFTYPE / ASTYPE / WKMX-P / WKMX-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
08080000	0.530	1.676	R	1			1		45	CRACKING	8.0	7.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0													
700 98				1	8.6				9500	RIDE	7.8	7.8	7.5	7.1	6.6	6.3	5.7		8.4	8.5	8.3	8.3	8.2													
WARD AVE(0.5R)										FC125M																											
4037241	0.475	1.635	C	2007					0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.1	7.8	5.5*												
D.A.B. CONSTRUCTORS, INC				(2009)						SPRIDE	8.2	8.2	7.4	7.2	8.1	8.0	8.1	8.0	8.0	7.9	7.9	8.0	7.8	7.4												
08080000	1.676	2.188	R	1			1		45	CRACKING	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
700 98				2	8.6				7600	RIDE	7.6	7.8	8.2	7.3	7.6	7.5	7.7	7.7	7.6	7.6	7.5	7.6	7.5													
CR-485B/YONTZ RD(1.9R)										FC125																											
2548571	1.934	8.074	C	2002					0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.4	7.1	4.5*												
D.A.B. CONSTRUCTORS, INC				(2004)						SPRIDE	7.4	7.4	6.9	6.6	7.5	7.4	7.2	6.9	7.2	7.2	7.2	7.2	7.3	6.9												
08080000	2.188	2.604	C	1			1		50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
700 98				2	8.6				7600	RIDE	8.8	8.7	8.4	8.3	8.4	8.3	8.4	8.4	8.2	8.2	8.2	8.2	8.1													
										FC125																											
2548571	1.934	8.074	C	2002					0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.2	7.2	4.5*												
D.A.B. CONSTRUCTORS, INC				(2004)						SPRIDE	8.0	7.5	7.7	7.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.9	8.1	7.7												
08080000	3.213	4.181	C	1			1		55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
700 98				2	8.6				7600	RIDE	8.8	8.7	8.4	8.3	8.4	8.3	8.4	8.4	8.2	8.2	8.2	8.2	8.1													
HANNIBAL LN(3.5R)										FC125																											
2548571	1.934	8.074	C	2002					0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.2	7.8	5.0*												
D.A.B. CONSTRUCTORS, INC				(2004)						SPRIDE	8.0	7.5	7.7	7.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.9	8.1	7.7												
08080000	4.701	5.729	C	1			1		55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
700 98				2	8.6				8200	RIDE	8.9	8.3	7.7	8.3	8.4	8.3	8.4	8.4	8.2	8.2	8.2	8.2	8.1													
WEIGH STATION ENT(5.0L)										FC125																											
2548571	1.934	8.074	C	2002					0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.2	6.5	4.0*												
D.A.B. CONSTRUCTORS, INC				(2004)						SPRIDE	8.0	7.5	7.7	7.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.9	8.0	7.6												
08080000	5.729	6.165	C	1			1		60	CRACKING	9.5	9.5	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
700 98				2	8.6				8200	RIDE	8.3	8.4	8.3	8.3	8.4	8.3	8.4	8.4	8.2	8.2	8.2	8.2	8.1													
CR 476(6.0C)										DGFC																											
2548571	1.934	8.074	C	2002					0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.2	7.5	5.0*												
D.A.B. CONSTRUCTORS, INC				(2004)						SPRIDE	8.0	7.5	7.7	7.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.9	6.9	6.5												
08080000	6.165	7.898	C	1			1		60	CRACKING	9.5	9.5	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
700 98				2	8.6				7900	RIDE	8.3	8.4	8.3	8.3	8.4	8.3	8.4	8.4	8.2	8.2	8.2	8.2	8.1													
ANNUTALAGA AVE(6.4L)										FC125																											
2548571	1.934	8.074	C	2002					0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.2	7.0	4.5*												
D.A.B. CONSTRUCTORS, INC				(2004)						SPRIDE	8.0	7.5	7.7	7.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.9	7.9	7.5												
08080000	7.898	8.397	C	1			1		60	CRACKING	9.5	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0													
700 98				2	8.6				5500	RIDE	8.3	6.7	8.5	8.0	7.8	7.9	8.0	7.7	7.5	7.7	7.6	7.5	7.5													
CITRUS WAY(8.1C)										FC125H																											
											CRACKING	9.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	10.0	10.0	9.0												
				(2025)						RIDE	7.1	7.1	7.1	7.2	7.3	7.2	7.2	7.2	7.1	6.9	6.9	6.9	6.9	6.5												
08080000	8.397	10.779	C	1			1		60	CRACKING	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0													
700 98				2	8.6				5500	RIDE	6.9	6.7	8.5	8.0	7.8	7.9	8.0	7.7	7.5	7.7	7.6	7.5	7.5													
HODGE RD(8.9R)										FC125																											
2548381	8.168	10.801	C	2002					0012	CRACKING	9.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	3.5*	1.8*	0.0*												
GRUBBS CONSTRUCTION CO				(2003)						SPRIDE	7.1	7.1	7.1	7.2	7.3	7.2	7.2	7.2	7.1	6.9	6.9	7.1	7.1	6.7												
4367331	8.286	10.774	C	2026					0012																												
08080000	10.779	11.879	R	1			1		60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5												
700 98				2	8.6				5500	RIDE		8.5	8.4	8.2	8.2	8.2	8.1	8.1	8.1	8.2	8.1	8.1	8.0												
										FC5M																											
4400641	11.259	11.829	C	2022					0012	CRACKING	9.5	9.5	9.5	9.5	7.5	6.5				3.5*	10.0	10.0	10.0	8.5												
AJAX PAVING INDUSTRIES OF				(2024)						SPRIDE	8.0	7.9	7.9	7.9	8.0	7.9				7.6	8.6	8.6	8.6	8.4												
08080000	11.879	12.629	R	1			1		60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5												
700 98				2	8.6				9000	RIDE		8.5	8.4	8.2	8.2	8.2	8.1	8.1	8.1	8.2	8.1	8.1	8.0												
										FC5M																											
4052701	11.683	12.384	R	2018					0002	CRACKING	9.5	9.5	9.5	9.5	7.5	6.5				10.0	10.0	10.0	10.0	8.0												
LANE CONSTRUCTION CORPORAT				(2023)						SPRIDE	8.0	7.9	7.9	7.9	8.0	7.9				8.4	8.3	8.4	8.2	8.0												

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = HERNANDO

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW / LN / SURFTYPE / RW FY-P / RW FY-F	SYS / %T / WKMX-P / WKMX-F	TYP SPD / AADT / ASTYPE	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	FUTURE 2031 (PMRS)
08080000 / 700 98	12.629	12.791	R / 2	1 / 8.6	1 / 9000 / FC5M	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5														
						RIDE		8.5	8.4	8.2	8.2	8.2	8.1	8.1	8.1	8.2	8.1	8.1	8.0														
4400641 / AJAX PAVING INDUSTRIES OF	12.414	12.778	C / (2024)	2022 /	0012 / SPRIDE	CRACKING	9.5	9.5	9.5	9.5	7.5	6.5				4.5*	10.0	10.0	10.0															8.5
						RIDE	8.0	7.9	7.9	7.9	8.0	7.9				6.8	8.3	8.4	8.7															8.5
08080000 / 700 98	12.791	12.875	R / 2	1 / 8.6	7 / 9000 / FC125M	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5														
						RIDE		8.5	8.4	8.2	8.2	8.2	8.1	8.1	8.1	8.2	8.1	8.1	8.0														
					(2026)	CRACKING	9.5	9.5	9.5	9.5	7.5	6.5				4.5*	10.0	5.7*	10.0															9.0
						RIDE	8.0	7.9	7.9	7.9	8.0	7.9				6.8	8.3	7.8	8.4															8.0
08080000 / 700 98	12.758	12.875	L / 2	1 / 8.6	7 / 9000 / FC125H	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5														
						RIDE		8.2	8.3	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	7.7														
					(2026)	CRACKING	8.0	8.0	7.0	7.0	6.5	3.5*				4.5*	10.0	3.3*	10.0															9.0
						RIDE	7.7	7.3	7.5	7.2	7.4	7.4				7.4	8.2	7.6	8.4															8.0
08080000 / 700 98	12.387	12.758	L / 2	1 / 8.6	1 / 9000 / FC5M	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5														
						RIDE		8.2	8.3	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	7.7														
4400641 / AJAX PAVING INDUSTRIES OF	12.414	12.778	C / (2024)	2022 /	0012 / SPRIDE	CRACKING	8.0	8.0	7.0	7.0	6.5	3.5*				4.5*	10.0	10.0	10.0															8.5
						RIDE	7.7	7.3	7.5	7.2	7.4	7.4				7.4	8.2	8.3	8.3															8.1
08080000 / 700 98	11.686	12.387	L / 2	1 / 8.6	1 / 9000 / FC5M	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5														
						RIDE		8.2	8.3	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	7.7														
4052701 / LANE CONSTRUCTION CORPORAT	11.797	12.547	L / (2023)	2018 /	0002 / SPRIDE	CRACKING	8.0	8.0	7.0	7.0	6.5	3.5*				10.0	10.0	10.0	10.0															8.0
						RIDE	7.7	7.3	7.5	7.2	7.4	7.4				8.2	8.2	8.2	8.2															8.0
08080000 / 700 98	11.300	11.686	L / 2	1 / 8.6	1 / 5500 / FC5M	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5														
						RIDE		8.2	8.3	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	7.7														
4400641 / AJAX PAVING INDUSTRIES OF	11.259	11.829	C / (2024)	2022 /	0012 / SPRIDE	CRACKING	8.0	8.0	7.0	7.0	6.5	3.5*				4.5*	10.0	10.0	10.0															8.5
						RIDE	7.7	7.3	7.5	7.2	7.4	7.4				6.9	8.5	8.5	8.3															8.1
08080000 / 700 98	10.779	11.300	L / 1	1 / 8.6	1 / 5500 / FC5M	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5														
						RIDE		8.2	8.3	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	7.7														
					(2024)	CRACKING	8.0	8.0	7.0	7.0	6.5	3.5*				4.5*	10.0	10.0	10.0															8.5
						RIDE	7.7	7.3	7.5	7.2	7.4	7.4				6.9	8.5	8.5	8.4															8.2
08080000 / 700 98	4.181	4.701	L / 1	1 / 8.6	1 / 7600 / FC125	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0																
						RIDE	8.8	8.7	8.4	8.3	8.4	8.3	8.4	8.4	8.2	8.2	8.2	8.2	8.1														
BROOKSVILLE TRUCK RT(4.4L)																																		
2548571 / D.A.B. CONSTRUCTORS, INC	1.934	8.074	C / (2004)	2002 /	0012 / SPRIDE	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.2	7.1	4.5*														
						RIDE	8.0	7.5	7.7	7.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.9	6.9	6.5													
08080000 / 700 98	2.604	3.213	L / 1	1 / 8.6	1 / 7600 / FC125	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0																
						RIDE	8.8	8.7	8.4	8.3	8.4	8.3	8.4	8.4	8.2	8.2	8.2	8.2	8.1														
FL HWY PATROL ENT(2.8L)																																		
2548571 / D.A.B. CONSTRUCTORS, INC	1.934	8.074	C / (2004)	2002 /	0012 / SPRIDE	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.2	7.0	4.5*														
						RIDE	8.0	7.5	7.7	7.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.9	7.9	7.5													
08080000 / 700 98	1.676	2.188	L / 2	1 / 8.6	1 / 7600 / FC125	CRACKING	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0																
						RIDE	7.9	8.0	8.2	8.2	8.1	8.1	8.1	8.4	8.0	8.0	7.9	8.0	7.9														
FLAGSTONE RD(1.8L)																																		
2548571 / D.A.B. CONSTRUCTORS, INC	1.934	8.074	C / (2004)	2002 /	0012 / SPRIDE	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.4	7.1	4.5*														
						RIDE	7.9	7.8	7.8	7.6	8.0	8.1	7.9	7.9	8.1	7.9	7.9	7.9	7.9	7.5													
08080000 / 700 98	0.530	1.676	L / 1	1 / 8.6	1 / 9500 / FC125M	CRACKING	8.0	7.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0																
						RIDE	7.8	7.8	7.5	7.1	6.6	6.3	5.7		8.3	8.3	8.4	8.1	8.1														
OAKDALE AVE(0.6L)																																		
4037241 / D.A.B. CONSTRUCTORS, INC	0.475	1.635	C / (2009)	2007 /	0012 / SPRIDE	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.6	8.4	6.0*														
						RIDE	8.1	8.1	7.7	7.7	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	7.3													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

---------- DISTRICT = 7 COUNTY = HERNANDO ----------

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	DISTRESS / RATINGS / SURFTYPE / ASTYPE	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
08080000	0.000	0.530	L	1	1	35	CRACKING	9.5	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5														
700 98			2	8.6		9800	RIDE	6.8	6.7	6.4	6.3	6.8	6.9	6.7	6.7	6.8	6.8	6.7	6.6	6.4														
BROAD ST(0.0C)							FC125M																											
4364801	0.000	0.323	C	2019		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	6.0*	10.0	10.0	10.0	10.0	10.0	9.7	9.2	7.5													
AJAX PAVING INDUSTRIES OF				(2020)			SPRIDE	6.3	5.9	5.2*	5.5	5.4*	5.4*	7.5	7.7	7.3	7.1	7.1	7.1	7.1	6.7													
08120000	0.000	1.563	C	1	1	55	CRACKING	9.0	9.0	9.0	7.5	7.5	6.5	3.5*	3.5*	3.5*	3.5*	1.0*	10.0	10.0														
700 98			2	8.6		7500	RIDE	8.7	8.6	8.5	7.1	6.8	6.9	6.9	6.9	6.3*	5.6*	5.0*	8.5	8.4														
CEDAR RD(0.1L)							FC125M																											
4168332	0.000	2.041	C	2011		0221	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.7	8.7	6.5													
D.A.B. CONSTRUCTORS, INC				(2012)			SPRIDE	8.4	8.4	8.0	8.0	8.2	8.2	8.1	8.1	8.0	7.8	8.0	7.9	8.0	7.6													
08120000	1.563	1.889	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0														
700 98			2	8.6		7500	RIDE	7.7	8.2	8.4	8.1	8.0	7.1	7.2	7.4	6.8	6.6	6.3*	8.5	8.4														
							FC125M																											
4168332	0.000	2.041	C	2011		0221	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.7	10.0	8.0													
D.A.B. CONSTRUCTORS, INC				(2012)			SPRIDE	8.4	8.4	8.0	8.0	8.2	8.2	8.1	8.1	8.0	7.8	8.0	7.9	7.2	6.8													
08120000	1.889	2.041	R	1	4	55	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0														
700 98			2	8.6		7500	RIDE	7.7	8.2	8.4	8.1	8.0	7.1	7.2	7.4	6.8	6.6	6.3*	8.5	8.4														
SR-50(2.0R)							LDG																											
4167324	1.791	2.041	C	2020		0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.7	9.4	9.0													
PCS CIVIL LLC				(2026)			RIDE	8.4	8.4	8.0	8.0	8.2	8.2	8.1	8.1	8.0	7.8	8.0	7.9	7.5	7.4													
08150000	0.000	5.070	R	4	1	70	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	6.5	6.5		10.0	10.0														
93 I75	294.0	299.0	3	8.9		66000	RIDE	9.0	8.9	8.8	8.3	8.3	8.1	8.1	7.7	7.5	7.4		8.4	8.3														
							FC5M																											
4110113	0.000	5.389	C	2014		0213	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.5	6.5													
				(2018)			RIDE	8.5	8.2			8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4													
08150000	5.070	11.468	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	10.0														
93 I75	299.0	305.4	3	32.1		62500	RIDE	9.0	8.9	8.9	8.2	8.1	7.9	7.9	7.6	7.3	7.3	7.2	7.0	8.1														
							FC5M																											
4110122	8.313	11.447	C	2016		0218	CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.4	7.5													
				(2020)			RIDE	8.3	8.0	8.3	8.3			8.6	8.6	8.6	8.6	8.5	8.5	8.5	8.4													
08150000	5.389	11.468	L	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	5.5*	10.0														
93 I75	299.3	305.4	3	32.1		62500	RIDE	8.7	8.7	8.8	8.2	8.1	8.0	7.8	7.4	7.1	7.1	6.7	6.3*	8.3														
							FC5M																											
4110122	8.313	11.447	C	2016		0218	CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5													
				(2020)			RIDE	8.4	8.1	8.3	8.4			8.8	8.8	8.8	8.7	8.7	8.7	8.7	8.6													
08150000	0.000	5.389	L	4	1	70	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	7.5	5.5*	5.5*	5.5*		10.0	10.0														
93 I75	294.0	299.3	3	8.9		66000	RIDE	9.0	8.9	8.9	8.3	8.3	7.8	7.9	7.6	7.8	7.8		8.3	8.3														
							FC5M																											
4110113	0.000	5.389	C	2014		0213	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.2	9.0	7.0													
				(2018)			RIDE	8.4	8.1			8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.3													
08150100	0.000	0.340	C	1	1	25	CRACKING																											
411			2	5.5		400	RIDE																											
							CRACKING																										10.0	9.0
				(2026)			RIDE																										5.4*	5.0*
08470000	0.000	7.212	R	5	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5													
589	35.2	42.4	2	10.8		20837	RIDE		8.8	8.9	8.2	8.3	8.2	8.2	8.1	8.0	8.0	8.0	7.9	7.9													
							FC5M																											
4273241	0.000	7.212	C	2013		0012	CRACKING	9.0		10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	6.1*	5.5*	3.5*													
AJAX PAVING INDUSTRIES OF				(2016)			SPRIDE	7.8		8.5	8.5	8.7	8.7	8.6	8.6	8.6	8.6	8.6	8.5	8.5	8.4													
4477011	0.000	7.212	C	2026		0012																												
08470000	7.212	17.196	R	5	1	70	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0														
589	42.4	52.4	2	12.2		12500	RIDE			8.5	8.0	8.1	8.0	8.0	7.9	7.9	7.9	7.9	7.8	7.8														
							FC5M																											
4459131	7.245	15.555	R	2022		0012	CRACKING	9.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	8.5													
AJAX PAVING INDUSTRIES OF				(2024)			RIDE	7.6		8.3	8.3	8.4	8.3	8.3	8.4	8.3	8.2	8.7	8.6	8.6	8.5													

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN -- 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = HERNANDO

RDWYID / SR / US / INTERSECT AT (MP|SIDE) / ITMSEG-P / CONTRACTOR (AGE_ONE YEAR) / ITMSEG-F	BMP / G_BMP / W_BMP	EMP / G_EMP / W_EMP	RW	SYS	TYP	SPD	LN	%T	AADT / SURFTYPE / RW FY-P / ASTYPE / RW FY-F	DISTRESS RATINGS	SURVEYED YEAR 2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE 2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)
08470000	17.196	17.954	R			5	1	70	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0												
589	52.4	53.1	2	12.2		2	12	500	RIDE				8.5	8.0	8.1	8.0	8.0	7.9	7.9	7.9	7.9	7.8	7.8												
									FC5M																										
4459131	17.411	17.954	R	2022				0012	CRACKING		9.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	8.9	7.5											
AJAX PAVING INDUSTRIES OF (2023)									RIDE		7.6		7.8	7.9	8.0	7.9	7.9	8.0	8.0	8.4	8.4	8.3	8.3	8.2											
08470000	17.954	18.653	R			5	1	70	CRACKING																										
589	53.1	53.8	2	12.2				500	RIDE																										
US 98 SR 700 RAMPS(18.7C)									FC5M																										
4052701	17.955	18.653	C	2018				0002	CRACKING												10.0	10.0	10.0	8.5											
LANE CONSTRUCTION CORPORAT(2024)									SPRIDE												8.6	8.6	8.6	8.5											
08470000	17.954	18.653	L			5	1	70	CRACKING																										
589	53.1	53.8	2	12.2				500	RIDE																										
US 98 SR 700 RAMPS(18.7C)									FC5M																										
4052701	17.955	18.653	C	2018				0002	CRACKING												10.0	10.0	10.0	8.5											
LANE CONSTRUCTION CORPORAT(2024)									SPRIDE												8.7	8.7	8.6	8.5											
08470000	17.196	17.954	L			5	1	70	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5												
589	52.4	53.1	2	12.2		2	12	500	RIDE				8.7	8.1	8.1	8.1	8.0	8.0	7.9	7.9	8.0	7.9	7.8												
									FC5M																										
4459131	17.411	17.954	L	2022				0012	CRACKING				10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	9.1	7.5											
AJAX PAVING INDUSTRIES OF (2023)									RIDE				8.1	8.0	8.1	8.1	8.0	7.8	7.6	8.4	8.5	8.5	8.5	8.4											
08470000	7.212	17.196	L			5	1	70	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5												
589	42.4	52.4	2	12.2		2	12	500	RIDE				8.7	8.1	8.1	8.1	8.0	8.0	7.9	7.9	8.0	7.9	7.8												
									FC5M																										
4459131	7.245	16.664	L	2022				0012	CRACKING		9.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	8.5											
AJAX PAVING INDUSTRIES OF (2024)									RIDE		7.9		8.4	8.2	8.3	8.2	8.2	8.2	8.1	8.1	8.6	8.5	8.5	8.4											
08470000	0.000	7.212	L			5	1	70	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0												
589	35.2	42.4	2	10.8		2	0	837	RIDE			8.7	8.9	8.4	8.1	8.2	8.2	8.1	8.1	8.1	8.1	7.9	8.0												
									FC5M																										
4273241	0.000	7.212	C	2013				0012	CRACKING		7.5		10.0	10.0	10.0	9.5	9.5	8.0	7.5	7.5	7.5	6.7	5.5*	3.5*											
AJAX PAVING INDUSTRIES OF (2016)									SPRIDE		7.8		8.5	8.5	8.7	8.6	8.6	8.6	8.6	8.5	8.5	8.5	8.5	8.4											
4477011	0.000	7.212	C	2026				0012																											

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2031 FORECASTED BY PAVEMARS (PMRS).