

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = HERNANDO

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR												FUTURE	
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2030
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P	ASTYPE	=====	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030	(PMRS)
ITMSEG-P	W BMP	W EMP	RW	FY-F	WKMX-F																	
CONTRACTOR (AGE ONE YEAR)	W BMP	W EMP	RW	FY-F	WKMX-F																	
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																	
08002000	0.000	0.997	R	1	8 50	CRACKING	10.0					10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
50			2	14.2	23000	RIDE	7.5					7.7	7.5	7.4	7.4	7.5	7.3	7.3	7.3	7.0		
SR-50/CORTEZ BLVD(0.0R)					FC5																	
2548051	0.000	3.836	C	1999	0213	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	4.5*				
SMITH & COMPANY				(2004)	SPRIDE		6.8	7.3	7.2	7.1	7.1	7.2	7.3	7.1	7.1	7.2	6.9	6.8				
4167332	0.031	1.269	C	2023	0213																	
08002000	0.997	2.177	R	1	1 40	CRACKING	10.0					10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
50			2	11.3	32000	RIDE	7.5					7.7	7.5	7.4	7.4	7.5	7.3	7.3	7.3	7.0		
BUCK HOPE RD(1.4R)					UNKW																	
				(2014)		CRACKING	8.0	9.5	9.5	9.5	9.5	9.5	8.0		7.0	6.0*	6.0*	5.5*	3.5*	2.3*	0.5*	
				C 2029	0218	RIDE	6.8	6.5	6.0	6.3	5.8	6.4			6.7	6.7	6.5	6.2	6.0	5.9	5.5	
4167351	1.279	3.836	C	2029	0218																	
08002000	2.177	3.860	R	1	1 50	CRACKING	10.0					10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
50			2	16.8	23000	RIDE	8.0					7.7	7.5	7.4	7.4	7.5	7.3	7.3	7.3	7.0		
HOPE HILL RD(2.3R)					FC5																	
2548051	0.000	3.836	C	1999	0213	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	5.5*		5.5*	5.5*	5.5*	3.5*	3.5*	4.0*	0.0*	
SMITH & COMPANY				(2004)	SPRIDE		6.8	7.1	6.5	6.8	7.0	7.4			7.4	7.4	7.3	7.1	7.1	6.9	6.7	
4167351	1.279	3.836	C	2029	0218																	
08002000	2.177	3.860	L	1	1 50	CRACKING	10.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
50			2	16.8	23000	RIDE	8.0					7.5	7.6	7.4	7.5	7.4	7.2	7.4	7.3	7.2		
HALE AVE(2.3L)					FC5																	
2548051	0.000	3.836	C	1999	0213	CRACKING	9.5	9.0	9.0	9.0	9.0	7.5	5.5*		5.5*	3.5*	3.5*	3.5*	3.5*	2.8*	0.0*	
SMITH & COMPANY				(2004)	SPRIDE		7.2	7.4	7.2	7.2	7.2	7.5	7.4		7.5	7.5	7.4	7.1	7.0	7.1	6.9	
4167351	1.279	3.836	C	2029	0218																	
08002000	0.997	2.177	L	1	1 40	CRACKING	10.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
50			2	11.3	32000	RIDE	7.5					7.5	7.6	7.4	7.5	7.4	7.2	7.4	7.3	7.2		
CANDLELIGHT BLVD(1.1L)					UNKW																	
2548051	0.000	3.836	C	1999	0213	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0		7.0	5.5*	5.5*	3.5*	3.0*	1.5*	0.0*	
SMITH & COMPANY				(2004)	SPRIDE		7.2	6.8	6.5	6.3	6.3	6.5			6.4	6.4	6.2	6.2	6.1	5.9	5.5	
4167351	1.279	3.836	C	2029	0218																	
08002000	0.000	0.997	L	1	8 50	CRACKING	10.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
50			2	14.2	23000	RIDE	7.5					7.5	7.6	7.4	7.5	7.4	7.2	7.4	7.3	7.2		
BROOKSVILLE CITY LIMITS(0.0C)					FC5																	
2548051	0.000	3.836	C	1999	0213	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	4.5*				
SMITH & COMPANY				(2004)	SPRIDE		7.2	7.5	7.4	7.3	7.3	6.8	7.2	7.3	7.3	7.3	7.2	7.1				
4167332	0.031	1.269	C	2023	0213																	
08010000	0.000	0.975	C	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
45 41			2	12.3	14300	RIDE	8.8	8.8	8.8	8.7	8.4	8.5	8.3	8.4	8.3	8.2	8.2	8.2	8.2	8.1		
STUR ST(0.1C)					FC3																	
2548531	0.000	4.489	C	1997	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.6*	2.5*	
COUCH CONSTRUCTION LP				(1999)	S RIDE		8.2	8.0	7.4	7.9	7.9	8.0	8.0	7.0	7.8	7.9	7.9	7.9	7.7	7.6	7.3	
4479351	0.000	4.168	C	2027	0012																	
08010000	0.975	4.168	R	1	1 55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0		
45 41			2	10.5	15000	RIDE	8.8	8.8	8.8	8.7	8.4	8.5	8.3			8.3	8.3	8.3	8.2	8.1		
MUDRON ST(1.0C)					FC3																	
2548231	1.118	2.908	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	7.0	7.0	4.9*	2.5*	
PRINCE CONTRACTING, LLC				(2008)	SPRIDE		8.1	8.2	7.4	7.2	7.8	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.5	
4479351	0.000	4.168	C	2027	0012																	
08010000	4.168	5.575	R	1	1 55	CRACKING	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.5		
45 41			3	8.2	27000	RIDE	8.6	8.8	8.8	8.8	8.1	8.2	7.9	7.9	7.9	8.3	8.1	8.2	8.1	7.9		
CR 572(4.5C)					FC5M																	
4311431	4.498	5.575	C	2015	0012	CRACKING	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2	5.0*	
D.A.B. CONSTRUCTORS, INC				(2017)	RIDE		7.8	7.4	6.9	7.6	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.1	
08010000	5.575	7.298	R	1	1 55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	4.5*	4.5*	4.5*	4.5*	10.0		
45 41			3	8.2	27000	RIDE	7.9	8.8	8.9	8.8	8.1	8.2	7.9	7.9	7.5	7.3	7.0	6.5	8.4			
PINE CABIN RD(5.6R)					FC5M																	
4245551	5.575	6.711	C	2011	0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.4	3.0*	
D.A.B. CONSTRUCTORS, INC				(2012)	RIDE		8.5	8.5	8.2	8.5	8.5	8.6	8.6	8.6	8.5	8.6	8.5	8.5	8.5	8.4	8.2	
08010000	7.298	8.948	R	1	1 40	CRACKING	7.5					10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
45 41			3	6.6	25500	RIDE	5.4*					7.8	7.7	7.5	7.4	7.4	7.3	7.3	7.2	7.0		
INGRAM ST(7.3R)					FC125M																	
4413861	7.276	8.142	C	2021	0012	CRACKING	9.0	9.0	9.0	9.0	7.5	6.5	6.0*	6.0*	6.0*	6.0*			10.0	9.7	8.5	
AJAX PAVING INDUSTRIES OF				(2024)	SPRIDE		6.7	6.8	6.4	6.2	6.3	6.3	6.1	6.2	6.2	6.2	6.1		7.7	7.7	7.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = HERNANDO																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR															FUTURE
SR	US	G	BMP	G	EMP	LN	%T	AADT	TYPE															
INTERSECT	AT	(MP)	(SIDE)																					
ITMSEG-P	W	BMP	W	EMP	RW	FY-P	W	KMX-P																
CONTRACTOR	(AGE	ONE	YEAR)					ASTYPE																
ITMSEG-F	W	BMP	W	EMP	RW	FY-F	W	KMX-F																(PMRS)
08010000	8.948	9.194	C	1	1	35	CRACKING	7.5	9.5	9.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			4	5.1	11600	RIDE	5.4*	7.6	7.3						7.5	7.4	7.3	7.3	6.9	6.8	7.0	6.6	6.8	
FROM PONCE DE LEON(8.9L)					FC125M																			
4413861	8.959	9.081	C	2021	0012	CRACKING	10.0	10.0	10.0	10.0					9.0	9.0	7.0	7.0	7.0			10.0	9.0	8.0
AJAX PAVING INDUSTRIES OF			(2024)		SPRIDE			6.8	6.7	6.3	5.7				6.3	6.0	6.2	5.9	5.9	6.0		7.8	8.0	7.6
08010000	9.194	10.100	C	1	1	35	CRACKING	9.5	9.5	9.0					9.0	9.0	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	
45 41			2	7.9	10500	RIDE	8.1	7.6	7.3	7.7					6.9	7.0	6.3	6.4	6.0	5.6	5.2*	5.4*	5.1*	
OLD HOSPITAL DR(9.2L)					FC125R																			
			(2015)			CRACKING	4.5*		10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.1	6.5
						RIDE	5.3*		7.1	6.9	7.1				7.4	7.1	7.2	7.3	7.0	7.0	7.0	7.2	7.1	6.7
08010000	10.100	14.134	C	1	1	40	CRACKING	10.0	10.0	10.0					10.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	6.5	
45 41			2	8.1	9900	RIDE	8.7	8.6	8.6	8.6					8.2	8.1	7.9	7.8	7.6	7.4	7.0	7.3	7.2	
S SAXON AVE(10.1R)					FC4																			
			(2013)			CRACKING	10.0	10.0	10.0	10.0	10.0				9.0	8.5	7.5	7.0	7.0	7.0	7.0	4.5*	4.2*	2.0*
4491571	10.100	14.134	C	2027	0012			8.4	8.4	7.8	7.9				7.9	7.8	7.7	7.6	7.4	7.3	7.1	7.1	7.1	6.7
08010000	14.134	18.875	C	1	1	55	CRACKING	10.0	10.0	10.0					10.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	6.5	
45 41			2	10.1	6800	RIDE	8.7	8.6	8.6	8.6					8.2	8.1	7.9	7.8	7.6	7.4	7.0	7.3	7.2	
TURKEY TROT LN(14.2R)					FC95MR																			
4309481	14.134	18.875	C	2015	0012	CRACKING	9.0	6.5	6.5	6.5					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	8.0
D.A.B. CONSTRUCTORS, INC			(2018)			RIDE	8.0	8.1	7.6	8.0					8.0	7.9	7.9	7.9	7.8	7.8	7.7	7.7	7.7	7.3
08010000	7.298	8.948	L	1	1	40	CRACKING	7.5							10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
45 41			3	6.6	25500	RIDE	5.4*								7.6	7.1	7.2	7.2	7.0	7.0	7.0	6.9	6.8	
CR 570(7.7L)					FC125M																			
4413861	7.276	8.142	C	2021	0012	CRACKING	9.0	9.0	9.0	9.0					9.0	7.0	7.0	7.0	6.0*	5.5*		10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF			(2024)		SPRIDE			6.7	6.6	6.4	5.7				6.0	6.4	6.2	6.3	6.2	6.4		7.5	7.5	7.1
08010000	5.575	7.298	L	1	1	55	CRACKING	10.0	10.0	10.0					10.0	9.0	9.0	9.0	4.5*	4.5*	4.5*	4.5*	10.0	
45 41			3	8.2	27000	RIDE	8.4	8.5	8.3	8.3					8.2	8.2	8.1	7.9	7.8	7.7	7.7	7.5	8.4	
MASON SMITH RD(7.1L)					FC5M																			
4245551	5.575	6.711	C	2011	0226	CRACKING	10.0	10.0	10.0	10.0					10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.1	2.5*
D.A.B. CONSTRUCTORS, INC			(2012)			RIDE	8.4	8.3	8.2	8.4	8.5				8.7	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.4
08010000	4.168	5.575	L	1	1	55	CRACKING	8.0	10.0	10.0					10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	
45 41			3	8.2	27000	RIDE	8.6	8.7	8.8	8.3					8.2	8.2	8.1	7.9	8.2	8.1	7.9	7.7	7.6	
CR 572(4.5C)					FC5M																			
4311431	4.498	5.575	C	2015	0012	CRACKING	6.5	6.5	6.5	6.5					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.0*
D.A.B. CONSTRUCTORS, INC			(2017)			RIDE	7.5	7.4	6.9	7.2	8.2				8.2	8.3	8.3	8.3	8.3	8.2	8.1	8.2	8.2	8.0
08010000	0.975	4.168	L	1	1	55	CRACKING	10.0	10.0	10.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	10.5	15000	RIDE	8.8	8.8	8.8	8.7					8.4	8.5	8.3		8.1	8.1	7.8	8.0	8.0	
MUDRON ST(1.0C)					FC3																			
2548231	1.118	2.908	C	2004	0213	CRACKING	9.5	9.5	10.0	10.0					10.0	10.0	8.5	8.5	6.5	6.5	6.0*	6.0*	3.6*	1.0*
PRINCE CONTRACTING, LLC			(2008)		SPRIDE			7.9	7.9	7.1	6.7				7.4	7.7	7.6	7.6	7.5	7.4	7.4	7.5	7.4	7.0
4479351	0.000	4.168	C	2027	0012																			
08020000	0.000	3.707	R	1	1	55	CRACKING	10.0	10.0	10.0					9.5	9.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	
55 19			3	7.3	41000	RIDE	8.5	8.2	8.4	8.5					7.7	7.7	7.5	7.5	7.4	7.2	7.3	7.1	7.0	
CR578/COUNTY LINE RD(0.0R)					FC5																			
4230511	0.018	3.725	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0					10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.7	2.5*
D.A.B. CONSTRUCTORS, INC			(2013)		SPRIDE			8.3	8.3	8.1	8.3				8.3	8.4	8.3	8.2	8.3	8.2	8.2	8.2	8.2	8.0
4553441	0.000	3.707	C	2028	0012																			
08020000	3.707	7.135	R	1	1	55	CRACKING	10.0		10.0					10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	7.5	
55 19			3	4.2	39000	RIDE	9.0		8.8	8.8					8.2	8.3	8.1	8.1	8.0	8.0	7.9	7.9	7.8	
TOUCAN TR(3.8C)					FC5M																			
4327201	3.707	7.135	C	2017	0012	CRACKING	7.5	6.5	6.5	5.5*	5.5*							10.0	10.0	10.0	10.0	10.0	8.7	6.5
D.A.B. CONSTRUCTORS, INC			(2020)		SPRIDE			7.7	7.7	7.3	7.6				7.5			8.6	8.6	8.6	8.6	8.6	8.6	8.4
08020000	7.135	19.514	R	1	1	60	CRACKING	10.0	10.0	10.0					10.0	10.0	10.0	10.0	7.5	6.5	6.5	4.5*	3.5*	
55 19			2	12.2	13100	RIDE	8.9	8.9	8.8	8.8					8.2	8.3	8.0	8.1	7.8	7.4	7.4	7.4	7.2	
TO SR 50(7.2R)					FC5																			
4271521	7.221	19.514	C	2013	0012	CRACKING	3.5*			10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	5.0*
D.A.B. CONSTRUCTORS, INC			(2016)		SPRIDE			6.8		8.4	8.4				8.6	8.4	8.4	8.4	8.5	8.4	8.4	8.3	8.3	8.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = HERNANDO																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012					
INTERSECT AT (MP SIDE)																									
ITMSEG-P	W BMP	W_EMP	RW	FY-P	WKM-X-P																				
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																				2030 (PMRS)
08020000	7.135	19.514	L 1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.5	6.5	4.5*	4.5*					
55 19			2 12.2	13100	RIDE		9.0	9.0	8.9	8.8	8.3	8.3	8.1	8.1	7.9	7.5	7.5	7.5	7.5	7.1					
CR-550/CORTEZ BLVD(7.3L)																									
4271521	7.221	19.514	C 2013	0012	CRACKING		4.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.1	5.0*				
D.A.B. CONSTRUCTORS, INC			(2016)		SPRIDE		6.8			8.4	8.4	8.6	8.5	8.4	8.5	8.4	8.4	8.4	8.4	8.4	8.4				
08020000	3.707	7.135	L 1	1	55	CRACKING	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5					
55 19			3 4.2	39000	RIDE		8.9		8.8	8.9	8.4	8.4	8.3	8.4	7.9	8.1	8.1	8.1	8.1	8.0					
FROM TOUCAN TR(3.8L)																									
4327201	3.707	7.135	C 2017	0012	CRACKING		7.0	7.0	7.0	7.0	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	8.6	6.5				
D.A.B. CONSTRUCTORS, INC			(2020)		SPRIDE		7.9	7.9	7.6	7.8	7.8			8.5	8.4	8.4	8.4	8.4	8.5	8.4	8.2				
08020000	0.000	3.707	L 1	1	55	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*					
55 19			3 7.3	41000	RIDE		8.6	8.4	8.5	8.5	7.8	7.9	7.6	7.7	7.2	7.3	7.4	7.4	7.3	7.2					
TRAVEL PARK DR(0.0L)																									
4230511	0.018	3.725	C 2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	3.5*				
D.A.B. CONSTRUCTORS, INC			(2013)		SPRIDE		8.3	8.4	8.1	8.3	8.3	8.5	8.4	8.3	8.2	8.3	8.3	8.3	8.3	8.3	8.3				
4553441	0.000	3.707	C 2028	0012																					
08030000	0.000	6.667	C 1	1	60	CRACKING	8.0	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*						
35 301			2 14.6	5400	RIDE		8.4	8.4	8.3	8.2	7.7	7.6	7.5	7.3	7.3	6.7	6.3*	6.4*							
RUNNING PON LN(0.0R)																									
4065521	0.155	6.444	C 2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.3	5.5*				
C. W. ROBERTS CONTRACTING, INC			(2013)		SPRIDE		8.5	8.4	8.5	7.7	7.9	8.1	8.1	7.9	7.9	7.9	7.6	7.7	7.6	7.2					
08040000	0.000	6.017	R 1	1	55	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	7.5	6.5	6.5	6.5	6.5	5.5*	5.5*						
50			3 4.6	41500	RIDE		8.5	8.8	8.4	8.8	8.2	7.9	8.0	8.0	7.8	7.8	7.8	7.8	7.7	7.4					
COMMERCIAL WAY(0.0C)																									
4079513	0.000	3.760	C 2013	0218	CRACKING		5.5*			10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	5.0*				
D.A.B. CONSTRUCTORS, INC			(2017)		SPRIDE		7.5			8.2	8.5	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.1				
08040000	6.017	9.877	R 1	1	55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0				
50			2 5.4	24500	RIDE		9.0	8.9	8.9	8.4	8.4	8.3	8.3	8.2	8.1	8.1	8.1	8.0	7.9						
CR 470(6.0R)																									
4230521	6.455	8.484	C 2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5	7.5	6.6	3.0*					
AJAX PAVING INDUSTRIES OF			(2014)		SPRIDE		8.4	8.0	8.3	8.3	8.5	8.4	8.4	8.4	8.2	8.1	8.3	8.2	8.0						
4510461	6.017	9.851	C 2027	0012																					
08040000	9.877	11.315	C 1	2	45	CRACKING	10.0	10.0	9.5	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5						
50A			2 11.2	13000	RIDE		8.4	8.1	7.8	8.2	7.7	7.5	7.6	7.1	7.3	6.7	6.9	6.8							
ESTATES AVE(10.5L)																									
			(2015)		CRACKING		6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.0*						
					RIDE		6.6	6.7	8.5	8.1	7.8	8.0	7.9	7.8	7.9	7.7	7.6	6.5	6.1						
08040000	6.017	9.877	L 1	1	55	CRACKING		10.0	10.0	10.0	10.0	8.0	7.5	6.5	3.5*	3.5*	3.5*	3.5*							
50			2 5.4	24500	RIDE		8.9	8.8	8.8	8.2	8.0	8.0	7.6	7.2	6.7	5.7*	5.6*	5.6*	5.6*	2.0*					
GARDEN ACRES RD(6.2C)																									
4230521	6.455	8.484	C 2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.0*	2.0*					
AJAX PAVING INDUSTRIES OF			(2014)		SPRIDE		8.3	8.2	8.3	8.3	8.5	8.4	8.4	8.4	8.3	8.2	8.3	8.0	7.8						
4510461	6.017	9.851	C 2027	0012																					
08040000	0.000	6.017	L 1	1	55	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	6.5						
50			3 4.6	41500	RIDE		8.6	8.6	8.4	8.5	8.0	8.1	8.0	8.1	7.9	8.0	7.9	7.9	7.9						
COMMERCIAL WAY(0.0C)																									
4079513	0.000	3.760	C 2013	0218	CRACKING		5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	5.0*				
D.A.B. CONSTRUCTORS, INC			(2017)		SPRIDE		7.8			8.3	8.5	8.4	8.4	8.3	8.3	8.2	8.4	8.4	8.2	8.2					
08050000	6.117	10.175	R 1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*						
50 98			2 24.5	27500	RIDE		9.0	9.0	8.9	8.5	8.4	8.2	7.7	7.3	6.7	6.1*	5.9*	5.8*	5.8*						
CR 484(6.1R)																									
4245581	6.117	10.130	C 2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	5.5*	3.5*	3.5*	1.0*	1.0*	0.0*					
D.A.B. CONSTRUCTORS, INC			(2014)		SPRIDE		8.3	8.0	8.2	8.2	8.3	8.3	8.2	8.2	8.0	7.7	7.4	7.4	7.4	7.2					
4479481	6.616	10.258	C 2025	0012																					
08050000	10.175	10.637	R 1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0					
50A 98			2 5.1	12100	RIDE		7.7	8.8	9.0	9.0	8.5	8.4	8.4	8.1	8.1	8.0	7.8	7.7	7.3						
JASMINE DR(10.3R)																									
			(2020)		CRACKING		6.0*	6.0*	4.5*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	7.5	6.0*					
					RIDE		6.9	6.6	6.4					7.4	7.5	7.7	7.6	7.7	7.6	7.2					
4510561	10.373	12.766	C 2027	0012																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = HERNANDO

RDWYID	SR	US	BMP	G_BMP	EMP	LN	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE
INTERSECT	AT	(MP)	(SIDE)					%T	AADT	RATINGS	=====																
ITMSEG-P	W BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE																					
CONTRACTOR	(AGE ONE YEAR)																										
ITMSEG-F	W BMP	W_EMP	RW	FY-F	WKM-F																					2030 (PMRS)	
08050000	10.637	11.630	C	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
50A 98			2	11.6	10300	RIDE	7.7	8.8	8.7	8.7	8.2	8.5	8.3	8.3	8.3	8.3	8.4	8.3	8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.3	
OLD DADE	CITY RD(10.6R)					FC125																					
				(1998)			CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	6.0*	2.5*	2.5*	2.5*	
4510561	10.373	12.766	C	2027	0012		RIDE	8.3	8.2	7.7	7.4	7.5	7.9	8.0	7.9	8.0	7.9	8.0	7.9	8.0	7.9	7.8	7.4	7.4	7.4	7.4	
08050000	11.630	12.555	C	1	1	35	CRACKING	10.0	9.5	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
45 41			2	5.1	7000	RIDE	7.7	6.6	6.7	6.7	5.9	5.9	5.8	5.7	5.7	5.7	5.6	5.6	5.6	5.6	5.6	5.6	5.6	7.2	7.4	7.4	
E LIBERTY	ST(11.7C)					FC125																					
4192571	11.762	12.536	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	
D.A.B. CONSTRUCTORS, INC	(2011)					SPRIDE	7.1	7.1	6.7	5.7	5.5	6.3	6.0	6.3	6.0	6.3	6.0	5.9	5.9	5.9	5.8	5.8	5.8	5.8	5.8	5.4*	
4510561	10.373	12.766	C	2027	0012																						
08050000	12.555	12.766	C	1	6	35	CRACKING	10.0	9.5	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	9.5	9.5	8.0	8.0	
50A 98			2	5.1	11100	RIDE	7.7	6.6	6.7	6.7	5.9	5.9	5.8	5.7	5.7	5.7	5.6	6.2	6.3	6.3	5.5	5.5	5.5	5.5	5.5	5.5	
MILDRED AVE N(12.6L)						FC125R																					
4271501	12.568	12.766	C	2013	0012	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	5.5*	
D.A.B. CONSTRUCTORS, INC	(2015)					SPRIDE	5.5	5.5	7.1																		
4510561	10.373	12.766	C	2027	0012																						
08050000	10.255	10.637	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	
50A 98			2	5.1	12100	RIDE	7.7	8.8	8.7	8.7	8.2	8.5	8.3	8.3	8.3	8.3	8.4	8.3	8.4	8.3	8.4	7.7	7.7	7.7	7.7	7.7	
FROM SR 50(10.3L)						UNKW																					
				(2020)			CRACKING	6.0*	6.0*	4.5*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.0*	6.0*	6.0*	
4510561	10.373	12.766	C	2027	0012		RIDE	7.5	7.2	6.8																	
08050000	6.117	10.255	L	1	1	60	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
50 98			2	24.5	27500	RIDE	8.8	8.6	8.5	8.3	7.4	8.2	8.0	8.0	8.0	8.0	8.0	7.7	7.2	6.8	6.1*	6.4*	7.5	7.5	7.5	7.5	
OLYMPIA RD(7.3L)						FC5M																					
4245581	6.117	10.130	C	2012	0012	CRACKING		10.0	10.0	10.0	10.0	9.0	7.5	7.5	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	0.5*	0.5*	
D.A.B. CONSTRUCTORS, INC	(2014)					SPRIDE	8.3	8.1	8.2	8.2	8.3	8.3	8.3	8.2	8.0	8.1	7.9	7.8	7.5	7.3	7.3	7.3	7.3	7.3	7.3	7.3	
4479481	6.616	10.258	C	2025	0012																						
08051000	0.000	0.072	C	1	6	35	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
45 41			2	6.5	11000	RIDE																					
US-41/SR-45(0.0L)																											
4271531	0.000	0.072	C	2013	0012	CRACKING	6.5	6.5	6.5	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	6.9	5.0*	5.0*	5.0*	5.0*	5.0*	
DAVID NELSON CONSTRUCTION	(2016)					SPRIDE																					
08060000	2.049	6.041	C	1	7	60	CRACKING	9.5	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
50 98			2	24.1	7800	RIDE	8.2	7.9	7.6	7.1	6.7	6.0*	5.7*			8.3	8.3	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.3	
BURWELL RD(2.0R)						FC125M																					
4428351	2.049	6.041	C	2022	0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	8.5	8.5	7.5		10.0	9.0	9.0	9.0		
SOUTHLAND CONSTRUCTION, IN	(2025)					SPRIDE	8.3	8.3	8.1	7.4	7.8	8.2	8.2	8.1	8.1	8.1	8.1	8.1	8.1	8.1		7.9	7.5	7.5	7.5		
08070000	0.000	2.675	R	1	1	60	CRACKING	9.5	8.0	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
50 98			2	15.1	23000	RIDE	8.3	8.6	8.3	8.0	6.8	7.0	6.9	7.6	7.2						8.1	8.1	8.1	8.1	8.1	8.1	
CR-541/SPRING LK HWY(0.0R)						FC5M																					
4151851	0.000	4.051	C	2007	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	8.0	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	1.0*	0.0*	0.0*	0.0*	0.0*	0.0*	
D.A.B. CONSTRUCTORS, INC	(2010)					SPRIDE	8.0	8.0	7.9	8.1	8.1	8.3	8.4	8.3	8.3	8.0	7.8	7.9	7.7	7.7	7.5	7.5	7.5	7.5	7.5	7.5	
4438051	0.123	2.730	C	2024	0012																						
08070000	2.675	3.450	R	1	1	60	CRACKING	9.5	8.0	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
50 98			2	15.1	23000	RIDE	8.3	8.6	8.3	8.0	6.8	7.0	6.9	7.6	7.2						8.1	8.1	8.1	8.1	8.1	8.1	
LOCKHART RD(3.0R)						FC5M																					
4300512	3.031	3.386	C	2020	0218	CRACKING	10.0	9.5	9.5	9.5	9.5	8.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	9.6	8.0	8.0	8.0	8.0	8.0	
WATSON CIVIL CONSTRUCTION, (2023)						SPRIDE	8.0	8.0	7.9	8.1	8.1	8.3	8.4	8.3	8.3	8.0	8.3	8.3	8.3	8.2	8.2	8.2	8.2	8.2	8.2	8.2	
08070000	3.450	4.188	R	1	1	45	CRACKING	9.5	8.0	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
50 98			3	15.1	23000	RIDE	8.3	8.6	8.3	8.0	6.8	7.0	6.9	7.6	7.2	4.2*	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	
NATURE COAST BLVD(3.9R)						LGD																					
				(2020)			CRACKING	10.0	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
							RIDE	8.0	8.0	7.9	8.1	8.1		8.2	8.2	7.8	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	7.9	7.9	
08070000	4.188	5.258	R	1	1	55	CRACKING	9.5	8.0	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
50 98			3	5.1	22000	RIDE	8.0	8.6</																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 7 COUNTY = HERNANDO -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE	
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2023	2024	2025	2030
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P	ASTYPE	=====	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	(PMRS)
ITMSEG-P	CONTRACTOR	(AGE ONE YEAR)																						
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																			
08070000	5.258	7.464	R	1	1	55	CRACKING		10.0	10.0	9.5	9.5	9.0	9.0	8.0	6.5	10.0	10.0	10.0	10.0	9.5			
50 98			3	5.1	22000		RIDE		8.9	8.7	8.7	8.1	7.8	7.4	7.0	6.4*	7.6	7.9	7.9	7.9	7.7			
CYRIL DR(5.6R)					FC5M																			
4167324	4.537	7.026	C	2020	0218		CRACKING	8.0	7.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*					10.0	10.0	8.5		
PCS CIVIL INC. F/K/A PEPPE(2024)					SPRIDE			7.6	7.1	6.9	7.5	7.7	7.6	7.9	7.8					8.3	8.2	8.0		
08070000	7.464	9.519	C	1	8	55	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0			
50			2	22.1	10500		RIDE	8.3	8.3	8.0	7.9	7.1	6.4*	5.8*	5.9*	5.7*	5.4*	5.6*	8.1	8.0				
WESTWIND DR(7.6L)					FC5M																			
4065451	7.419	9.263	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0							
D.A.B. CONSTRUCTORS, INC (2011)					RIDE			7.8	7.9	7.1	7.6	7.7	7.8	7.8	7.7	7.7	7.3							
4167323	7.080	8.942	C	2020	0218																			
08070000	5.258	7.464	L	1	1	55	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	8.0	6.5	4.5*	10.0	10.0	10.0				
50 98			3	5.1	22000		RIDE		8.5	8.8	8.8	8.3	8.2	8.1	7.7	6.9	6.8	8.2	8.1	7.9				
AMELIA LN(5.6L)					FC5M																			
4167324	4.537	7.026	C	2020	0218		CRACKING	9.5	7.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*					10.0	10.0	8.5		
PCS CIVIL INC. F/K/A PEPPE(2024)					SPRIDE			7.5	7.3	6.9	7.7	7.7	7.6	7.7	7.4					8.2	8.1	7.9		
08070000	4.188	5.258	L	1	1	55	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	4.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0				
50 98			3	5.1	22000		RIDE	8.1	8.6	8.7	8.6	7.5	7.4	7.2	6.7	6.0*	5.8*	8.4	8.4	8.4				
BRONSON BLVD(4.2L)					FC125M																			
4167324	4.537	7.026	C	2020	0218		CRACKING	10.0	10.0	10.0	10.0	10.0			8.0				10.0	9.2	8.0			
PCS CIVIL INC. F/K/A PEPPE(2024)					SPRIDE			8.3	8.3	8.3	8.3	8.3			8.3				8.2	8.1	7.7			
08070000	3.450	4.188	L	1	1	45	CRACKING	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	4.5*	1.0*	10.0	10.0	10.0				
50 98			3	15.1	23000		RIDE	8.7	8.7	8.6	8.1	7.4	7.3	6.8	6.2	5.6	5.8	8.4	8.4	8.4				
FOREST RD(3.9L)					LGD																			
(2020)							CRACKING	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	9.2	8.5			
							RIDE	8.3	8.3	8.3	8.3	8.3			8.3	8.2	8.0	8.1	8.0	8.0	8.0	7.8		
08070000	2.675	3.450	L	1	1	60	CRACKING	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	4.5*		10.0	10.0	10.0				
50 98			3	15.1	23000		RIDE	8.7	8.7	8.6	8.1	7.4	7.3	6.8	6.2*	5.6*		8.4	8.4	8.4				
WINDING WOODS WAY(2.9L)					FC5M																			
4300512	3.031	3.386	C	2020	0218		CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	6.5	4.5*	10.0	10.0	9.0	7.5			
WATSON CIVIL CONSTRUCTION, (2023)					SPRIDE			8.3	8.3	8.3	8.3	8.3	8.3	8.4	8.4	8.4	8.2	8.3	8.3	8.3	8.1			
08070000	0.000	2.675	L	1	1	60	CRACKING	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	4.5*		10.0	10.0	10.0				
50 98			2	15.1	23000		RIDE	8.7	8.7	8.6	8.1	7.4	7.3	6.8	6.2*	5.6*		8.4	8.4	8.4				
CR484/MONDON HILL RD(0.0L)					FC5M																			
4151851	0.000	4.051	C	2007	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	6.5	4.5*	4.5*	3.5*	3.8*	0.0*			
D.A.B. CONSTRUCTORS, INC (2010)					SPRIDE			8.3	8.3	8.3	8.3	8.3	8.3	8.4	8.4	8.4	8.2	8.1	8.1	7.8	7.6			
4438051	0.123	2.730	C	2024	0012																			
08080000	0.000	0.530	R	1	1	35	CRACKING	9.5	9.5	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
700 98			1	7.6	7600		RIDE	6.4*	6.8	6.7	6.4	6.3	6.8	6.9	6.7	6.7	6.8	6.8	6.7	6.6				
BROAD ST(0.0C)					FC125M																			
4364801	0.000	0.323	C	2019	0012		CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5			
AJAX PAVING INDUSTRIES OF (2020)					SPRIDE			6.4	6.3	5.9	5.2*	5.5	5.4*	5.4*	7.5	7.7	7.3	7.1	7.1	6.3	5.9			
08080000	0.530	1.676	R	1	1	45	CRACKING	10.0	8.0	7.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0				
700 98			1	13.4	6900		RIDE	7.8	7.8	7.8	7.5	7.1	6.6	6.3	5.7		8.4	8.5	8.3	8.3				
WARD AVE(0.5R)					FC125M																			
4037241	0.475	1.635	C	2007	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.1	5.5*			
D.A.B. CONSTRUCTORS, INC (2009)					SPRIDE			8.2	8.2	8.2	7.4	7.2	8.1	8.0	8.1	8.0	8.0	7.9	7.9	8.0	7.6			
08080000	1.676	2.188	R	1	1	45	CRACKING	10.0	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
700 98			2	8.1	6400		RIDE	7.6	7.6	7.8	8.2	7.3	7.6	7.5	7.7	7.7	7.6	7.5	7.6	7.6				
CR-485B/YONTZ RD(1.9R)					FC125																			
2548571	1.934	8.074	C	2002	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.4	4.5*			
D.A.B. CONSTRUCTORS, INC (2004)					SPRIDE			7.5	7.4	7.4	6.9	6.6	7.5	7.4	7.2	6.9	7.2	7.2	7.2	7.2	7.2	6.8		
08080000	2.188	7.898	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
700 98			2	8.1	6400		RIDE	8.3	8.8	8.7	8.4	8.3	8.4	8.3	8.4	8.4	8.2	8.2	8.2	8.2				
FL HWY PATROL ENT(2.8L)					FC125																			
2548571	1.934	8.074	C	2002	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.2	4.5*		
D.A.B. CONSTRUCTORS, INC (2004)					SPRIDE			8.1	8.0	7.5	7.7	7.4	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.8	7.9	7.5		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = HERNANDO																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G BMP	G_EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
INTERSECT AT (MP SIDE)	W BMP	W_EMP	RW	FY-P	WKMX-P	ASTYPE															
ITMSEG-P	(AGE ONE YEAR)							2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKMX-F																
08080000	7.898	8.397	C	1	1	60	CRACKING	10.0	9.5	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	
700 98			2	18.5	4700	RIDE	8.3	8.3	6.7	8.5	8.0	7.8	7.9	8.0	7.7	7.5	7.7	7.6	7.5		
CITRUS WAY(8.1C)					FC125																
				(2025)			CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	10.0	9.0
							RIDE	7.5	7.1	7.1	7.1	7.2	7.2	7.2	7.2	7.2	7.1	6.9	6.9	6.9	6.5
08080000	8.397	10.779	C	1	1	60	CRACKING	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	
700 98			2	18.5	4700	RIDE	7.1	6.9	6.7	8.5	8.0	7.8	7.9	8.0	7.7	7.5	7.7	7.6	7.5		
HODGE RD(8.9R)					FC125																
2548381	8.168	10.801	C	2002	0012	CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	3.5*	0.5*
GRUBBS CONSTRUCTION CO				(2003)	SPRIDE		7.5	7.1	7.1	7.1	7.1	7.2	7.3	7.2	7.2	7.2	7.1	6.9	6.9	7.1	6.7
4367331	8.286	10.774	C	2026	0012																
08080000	10.779	11.879	R	1	1	60	CRACKING	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
700 98			2	18.5	4700	RIDE	7.1		8.5	8.4	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.2	8.1	8.1	
					FC5M																
4400641	11.259	11.829	C	2022	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	6.5					3.5*	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF				(2024)	SPRIDE		8.0	8.0	7.9	7.9	7.9	8.0	7.9					7.6	8.6	8.6	8.4
08080000	11.879	12.629	R	1	1	60	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
700 98			2	15.0	9700	RIDE			8.5	8.4	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.2	8.1	8.1	
					FC5M																
4052701	11.683	12.384	R	2018	0002	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	6.5					10.0	10.0	10.0	8.5
LANE CONSTRUCTION CORPORAT				(2023)	SPRIDE		8.0	8.0	7.9	7.9	7.9	8.0	7.9					8.4	8.3	8.4	8.2
08080000	12.629	12.791	R	1	1	60	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
700 98			2	15.0	9700	RIDE	6.5		8.5	8.4	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.2	8.1	8.1	
					FC5M																
4400641	12.414	12.778	C	2022	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	6.5					4.5*	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF				(2024)	SPRIDE		8.0	8.0	7.9	7.9	7.9	8.0	7.9					6.8	8.3	8.4	8.2
08080000	12.791	12.875	R	1	1	60	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
700 98			2	15.0	9700	RIDE	6.5		8.5	8.4	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.2	8.1	8.1	
					FC5																
				(2024)			CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	6.5				4.5*	10.0	5.7*	4.5*
							RIDE	8.0	8.0	7.9	7.9	7.9	8.0	7.9				6.8	8.3	7.8	7.6
08080000	12.758	12.875	L	1	1	60	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
700 98			2	15.0	9700	RIDE	6.5		8.2	8.3	7.8	7.9	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	
					FC5																
				(2024)			CRACKING	9.5	8.0	8.0	7.0	7.0	6.5	3.5*				4.5*	10.0	3.3*	2.0*
							RIDE	7.7	7.7	7.3	7.5	7.2	7.4	7.4				7.4	8.2	7.6	7.4
08080000	12.387	12.758	L	1	1	60	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
700 98			2	15.0	9700	RIDE			8.2	8.3	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	
					OGFC																
4400641	12.414	12.778	C	2022	0012	CRACKING	9.5	8.0	8.0	7.0	7.0	6.5	3.5*					4.5*	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF				(2024)	SPRIDE		7.7	7.7	7.3	7.5	7.2	7.4	7.4					7.4	8.2	8.3	8.1
08080000	11.686	12.387	L	1	1	60	CRACKING	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
700 98			2	15.0	9700	RIDE	7.1		8.2	8.3	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	
					FC5M																
4052701	11.797	12.547	L	2018	0002	CRACKING	9.5	8.0	8.0	7.0	7.0	6.5	3.5*					10.0	10.0	10.0	8.5
LANE CONSTRUCTION CORPORAT				(2023)	SPRIDE		7.7	7.7	7.3	7.5	7.2	7.4	7.4					8.2	8.2	8.2	8.0
08080000	10.779	11.686	L	1	1	60	CRACKING	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
700 98			2	18.5	4700	RIDE	7.1		8.2	8.3	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	
					FC5																
4400641	11.259	11.829	C	2022	0012	CRACKING	9.5	8.0	8.0	7.0	7.0	6.5	3.5*					4.5*	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF				(2024)	SPRIDE		7.7	7.7	7.3	7.5	7.2	7.4	7.4					6.9	8.5	8.5	8.3
08080000	1.676	2.188	L	1	1	45	CRACKING	9.0	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
700 98			2	8.1	6400	RIDE	8.1	7.9	8.0	8.2	8.2	8.1	8.1	8.1	8.4	8.0	8.0	8.0	7.9	8.0	
FLAGSTONE RD(1.8L)					FC125																
2548571	1.934	8.074	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.4	4.5*
D.A.B. CONSTRUCTORS, INC				(2004)	SPRIDE		7.9	7.9	7.8	7.8	7.6	8.0	8.1	7.9	7.9	8.1	7.9	7.9	7.9	7.9	7.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 7 COUNTY = HERNANDO																								
RDWYID	SR	US	BMP	G BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR												FUTURE
INTERSECT AT (MP SIDE)	W BMP	W_EMP	W_EMP	W_EMP	W_EMP	W_EMP	FY-P	WKMX-P	WKMX-P	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE
CONTRACTOR (AGE ONE YEAR)	W_BMP	W_EMP	W_EMP	W_EMP	W_EMP	W_EMP	FY-F	WKMX-F	WKMX-F		2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)
08080000	0.530	1.676	L	1	1	13.4	1	45	6900	CRACKING RIDE	10.0	8.0	7.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	
700 98											7.8	7.8	7.8	7.5	7.1	6.6	6.3	5.7		8.3	8.3	8.4	8.1	
OAKDALE AVE(0.6L)																								
4037241	0.475	1.635	C	2007		(2009)			0012	CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.6	6.0*
D.A.B. CONSTRUCTORS, INC									SPRIDE		8.1	8.1	8.1	7.7	7.7	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.4
08080000	0.000	0.530	L	1	1	2	7.6	1	35	7600	CRACKING RIDE	9.5	9.5	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
700 98											6.4*	6.8	6.7	6.4	6.3	6.8	6.9	6.7	6.7	6.8	6.8	6.7	6.6	
BROAD ST(0.0C)																								
4364801	0.000	0.323	C	2019		(2020)			0012	CRACKING RIDE	9.5	8.0	8.0	8.0	8.0	8.0	6.0*	10.0	10.0	10.0	10.0	10.0	9.7	8.5
AJAX PAVING INDUSTRIES OF									SPRIDE		6.4	6.3	5.9	5.2*	5.5	5.4*	5.4*	7.5	7.7	7.3	7.1	7.1	7.1	6.7
08120000	0.000	2.041	C	1	1	2	22.1	1	55	7300	CRACKING RIDE	9.0	9.0	9.0	9.0	7.5	7.5	6.5	3.5*	3.5*	3.5*	3.5*	1.0*	10.0
700 98											8.7	8.7	8.6	8.5	7.1	6.8	6.9	6.9	6.9	6.3*	5.6*	5.0*	8.5	
CEDAR RD(0.1L)																								
4168332	0.000	2.041	C	2011		(2012)			0221	CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.7	6.5
D.A.B. CONSTRUCTORS, INC									SPRIDE		8.4	8.4	8.4	8.0	8.0	8.2	8.2	8.1	8.1	8.0	7.8	8.0	7.9	7.5
08150000	0.000	5.070	R	4	1	3	28.1	1	70	60000	CRACKING RIDE	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	6.5	6.5		10.0
93 175	294.0	299.0									9.0	9.0	8.9	8.8	8.3	8.3	8.1	8.1	7.7	7.5	7.4		8.4	
									FC5M															
4110113	0.000	5.389	C	2014		(2018)			0213	CRACKING RIDE	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	7.0
											8.3	8.5	8.2			8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4
08150000	5.070	11.468	R	4	1	3	32.1	1	70	60500	CRACKING RIDE		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5
93 175	299.0	305.4										9.0	8.9	8.9	8.2	8.1	7.9	7.9	7.6	7.3	7.3	7.2	7.0	
									FC5M															
4110122	8.313	11.447	C	2016		(2020)			0218	CRACKING RIDE	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	8.5
											8.1	8.3	8.0	8.3	8.3			8.6	8.6	8.6	8.6	8.5	8.5	8.4
08150000	5.389	11.468	L	4	1	3	32.1	1	70	60500	CRACKING RIDE		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	5.5*	
93 175	299.3	305.4										8.7	8.7	8.8	8.2	8.1	8.0	7.8	7.4	7.1	7.1	6.7	6.3*	
									FC5M															
4110122	8.313	11.447	C	2016		(2020)			0218	CRACKING RIDE	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	8.5
											8.3	8.4	8.1	8.3	8.4			8.8	8.8	8.8	8.7	8.7	8.7	8.6
08150000	0.000	5.389	L	4	1	3	28.1	1	70	60000	CRACKING RIDE	10.0	9.5	9.5	9.5	9.5	9.5	7.5	7.5	5.5*	5.5*	5.5*		10.0
93 175	294.0	299.3									9.0	9.0	8.9	8.9	8.3	8.3	7.8	7.9	7.6	7.8	7.8	8.3		
									FC5M															
4110113	0.000	5.389	C	2014		(2018)			0213	CRACKING RIDE	10.0	10.0	10.0			10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.2	6.5
											8.3	8.4	8.1			8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.3
08470000	0.000	7.212	R	5	1	2	9.6	1	70	19369	CRACKING RIDE			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
589	35.2	42.4											8.8	8.9	8.2	8.3	8.2	8.2	8.1	8.0	8.0	8.0	7.9	
									FC5M															
4273241	0.000	7.212	C	2013		(2016)			0012	CRACKING RIDE	9.5	9.0		10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	6.1*	4.0*
AJAX PAVING INDUSTRIES OF									SPRIDE		7.9	7.8		8.5	8.5	8.7	8.7	8.6	8.6	8.6	8.6	8.5	8.5	
4477011	0.000	7.212	C	2026					0012															
08470000	7.212	17.196	R	5	1	2	12.0	1	70	11300	CRACKING RIDE				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
589	42.4	52.4												8.5	8.0	8.1	8.0	8.0	7.9	7.9	7.9	7.9	7.8	
									FC5M															
4459131	7.245	15.555	R	2022		(2024)			0012	CRACKING RIDE	9.0	9.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF											7.8	7.6		8.3	8.3	8.4	8.3	8.3	8.4	8.3	8.2	8.7	8.6	8.5
08470000	17.196	17.954	R	5	1	2	12.0	1	70	11300	CRACKING RIDE				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
589	52.4	53.1												8.5	8.0	8.1	8.0	8.0	7.9	7.9	7.9	7.9	7.8	
									FC5M															
4459131	17.411	17.954	R	2022		(2023)			0012	CRACKING RIDE	9.0	9.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF											7.8	7.6		7.8	7.9	8.0	7.9	7.9	8.0	8.0	8.4	8.4	8.3	8.2
08470000	17.954	18.653	R	5	1	2	12.0	1	70	11300	CRACKING RIDE													
589	53.1	53.8																						
US 98 SR 700 RAMPS(18.7C)									FC5M															
4052701	17.955	18.653	C	2018		(2024)			0002	CRACKING RIDE												10.0	10.0	9.0
LANE CONSTRUCTION CORPORAT									SPRIDE													8.6	8.6	8.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

							DISTRICT = 7 COUNTY = HERNANDO																		
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE					
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																				
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(PMRS)				
08470000	17.954	18.653	L	5	1	70	CRACKING																		
589	53.1	53.8	2	12.0	11300		RIDE																		
US 98 SR 700	RAMPS(18.7C)					FC5M																			
4052701	17.955	18.653	C	2018	0002		CRACKING												10.0	10.0	9.0				
LANE CONSTRUCTION CORPORAT(2024)							SPRIDE												8.7	8.7	8.6				
08470000	17.196	17.954	L	5	1	70	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5					
589	52.4	53.1	2	12.0	11300		RIDE				8.7	8.1	8.1	8.1	8.0	8.0	7.9	7.9	8.0	7.9					
						FC5M																			
4459131	17.411	17.954	L	2022	0012		CRACKING	9.5			10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	8.5				
AJAX PAVING INDUSTRIES OF (2023)							RIDE	7.8			8.1	8.0	8.1	8.1	8.0	7.8	7.6	8.4	8.5	8.5	8.4				
08470000	7.212	17.196	L	5	1	70	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5					
589	42.4	52.4	2	12.0	11300		RIDE				8.7	8.1	8.1	8.1	8.0	8.0	7.9	7.9	8.0	7.9					
						FC5M																			
4459131	7.245	16.664	L	2022	0012		CRACKING	9.5	9.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	9.0				
AJAX PAVING INDUSTRIES OF (2024)							RIDE	7.8	7.9		8.4	8.2	8.3	8.2	8.2	8.2	8.1	8.1	8.6	8.5	8.4				
08470000	0.000	7.212	L	5	1	70	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0					
589	35.2	42.4	2	9.6	19369		RIDE				8.7	8.9	8.4	8.1	8.2	8.2	8.1	8.1	8.1	7.9					
						FC5M																			
4273241	0.000	7.212	C	2013	0012		CRACKING	9.0	7.5		10.0	10.0	10.0	9.5	9.5	8.0	7.5	7.5	7.5	6.7	4.5*				
AJAX PAVING INDUSTRIES OF (2016)							SPRIDE	8.0	7.8		8.5	8.5	8.7	8.6	8.6	8.6	8.6	8.5	8.5	8.5	8.4				
4477011	0.000	7.212	C	2026	0012																				

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 "*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).