

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 7 COUNTY = HERNANDO -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR		FY-F	WKM-F																(PMRS)
CONTRACTOR																					
ITMSEG-F																					
08002000	0.000	1.320	R	1	8 50	CRACKING					10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0
50			2	19.0	16700	RIDE					7.7	7.5	7.4	7.4	7.5	7.3	7.3	7.3	7.0	6.8	
SR-50/CORTEZ BLVD(0.0R)																					
2548051	0.000	3.836	C	1999	0213	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	4.5*				
SMITH & COMPANY (2004) SPRIDE																					
4167332	0.031	1.269	C	2023	0213																
08002000	1.320	2.177	R	1	1 40	CRACKING					10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	
50			2	22.2	28500	RIDE					7.7	7.5	7.4	7.4	7.5	7.3	7.3	7.3	7.0	6.8	
BUCK HOPE RD(1.4R)																					
						UNKW															
4480351	1.269	3.803	C	2028	0012		9.5	9.5	9.5	9.5	8.0			7.0	6.0*	6.0*	5.5*	3.5*	2.3*	2.9*	1.0*
(2014) CRACKING RIDE																					
08002000	2.177	2.439	R	1	1 50	CRACKING					10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	
50			2	22.2	28500	RIDE					7.7	7.5	7.4	7.4	7.5	7.3	7.3	7.3	7.0	6.8	
HOPE HILL RD(2.3R)																					
2548051	0.000	3.836	C	1999	0213	CRACKING	8.0	8.0	8.0	7.0	5.5*			5.5*	5.5*	5.5*	3.5*	3.5*	4.0*	0.8*	0.0*
SMITH & COMPANY (2004) SPRIDE																					
4480351	1.269	3.803	C	2028	0012		7.1	6.5	6.8	7.0	7.4			7.4	7.4	7.3	7.1	7.1	6.9	6.0*	5.8*
08002000	2.439	2.748	R	1	1 50	CRACKING					10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	
50			2	16.8	24000	RIDE					7.7	7.5	7.4	7.4	7.5	7.3	7.3	7.3	7.0	6.8	
MITCHELL RD(2.5R)																					
2548051	0.000	3.836	C	1999	0213	CRACKING	8.0	8.0	8.0	7.0	5.5*			5.5*	5.5*	5.5*	3.5*	3.5*	4.0*	7.8	1.0*
SMITH & COMPANY (2004) SPRIDE																					
4480351	1.269	3.803	C	2028	0012		7.1	6.5	6.8	7.0	7.4			7.4	7.4	7.3	7.1	7.1	6.9	6.1*	5.9*
08002000	2.748	3.860	R	1	1 50	CRACKING					10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	
50			2	12.3	23500	RIDE					7.7	7.5	7.4	7.4	7.5	7.3	7.3	7.3	7.0	6.8	
OXLEY RD(3.0R)																					
2548051	0.000	3.836	C	1999	0213	CRACKING	8.0	8.0	8.0	7.0	5.5*			5.5*	5.5*	5.5*	3.5*	3.5*	4.0*	2.8*	0.0*
SMITH & COMPANY (2004) SPRIDE																					
4480351	1.269	3.803	C	2028	0012		7.1	6.5	6.8	7.0	7.4			7.4	7.4	7.3	7.1	7.1	6.9	7.3	7.1
08002000	3.703	3.860	L	1	1 50	CRACKING	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
50			2	12.3	23500	RIDE					7.5	7.6	7.4	7.5	7.4	7.2	7.4	7.3	7.2	7.2	
FROM US 98(3.8L)																					
2548051	0.000	3.836	C	1999	0213	CRACKING	9.0	9.0	9.0	7.5	5.5*			5.5*	3.5*	3.5*	3.5*	3.5*	2.8*	8.4	1.5*
SMITH & COMPANY (2004) SPRIDE																					
4480351	1.269	3.803	C	2028	0012		7.4	7.2	7.2	7.2	7.4			7.5	7.5	7.4	7.1	7.0	7.1	6.3*	6.1*
08002000	2.177	3.703	L	1	1 50	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
50			2	16.8	24000	RIDE					7.5	7.6	7.4	7.5	7.4	7.2	7.4	7.3	7.2	7.2	
HALE AVE(2.3L)																					
2548051	0.000	3.836	C	1999	0213	CRACKING	9.0	9.0	9.0	7.5	5.5*			5.5*	3.5*	3.5*	3.5*	3.5*	2.8*	0.0*	0.0*
SMITH & COMPANY (2004) SPRIDE																					
4480351	1.269	3.803	C	2028	0012		7.4	7.2	7.2	7.2	7.4			7.5	7.5	7.4	7.1	7.0	7.1	6.9	6.7
08002000	1.320	2.177	L	1	1 40	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
50			2	22.2	28500	RIDE					7.5	7.6	7.4	7.5	7.4	7.2	7.4	7.3	7.2	7.2	
BROAD ST(1.5C)																					
2548051	0.000	3.836	C	1999	0213	CRACKING	8.0	8.0	8.0	8.0	8.0			7.0	5.5*	5.5*	3.5*	3.0*	1.5*	1.0*	0.0*
SMITH & COMPANY (2004) SPRIDE																					
4480351	1.269	3.803	C	2028	0012		6.8	6.5	6.3	6.3	6.5			6.4	6.4	6.2	6.2	6.1	5.9	5.4*	5.0*
08002000	0.000	1.320	L	1	8 50	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
50			2	19.0	16700	RIDE					7.5	7.6	7.4	7.5	7.4	7.2	7.4	7.3	7.2	7.2	
BROOKSVILLE CITY LIMITS(0.0C)																					
2548051	0.000	3.836	C	1999	0213	CRACKING	8.0	8.0	8.0	8.0	8.0			7.0	6.0*	6.0*	4.5*				
SMITH & COMPANY (2004) SPRIDE																					
4167332	0.031	1.269	C	2023	0213		7.5	7.4	7.3	7.3	6.8			7.2	7.3	7.2	7.1				
08010000	0.000	0.975	C	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	
45 41			2	5.5	9900	RIDE	8.8	8.8	8.7	8.4	8.5	8.3	8.4	8.3	8.2	8.2	8.2	8.2	8.1	8.2	
STUR ST(0.1C)																					
2548531	0.000	4.489	C	1997	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.6*	5.5*	2.5*	
COUCH CONSTRUCTION LP (1999) S RIDE																					
4479351	0.000	4.168	C	2027	0012		8.0	7.4	7.9	7.9	8.0	7.8	7.8	7.9	7.9	7.7	7.6	7.7	7.7	7.7	7.3
08010000	0.975	4.168	R	1	1 55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	5.5	15700	RIDE	8.8	8.8	8.7	8.4	8.5	8.3			8.3	8.3	8.3	8.2	8.1	8.1	
MUDRON ST(1.0C)																					
2548231	1.118	2.908	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	7.0	7.0	4.9*	4.6*	2.0*
PRINCE CONTRACTING, LLC (2008) SPRIDE																					
4479351	0.000	4.168	C	2027	0012		8.2	7.4	7.2	7.8	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 7 COUNTY = HERNANDO -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)
CONTRACTOR	(AGE_ONE	YEAR)																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
08010000	4.168	5.575	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.5	5.5*	
45 41				3	8.2	28000	RIDE	8.8	8.8	8.8	8.1	8.2	7.9	7.9	8.3	8.1	8.2	8.1	7.9	7.8	
CR 572(4.5C)							FC5M														
4311431	4.498	5.575	C	2015	0012		CRACKING	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2	8.3	5.0*
D.A.B. CONSTRUCTORS, INC				(2017)			RIDE	7.4	6.9	7.6	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.1
08010000	5.575	7.298	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
45 41				3	8.2	28000	RIDE	8.8	8.9	8.8	8.1	8.2	7.9	7.9	7.5	7.3	7.0	6.5	8.4	8.5	
PINE CABIN RD(5.6R)							FC5M														
4245551	5.575	6.711	C	2011	0226		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.4	6.5	2.0*
D.A.B. CONSTRUCTORS, INC				(2012)			RIDE	8.5	8.2	8.5	8.5	8.6	8.6	8.5	8.6	8.5	8.5	8.5	8.4	8.4	8.2
08010000	7.298	7.437	R	1	1	55	CRACKING				10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
45 41				3	8.2	28000	RIDE				7.8	7.7	7.5	7.4	7.4	7.3	7.3	7.2	7.0	6.7	
INGRAM ST(7.3R)							FC125M														
4413861	7.276	8.142	C	2021	0012		CRACKING	9.0	9.0	9.0	7.5	6.5	6.0*	6.0*	6.0*	6.0*		10.0	9.7	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2024)			SPRIDE	6.8	6.4*	6.2*	6.3*	6.3*	6.1*	6.2*	6.2*	6.1*		7.7	7.7	7.5	7.1
08010000	7.437	7.809	R	1	4	45	CRACKING				10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
45 41				3	8.2	28000	RIDE				7.8	7.7	7.5	7.4	7.4	7.3	7.3	7.2	7.0	6.7	
							LDG														
				(2026)			CRACKING	9.0	9.0	9.0	7.5	6.5	6.0*	6.0*	6.0*	6.0*		10.0	9.7	9.1	8.5
							RIDE	6.8	6.4	6.2	6.3	6.3	6.1	6.2	6.2	6.1		7.7	7.7	8.2	8.1
08010000	7.809	8.948	R	1	1	40	CRACKING				10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
45 41				3	14.3	27000	RIDE				7.8	7.7	7.5	7.4	7.4	7.3	7.3	7.2	7.0	6.7	
BARNETT RD(8.0C)							FC125M														
4413861	8.142	8.871	C	2021	0012		CRACKING	9.0	9.0	9.0	7.5	6.5	6.0*	6.0*	6.0*	6.0*		10.0	9.7	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2024)			SPRIDE	6.8	6.4	6.2	6.3	6.3	6.1	6.2	6.2	6.1		7.7	7.7	7.5	7.1
08010000	8.948	9.194	R	1	1	35	CRACKING	9.5	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41				4	5.5	12600	RIDE	7.6	7.3		7.5	7.4	7.3	7.3	6.9	6.8	7.0	6.6	6.8	6.8	
LAMAR AVE(9.0R)							FC125M														
4413861	8.959	9.081	C	2021	0012		CRACKING	10.0	10.0	10.0	9.0	9.0	7.0	7.0	7.0	7.0		10.0	9.0	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2024)			SPRIDE	6.7	6.3	5.7	6.3	6.0	6.2	5.9	5.9	6.0		7.8	8.0	7.7	7.3
08010000	9.194	10.100	C	1	1	35	CRACKING	9.5	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*
45 41				2	5.5	9600	RIDE	7.6	7.3	7.7	6.9	7.0	6.3	6.4	6.0	5.6	5.2*	5.4*	5.1*	5.3*	
OLD HOSPITAL DR(9.2L)							FC125R														
				(2015)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.1	7.6
							RIDE		7.1	6.9	7.1	7.4	7.1	7.2	7.3	7.0	7.0	7.2	7.1	6.8	5.5*
																					6.4
08010000	10.100	14.134	C	1	1	40	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	6.5	10.0	
45 41				2	8.6	11200	RIDE	8.6	8.6	8.6	8.2	8.1	7.9	7.8	7.6	7.4	7.0	7.3	7.2	8.4	
S SAXON AVE(10.1R)							FC4														
				(2013)			CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.0	7.0	7.0	4.5*	4.2*	3.7*	1.5*
							RIDE	8.4	7.8	7.9	7.9	7.9	7.8	7.7	7.6	7.4	7.3	7.1	7.1	7.0	6.6
4491571	10.000	14.134	C	2027	0012																
08010000	14.134	18.875	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	6.5	9.0	
45 41				2	8.6	6300	RIDE	8.6	8.6	8.6	8.2	8.1	7.9	7.8	7.6	7.4	7.0	7.3	7.2	8.0	
TURKEY TROT LN(14.2R)							FC95MR														
4309481	14.134	18.875	C	2015	0012		CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.6	8.0
D.A.B. CONSTRUCTORS, INC				(2018)			RIDE	8.1	7.6	8.0		8.0	7.9	7.9	7.9	7.8	7.8	7.7	7.7	7.7	7.3
08010000	7.760	8.948	L	1	1	40	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	
45 41				3	14.3	27000	RIDE				7.6	7.1	7.2	7.2	7.0	7.0	7.0	6.9	6.8	6.7	
BARNETT RD(8.0C)							FC125M														
4413861	8.142	8.871	C	2021	0012		CRACKING	9.0	9.0	9.0	9.0	7.0	7.0	7.0	6.0*	5.5*		10.0	10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2024)			SPRIDE	6.6	6.4	5.7	6.0	6.4	6.2	6.3	6.2	6.4		7.5	7.5	7.2	6.8
08010000	7.387	7.760	L	1	4	45	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	
45 41				3	8.2	28000	RIDE				7.6	7.1	7.2	7.2	7.0	7.0	7.0	6.9	6.8	6.7	
CR 570(7.7L)							LDG														
				(2026)			CRACKING	9.0	9.0	9.0	9.0	7.0	7.0	7.0	6.0*	5.5*		10.0	10.0	9.4	9.0
							RIDE	6.6	6.4	5.7	6.0	6.4	6.2	6.3	6.2	6.4		7.5	7.5	8.2	8.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 7 COUNTY = HERNANDO -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
08010000	7.298	7.387	L	1	1	55	CRACKING	10.0			10.0	9.0	9.0	9.0	4.5*	4.5*	4.5*	4.5*	9.5	9.0	
45 41				3	8.2		28000 RIDE	8.5			8.2	8.2	8.1	7.9	7.8	7.7	7.7	7.5	6.8	6.7	
							FC125M														
4413861	7.276	8.142	C	2021			0012 CRACKING	9.0	9.0	9.0	9.0	7.0	7.0	7.0	6.0*	5.5*		10.0	10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2024)			SPRIDE	6.6	6.4*	5.7*	6.0*	6.4*	6.2*	6.3*	6.2*	6.4*		7.5	7.5	8.0	7.6
08010000	5.575	7.298	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
45 41				3	8.2		28000 RIDE	8.5	8.3	8.3	8.2	8.2	8.1	7.9	7.8	7.7	7.7	7.5	6.8	6.7	
							FC5M														
MASON SMITH RD(7.1L)							0226 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.1	6.4*	1.5*
4245551	5.575	6.711	C	2011			RIDE	8.3	8.2	8.4	8.5	8.7	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.4
D.A.B. CONSTRUCTORS, INC				(2012)																	
08010000	4.168	5.575	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	
45 41				3	8.2		28000 RIDE	8.7	8.8	8.3	8.2	8.2	8.1	7.9	8.2	8.1	7.9	7.7	7.6	7.5	
							FC5M														
CR 572(4.5C)							0012 CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	5.5*
4311431	4.498	5.575	C	2015			RIDE	7.4	6.9	7.2	8.2	8.3	8.3	8.3	8.3	8.2	8.1	8.2	8.2	8.2	8.0
D.A.B. CONSTRUCTORS, INC				(2017)																	
08010000	0.975	4.168	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	9.5	
45 41				2	5.5		15700 RIDE	8.8	8.8	8.7	8.4	8.5	8.3		8.1	8.1	7.8	8.0	8.0	7.9	
							FC3														
MUDRON ST(1.0C)							0213 CRACKING	9.5	10.0	10.0	10.0	10.0	8.5	8.5	6.5	6.5	6.0*	6.0*	3.6*	3.4*	1.0*
2548231	1.118	2.908	C	2004			SPRIDE	7.9	7.1	6.7	7.4	7.7	7.6	7.6	7.5	7.4	7.4	7.5	7.4	7.4	7.0
PRINCE CONTRACTING, LLC				(2008)																	
4479351	0.000	4.168	C	2027			0012														
08020000	0.000	3.707	R	1	1	55	CRACKING	10.0	10.0	10.0	9.5	9.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	
55 19				3	6.6		43000 RIDE	8.2	8.4	8.5	7.7	7.7	7.5	7.5	7.4	7.2	7.3	7.1	7.0	8.3	
							FC5														
CR578/COUNTY LINE RD(0.0R)							0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.7	6.0*	1.5*
4230511	0.018	3.725	C	2011			SPRIDE	8.3	8.1	8.3	8.3	8.4	8.3	8.2	8.3	8.2	8.2	8.2	8.2	8.0	7.8
D.A.B. CONSTRUCTORS, INC				(2013)																	
4553441	0.000	3.707	C	2029			0012														
08020000	3.707	7.135	R	1	1	55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	7.5	7.5	
55 19				3	6.6		53000 RIDE		8.8	8.8	8.2	8.3	8.1	8.1	8.0	8.0	7.9	7.9	7.8	7.7	
							FC5M														
TOUCAN TR(3.8C)							0012 CRACKING	6.5	6.5	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	8.7	8.8	6.0*
4327201	3.707	7.135	C	2017			SPRIDE	7.7	7.3	7.6	7.5			8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.4
D.A.B. CONSTRUCTORS, INC				(2020)																	
08020000	7.135	19.514	R	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	6.5	6.5	4.5*	3.5*	3.5*	
55 19				2	10.9		13000 RIDE	8.9	8.8	8.8	8.2	8.3	8.0	8.1	7.8	7.4	7.4	7.4	7.2	6.8	
							FC5														
TO SR 50(7.2R)							0012 CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.3	4.5*
4271521	7.221	19.514	C	2013			SPRIDE			8.4	8.4	8.6	8.4	8.4	8.5	8.4	8.4	8.4	8.3	8.3	8.1
D.A.B. CONSTRUCTORS, INC				(2016)																	
08020000	7.135	19.514	L	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	
55 19				2	10.9		13000 RIDE	9.0	8.9	8.8	8.3	8.3	8.1	8.1	7.9	7.5	7.5	7.5	7.1	6.8	
							FC5														
CR-550/CORTEZ BLVD(7.3L)							0012 CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.1	8.0	4.5*
4271521	7.221	19.514	C	2013			SPRIDE			8.4	8.4	8.6	8.5	8.4	8.5	8.4	8.4	8.4	8.4	8.4	8.2
D.A.B. CONSTRUCTORS, INC				(2016)																	
08020000	3.707	7.135	L	1	1	55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.0	
55 19				3	6.6		53000 RIDE		8.8	8.9	8.4	8.4	8.3	8.4	7.9	8.1	8.1	8.1	8.0	7.9	
							FC5M														
FROM TOUCAN TR(3.8L)							0012 CRACKING	7.0	7.0	7.0	5.5*			10.0	10.0	10.0	10.0	10.0	8.6	8.8	6.0*
4327201	3.707	7.135	C	2017			SPRIDE	7.9	7.6	7.8	7.8			8.5	8.4	8.4	8.4	8.5	8.4	8.4	8.2
D.A.B. CONSTRUCTORS, INC				(2020)																	
08020000	0.000	3.707	L	1	1	55	CRACKING	10.0	10.0	10.0	8.5	8.5	8.0	6.5	5.5*	5.5*	5.5*	5.5*	3.5*	10.0	
55 19				3	6.6		43000 RIDE	8.4	8.5	8.5	7.8	7.9	7.6	7.7	7.2	7.3	7.4	7.3	7.2	8.3	
							FC5														
TRAVEL PARK DR(0.0L)							0012 CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	3.0*
4230511	0.018	3.725	C	2011			SPRIDE	8.4	8.1	8.3	8.3	8.5	8.4	8.3	8.2	8.3	8.3	8.3	8.3	8.1	7.9
D.A.B. CONSTRUCTORS, INC				(2013)																	
4553441	0.000	3.707	C	2029			0012														
08030000	0.000	1.810	C	1	1	60	CRACKING	8.0	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*		10.0	
35 301				2	5.5		7400 RIDE	8.4	8.3	8.2	7.7	7.6	7.5	7.5	7.3	6.7	6.5	6.4*		8.5	

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 7 COUNTY = HERNANDO -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																
08030000	1.810	2.155	R	1	7 45	CRACKING		8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*		10.0
35 301				2	5.5	7400 RIDE		8.4	8.3	8.2	7.7	7.6	7.5	7.3	7.3	6.7	6.3	6.4			8.5
CORTEZ BLVD(2.1C)																					
4475363	0.000	2.082	C	2024	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.3	10.0	9.0
				(2026)		RIDE		8.4	8.5	7.7	7.9	8.1	8.1	7.9	7.9	7.9	7.6	7.7	7.6	7.0	6.6
08030000	2.155	2.402	R	1	1 45	CRACKING		8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*		10.0
35 301				2	5.5	6000 RIDE		8.4	8.3	8.2	7.7	7.6	7.5	7.3	7.3	6.7	6.3	6.4			8.5
FC125M																					
4065521	0.155	6.444	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.3	7.5	5.5*
C. W. ROBERTS CONTRACTING, INC				(2013)		SPRIDE		8.4	8.5	7.7	7.9	8.1	8.1	7.9	7.9	7.9	7.6	7.7	7.6	7.8	7.4
08030000	2.402	6.667	C	1	1 60	CRACKING		8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*		10.0
35 301				2	5.5	6000 RIDE		8.4	8.3	8.2	7.7	7.6	7.5	7.3	7.3	6.7	6.3*	6.4*			8.5
WHISPERING OAKS BLVD(2.8L)																					
4065521	0.155	6.444	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.3	7.5	5.5*
C. W. ROBERTS CONTRACTING, INC				(2013)		SPRIDE		8.4	8.5	7.7	7.9	8.1	8.1	7.9	7.9	7.9	7.6	7.7	7.6	7.5	7.1
08040000	0.000	6.017	R	1	1 55	CRACKING		9.5	9.5	9.5	9.5	8.0	7.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*
50				3	4.3	42500 RIDE		8.8	8.4	8.8	8.2	7.9	8.0	8.0	7.8	7.8	7.8	7.7	7.4	7.5	
COMMERCIAL WAY(0.0C)																					
4079513	0.000	3.760	C	2013	0218	CRACKING					10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.3	9.0	5.5*
D.A.B. CONSTRUCTORS, INC				(2017)		SPRIDE					8.2	8.5	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.2	8.0
08040000	6.017	9.877	R	1	1 55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	
50				2	5.1	18000 RIDE		9.0	8.9	8.9	8.4	8.4	8.3	8.3	8.2	8.1	8.1	8.0	8.0	7.9	
CR 470(6.0R)																					
4230521	6.455	8.484	C	2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5	7.5	6.6	6.5
AJAX PAVING INDUSTRIES OF				(2014)		SPRIDE		8.4	8.0	8.3	8.3	8.5	8.4	8.4	8.4	8.2	8.1	8.3	8.2	8.0	2.5*
4510461	6.017	9.851	C	2027	0012															8.0	7.8
08040000	9.877	11.315	C	1	2 45	CRACKING		10.0	9.5	9.5	9.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
50A				2	13.5	7900 RIDE		8.1	7.8	8.2	7.8	7.7	7.5	7.6	7.1	7.3	6.7	6.9	6.8	6.6	
ESTATES AVE(10.5L)																					
				(2015)		CRACKING		6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		8.0	8.5	6.5
						RIDE		6.7	8.5	8.1	7.8	8.0	7.9	7.8	7.9	7.7	7.6		6.5	6.9	6.5
08040000	6.017	9.877	L	1	1 55	CRACKING		10.0	10.0	10.0	10.0	8.0	7.5	7.5	6.5	3.5*	3.5*	3.5*	3.5*		
50				2	5.1	18000 RIDE		8.9	8.8	8.8	8.2	8.0	7.6	7.2	6.7	5.7*	5.6*	6.9	6.2*		
GARDEN ACRES RD(6.2C)																					
4230521	6.455	8.484	C	2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.0*	5.5*	1.5*
AJAX PAVING INDUSTRIES OF				(2014)		SPRIDE		8.3	8.2	8.3	8.3	8.5	8.4	8.4	8.4	8.3	8.2	8.3	8.0	8.0	7.8
4510461	6.017	9.851	C	2027	0012																
08040000	0.000	6.017	L	1	1 55	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	6.5	5.5*	
50				3	4.3	42500 RIDE		8.6	8.4	8.5	8.0	8.1	8.0	8.1	8.1	7.9	8.0	7.9	7.9	7.8	
COMMERCIAL WAY(0.0C)																					
4079513	0.000	3.760	C	2013	0218	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	9.0	5.5*
D.A.B. CONSTRUCTORS, INC				(2017)		SPRIDE					8.3	8.5	8.4	8.4	8.3	8.3	8.2	8.4	8.4	8.3	8.1
08050000	6.117	6.622	R	1	1 60	CRACKING		10.0	10.0	10.0	10.0	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*		
50 98				2	16.1	29500 RIDE		9.0	8.9	8.5	8.4	8.2	7.7	7.3	6.7	6.1*	5.9*	5.8*	7.7		
CR 484(6.1R)																					
4245581	6.117	10.130	C	2012	0012	CRACKING		10.0	10.0	10.0	10.0	9.0	8.0	8.0	5.5*	3.5*	3.5*	1.0*	1.0*	3.8*	0.0*
D.A.B. CONSTRUCTORS, INC				(2014)		SPRIDE		8.3	8.0	8.2	8.2	8.3	8.3	8.2	8.2	8.0	7.7	7.4	7.4	7.3	7.1
4472371	6.117	6.616	C	2026	0012																
08050000	6.622	10.175	R	1	7 60	CRACKING		10.0	10.0	10.0	10.0	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*		
50 98				2	16.1	29500 RIDE		9.0	8.9	8.5	8.4	8.2	7.7	7.3	6.7	6.1*	5.9*	5.8*	7.7		
W P A RD(7.0R)																					
4479481	6.616	10.258	C	2025	0012	CRACKING		10.0	10.0	10.0	10.0	9.0	8.0	8.0	5.5*	3.5*	3.5*	1.0*	1.0*	10.0	9.0
C. W. ROBERTS CONTRACTING, INC				(2026)		SPRIDE		8.3	8.0	8.2	8.2	8.3	8.3	8.2	8.2	8.0	7.7	7.4	7.4	8.2	7.8
08050000	10.175	10.637	R	1	1 45	CRACKING		10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.0*		
50A 98				2	5.5	16200 RIDE		8.8	9.0	9.0	8.5	8.4	8.4	8.1	8.1	8.0	7.8	7.7	7.3	6.9	
JASMINE DR(10.3R)																					
				(2020)		CRACKING		6.0*	4.5*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	7.5	8.8	6.0*
4510561	10.373	12.766	C	2027	0012	RIDE		6.6	6.4					7.4	7.5	7.7	7.6	7.7	7.6	7.1	6.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 7 COUNTY = HERNANDO -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
08050000	10.637	11.630	C	1	1	40	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
50A 98			2	5.5	14000	RIDE	8.8	8.7	8.7	8.2	8.5	8.3	8.3	8.3	8.4	8.3	8.4	8.3	8.3	8.3	8.3
OLD DADE CITY RD(10.6R)						FC125															
							CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.5	7.0	7.0	6.0*	5.6*	2.5*
							RIDE	8.2	7.7	7.4	7.5	7.9	8.0	7.9	8.0	7.9	8.0	7.9	7.8	7.8	7.4
4510561	10.373	12.766	C	2027		0012															
							(1998)														
08050000	11.630	12.158	C	1	1	35	CRACKING	9.5	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	
45 41			2	5.5	7400	RIDE	6.6	6.7	6.7	5.9	5.9	5.8	5.7	5.7	5.6			7.2	7.4	7.1	
E LIBERTY ST(11.7C)						FC125															
4192571	11.762	12.536	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	6.5	6.8	4.5*
D.A.B. CONSTRUCTORS, INC						SPRIDE	7.1	6.7	5.7	5.5	6.3	6.0	6.3	6.0	5.9	5.9	5.8	5.8	5.8	6.3	5.9
4510561	10.373	12.766	C	2027		0012															
							(2011)														
08050000	12.158	12.555	C	1	1	35	CRACKING	9.5	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	
45 41			2	5.5	7400	RIDE	6.6	6.7	6.7	5.9	5.9	5.8	5.7	5.7	5.6			7.2	7.4	7.1	
CR 45A(12.2L)						FC125															
4192571	11.762	12.536	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	6.5	6.5	4.5*
D.A.B. CONSTRUCTORS, INC						SPRIDE	7.1	6.7	5.7	5.5	6.3	6.0	6.3	6.0	5.9	5.9	5.8	5.8	5.8	5.9	5.5
4510561	10.373	12.766	C	2027		0012															
							(2011)														
08050000	12.555	12.766	R	1	1	35	CRACKING	9.5	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	9.5	9.5	8.0	7.0	
50A 98			1	5.5	11700	RIDE	6.6	6.7	6.7	5.9	5.9	5.8	5.7	5.7	5.6			6.2	6.3	5.5	5.5
N MILDRED AVE(12.6C)						FC125R															
4271501	12.568	12.766	C	2013	0012	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	6.5	4.5*
D.A.B. CONSTRUCTORS, INC						SPRIDE	5.5	7.1												6.3	5.9
4510561	10.373	12.766	C	2027		0012															
							(2015)														
08050000	10.256	10.637	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0*	
50A 98			2	5.5	16200	RIDE	8.8	8.7	8.7	8.2	8.5	8.3	8.3	8.3	8.4	8.3	8.4	8.3	8.4	7.7	6.5*
FROM SR 50(10.3L)						UNKW															
							(2020)														
4510561	10.373	12.766	C	2027		0012															
							CRACKING	6.0*	4.5*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.0*
							RIDE	7.2	6.8					8.0	7.9	7.8	8.0	7.9	7.9	7.8	7.4
08050000	6.619	10.256	L	1	7	60	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*		
50 98			2	16.1	29500	RIDE	8.6	8.5	8.3	7.4	8.2	8.0	7.7	7.2	6.8	6.1*	6.4*	7.5			
OLYMPIA RD(7.3L)						FC125M															
4479481	6.616	10.258	C	2025	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	9.0
C. W. ROBERTS CONTRACTING, INC						SPRIDE	8.3	8.1	8.2	8.2	8.3	8.3	8.2	8.0	8.1	7.9	7.8	7.5	8.3	7.9	
							(2026)														
08050000	6.117	6.619	L	1	1	60	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*		
50 98			2	16.1	29500	RIDE	8.6	8.5	8.3	7.4	8.2	8.0	7.7	7.2	6.8	6.1*	6.4*	7.5			
D.A.B. CONSTRUCTORS, INC						FC5M															
4472371	6.117	6.616	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	1.1*	0.0*
D.A.B. CONSTRUCTORS, INC						SPRIDE	8.3	8.1	8.2	8.2	8.3	8.3	8.2	8.0	8.1	7.9	7.8	7.5	6.1*	5.9*	
4472371	6.117	6.616	C	2026		0012															
							(2014)														
08051000	0.000	0.072	C	1	1	35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	6.5		
45 41			2	5.1	11500	RIDE															
US-41/SR-45(0.0L)																					
4271531	0.000	0.072	C	2013	0012	CRACKING	6.5	6.5	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.9	8.3	6.5	
DAVID NELSON CONSTRUCTION						SPRIDE													3.1*	2.7*	
							(2016)														
08060000	2.049	6.041	R	1	7	60	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
50			2	31.0	9100	RIDE	7.9	7.6	7.1	6.7	6.0*	5.7*		8.3	8.3	8.4	8.4	8.3	8.3		
BURWELL RD(2.0R)						FC125M															
4428351	2.049	6.041	C	2022	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.5		10.0	10.0	9.0	
SOUTHLAND CONSTRUCTION, INC						SPRIDE	8.3	8.1	7.4	7.8	8.2	8.2	8.1	8.1	8.1	8.1		7.9	8.4	8.0	
							(2025)														
08060000	2.049	6.041	L	1	7	60	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
50			2	31.0	9100	RIDE	7.9	7.6	7.1	6.7	6.0*	5.7*		8.3	8.3	8.4	8.4	8.3	8.3		
LITTLE RIVER PARK ENT(4.1C)						FC125M															
4428351	2.049	6.041	C	2022	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.5		10.0	10.0	9.0	
SOUTHLAND CONSTRUCTION, INC						SPRIDE	8.3	8.1	7.4	7.8	8.2	8.2	8.1	8.1	8.1	8.1		7.9	8.4	8.0	

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 7 COUNTY = HERNANDO -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															
08070000	0.318	2.718	R	1	7 60	CRACKING		8.0	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	
50 98				2	18.2	21000 RIDE		8.6	8.3	8.0	6.8	7.0	6.9	7.6	7.2		8.1	8.1	8.1	8.0	
FABER DR(0.5R)																					
4438051	0.123	1.865	C	2024	0012	CRACKING		9.5	9.5	9.5	9.5	8.0	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	10.0	9.0
SUPERIOR ASPHALT, INC.				(2026)		SPRIDE		8.0	7.9	8.1	8.1	8.3	8.4	8.3	8.3	8.0	7.8	7.9	7.7	8.2	7.8
08070000	2.718	3.050	R	1	1 55	CRACKING		8.0	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	
50 98				2	18.2	21000 RIDE		8.6	8.3	8.0	6.8	7.0	6.9	7.6	7.2		8.1	8.1	8.1	8.0	
LOCKHART RD(3.0R)																					
				(2023)		CRACKING		9.5	9.5	9.5	9.5	8.0	6.5	6.5	4.5*	4.5*	10.0	10.0	9.6	10.0	8.0
						RIDE		8.0	7.9	8.1	8.1	8.3	8.4	8.3	8.3	8.0	8.3	8.3	8.2	8.2	8.0
08070000	3.050	3.450	R	1	1 55	CRACKING		8.0	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	
50 98				3	18.2	21000 RIDE		8.6	8.3	8.0	6.8	7.0	6.9	7.6	7.2		8.1	8.1	8.1	8.0	
WATSON CIVIL CONSTRUCTION, (2023)																					
4300512	3.031	3.386	C	2020	0218	CRACKING		9.5	9.5	9.5	9.5	8.0	6.5	6.5	4.5*	4.5*	10.0	10.0	9.6	10.0	8.0
				(2023)		SPRIDE		8.0	7.9	8.1	8.1	8.3	8.4	8.3	8.3	8.0	8.3	8.3	8.2	8.2	8.0
08070000	3.450	3.755	R	1	1 45	CRACKING		8.0	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	
50 98				3	18.2	21000 RIDE		8.6	8.3	8.0	6.8	7.0	6.9	7.6	7.2		8.1	8.1	8.1	8.0	
NATURE COAST BLVD(3.9R)																					
				(2020)		CRACKING		9.5	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5
						RIDE		8.0	7.9	8.1	8.1			8.2	8.2	7.8	8.1	8.1	8.1	8.3	8.1
08070000	3.755	4.216	R	1	4 45	CRACKING		8.0	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	
50 98				3	18.2	21000 RIDE		8.6	8.3	8.0	6.8	7.0	6.9	7.6	7.2		8.1	8.1	8.1	8.0	
PCS CIVIL LLC																					
				(2026)		CRACKING		9.5	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.0
						RIDE		8.0	7.9	8.1	8.1			8.2	8.2	7.8	8.1	8.1	8.1	8.0	7.9
08070000	4.216	5.258	R	1	1 55	CRACKING		8.0	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	
50 98				3	5.5	24500 RIDE		8.6	8.3	8.0	6.8	7.0	6.9	7.6	7.2		4.2*	8.1	8.1	8.1	8.0
BRONSON BLVD(4.2R)																					
4167324	4.537	7.026	C	2020	0218	CRACKING		9.5	9.5	9.5	9.5			6.5			10.0	10.0	10.0	9.0	
PCS CIVIL LLC				(2024)		SPRIDE		8.0	7.9	8.1	8.1			8.0			8.3	8.3	8.3	7.9	
08070000	5.258	7.105	R	1	1 55	CRACKING		10.0	10.0	9.5	9.5	9.0	9.0	8.0	6.5	10.0	10.0	10.0	9.5	8.0	
50 98				3	5.5	24500 RIDE		8.9	8.7	8.7	8.1	7.8	7.4	7.0	6.4*	7.6	7.9	7.9	7.7	7.6	
CYRIL DR(5.6R)																					
4167324	4.537	7.026	C	2020	0218	CRACKING		7.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*			10.0	10.0	10.0	8.5	
PCS CIVIL LLC				(2024)		SPRIDE		7.1	6.9	7.5	7.7	7.6	7.9	7.8			8.3	8.2	8.2	8.2	8.0
08070000	7.105	7.464	R	1	1 55	CRACKING		10.0	10.0	9.5	9.5	9.0	9.0	8.0	6.5	9.0	10.0	10.0	10.0	10.0	
50				2	22.7	9300 RIDE		8.9	8.7	8.7	8.1	7.8	7.4	7.0	6.4*	7.4	7.8	8.0	7.8	7.8	
PCS CIVIL LLC																					
4167323	7.120	7.295	C	2020	0218	CRACKING		9.5	9.5	9.5	9.0	6.5	5.5*	5.5*			10.0	10.0	10.0	8.5	
				(2024)		SPRIDE		7.4	7.4	7.9	7.8	7.8	7.9	7.8			8.3	8.2	8.3	8.1	
08070000	7.464	8.740	R	1	1 55	CRACKING		9.0	9.0	9.0	7.5	7.5	5.5*	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
50				2	22.7	9300 RIDE		8.3	8.0	7.9	7.1	6.4*	5.8*	5.9*	5.7*	5.4*	5.6*	8.1	8.0	7.8	
WESTLAKE BLVD(7.7R)																					
4167323	7.410	8.467	C	2020	0218	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				10.0	9.0
PCS CIVIL LLC				(2026)		SPRIDE		7.9	7.1	7.6	7.7	7.8	7.8	7.7	7.7	7.3				8.0	7.8
08070000	8.740	9.519	R	1	7 55	CRACKING		9.0	9.0	9.0	7.5	7.5	5.5*	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
50				2	22.8	8900 RIDE		8.3	8.0	7.9	7.1	6.4*	5.8*	5.9*	5.7*	5.4*	5.6*	8.1	8.0	7.8	
CR-575/BURWELL RD(9.5C)																					
4428351	8.740	9.519	C	2022	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				10.0	9.0
SOUTHLAND CONSTRUCTION, IN				(2026)		SPRIDE		7.9	7.1	7.6	7.7	7.8	7.8	7.7	7.7	7.3				8.0	7.6
08070000	8.740	9.519	L	1	7 55	CRACKING		9.0	9.0	9.0	7.5	7.5	5.5*	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
50				2	22.8	8900 RIDE		8.3	8.0	7.9	7.1	6.4*	5.8*	5.9*	5.7*	5.4*	5.6*	8.1	8.0	7.8	
CR-575/BURWELL RD(9.5C)																					
4428351	8.740	9.519	C	2022	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				10.0	9.0
SOUTHLAND CONSTRUCTION, IN				(2026)		SPRIDE		7.9	7.1	7.6	7.7	7.8	7.8	7.7	7.7	7.3				8.2	7.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 7 COUNTY = HERNANDO -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	=====														(PMRS)
CONTRACTOR	(AGE_ONE YEAR)																				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	=====														
08070000	7.464	8.740	L	1	1	55	CRACKING	9.0	9.0	9.0	7.5	7.5	5.5*	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
50					2	22.7	9300 RIDE	8.3	8.0	7.9	7.1	6.4*	5.8*	5.9*	5.7*	5.4*	5.6*	8.1	8.0	7.8	
WESTWIND DR(7.6L)																					
4167323	7.410	8.467	C	2020		0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				10.0	9.0
PCS CIVIL LLC (2026) SPRIDE 7.9 7.1 7.6 7.7 7.8 7.7 7.3																					
08070000	5.258	7.464	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.0	6.5	4.5*	10.0	10.0	10.0	9.5	
50 98					3	5.5	24500 RIDE	8.5	8.8	8.8	8.3	8.2	8.1	7.7	6.9	6.8	8.2	8.1	7.9	7.5	
AMELIA LN(5.6L)																					
4167324	4.537	7.026	C	2020		0218	CRACKING	7.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*				10.0	10.0	10.0	8.5
PCS CIVIL LLC (2024) SPRIDE 7.3 6.9 7.7 7.7 7.6 7.7 7.4																					
08070000	4.188	5.258	L	1	1	55	CRACKING	9.0	9.0	7.5	7.5	7.5	4.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	
50 98					3	5.5	24500 RIDE	8.6	8.7	8.6	7.5	7.4	7.2	6.7	6.0*	5.8*	8.4	8.4	8.4	8.3	
BRONSON BLVD(4.2L)																					
4167324	4.537	7.026	C	2020		0218	CRACKING	10.0	10.0	10.0	10.0			8.0				10.0	9.2	10.0	9.0
PCS CIVIL LLC (2024) SPRIDE 8.3 8.3 8.3 8.3 8.3 8.3 8.3																					
08070000	3.755	4.188	L	1	4	45	CRACKING	9.0	9.0	7.5	7.5	7.5	4.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	
50 98					3	18.2	21000 RIDE	8.6	8.7	8.6	7.5	7.4	7.2	6.7	6.0	5.8	8.4	8.4	8.4	8.3	
FOREST RD(3.9L)																					
							CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	9.2	9.4	9.0
(2026) RIDE 8.3 8.3 8.3 8.3 8.3 8.3 8.3																					
08070000	3.450	3.755	L	1	1	45	CRACKING	9.5	9.5	9.5	7.5	7.5	7.5	7.5	4.5*		10.0	10.0	10.0	10.0	
50 98					3	18.2	21000 RIDE	8.7	8.6	8.1	7.4	7.3	6.8	6.2	5.6		8.4	8.4	8.4	8.3	
FC5M																					
							CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	9.2	10.0	7.5
(2020) RIDE 8.3 8.3 8.3 8.3 8.3 8.3 8.3																					
08070000	3.050	3.450	L	1	1	55	CRACKING	9.5	9.5	9.5	7.5	7.5	7.5	7.5	4.5*		10.0	10.0	10.0	10.0	
50 98					3	18.2	21000 RIDE	8.7	8.6	8.1	7.4	7.3	6.8	6.2*	5.6*		8.4	8.4	8.4	8.3	
REMINGTON RD(3.2L)																					
4300512	3.031	3.386	C	2020		0218	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	8.0	6.5	4.5*	10.0	10.0	9.0	10.0	8.0
WATSON CIVIL CONSTRUCTION, (2023) SPRIDE 8.3 8.3 8.3 8.3 8.3 8.4 8.4 8.4 8.2 8.3 8.3 8.3 8.1 7.9																					
08070000	2.724	3.050	L	1	1	55	CRACKING	9.5	9.5	9.5	7.5	7.5	7.5	7.5	4.5*		10.0	10.0	10.0	10.0	
50 98					2	18.2	21000 RIDE	8.7	8.6	8.1	7.4	7.3	6.8	6.2*	5.6*		8.4	8.4	8.4	8.3	
WINDING WOODS WAY(2.9L)																					
							CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	8.0	6.5	4.5*	10.0	10.0	9.0	10.0	8.0
(2023) RIDE 8.3 8.3 8.3 8.3 8.3 8.3 8.4 8.4 8.4 8.2 8.3 8.3 8.3 8.4 8.2																					
08070000	0.324	2.724	L	1	7	60	CRACKING	9.5	9.5	9.5	7.5	7.5	7.5	7.5	4.5*		10.0	10.0	10.0	10.0	
50 98					2	18.2	21000 RIDE	8.7	8.6	8.1	7.4	7.3	6.8	6.2*	5.6*		8.4	8.4	8.4	8.3	
RALEY RD(0.3L)																					
4438051	0.123	1.865	C	2024		0012	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	8.0	6.5	4.5*	4.5*	3.5*	3.8*	10.0	9.0
SUPERIOR ASPHALT, INC. (2026) SPRIDE 8.3 8.3 8.3 8.3 8.3 8.4 8.4 8.4 8.2 8.1 8.1 7.8 8.2 7.8																					
08070000	0.000	0.324	L	1	1	55	CRACKING	9.5	9.5	9.5	7.5	7.5	7.5	7.5	4.5*		10.0	10.0	10.0	10.0	
50 98					2	18.2	21000 RIDE	8.7	8.6	8.1	7.4	7.3	6.8	6.2*	5.6*		8.4	8.4	8.4	8.3	
CR484/MONDON HILL RD(0.0L)																					
4151851	0.000	4.051	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	8.0	6.5	4.5*	4.5*	3.5*	3.8*	1.5*	0.0*
D.A.B. CONSTRUCTORS, INC (2010) SPRIDE 8.3 8.3 8.3 8.3 8.3 8.4 8.4 8.4 8.4 8.2 8.1 8.1 7.8 7.0 6.8																					
4472371	0.000	0.321	C	2026		0012															
08070100	0.000	0.306	C	1	1		CRACKING														
432					2	5.5	350 RIDE														
							CRACKING														3.9*
							RIDE														3.0*
08080000	0.000	0.530	R	1	1	35	CRACKING	9.5	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
700 98					1	8.6	9800 RIDE	6.8	6.7	6.4	6.3	6.8	6.9	6.7	6.7	6.8	6.8	6.7	6.6	6.4	
BROAD ST(0.0C)																					
4364801	0.000	0.323	C	2019		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF (2020) SPRIDE 6.3 5.9 5.2* 5.5 5.4* 5.4* 7.5 7.7 7.3 7.1 7.1 6.3 6.3 5.9																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 7 COUNTY = HERNANDO -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
08080000	0.530	1.676	R	1	1	45	CRACKING	8.0	7.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	
700 98				1	8.6	9500	RIDE	7.8	7.8	7.5	7.1	6.6	6.3	5.7		8.4	8.5	8.3	8.3	8.2	
WARD AVE(0.5R)																					
4037241	0.475	1.635	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.1	7.8	5.5*
D.A.B. CONSTRUCTORS, INC				(2009)			SPRIDE	8.2	8.2	7.4	7.2	8.1	8.0	8.1	8.0	8.0	7.9	7.9	8.0	7.8	7.4
08080000	1.676	2.188	R	1	1	45	CRACKING	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
700 98				2	8.6	7600	RIDE	7.6	7.8	8.2	7.3	7.6	7.5	7.7	7.7	7.6	7.6	7.5	7.6	7.5	
CR-485B/YONTZ RD(1.9R)																					
2548571	1.934	8.074	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.4	7.1	4.5*
D.A.B. CONSTRUCTORS, INC				(2004)			SPRIDE	7.4	7.4	6.9	6.6	7.5	7.4	7.2	6.9	7.2	7.2	7.2	7.2	7.3	6.9
08080000	2.188	2.604	C	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
700 98				2	8.6	7600	RIDE	8.8	8.7	8.4	8.3	8.4	8.3	8.4	8.4	8.2	8.2	8.2	8.2	8.1	
2548571 1.934 8.074 C 2002 0012 CRACKING 10.0 10.0 10.0 10.0 10.0 9.0 9.0 8.5 8.5 8.5 8.5 7.2 7.2 4.5*																					
D.A.B. CONSTRUCTORS, INC				(2004)			SPRIDE	8.0	7.5	7.7	7.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.9	8.1	7.7
08080000	3.213	4.181	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
700 98				2	8.6	7600	RIDE	8.8	8.7	8.4	8.3	8.4	8.3	8.4	8.4	8.2	8.2	8.2	8.2	8.1	
HANNIBAL LN(3.5R)																					
2548571	1.934	8.074	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.2	7.8	5.0*
D.A.B. CONSTRUCTORS, INC				(2004)			SPRIDE	8.0	7.5	7.7	7.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.9	8.1	7.7
08080000	4.701	5.729	C	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
700 98				2	8.6	8200	RIDE	8.9	8.3	7.7	8.3	8.4	8.3	8.4	8.4	8.2	8.2	8.2	8.2	8.1	
WEIGH STATION ENT(5.0L)																					
2548571	1.934	8.074	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.2	6.5	4.0*
D.A.B. CONSTRUCTORS, INC				(2004)			SPRIDE	8.0	7.5	7.7	7.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.9	8.0	7.6
08080000	5.729	6.165	C	1	1	60	CRACKING	9.5	9.5	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
700 98				2	8.6	8200	RIDE	8.3	8.4	8.3	8.3	8.4	8.3	8.4	8.4	8.2	8.2	8.2	8.2	8.1	
CR 476(6.0C)																					
2548571	1.934	8.074	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.2	7.5	5.0*
D.A.B. CONSTRUCTORS, INC				(2004)			SPRIDE	8.0	7.5	7.7	7.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.9	6.9	6.5
08080000	6.165	7.898	C	1	1	60	CRACKING	9.5	9.5	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
700 98				2	8.6	7900	RIDE	8.3	8.4	8.3	8.3	8.4	8.3	8.4	8.4	8.2	8.2	8.2	8.2	8.1	
ANNUTALAGA AVE(6.4L)																					
2548571	1.934	8.074	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.2	7.0	4.5*
D.A.B. CONSTRUCTORS, INC				(2004)			SPRIDE	8.0	7.5	7.7	7.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.9	7.9	7.5
08080000	7.898	8.397	C	1	1	60	CRACKING	9.5	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	
700 98				2	8.6	5500	RIDE	8.3	6.7	8.5	8.0	7.8	7.9	8.0	7.7	7.5	7.7	7.6	7.5	7.5	
CITRUS WAY(8.1C)																					
				(2025)			CRACKING	9.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	10.0	10.0	9.0
							RIDE	7.1	7.1	7.1	7.2	7.3	7.2	7.2	7.2	7.1	6.9	6.9	6.9	6.9	6.5
08080000	8.397	10.779	C	1	1	60	CRACKING	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	
700 98				2	8.6	5500	RIDE	6.9	6.7	8.5	8.0	7.8	7.9	8.0	7.7	7.5	7.7	7.6	7.5	7.5	
HODGE RD(8.9R)																					
2548381	8.168	10.801	C	2002		0012	CRACKING	9.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	3.5*	1.8*	0.0*
GRUBBS CONSTRUCTION CO				(2003)			SPRIDE	7.1	7.1	7.1	7.2	7.3	7.2	7.2	7.2	7.1	6.9	6.9	7.1	7.1	6.7
4367331	8.286	10.774	C	2026		0012															
08080000	10.779	11.879	R	1	1	60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
700 98				2	8.6	5500	RIDE		8.5	8.4	8.2	8.2	8.2	8.1	8.1	8.1	8.2	8.1	8.1	8.0	
4400641 11.259 11.829 C 2022 0012 CRACKING 9.5 9.5 9.5 9.5 7.5 6.5																					
AJAX PAVING INDUSTRIES OF				(2024)			SPRIDE	8.0	7.9	7.9	7.9	8.0	7.9			3.5*	10.0	10.0	10.0	10.0	8.5
																7.6	8.6	8.6	8.6	8.6	8.4
08080000	11.879	12.629	R	1	1	60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
700 98				2	8.6	9000	RIDE		8.5	8.4	8.2	8.2	8.2	8.1	8.1	8.1	8.2	8.1	8.1	8.0	
4052701 11.683 12.384 R 2018 0002 CRACKING 9.5 9.5 9.5 9.5 7.5 6.5																					
LANE CONSTRUCTION CORPORAT				(2023)			SPRIDE	8.0	7.9	7.9	7.9	8.0	7.9			10.0	10.0	10.0	10.0	10.0	8.0
																8.4	8.3	8.4	8.2	8.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 7 COUNTY = HERNANDO -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F	ASTYPE	*****														(PMRS)
08080000	12.629	12.791	R	1	1 60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
700 98				2	8.6	9000 RIDE		8.5	8.4	8.2	8.2	8.2	8.1	8.1	8.1	8.2	8.1	8.1	8.1	8.0	
						FC5M															
4400641	12.414	12.778	C	2022	0012	CRACKING		9.5	9.5	9.5	9.5	7.5	6.5				4.5*	10.0	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF				(2024)		SPRIDE		8.0	7.9	7.9	7.9	8.0	7.9				6.8	8.3	8.4	8.7	8.5
08080000	12.791	12.875	R	1	7 60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
700 98				2	8.6	9000 RIDE		8.5	8.4	8.2	8.2	8.2	8.1	8.1	8.1	8.2	8.1	8.1	8.1	8.0	
						FC125M															
								9.5	9.5	9.5	9.5	7.5	6.5				4.5*	10.0	5.7*	10.0	9.0
								8.0	7.9	7.9	7.9	8.0	7.9				6.8	8.3	7.8	8.4	8.0
08080000	12.758	12.875	L	1	7 60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
700 98				2	8.6	9000 RIDE		8.2	8.3	7.8	7.9	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	7.7
						FC125H															
								8.0	8.0	7.0	7.0	6.5	3.5*				4.5*	10.0	3.3*	10.0	9.0
								7.7	7.3	7.5	7.2	7.4	7.4				7.4	8.2	7.6	8.4	8.0
08080000	12.387	12.758	L	1	1 60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
700 98				2	8.6	9000 RIDE		8.2	8.3	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	7.7	
						FC5M															
4400641	12.414	12.778	C	2022	0012	CRACKING		8.0	8.0	7.0	7.0	6.5	3.5*				4.5*	10.0	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF				(2024)		SPRIDE		7.7	7.3	7.5	7.2	7.4	7.4				7.4	8.2	8.3	8.3	8.1
08080000	11.686	12.387	L	1	1 60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
700 98				2	8.6	9000 RIDE		8.2	8.3	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	7.7	
						FC5M															
4052701	11.797	12.547	L	2018	0002	CRACKING		8.0	8.0	7.0	7.0	6.5	3.5*				10.0	10.0	10.0	10.0	8.0
LANE CONSTRUCTION CORPORAT				(2023)		SPRIDE		7.7	7.3	7.5	7.2	7.4	7.4				8.2	8.2	8.2	8.2	8.0
08080000	11.300	11.686	L	1	1 60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
700 98				2	8.6	5500 RIDE		8.2	8.3	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	7.7	
						FC5M															
4400641	11.259	11.829	C	2022	0012	CRACKING		8.0	8.0	7.0	7.0	6.5	3.5*				4.5*	10.0	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF				(2024)		SPRIDE		7.7	7.3	7.5	7.2	7.4	7.4				6.9	8.5	8.5	8.3	8.1
08080000	10.779	11.300	L	1	1 60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
700 98				1	8.6	5500 RIDE		8.2	8.3	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	7.7	
						FC5M															
								8.0	8.0	7.0	7.0	6.5	3.5*				4.5*	10.0	10.0	10.0	8.5
								7.7	7.3	7.5	7.2	7.4	7.4				6.9	8.5	8.5	8.4	8.2
08080000	4.181	4.701	L	1	1 55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
700 98				1	8.6	7600 RIDE		8.8	8.7	8.4	8.3	8.4	8.3	8.4	8.4	8.2	8.2	8.2	8.2	8.2	8.1
						FC125															
BROOKSVILLE TRUCK RT(4.4L)								10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.2	7.1	4.5*
2548571	1.934	8.074	C	2002	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.2	7.1	4.5*
D.A.B. CONSTRUCTORS, INC				(2004)		SPRIDE		8.0	7.5	7.7	7.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.9	6.9	6.5
08080000	2.604	3.213	L	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
700 98				1	8.6	7600 RIDE		8.8	8.7	8.4	8.3	8.4	8.3	8.4	8.4	8.2	8.2	8.2	8.2	8.2	8.1
						FC125															
FL HWY PATROL ENT(2.8L)								10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.2	7.0	4.5*
2548571	1.934	8.074	C	2002	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.2	7.0	4.5*
D.A.B. CONSTRUCTORS, INC				(2004)		SPRIDE		8.0	7.5	7.7	7.4	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.9	7.9	7.5
08080000	1.676	2.188	L	1	1 45	CRACKING		7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
700 98				2	8.6	7600 RIDE		7.9	8.0	8.2	8.2	8.1	8.1	8.1	8.4	8.0	8.0	7.9	8.0	7.9	
						FC125															
FLAGSTONE RD(1.8L)								10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.4	7.1	4.5*
2548571	1.934	8.074	C	2002	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.4	7.1	4.5*
D.A.B. CONSTRUCTORS, INC				(2004)		SPRIDE		7.9	7.8	7.8	7.6	8.0	8.1	7.9	7.9	8.1	7.9	7.9	7.9	7.9	7.5
08080000	0.530	1.676	L	1	1 45	CRACKING		8.0	7.5	6.5	6.5	6.5	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0
700 98				1	8.6	9500 RIDE		7.8	7.8	7.5	7.1	6.6	6.3	5.7			8.3	8.3	8.4	8.1	8.1
						FC125M															
OAKDALE AVE(0.6L)								10.0													

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 7 COUNTY = HERNANDO -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	X-P	*****														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	X-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW																		(PMRS)
08080000	0.000	0.530	L	1	1	35	CRACKING	9.5	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
700 98				2	8.6		9800 RIDE	6.8	6.7	6.4	6.3	6.8	6.9	6.7	6.7	6.8	6.8	6.7	6.6	6.4	
BROAD ST(0.0C)																					
4364801	0.000	0.323	C	2019			0012 CRACKING	8.0	8.0	8.0	8.0	8.0	6.0*	10.0	10.0	10.0	10.0	10.0	9.7	9.2	7.5
AJAX PAVING INDUSTRIES OF				(2020)			SPRIDE	6.3	5.9	5.2*	5.5	5.4*	5.4*	7.5	7.7	7.3	7.1	7.1	7.1	7.1	6.7

08120000	0.000	1.563	C	1	1	55	CRACKING	9.0	9.0	9.0	7.5	7.5	6.5	3.5*	3.5*	3.5*	3.5*	1.0*	10.0	10.0	
700 98				2	8.6		7500 RIDE	8.7	8.6	8.5	7.1	6.8	6.9	6.9	6.3*	5.6*	5.0*	8.5	8.4		
CEDAR RD(0.1L)																					
4168332	0.000	2.041	C	2011			0221 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.7	8.7	6.5
D.A.B. CONSTRUCTORS, INC				(2012)			SPRIDE	8.4	8.4	8.0	8.0	8.2	8.2	8.1	8.1	8.0	7.8	8.0	7.9	8.0	7.6

08120000	1.563	1.889	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	
700 98				2	8.6		7500 RIDE	7.7	8.2	8.4	8.1	8.0	7.1	7.2	7.4	6.8	6.6	6.3*	8.5	8.4	
FC125M																					
4168332	0.000	2.041	C	2011			0221 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.7	10.0	8.0
D.A.B. CONSTRUCTORS, INC				(2012)			SPRIDE	8.4	8.4	8.0	8.0	8.2	8.2	8.1	8.1	8.0	7.8	8.0	7.9	7.2	6.8

08120000	1.889	2.041	R	1	4	55	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	
700 98				2	8.6		7500 RIDE	7.7	8.2	8.4	8.1	8.0	7.1	7.2	7.4	6.8	6.6	6.3*	8.5	8.4	
SR-50(2.0R)																					
4167324	1.791	2.041	C	2020			0218 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.7	9.4	9.0
PCS CIVIL LLC				(2026)			RIDE	8.4	8.4	8.0	8.0	8.2	8.2	8.1	8.1	8.0	7.8	8.0	7.9	7.5	7.4

08150000	0.000	5.070	R	4	1	70	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	6.5	6.5		10.0	10.0	
93 175	294.0	299.0		3	8.9		66000 RIDE	9.0	8.9	8.8	8.3	8.3	8.1	8.1	7.7	7.5	7.4		8.4	8.3	
FC5M																					
4110113	0.000	5.389	C	2014			0213 CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.5	6.5
				(2018)			RIDE	8.5	8.2			8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4

08150000	5.070	11.468	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	10.0	
93 175	299.0	305.4		3	32.1		62500 RIDE	9.0	8.9	8.9	8.2	8.1	7.9	7.9	7.6	7.3	7.3	7.2	7.0	8.1	
FC5M																					
4110122	8.313	11.447	C	2016			0218 CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.4	7.5
				(2020)			RIDE	8.3	8.0	8.3	8.3			8.6	8.6	8.6	8.6	8.5	8.5	8.5	8.4

08150000	5.389	11.468	L	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	5.5*	10.0	
93 175	299.3	305.4		3	32.1		62500 RIDE	8.7	8.7	8.8	8.2	8.1	8.0	7.8	7.4	7.1	7.1	6.7	6.3*	8.3	
FC5M																					
4110122	8.313	11.447	C	2016			0218 CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5
				(2020)			RIDE	8.4	8.1	8.3	8.4			8.8	8.8	8.8	8.7	8.7	8.7	8.7	8.6

08150000	0.000	5.389	L	4	1	70	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	7.5	5.5*	5.5*	5.5*		10.0	10.0	
93 175	294.0	299.3		3	8.9		66000 RIDE	9.0	8.9	8.9	8.3	8.3	7.8	7.9	7.6	7.8	7.8		8.3	8.3	
FC5M																					
4110113	0.000	5.389	C	2014			0213 CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.2	9.0	7.0
				(2018)			RIDE	8.4	8.1			8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.3

08150100	0.000	0.340	C	1	1	25	CRACKING													10.0	9.0
411				2	5.5		400 RIDE													5.4*	5.0*
(2026)																					

08470000	0.000	7.212	R	5	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
589	35.2	42.4		2	10.8		20937 RIDE		8.8	8.9	8.2	8.3	8.2	8.2	8.1	8.0	8.0	8.0	8.0	7.9	7.9
FC5M																					
4273241	0.000	7.212	C	2013			0012 CRACKING	9.0		10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	6.1*	5.5*	3.5*
AJAX PAVING INDUSTRIES OF				(2016)			SPRIDE	7.8		8.5	8.5	8.7	8.7	8.6	8.6	8.6	8.6	8.6	8.5	8.5	8.4
4477011	0.000	7.212	C	2026			0012														

08470000	7.212	17.196	R	5	1	70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0
589	42.4	52.4		2	12.2		12500 RIDE		8.5	8.0	8.1	8.0	8.0	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.8
FC5M																					
4459131	7.245	15.555	R	2022			0012 CRACKING	9.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF				(2024)			RIDE	7.6		8.3	8.3	8.4	8.3	8.3	8.3	8.4	8.3	8.2	8.7	8.6	8.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 7 COUNTY = HERNANDO -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE			
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031			
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKMX-P														
		(AGE_ONE YEAR)		ASTYPE		FY-F		WKMX-F												(PMRS)				
08470000	17.196	17.954	R	5	1	70	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0				
589		52.4		53.1	2	12.2	12500 RIDE			8.5	8.0	8.1	8.0	8.0	7.9	7.9	7.9	7.9	7.8	7.8				
								FC5M																
4459131	17.411	17.954	R	2022	0012		CRACKING	9.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	8.9	7.5			
AJAX PAVING INDUSTRIES OF (2023)								7.6		7.8	7.9	8.0	7.9	7.9	8.0	8.0	8.4	8.4	8.3	8.3	8.2			
								RIDE																
08470000	17.954	18.653	R	5	1	70	CRACKING																	
589		53.1		53.8	2	12.2	12500 RIDE																	
US 98 SR 700 RAMPS(18.7C)								FC5M																
4052701	17.955	18.653	C	2018	0002		CRACKING											10.0	10.0	10.0	8.5			
LANE CONSTRUCTION CORPORAT(2024)																		8.6	8.6	8.6	8.5			
								SPRIDE																
08470000	17.954	18.653	L	5	1	70	CRACKING																	
589		53.1		53.8	2	12.2	12500 RIDE																	
US 98 SR 700 RAMPS(18.7C)								FC5M																
4052701	17.955	18.653	C	2018	0002		CRACKING											10.0	10.0	10.0	8.5			
LANE CONSTRUCTION CORPORAT(2024)																		8.7	8.7	8.6	8.5			
								SPRIDE																
08470000	17.196	17.954	L	5	1	70	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5				
589		52.4		53.1	2	12.2	12500 RIDE			8.7	8.1	8.1	8.1	8.0	8.0	7.9	7.9	8.0	7.9	7.8				
								FC5M																
4459131	17.411	17.954	L	2022	0012		CRACKING	10.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	9.1	7.5			
AJAX PAVING INDUSTRIES OF (2023)								8.1		8.0	8.1	8.1	8.0	7.8	7.6	8.4	8.5	8.5	8.5	8.4				
								RIDE																
08470000	7.212	17.196	L	5	1	70	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5				
589		42.4		52.4	2	12.2	12500 RIDE			8.7	8.1	8.1	8.1	8.0	8.0	7.9	7.9	8.0	7.9	7.8				
								FC5M																
4459131	7.245	16.664	L	2022	0012		CRACKING	9.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	8.5			
AJAX PAVING INDUSTRIES OF (2024)								7.9		8.4	8.2	8.3	8.2	8.2	8.2	8.1	8.1	8.6	8.5	8.5	8.4			
								RIDE																
08470000	0.000	7.212	L	5	1	70	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
589		35.2		42.4	2	10.8	20837 RIDE			8.7	8.9	8.4	8.1	8.2	8.2	8.1	8.1	8.1	8.1	7.9	8.0			
								FC5M																
4273241	0.000	7.212	C	2013	0012		CRACKING	7.5		10.0	10.0	10.0	9.5	9.5	8.0	7.5	7.5	7.5	6.7	5.5*	3.5*			
AJAX PAVING INDUSTRIES OF (2016)								7.8		8.5	8.5	8.7	8.6	8.6	8.6	8.6	8.5	8.5	8.5	8.5	8.5	8.5	8.4	
								SPRIDE																
4477011	0.000	7.212	C	2026	0012																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).