

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HIGHLANDS -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****													(PMRS)	
ITMSEG-P	(AGE_ONE	YEAR)						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																
ITMSEG-F																					
09010000	0.000	6.527	R	1	1	65	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	
25 27			2	31.7		9761	RIDE	7.5	7.1	7.2	6.3*	8.1	8.0	8.0	7.7	7.5	7.4	7.2	7.3	7.2	
TURKEY TRACK RD(1.7R)																					
4415191	0.000	6.528	C	2021		0012	CRACKING	8.0	7.0	7.0	6.5	5.5*	5.5*	3.5*	1.0*	1.0*	10.0	10.0	9.8	10.0	8.5
AJAX PAVING INDUSTRIES OF			(2023)				SPRIDE	7.0	6.8	7.5	7.3	7.4	7.6	7.6	7.5	7.8	8.6	8.6	8.6	8.6	8.4
09010000	6.527	12.022	R	1	7	65	CRACKING	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	
25 27			2	31.7		9761	RIDE	9.0	8.5	8.8	8.1	8.0	7.9	7.9	8.3	8.5	8.2	8.2	8.5	8.5	
HORN RD(6.6R)																					
4489371	6.527	16.323	C	2025		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	10.0	9.0
OHLA USA, INC.			(2026)				SPRIDE	8.5	8.2	8.6	8.5	8.6	8.9	8.9	8.9	8.9	8.9	8.8	8.7	8.5	8.3
09010000	12.022	12.199	R	1	5	55	CRACKING	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	
25 27			2	31.7		9761	RIDE	9.0	8.5	8.8	8.1	8.0	7.9	7.6	8.3	8.5	8.2	8.2	8.5	8.5	
SR 70(12.2C)																					
4489371	6.527	16.323	C	2025		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5			8.9	8.5
OHLA USA, INC.			(2026)				RIDE	8.5	8.2	8.6	8.5	8.6	8.9	8.9	8.9	8.9	8.9			7.6	7.5
09010000	12.199	16.337	R	1	7	60	CRACKING	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	
25 27			2	27.3		12100	RIDE	9.0	8.5	8.8	8.1	8.0	7.9	7.6	8.3	8.5	8.2	8.2	8.5	8.5	
S SUN N LAKES BLVD(14.0R)																					
4489371	6.527	16.323	C	2025		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	10.0	9.0
OHLA USA, INC.			(2026)				SPRIDE	8.5	8.2	8.6	8.5	8.6	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.3
09010000	16.337	18.741	R	1	1	55	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27			2	21.1		19600	RIDE	8.4	8.0	8.3	8.2	8.3	8.3	8.3	8.0	8.1	7.9	7.9	8.1	8.0	
CAMP FLORIDA RD R(16.3R)																					
1945131	16.325	22.747	C	2002		0012	CRACKING	9.0	8.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	5.3*	4.2*	0.5*
BETTER ROADS INC			(2004)				SPRIDE	7.9	7.6	8.3	8.2	8.2	8.4	8.4	8.4	8.3	8.3	8.2	8.2	8.2	8.0
4462071	16.317	22.740	C	2024		0012															
09010000	18.741	18.993	R	1	8	45	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27			2	21.0		20500	RIDE	8.4	8.0	8.3	8.2	8.3	8.3	8.3	8.0	8.1	7.9	7.9	8.1	8.0	
TOWER ST(18.9R)																					
1945131	16.325	22.747	C	2002		0012	CRACKING	9.0	8.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	5.3*		
BETTER ROADS INC			(2004)				SPRIDE	7.9	7.6	8.3	8.2	8.2	8.4	8.4	8.4	8.3	8.3	8.2	8.2		
4462071	16.317	22.740	C	2024		0012															
09010000	18.993	22.730	R	1	1	55	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27			2	21.0		20500	RIDE	8.4	8.0	8.3	8.2	8.3	8.3	8.3	8.0	8.1	7.9	7.9	8.1	8.0	
LAKE CLAY DR R(19.1R)																					
1945131	16.325	22.747	C	2002		0012	CRACKING	9.0	8.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	5.3*	5.5*	2.0*
BETTER ROADS INC			(2004)				SPRIDE	7.9	7.6	8.3	8.2	8.2	8.4	8.4	8.4	8.3	8.3	8.2	8.2	8.2	8.0
4462071	16.317	22.740	C	2024		0012															
09010000	22.730	28.650	R	1	1	65	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
25 27			2	18.4		24000	RIDE	8.4	8.6	8.9	8.4	8.4	8.3	8.3	7.9	8.2	7.9	7.8	8.0	8.0	
LYKES RD(23.4R)																					
4394341	22.740	28.686	C	2021		0012	CRACKING	8.0	7.0	7.0	7.0	7.0	6.5	5.5*	3.5*	3.5*		10.0	9.8	10.0	8.5
C. W. ROBERTS CONTRACTING,			(2024)				SPRIDE	7.9	7.5	8.4	8.3	8.3	8.5	8.5	8.4	8.4		8.7	8.7	8.6	8.4
09010000	28.650	28.970	R	1	1	55	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	10.0	9.0	
25 27			3	18.4		24000	RIDE	8.4	8.4	8.8	8.5	8.5	8.4	8.4	7.9	8.2	7.9	8.5	8.5	8.2	
SR 66(29.0C)																					
			(2002)				CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.7	8.6	5.0*
4397502	28.609	28.970	C	2027		0217	RIDE	8.4	7.8	7.8	7.2	7.6								8.0	7.8
09010000	28.650	28.970	L	1	1	55	CRACKING	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27			3	18.4		24000	RIDE	8.1	8.8	9.0	7.8	7.7	8.3	8.5	7.8	8.6	8.6	8.6	8.5	8.6	
SR-66(29.0L)																					
			(2002)				CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.1	7.5
4397502	28.609	28.970	C	2027		0217	RIDE	8.5	8.5	8.2	7.9	8.2	8.3	8.3	8.3	8.5	8.2	8.3	8.5	8.4	8.2
09010000	22.730	28.650	L	1	1	65	CRACKING	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	
25 27			2	18.4		24000	RIDE	8.1	8.7	8.8	8.4	8.3	8.3	8.3	7.9	8.2	8.2	7.9	8.1	8.0	
LAKE FRANCIS RD(23.4L)																					
4394341	22.740	28.686	C	2021		0012	CRACKING	8.0	8.0	6.5	6.5	6.5	5.5*	5.5*	3.5*	3.5*		10.0	9.7	10.0	8.5
C. W. ROBERTS CONTRACTING,			(2024)				SPRIDE	8.0	7.8	8.4	8.3	8.4	8.6	8.6	8.6	8.5		8.9	8.8	8.8	8.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HIGHLANDS -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	*****														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
09010000	21.346	22.730	L	1	1	65	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27			2	18.4		24000	RIDE	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2	8.1	
LAKE HENRY DR(21.7L)																					
1945131	16.325	22.747	C	2002		0012	CRACKING	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	1.0*
BETTER ROADS INC				(2004)			SPRIDE	8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	8.4	8.5
4462071	16.317	22.740	C	2024		0012															
09010000	20.634	21.346	L	1	8	55	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27			2	21.0		20500	RIDE	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2	8.1	
TOMOKA BLVD(20.7L)																					
1945131	16.325	22.747	C	2002		0012	CRACKING	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
BETTER ROADS INC				(2004)			SPRIDE	8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	8.4	
4462071	16.317	22.740	C	2024		0012															
09010000	20.425	20.634	L	1	1	55	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27			2	21.0		20500	RIDE	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2	8.1	
ST JOHNS ST(20.5L)																					
1945131	16.325	22.747	C	2002		0012	CRACKING	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.9*
BETTER ROADS INC				(2004)			SPRIDE	8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	8.4	8.1
4462071	16.317	22.740	C	2024		0012															
09010000	20.274	20.425	L	1	8	55	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27			2	21.0		20500	RIDE	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2	8.1	
CR 621(20.2L)																					
1945131	16.325	22.747	C	2002		0012	CRACKING	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	5.4*
BETTER ROADS INC				(2004)			SPRIDE	8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	8.4	7.9
4462071	16.317	22.740	C	2024		0012															
09010000	19.542	20.274	L	1	1	55	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27			2	21.0		20500	RIDE	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2	8.1	
CR 621(20.2L)																					
1945131	16.325	22.747	C	2002		0012	CRACKING	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	5.4*
BETTER ROADS INC				(2004)			SPRIDE	8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	8.4	7.9
4462071	16.317	22.740	C	2024		0012															
09010000	18.741	19.542	L	1	8	50	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27			2	21.0		20500	RIDE	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2	8.1	
DAL HALL BLVD(18.9L)																					
1945131	16.325	22.747	C	2002		0012	CRACKING	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
BETTER ROADS INC				(2004)			SPRIDE	8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	8.4	
4462071	16.317	22.740	C	2024		0012															
09010000	17.650	18.741	L	1	1	50	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27			2	19.4		21500	RIDE	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2	8.1	
DASHER RD(17.7L)																					
1945131	16.325	22.747	C	2002		0012	CRACKING	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	5.3*
BETTER ROADS INC				(2004)			SPRIDE	8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	8.4	8.2
4462071	16.317	22.740	C	2024		0012															
09010000	16.315	17.650	L	1	8	55	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27			2	21.1		19600	RIDE	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2	8.1	
TURNOUT(16.5L)																					
1945131	16.325	22.747	C	2002		0012	CRACKING	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
BETTER ROADS INC				(2004)			SPRIDE	8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	8.4	
4462071	16.317	22.740	C	2024		0012															
09010000	12.302	16.315	L	1	7	60	CRACKING	8.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0
25 27			2	27.3		12100	RIDE	8.8	8.5	8.8	8.3	8.2	8.0	7.9	7.5	8.1	8.6	8.1	8.5	8.5	
KELSEY RD(15.5L)																					
4489371	6.527	16.323	C	2025		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*	10.0	9.0
OHLA USA, INC.				(2026)			SPRIDE	8.5	8.4	8.7	8.6	8.7	8.8	8.9	8.8	8.8	8.8	8.9	8.9	8.4	8.2
09010000	12.130	12.302	L	1	5	55	CRACKING	8.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0
25 27			2	32.7		9800	RIDE	8.8	8.5	8.8	8.3	8.2	8.0	7.9	7.5	8.1	8.6	8.1	8.5	8.5	
SR 70(12.2C)																					
4489371	6.527	16.323	C	2025		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	5.5*	5.5*				9.4
OHLA USA, INC.				(2026)			RIDE	8.5	8.4	8.7	8.6	8.7	8.8	8.9	8.8	8.8	8.8				7.2
09010000	6.527	12.130	L	1	7	65	CRACKING	8.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0
25 27			2	31.7		9761	RIDE	8.8	8.5	8.8	8.3	8.2	8.0	7.9	7.5	8.1	8.6	8.1	8.5	8.5	
FIESTA CT(7.1L)																					
4489371	6.527	16.323	C	2025		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*	10.0	9.0
OHLA USA, INC.				(2026)			SPRIDE	8.5	8.4	8.7	8.6	8.7	8.8	8.9	8.8	8.8	8.8	8.8	8.9	8.5	8.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HIGHLANDS -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)																				(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
ITMSEG-F																					
09010000	0.000	6.527	L	1	1	65	CRACKING	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	
25 27				2	31.7		RIDE	6.3*	6.0*	5.6*		8.2	8.1	8.1	7.7	7.7	8.0	7.6	7.8	7.7	
CR 731(2.4L)							FC5M														
4415191	0.000	6.528	C	2021		0012	CRACKING	7.5	7.5	7.5	5.5*	5.5*	5.5*	3.5*	1.0*	1.0*	10.0	10.0	9.0	9.0	7.5
AJAX PAVING INDUSTRIES OF (2023)							SPRIDE	7.5	7.1	7.8	7.7	7.6	7.7	7.8	7.6	7.5	8.6	8.6	8.6	8.6	8.4
09030000	0.000	0.242	R	1	1	55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27				3	10.4		RIDE		8.9	9.0	8.6	8.6	8.6	8.6	8.7	8.3	8.5	8.7	8.6	8.6	8.6
SR 66(0.0C)							FC3														
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	9.5	8.7	8.5	7.5
							RIDE	8.5	8.3	8.3	8.5	8.5	8.4	8.4	8.4	8.4	8.5	8.6	8.6	8.5	8.2
4397502	0.000	0.302	C	2027		0217															
09030000	0.242	2.672	R	1	1	55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27				3	10.4		RIDE		8.9	9.0	8.6	8.6	8.6	8.6	8.7	8.3	8.5	8.7	8.6	8.6	8.6
LUMSFORD RD(1.1R)							FC5M														
4394331	0.257	2.690	C	2021		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	10.0	10.0	10.0	10.0	8.5
HUBBARD CONSTRUCTION COMPA (2023)							SPRIDE	8.5	8.3	8.3	8.5	8.5	8.4	8.4	8.4	8.4	8.6	8.6	8.6	8.6	8.4
09030000	2.672	4.520	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27				3	6.4		RIDE	8.6	8.8	9.0	8.6	8.6	8.6	8.6	8.7	8.3	8.5	8.7	8.6	8.6	8.6
EMERGENCY LN(2.7R)							FC3														
1944891	2.755	4.516	C	1996		0218	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.0	8.0	7.5	7.2	4.0*
APAC-FLORIDA INC (1999)							S RIDE	8.5	8.3	8.3	8.5	8.5	8.4	8.4	8.4	8.4	8.2	8.2	8.2	8.1	7.8
09030000	4.520	6.811	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
25 27				3	6.3		RIDE	8.8	8.9	9.0	8.6	8.6	8.6	8.6	8.6	8.6	8.5	8.6	8.6	8.6	8.5
LAKEVIEW DR SW(6.1R)							FC3														
							CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	8.5	7.5	8.0	7.0
							RIDE	8.4	8.3	8.1	8.1	8.2	8.2	8.2	8.2	8.1	8.1	8.0	8.1	8.0	7.7
09030000	6.811	11.560	R	1	1	55	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	6.5	9.5	9.5	10.0	
25 27				3	6.6		RIDE	8.4	8.3	8.5	8.3	8.2	8.2	8.2	8.1	7.9	8.0	8.3	8.2	8.2	
JERI KAY LN(6.9R)							FC5M														
4252251	8.200	11.320	R	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5	6.5	6.5	6.5	6.5	4.0*
BETTER ROADS INC. (2013)							RIDE	8.2	8.0	8.4	8.3	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.2	8.0
4526211	6.811	11.612	C	2027		0226															
09030000	11.560	13.704	R	1	1	55	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27				3	7.8		RIDE	8.1	7.9		8.4	8.4	8.3	8.4	8.3	8.4	8.3	8.3	8.3	8.3	
ROBINETTE RD(12.0R)							FC125														
1945101	11.536	13.453	C	2001		0218	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0	6.0*	6.0*	6.2*	6.1*	3.5*
BETTER ROADS INC (2005)							SPRIDE	8.2	7.4	7.8	7.6	8.0	7.9	8.0	7.8	7.9	7.8	7.8	7.9	7.8	7.5
09030000	13.704	13.988	R	1	1	45	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27				3	7.8		RIDE	6.5	7.6		7.5	7.9	7.8	7.8	7.8	7.8	7.5	7.5	7.7	7.4	
W CORNELL ST(13.7R)							DGFC														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	8.9	10.0	8.5
							RIDE	7.4	6.6	5.6					7.3	7.3	7.3	7.4	7.4	7.1	6.8
09030000	13.988	14.296	R	1	4	45	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27				3	7.8		RIDE	6.5	7.6		7.5	7.9	7.8	7.8	7.8	7.8	7.5	7.5	7.7	7.4	
CAMPBOR ST W(14.0C)							CONC														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	8.9	9.4	9.0
							RIDE	7.4	6.6	5.6					7.3	7.3	7.3	7.4	7.4	7.9	7.8
09030000	14.296	14.739	R	1	1	45	CRACKING	10.0	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27				3	9.1		RIDE	8.5	8.5	8.8	8.4	8.4		8.4	7.8	7.8	8.1	8.1	7.8	7.9	
W LOCKE ST(14.3R)							DGFC														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	9.2	9.4	8.0
							RIDE	7.9	7.6	6.7	7.1	7.1	6.8		7.8	7.5	7.5	7.6	7.6	7.4	7.1
4512701	14.283	15.286	R	2027		0226															
09030000	14.739	15.286	R	1	1	45	CRACKING	10.0	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27				3	9.1		RIDE	8.5	8.5	8.8	8.4	8.4		8.4	7.8	7.8	8.1	8.1	7.8	7.9	
MAXWELL ST(14.8R)							DGFC														
4084691	14.224	15.228	C	2005		0547	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		7.0	7.0	6.0*	6.0*	5.6*	5.4*	3.0*
CAROLINA CONSULTING CORP. (2007)							SPRIDE	7.9	7.6	6.7	7.1	7.1	6.8		6.6	6.3	6.1	6.2	6.1	5.7	5.4*
4512701	14.283	15.286	R	2027		0226															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HIGHLANDS -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
ITMSEG-F																						
09030000	15.286	18.041	R	1	1 50	CRACKING		10.0	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	
25 27				3	12.5	30500 RIDE		8.5	8.5	8.8	8.4	8.4	8.1	8.3	8.1	8.1	8.1	8.1	8.1	7.9	7.7	
WOODMERE DR(15.3R) FC5M																						
1944851	15.286	18.038	C	2011	0218	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.2	7.8	7.8	5.5*
BETTER ROADS INC. (2015) SPRIDE																						
4560291	15.286	18.041	C	2026	6060																	
09030000	15.286	18.041	L	1	1 50	CRACKING		10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.5	7.5	7.5	7.5	7.5	7.5	5.5*	
25 27				3	12.5	30500 RIDE		8.4	8.5	8.8	8.4	8.4	8.2	8.2	8.1	7.9	8.0	8.0	8.0	7.8	7.5	
AVON PARK CITY LIMITS(15.7L) FC5M																						
1944851	15.286	18.038	C	2011	0218	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.8	7.5	5.0*
BETTER ROADS INC. (2015) SPRIDE																						
4560291	15.286	18.041	C	2026	6060				8.0	8.3	8.0	8.1	8.1	8.1	8.1	8.1	8.0	7.9	7.9	7.9	7.9	
09030000	14.725	15.286	L	1	1 45	CRACKING		10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	10.0	10.0	9.5	8.0		
25 27				3	9.1	34500 RIDE		8.4	8.5	8.8	8.4	8.4		8.2	8.2	7.8	8.0	8.1	8.0	8.0		
WALMART ENT(15.0L) DGFC																						
4084691	14.224	15.228	C	2005	0547	CRACKING		8.0	8.0	8.0	7.0	7.0	7.0		7.0	6.0*	5.5*	5.5*	5.6*	5.4*	3.0*	
CAROLINA CONSULTING CORP. (2007) SPRIDE																						
4512701	14.472	15.286	L	2027	0226			8.0	7.4	7.4	7.1	7.6	7.6		6.5	6.4	6.2	6.2	6.5	6.4	6.1	
09030000	14.471	14.725	L	1	1 45	CRACKING		10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	10.0	10.0	9.5	8.0		
25 27				3	9.1	34500 RIDE		8.4	8.5	8.8	8.4	8.4		8.2	8.2	7.8	8.0	8.1	8.0	8.0		
CIRCLE ST E(14.5L) DGFC																						
						CRACKING		8.0	8.0	8.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	9.5	8.0	
						RIDE		8.0	7.4	7.4	7.1	7.6	7.6		7.7	7.6	7.4	7.5	7.6	7.6	7.4	8.5
4512701	14.472	15.286	L	2027	0226																	
09030000	13.690	14.471	L	1	1 45	CRACKING		4.5*	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	9.5	8.0		
25 27				3	7.8	39500 RIDE		7.8	7.7		8.2	8.1	7.6	8.3	8.0	7.9	8.0	8.1	8.0	8.0		
CORNELL ST W(13.7L) DGFC																						
						CRACKING		8.0	8.0	8.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	8.5	
						RIDE		8.0	7.4	7.4	7.1	7.6	7.6		7.5	7.5	7.5	7.6	7.6	7.4	7.1	
09030000	11.560	13.690	L	1	1 55	CRACKING		5.5*	5.5*			10.0	10.0	10.0	9.0	9.0	10.0	10.0	9.5	8.0		
25 27				3	7.8	39500 RIDE		8.0	7.9			8.4	8.2	8.3	8.3	8.2	8.0	8.1	8.0	8.0		
ROBINETTE RD(12.0L) FC125																						
1945101	11.536	13.453	C	2001	0218	CRACKING		8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.8*	5.7*	3.0*	
BETTER ROADS INC (2005) SPRIDE																						
09030000	6.811	11.560	L	1	1 55	CRACKING		10.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	8.0	8.0	10.0		
25 27				3	6.6	44500 RIDE		8.2	8.2	8.5	8.3	8.2	8.2	8.1	8.0	7.4	8.0	8.2	8.2	8.1		
SPARROW AVE(6.9L) FC5M																						
						CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5	6.5	7.5	7.8	7.4	5.0*	
						RIDE		8.1	8.0	8.2	8.2	8.3	8.3	8.3	8.2	8.2	8.2	8.1	8.1	8.1	7.9	
4526211	6.811	11.612	C	2027	0226																	
09030000	4.495	6.811	L	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
25 27				3	6.3	46000 RIDE		8.7	8.5	8.8	8.4	8.4	8.3	8.3	8.3	7.3	8.1	8.2	8.1	8.0		
TUBB RD L(4.5L) FC3																						
1945071	4.516	6.870	C	1996	0218	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	6.5	6.5	8.0	8.3	8.2	5.0*	
APAC-FLORIDA, INC (2000) S RIDE																						
09030000	2.672	4.495	L	1	1 50	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5		
25 27				3	6.4	44000 RIDE		8.6	8.8	8.9	8.5	8.4	8.5	8.5	8.5	7.5	8.5	8.5	8.5	8.5	8.4	
COOPER RD(3.1L) FC3																						
1944891	2.755	4.516	C	1996	0218	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.2	8.1	5.0*
APAC-FLORIDA INC (1999) S RIDE																						
09030000	0.242	2.672	L	1	1 55	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
25 27				3	10.4	34000 RIDE			9.0	9.0	8.6	8.6	8.6	8.6	8.6	7.5	8.4	8.4	8.3	8.0		
GEORGE BLVD S L(0.5L) FC5M																						
4394331	0.257	2.690	C	2021	0012	CRACKING		9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	9.3	10.0	8.5	
HUBBARD CONSTRUCTION COMPA(2023) SPRIDE																						
								8.2	8.0	8.2	8.1	8.5	8.5	8.3	8.5	8.4	8.5	8.3	8.3	8.3	8.1	
09030000	0.000	0.242	L	1	1 55	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
25 27				3	10.4	34000 RIDE			9.0	9.0	8.6	8.6	8.6	8.6	8.6	7.5	8.4	8.4	8.3	8.0		
SR-66(0.0L) FC3																						
						CRACKING		9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	9.5	9.0	9.5	8.5	
						RIDE		8.2	8.0	8.2	8.1	8.5	8.5	8.3	8.5	8.4	8.4	8.0	7.9	8.1	7.8	
4397502	0.000	0.302	C	2027	0217																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HIGHLANDS -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
09030001	0.000	0.435	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	7.0	10.0	10.0	10.0	9.5	9.5	9.0	8.0	8.0	
17				2	4.3	15500	RIDE	8.5	7.8	8.5	8.0	6.0	7.5	7.1	7.5	6.7	6.6	7.0	7.0	6.9	
LAKEVIEW DR(0.0C)																					
1944252	0.073	0.426	C	2016		0012	CRACKING	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	9.0	7.5
LANE CONSTRUCTION CORPORAT(2018)																					
4566161	0.000	1.038	C	2029		0012	SPRIDE	6.7	6.4	6.1	5.7	7.8	7.6	7.6	7.6	7.4	7.4	7.4	6.8	7.3	7.0
09030001	0.435	1.058	R	1	1	35	CRACKING	10.0	8.0	8.0	8.0	7.0	10.0	10.0	10.0	9.5	9.5	9.0	8.0	8.0	
17				1	4.3	15500	RIDE					6.0	7.5	7.1	7.5	6.7	6.6	7.0	7.0	6.9	
LAKEVIEW TER(0.5R)																					
							CRACKING	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	10.0	9.0
							RIDE	6.7	6.4	6.1	5.7	7.8	7.6	7.6	7.6	7.4	7.4	7.4	6.8	7.0	6.7
4566161	0.000	1.038	C	2029		0012															
09040000	0.000	0.328	C	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	
17				4	3.0	14700	RIDE	7.7	7.7	7.6	7.1	7.1	7.1	6.8	7.0	6.4	6.7	6.7	7.9	7.9	
KENILWORTH BLVD(0.0L)																					
4223941	0.000	0.329	C	2010		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.7	8.3	6.0*
BETTER ROADS INC.																					
4512621	0.000	11.137	C	2026		0012	RIDE	7.8	7.0	7.1	6.9	6.8	6.9	7.0	6.8	6.7	6.6	6.6	6.8	6.9	6.6
09040000	0.328	0.440	R	1	1	40	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	
17				1	3.0	14700	RIDE	7.7	7.7	7.6	7.1	7.1	7.1	6.8	7.0	6.4	6.7	6.7	7.9	7.9	
PINE RD(0.4C)																					
4223941	0.329	0.440	C	2010		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.7	8.4	6.5
BETTER ROADS INC.																					
4512621	0.000	11.137	C	2026		0012	RIDE	7.8	7.0	7.1	6.9	6.8	6.9	7.0	6.8	6.7	6.6	6.6	6.8	7.2	6.9
09040000	0.440	0.685	R	1	1	30	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	
17				1	3.4	8600	RIDE	7.7	7.7	7.6	7.1	7.1	7.1	6.8	7.0	6.4	6.7	6.7	7.9	7.9	
OAK AVE(0.5R)																					
4223941	0.440	0.656	C	2010		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.7	4.8*	2.5*
BETTER ROADS INC.																					
4512621	0.000	11.137	C	2026		0012	RIDE	7.8	7.0	7.1	6.9	6.8	6.9	7.0	6.8	6.7	6.6	6.6	6.8	5.7	5.4*
09040000	0.685	0.752	C	1	1	30	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0					
17				2	3.4	8600	RIDE	7.5	7.4	6.8	6.8	6.5	6.3	6.4	5.8	5.6					
COMMERCE AVE(0.7C)																					
							CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.1	7.3	5.5*
							RIDE												4.0*	3.7*	
4512621	0.000	11.137	C	2026		0012															
09040000	0.752	1.313	R	1	1	30	CRACKING	9.5	9.5	9.5	8.0	8.0	9.5	9.5	8.0	8.0	8.0	8.0	10.0	10.0	
17				2	4.5	7300	RIDE	7.5	7.4	6.8	6.8	6.5	6.1	6.1	5.7	5.8	6.1	6.1	7.2	7.2	
WALL ST(0.8R)																					
4223941	0.756	1.302	C	2010		0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.0	7.0	7.0	7.0	7.9	6.5	4.5*
BETTER ROADS INC.																					
4512621	0.000	11.137	C	2026		0012	RIDE	7.1	6.9	6.6	6.5	6.5	6.3	6.3	6.3	6.0	6.0	6.0	6.1	4.5*	4.2*
09040000	1.313	2.958	C	1	1	45	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
17				2	9.7	5300	RIDE	7.3	7.4		8.0	8.0	8.0	7.8	7.8	6.7	7.6	7.4	7.4	7.3	
POMEGRANATE AVE(1.4L)																					
1944741	1.300	10.092	C	2002		0012	CRACKING	9.0	9.0	9.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.9	4.0*
APAC-FLORIDA INC																					
4512621	0.000	11.137	C	2026		0012	SPRIDE	7.1	6.5	7.1	7.0	7.0	7.0	6.9	6.8	6.7	6.5	6.7	6.7	6.6	6.3
09040000	2.958	3.250	C	1	1	45	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
17				2	10.8	6900	RIDE	7.3	7.4		8.0	8.0	8.0	7.8	7.8	6.7	7.6	7.4	7.4	7.3	
ANDOVER RD(3.1R)																					
							CRACKING	9.0	9.0	9.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	9.2	8.5
							RIDE	7.1	6.5	7.1	7.0	7.0	7.0	6.9	6.8	6.7	6.5	6.7	6.7	6.2	5.9
09040000	3.250	3.439	C	1	1	55	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
17				2	10.8	6900	RIDE	7.3	7.4		8.0	8.0	8.0	7.8	7.8	6.7	7.6	7.4	7.4	7.3	
BEN EASTMAN RD(3.3L)																					
1944741	1.300	10.092	C	2002		0012	CRACKING	9.0	9.0	9.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	7.9	5.0*
APAC-FLORIDA INC																					
4512621	0.000	11.137	C	2026		0012	SPRIDE	7.1	6.5	7.1	7.0	7.0	7.0	6.9	6.8	6.7	6.5	6.7	6.7	8.1	7.8
09040000	3.439	3.969	R	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
17				1	10.8	6900	RIDE	7.7	7.7	7.8	7.3	7.4	7.4	7.8	7.8	6.7	7.6	7.4	7.4	7.3	
BEACON AVE(3.6R)																					
							CRACKING	9.0	9.0	9.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.1*	3.0*
							RIDE	7.1	6.5	7.1	7.0	7.0	7.0	6.9	6.8	6.7	6.5	6.7	6.7	6.5	6.2*
4512621	0.000	11.137	C	2026		0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HIGHLANDS -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
CONTRACTOR (AGE_ONE_YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
09040000	3.969	10.095	C	1	1	55	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
17			2	14.1		5900	RIDE	7.1	6.5		8.2	8.2	8.2	8.1	8.2	6.9	7.4	7.7	7.7	7.6	
MAXCY GROVE RD(4.1L)																					
							FC125														
1944741	1.300	10.092	C	2002		0012	CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	6.5	4.0*
APAC-FLORIDA INC (2004)																					
							SPRIDE	7.4	7.0	7.3	7.1	7.1	7.2	7.1	7.1	7.0	6.8	6.9	6.9	6.9	6.6
4512621	0.000	11.137	C	2026		0012															
09040000	10.095	11.160	R	1	1	30	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	
17			2	5.6		13800	RIDE	6.7	6.7	6.6	6.0	6.1	6.0	5.8		6.8	7.7	7.1	7.7	7.2	
N VERONA AVE(10.3R)																					
							FC95														
1944262	10.170	11.134	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.0	6.0*	6.0*	6.0*	6.0*	6.9	6.6	4.5*
PREFERRED MATERIALS, INC. (2009)																					
							RIDE	7.3	6.8	6.6	6.2	6.5	6.5	6.5	6.4	6.5	6.0	6.0	6.0	5.9	5.6
4512621	0.000	11.137	C	2026		0012															
09040000	10.095	11.160	L	1	1	30	CRACKING	9.0	9.0	8.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	
17			2	5.6		13800	RIDE	6.5	6.6	6.4	5.8	6.0	6.0	5.8		7.0	7.7	7.5	7.6	7.4	
DELANCY AVE(10.2L)																					
							FC95														
1944262	10.170	11.134	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.5	4.0*
PREFERRED MATERIALS, INC. (2009)																					
							RIDE	7.4	7.3	6.3	6.4	6.8	7.1	6.6	6.9	6.7	6.1	6.2	5.9	5.9	5.6
4512621	0.000	11.137	C	2026		0012															
09060000	0.000	13.421	C	1	1	60	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
70			2	34.6		4700	RIDE	8.2	7.9	8.0	6.8	6.7	8.5	8.5	8.6	8.4	8.4	8.4	8.5	8.5	
ROBERT MCGEE RD(6.6C)																					
							FC125														
1944362	0.000	14.451	C	2004		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0	6.9	7.0	4.5*
BETTER ROADS INC (2006)																					
							RIDE	8.4	7.9	8.0	7.8	8.2	8.2	8.2	8.2	8.1	8.2	8.2	8.1	8.0	7.7
09060000	13.421	14.216	R	1	1	45	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
70			2	33.0		5400	RIDE	8.2	7.9	8.0	6.8	6.7	8.5	8.5	8.6	8.4	8.4	8.4	8.5	8.5	
OLD SR 8(13.5R)																					
							FC125														
1944362	0.000	14.451	C	2004		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0	6.9	7.0	4.5*
BETTER ROADS INC (2006)																					
							RIDE	8.4	7.9	8.0	7.8	8.2	8.2	8.2	8.2	8.1	8.2	8.2	8.1	7.8	7.5
09060000	14.216	14.416	C	1	7	45	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
70			2	33.0		5400	RIDE	8.2	7.9	8.0	6.8	6.7	8.5	8.5	8.6	8.4	8.4	8.4	8.5	8.5	
ENT TO PLANT(14.2R)																					
							FC125														
							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0		10.0	9.0
							RIDE	8.4	7.9	8.0	7.8	8.2	8.2	8.2	8.2	8.1	8.2	8.2		7.0	6.7
09060000	14.416	14.538	C	1	5	45	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	9.5	9.0	
70			2	33.0		5400	RIDE	8.1	7.4	7.8	7.2	6.8	6.6	7.3	8.4	8.3	8.3	8.2	8.2	8.1	
SR 25(14.5C)																					
							LDG														
							CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	7.5		9.4	9.0
							RIDE	8.3	7.7	7.7	7.4	8.1	8.0	8.0	8.0	7.9	7.8	7.9		6.8	6.7
09060000	14.538	14.770	C	1	7	45	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	9.5	9.0	
70			2	29.4		6200	RIDE	8.1	7.4	7.8	7.2	6.8	6.6	7.3	8.4	8.3	8.3	8.2	8.2	8.1	
MYERS RD(14.8L)																					
							FC5M														
							CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	7.5		10.0	9.0
							RIDE	8.3	7.7	7.7	7.4	8.1	8.0	8.0	8.0	7.9	7.8	7.9		7.6	7.4
09060000	14.770	15.287	C	1	1	45	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	9.5	9.0	
70			2	29.4		6200	RIDE	8.1	7.4	7.8	7.2	6.8	6.6	7.3	8.4	8.3	8.3	8.2	8.2	8.1	
ALPINE PARK(15.0L)																					
							DGFC														
1944372	14.581	22.243	C	2005		0012	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	7.5	7.2	8.0	5.5*
BETTER ROADS INC. (2008)																					
							RIDE	8.3	7.7	7.7	7.4	8.1	8.0	8.0	8.0	7.9	7.8	7.9	7.7	8.4	8.1
09060000	15.287	16.148	R	1	1	60	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	9.5	9.0	
70			1	29.4		6200	RIDE	8.1	7.4	7.8	7.2	6.8	6.6	7.3	8.4	8.3	8.3	8.2	8.2	8.1	
ALPINE PARK(15.0L)																					
							DGFC														
1944372	14.581	22.243	C	2005		0012	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	7.5	7.2	7.5	5.0*
BETTER ROADS INC. (2008)																					
							RIDE	8.3	7.7	7.7	7.4	8.1	8.0	8.0	8.0	7.9	7.8	7.9	7.7	8.2	7.9
09060000	16.148	17.266	C	1	1	60	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	9.5	9.5	9.0	
70			2	29.4		6200	RIDE	8.1	7.4	7.8	7.2	6.8	6.6		8.4	8.3	8.3	8.2	8.2	8.1	
BEAR RD(16.4L)																					
							DGFC														
1944372	14.581	22.243	C	2005		0012	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	7.5	7.2	7.0	4.5*
BETTER ROADS INC. (2008)																					
							RIDE	8.3	7.7	7.7	7.4	8.1	8.0	8.0	8.0	7.9	7.8	7.9	7.7	7.0	6.7

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HIGHLANDS -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	W_KMX-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	W_KMX-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
09060000	17.266	21.649	C	1	1	60	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	9.5	9.0	
70			2	29.4		6200	RIDE	8.1	7.4	7.8	7.2	6.8	6.6	5.6*	8.4	8.3	8.3	8.2	8.2	8.1	
LONESOME ISLAND RD(19.8L)																					
4145066	17.266	21.649	C	2021		0012	CRACKING	6.5	6.5	6.5	5.5*	5.5*	5.5*	10.0	0.0*	0.0*	10.0	10.0	9.6	10.0	9.0
AJAX PAVING INDUSTRIES OF (2023) SPRIDE																					
09060000	21.649	22.232	C	1	1	60	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	9.5	9.0	
70			2	29.4		6200	RIDE	8.1	7.4	7.8	7.2	6.8	6.6	5.6*	8.4	8.3	8.3	8.2	8.2	8.1	
DGFC																					
							CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	9.0	8.3	8.9	8.0
							RIDE	8.2	7.8	7.8	7.4	8.2	8.2	8.0	7.8	7.7	8.0	7.9	7.9	7.9	7.6
(2024)																					
09060000	22.232	29.472	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	
70			2	29.4		6200	RIDE	8.8	8.4	8.8	8.4	8.4	8.0	8.0	7.5	7.2	7.2	6.9	6.7	8.7	
GREENBRIAR FARM RD(23.3L)																					
4252261	22.232	30.101	C	2011		0012	CRACKING	10.0	10.0	10.0	9.5	8.5	8.5	7.5	7.0	6.5	6.5	6.5	7.0	4.9*	3.0*
BETTER ROADS INC. (2013) RIDE																					
09060000	29.472	36.334	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	5.5*	5.5*	3.5*	
70			2	21.5		7000	RIDE	8.9	8.4	8.9	8.2	8.1	7.8	8.0	7.8	7.5	7.6	7.3	7.4	7.3	
CR 721(32.0L)																					
4252271	30.136	36.334	C	2012		0012	CRACKING	10.0	10.0	10.0	9.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.9	5.0*
LAWRENCE-LYNCH CORP. (2014) RIDE																					
09080000	0.000	2.848	C	1	1	60	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	
64			2	11.4		15100	RIDE	6.7	8.5	8.5	8.2	8.1	8.0	8.0	8.1	8.1	8.1	7.9	8.0	7.9	
BALLARD RD(0.1L)																					
1944751	0.000	3.074	C	2001		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.4	4.5*
BETTER ROADS (2002) SPRIDE																					
09080000	2.848	3.082	R	1	4	35	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	
64			2	11.4		15100	RIDE	6.7	8.5	8.5	8.2	8.1	8.0	8.0	8.1	8.1	8.1	7.9	8.0	7.9	
S HART AVE(3.0R)																					
							CONC	8.0	8.0	8.0	8.0	8.0	7.0		7.0	7.0	7.0	7.0	7.0	9.4	9.0
							RIDE	7.8	7.6	6.9	6.8	7.6	7.5		7.5	7.4	7.4	7.5	7.4	6.7	6.6
(2026)																					
09110000	0.000	2.850	C	1	1	55	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
700 98			2	14.5		10000	RIDE	7.5		8.5	8.2	8.1	8.2	8.1	8.1	7.7	7.7	8.1	8.1	8.1	
US-27,98,SR-25,700(0.0L)																					
1944731	0.045	4.695	C	2001		0012	CRACKING	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.2*	2.5*
BETTER ROADS INC (2003) SPRIDE																					
4145113	0.100	4.677	C	2027		0226		8.1	7.5	7.3	7.5	7.6	7.8	7.9	7.7	7.7	7.8	7.7	7.7	7.7	7.4
09110000	2.850	3.588	R	1	1	55	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
700 98			2	14.5		10000	RIDE	7.5		8.5	8.2	8.1	8.2	8.1	8.1	7.7	7.7	8.1	8.1	8.1	
ASSOCIATE BLVD(3.0C)																					
1944731	0.045	4.695	C	2001		0012	CRACKING	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.2*	2.5*
BETTER ROADS INC (2003) SPRIDE																					
4145113	0.100	4.677	C	2027		0226		8.1	7.5	7.3	7.5	7.6	7.8	7.9	7.7	7.7	7.8	7.7	7.7	7.3	7.0
09110000	3.588	4.677	C	1	1	55	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
700 98			2	14.5		10000	RIDE	7.5		8.5	8.2	8.1	8.2	8.1	8.1	7.7	7.7	8.1	8.1	8.1	
MONTE REAL BLVD(4.0L)																					
1944731	0.045	4.695	C	2001		0012	CRACKING	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.3*	2.5*
BETTER ROADS INC (2003) SPRIDE																					
4145113	0.100	4.677	C	2027		0226		8.1	7.5	7.3	7.5	7.6	7.8	7.9	7.7	7.7	7.8	7.7	7.7	7.7	7.4
09110000	4.677	11.415	C	1	8	55	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
700 98			2	14.5		10000	RIDE	7.7	7.6	7.6	6.7	8.4	8.3	8.3	8.1	8.0	8.0	8.0	8.0	8.1	
SPRING LAKE BLVD(5.2L)																					
1944991	4.711	10.154	C	2003		0012	CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.7*		
BETTER ROADS INC (2005) RIDE																					
4489361	4.677	14.555	C	2025		0012		7.9	7.5	7.5	7.5	7.8	7.9	7.9	7.8	7.8	7.8	7.9	7.9		
09110000	11.415	11.856	C	1	1	55	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
700 98			2	22.7		4400	RIDE	7.7	7.6		8.4	8.5	8.5	8.4	8.3	8.0	8.0	8.0	7.9	7.8	
COWHOUSE RD(11.5R)																					
1945151	10.154	14.572	C	2002		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	5.9*	5.0*	2.5*
APAC-FLORIDA INC (2004) SPRIDE																					
4489361	4.677	14.555	C	2025		0012		7.7	7.3	7.5	7.4	7.8	7.7	7.8	7.8	7.7	7.6	7.6	7.6	7.2	6.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HIGHLANDS -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		WKMX-P														2031
		(AGE_ONE YEAR)		RW		ASTYPE														(PMRS)		
		W_BMP		W_EMP		RW		WKMX-F														
09110000	11.856	14.560	C	1	8	60	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5		
700 98			2	22.7		4400	RIDE	7.6	7.5		8.4	8.5	8.5	8.4	8.3	8.0	8.0	8.0	7.9	7.8		
CR 621(13.9R)						FC125M																
1945151	10.154	14.572	C	2002		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	5.9*			
APAC-FLORIDA INC				(2004)		SPRIDE																
4489361	4.677	14.555	C	2025		0012		7.7	7.3	7.5	7.4	7.8	7.7	7.8	7.7	7.6	7.6	7.6	7.6			
09110000	14.560	24.521	C	1	1	60	CRACKING	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
700 98			2	25.7		3600	RIDE	8.2	8.0	8.2	7.5	8.5	8.4	8.3	8.0	7.7	7.7	7.7	7.7	7.6		
CARACARA RD(16.1L)						FC125M																
							CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	9.0	
							RIDE	7.5	6.9	7.2	7.3	7.5	7.4	7.3	7.1	7.1	6.9	6.9	8.2	8.2	7.9	
							(2025)															
09140000	0.000	9.100	C	1	1	60	CRACKING	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.0		
66			2	17.1		7281	RIDE	7.6	7.4	7.5	8.4	8.2	8.3	8.1	8.0	6.9	7.8	7.9	7.8	7.7		
SPRING VALLEY LN(2.0L)						FC125M																
4366001	0.000	7.500	C	2017		0012	CRACKING	6.0*	6.0*	5.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	8.9	8.3	7.0	
LAWRENCE-LYNCH CORP.				(2020)		SPRIDE																
							RIDE	7.5	6.7	7.2	7.3	7.3		8.2	8.2	8.2	8.2	8.2	8.2	8.2	7.9	
09140000	9.100	9.342	C	1	1	45	CRACKING	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.0		
66			2	29.8		8800	RIDE	7.4	7.3	7.4	8.4	8.2	8.3	8.1	8.0	6.9	7.8	7.9	7.8	7.7		
SR 25/SR 700(9.3R)						DGFC																
							CRACKING	6.0*	6.0*	5.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	8.9	7.0	5.5*	
							RIDE	7.5	6.7	7.2	7.3	7.3		8.2	8.2	8.2	8.2	8.2	8.2	7.3	7.0	
							(2020)															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).